FUJITSU Cloud Service K5 for Public & Virtual Private Cloud

Spain Region Price List (October 2017)



Pricing Overview: FUJITSU Cloud Service K5 for Type 1 and Type 2 Cloud Services is priced on a consumption basis applying the units of measure and rates identified in this price list, as updated from time to time.

These Cloud Services are invoiced monthly in arrears, except where otherwise stated in the Customer Agreement. For Customers, this means that each invoice will cover the charges payable for consumption during the month immediately preceding the month of invoice. Invoices are payable within thirty days of the date of invoice, unless otherwise specified in the Customer Agreement.

Rates exclude any applicable sales taxes (which are also payable by the Customer) and apply in the event of any usage during a measurement period. If, for example, a Customer uses a Virtual Server for any part of any hour, then the Customer is charged for usage at the Virtual Server type's applicable hourly rate. Rates for monthly units of measure apply for each month that the relevant component is selected, irrespective of the quantity of use during the measurement period. New units of consumption must be purchased for each measurement period.

Terminating or discontinuing use or activation of any of the components comprising the Cloud Services during a measurement period will not relieve a Customer from its obligation to pay the whole unit price for each component.

Currency EUR

laaS

Virtual Server

| Standard CPU | vCPU | RAM | Unit of Measure | Rate |
|----------------|------|-----|-----------------|-------|
| P-1 | 1 | 0.5 | Hour | 0.006 |
| T-1 | 1 | 1 | Hour | 0.013 |
| C-1 | 1 | 2 | Ноиг | 0.025 |
| C-2 | 2 | 4 | Hour | 0.089 |
| C-4 | 4 | 8 | Hour | 0.178 |
| C-8 | 8 | 16 | Hour | 0.377 |
| C-16 | 16 | 32 | Hour | 0.754 |
| S-1 | 1 | 4 | Hour | 0.059 |
| S-2 | 2 | 8 | Hour | 0.091 |
| S-4 | 4 | 16 | Hour | 0.182 |
| S-8 | 8 | 32 | Hour | 0.385 |
| S-16 | 16 | 64 | Hour | 0.770 |
| M-1 | 1 | 8 | Hour | 0.062 |
| M-2 | 2 | 16 | Hour | 0.121 |
| M-4 | 4 | 32 | Hour | 0.243 |
| M-8 | 8 | 64 | Hour | 0.514 |
| M-16 | 16 | 128 | Hour | 1.028 |
| XM-4 | 4 | 128 | Hour | 1.028 |
| LM-1 | 1 | 16 | Hour | 0.086 |
| LM-2 | 2 | 32 | Hour | 0.171 |
| LM-4 | 4 | 64 | Hour | 0.353 |
| LM-8 | 8 | 128 | Hour | 1.028 |
| L-12 | 12 | 128 | Hour | 1.028 |
| L-24 | 24 | 128 | Hour | 1.490 |
| High-Speed CPU | vCPU | RAM | Unit of Measure | Rate |
| P2-1 | 1 | 0.5 | Hour | 0.007 |
| T2-1 | 1 | 1 | Hour | 0.016 |
| C2-1 | 1 | 2 | Hour | 0.032 |
| C2-2 | 2 | 4 | Hour | 0.115 |
| C2-4 | 4 | 8 | Hour | 0.231 |
| C2-8 | 8 | 16 | Hour | 0.490 |
| C2-16 | 16 | 32 | Hour | 0.980 |
| S2-1 | 1 | 4 | Hour | 0.076 |
| S2-2 | 2 | 8 | Ноиг | 0.118 |
| S2-4 | 4 | 16 | Hour | 0.236 |
| S2-8 | 8 | 32 | Hour | 0.500 |
| S2-16 | 16 | 64 | Hour | 1.001 |

| High-Speed CPU | vCPU | RAM | Unit of Measure | Rate |
|----------------|------|-----|-----------------|-------|
| M2-1 | 1 | 8 | Hour | 0.080 |
| M2-2 | 2 | 16 | Hour | 0.157 |
| M2-4 | 4 | 32 | Hour | 0.315 |
| M2-8 | 8 | 64 | Hour | 0.668 |
| M2-16 | 16 | 128 | Hour | 1.336 |
| XM2-4 | 4 | 128 | Hour | 1.336 |
| LM2-1 | 1 | 16 | Hour | 0.111 |
| LM2-2 | 2 | 32 | Hour | 0.222 |
| LM2-4 | 4 | 64 | Hour | 0.458 |
| LM2-8 | 8 | 128 | Hour | 1.336 |
| L2-12 | 12 | 128 | Hour | 1.336 |
| L2-24 | 24 | 128 | Hour | 1.937 |

Virtual Private Server

Host charges in addition to the other charges in this price list. A minimum of 2 hosts are required.

| Monthly flat rate | | | Unit of Measure | Rate |
|----------------------------------|------------------|-----------------------|--------------------------|----------------------------------|
| Dedicated Hosts | | | Month | 434.782 |
| Standard CPU | vCPU | RAM | Unit of Measure | Rate |
| P-1 | 1 | 0.5 | Hour | 0.006 |
| T-1 | 1 | 1 | Hour | 0.013 |
| C-1 | 1 | 2 | Hour | 0.025 |
| C-2 | 2 | 4 | Hour | 0.089 |
| C-4 | 4 | 8 | Hour | 0.178 |
| C-8 | 8 | 16 | Hour | 0.377 |
| C-16 | 16 | 32 | Hour | 0.754 |
| S-1 | 1 | 4 | Hour | 0.059 |
| S-2 | 2 | 8 | Hour | 0.091 |
| S-4 | 4 | 16 | Hour | 0.182 |
| S-8 | 8 | 32 | Hour | 0.385 |
| S-16 | 16 | 64 | Hour | 0.770 |
| M-1 | 1 | 8 | Hour | 0.062 |
| M-2 | 2 | 16 | Hour | 0.121 |
| M-4 | 4 | 32 | Hour | 0.243 |
| M-8 | 8 | 64 | Hour | 0.514 |
| M-16 | 16 | 128 | Hour | 1.028 |
| XM-4 | 4 | 128 | Hour | 1.028 |
| LM-1 | 1 | 16 | Hour | 0.086 |
| LM-2 | 2 | 32 | Hour | 0.171 |
| LM-4 | 4 | 64 | Hour | 0.353 |
| LM-8 | 8 | 128 | Hour | 1.028 |
| L-12 | 12 | 128 | Hour | 1.028 |
| L-24 | 24 | 128 | Hour | 1.490 |
| High-Speed CPU | vCPU | RAM | Unit of Measure | Rate |
| P2-1 | 1 | 0.5 | Hour | 0.007 |
| T2-1 | 1 | 1 | Ноиг | 0.016 |
| C2-1 | 1 | 2 | Hour | 0.032 |
| C2-2 | 2 | 4 | Ноиг | 0.115 |
| C2-4 | 4 | 8 | Ноиг | 0.231 |
| C2-8 | 8 | 16 | Hour | 0.490 |
| C2-16 | 16 | 32 | Ноиг | 0.980 |
| S2-1 | 1 | 4 | Ноиг | 0.076 |
| S2-2 | 2 | 8 | Ноиг | 0.118 |
| S2-4 | 4 | 16 | Ноиг | 0.236 |
| S2-8 | 8 | 32 | Hour | 0.500 |
| S2-16 | 16 | 64 | Hour | 1.001 |
| M2-1 | 1 | 8 | Hour | 0.080 |
| M2-2 | 2 | 16 | Hour | 0.157 |
| M2-4 | 4 | 32 | Hour | 0.315 |
| M2-8 | 8 | 64 | Hour | 0.668 |
| M2-16 | | 1 | Hour | 1.336 |
| | 16 | 128 | | |
| XM2-4 | 16 4 | 128 128 | Hour | 1.336 |
| | | | Hour | |
| XM2-4 LM2-1 | 4 | 128 | Hour Hour | 1.336 |
| XM2-4 | 1 2 | 128 16 | Hour Hour Hour | 1.336 0.111 0.222 |
| XM2-4 LM2-1 LM2-2 LM2-4 | 4 1 2 4 | 128 16 32 64 | Hour Hour Hour Hour Hour | 1.336 0.111 0.222 0.458 |
| XM2-4 LM2-1 LM2-2 | 1 2 | 128 16 32 | Hour Hour Hour | 1.336 0.111 0.222 |

Operating Systems

| No Support | Unit of Measure | Rate |
|---|-----------------|---------|
| Windows Server 2008 R2 SP1 Standard Edition 64bit | Month | 45.530 |
| Windows Server 2012 R2 Standard Edition 64bit | Month | 45.530 |
| SUSE Linux Enterprise Server 12 64bit (1-2 vCPU) | Month | 66.195 |
| SUSE Linux Enterprise Server 12 64bit (3-4 vCPU) | Month | 132.391 |
| SUSE Linux Enterprise Server 12 64bit (5- vCPU) | Month | 166.630 |
| CentOS 6.x 64bit | - | 0.000 |
| CentOS 7.x 64bit | - | 0.000 |
| Ubuntu 14.04 LTS | - | 0.000 |
| Ubuntu 16.04 LTS | - | 0.000 |
| 24x7 Support | Unit of Measure | Rate |
| Red Hat Enterprise Linux 6.x | Month | 173.913 |
| Red Hat Enterprise Linux 7.x | Month | 173.913 |

Notes

1. Limited Support is provided for SUSE Linux Enterprise Server 12 64bit during global promotion from January to December 2017.

Number of License is required: 1 license (1-4 vCPU); 2 license (8 vCPU); 4 license (16 vCPU)

| No Support | Unit of Measure | Rate |
|----------------------------------|-----------------|---------|
| SQL Server 2014 Standard Edition | Month | 379.257 |

Storage

| Туре | Unit of Measure | Rate |
|------------------------------------|-----------------|---------|
| lmage Storage | GB / Hour | 0.00003 |
| Block Storage - System storage | GB / Hour | 0.00014 |
| Block Storage - Additional storage | GB / Hour | 0.00014 |
| Snapshot Storage | GB / Hour | 0.00014 |
| Object Storage | GB / Hour | 0.00003 |
| Network Attached Storage (NAS) | GB / Hour | 0.00014 |

Networkina

| Type | Unit of Measure | Rate |
|--|-------------------|-------|
| Additional Port | Hour | 0.017 |
| Virtual Router | - | 0.000 |
| Global IP | Hour | 0.004 |
| IPsec VPN | Hour | 0.050 |
| Firewall | - | 0.000 |
| DNS - Records | 10 Record / Month | 3.652 |
| DNS - Weight | 1 Record / Month | 3.652 |
| DNS - Failovers | 1 Record / Month | 7.304 |
| DNS - Latency | 1 Record / Month | 3.652 |
| Load Balancer - Standard | Hour | 0.025 |
| Load Balancer - Middle | Hour | 0.050 |
| Load Balancer - High | Hour | 0.100 |
| Network Connector | Hour | 0.052 |
| Data Transfer - Inbound (Reasonable-effort) | - | 0.000 |
| Data Transfer - Outbound (Reasonable-effort) | - | 0.000 |

- DNS Records are metered and charged monthly or part thereof for each block of up to 10 DNS Records.
 Billing of a Global IP will be commence when a customer obtains a Global IP address to their K5 project, even it's not assigned a port.

Database Virtual Server

| Standard CPU | vCPU | RAM | Unit of Measure | Rate |
|--|---------------------------------------|--|---|---|
| C-2 (PostgreSQL) | 2 | 4 | Hour | 0.136 |
| C-4 (PostgreSQL) | 4 | 8 | Hour | 0.272 |
| C-8 (PostgreSQL) | 8 | 16 | Hour | 0.544 |
| C-16 (PostgreSQL) | 16 | 32 | Hour | 1.088 |
| S-1 (PostgreSQL) | 1 | 4 | Hour | 0.094 |
| S-2 (PostgreSQL) | 2 | 8 | Hour | 0.183 |
| S-4 (PostgreSQL) | 4 | 16 | Hour | 0.367 |
| S-8 (PostgreSQL) | 8 | 32 | Hour | 0.735 |
| S-16 (PostgreSQL) | 16 | 64 | Hour | 1.470 |
| M-1 (PostgreSQL) | 1 | 8 | Hour | 0.127 |
| M-2 (PostgreSQL) | 2 | 16 | Hour | 0.255 |
| M-4 (PostgreSQL) | 4 | 32 | Ноиг | 0.506 |
| M-8 (PostgreSQL) | 8 | 64 | Ноиг | 1.013 |
| M-16 (PostgreSQL) | 16 | 128 | Ноиг | 2.026 |
| XM-4 (PostgreSQL) | 4 | 128 | Ноиг | 2.026 |
| LM-1 (PostgreSQL) | 1 | 16 | Hour | 0.130 |
| LM-2 (PostgreSQL) | 2 | 32 | Hour | 0.259 |
| LM-4 (PostgreSQL) | 4 | 64 | Hour | 0.536 |
| LM-8 (PostgreSQL) | 8 | 128 | Hour | 2.026 |
| L-12 (PostgreSQL) | 12 | 128 | Ноиг | 2.026 |
| L-24 (PostgreSQL) | 24 | 128 | Hour | 2.264 |
| High-Speed CPU | vCPU | RAM | Unit of Measure | Rate |
| C2-2 (PostgreSQL) | 2 | 4 | Hour | 0.176 |
| C2-4 (PostgreSQL) | 4 | 8 | Ноиг | 0.353 |
| C2-8 (PostgreSQL) | 8 | 16 | Hour | 0.707 |
| C2-16 (PostgreSQL) | 16 | 32 | Ноиг | 1.414 |
| S2-1 (PostgreSQL) | 1 | 4 | Hour | 0.122 |
| S2-2 (PostgreSQL) | 2 | 8 | Hour | 0.237 |
| S2-4 (PostgreSQL) | 4 | 16 | Hour | 0.477 |
| S2-8 (PostgreSQL) | 8 | 32 | Hour | 0.955 |
| S2-16 (PostgreSQL) | 16 | 64 | Hour | 1.911 |
| | | | | |
| MZ-1 (PostgreSQL) | 1 | 8 | Hour | 0.165 |
| M2-1 (PostgreSQL) M2-2 (PostgreSQL) | 1 2 | | | 0.165 0.331 |
| M2-2 (PostgreSQL) | 1 2 4 | 8 | Hour Hour Hour | |
| M2-2 (PostgreSQL) M2-4 (PostgreSQL) | 4 | 8 16 | Hour Hour | 0.331 0.657 |
| M2-2 (PostgreSQL) M2-4 (PostgreSQL) M2-8 (PostgreSQL) | : | 8 16 32 | Hour Hour Hour | 0.331 0.657 1.316 |
| M2-2 (PostgreSQL) M2-4 (PostgreSQL) M2-8 (PostgreSQL) M2-16 (PostgreSQL) | 4 8 | 8 16 32 64 | Hour Hour | 0.331 0.657 1.316 2.633 |
| M2-2 (PostgreSQL) M2-4 (PostgreSQL) M2-8 (PostgreSQL) M2-16 (PostgreSQL) XM2-4 (PostgreSQL) | 4 8 16 | 8 16 32 64 128 | Hour Hour Hour Hour Hour Hour Hour Hour | 0.331 0.657 1.316 |
| M2-2 (PostgreSQL) M2-4 (PostgreSQL) M2-8 (PostgreSQL) M2-16 (PostgreSQL) XM2-4 (PostgreSQL) LM2-1 (PostgreSQL) | 4 8 16 | 8 16 32 64 128 128 | Hour Hour Hour Hour Hour Hour Hour Hour | 0.331 0.657 1.316 2.633 2.633 0.169 |
| M2-2 (PostgreSQL) M2-4 (PostgreSQL) M2-8 (PostgreSQL) M2-16 (PostgreSQL) XM2-4 (PostgreSQL) LM2-1 (PostgreSQL) LM2-1 (PostgreSQL) LM2-2 (PostgreSQL) | 4 8 16 | 8 16 32 64 128 128 16 32 | Hour Hour Hour Hour Hour Hour Hour Hour | 0.331 0.657 1.316 2.633 2.633 0.169 0.336 |
| M2-2 (PostgreSQL) M2-4 (PostgreSQL) M2-8 (PostgreSQL) M2-16 (PostgreSQL) XM2-4 (PostgreSQL) LM2-1 (PostgreSQL) LM2-1 (PostgreSQL) LM2-2 (PostgreSQL) LM2-4 (PostgreSQL) | 4 8 16 4 1 2 | 8 16 32 64 128 128 16 32 64 | Hour Hour Hour Hour Hour Hour Hour Hour | 0.331 0.657 1.316 2.633 2.633 0.169 0.336 0.696 |
| M2-2 (PostgreSQL) M2-4 (PostgreSQL) M2-8 (PostgreSQL) M2-16 (PostgreSQL) XM2-4 (PostgreSQL) LM2-1 (PostgreSQL) LM2-2 (PostgreSQL) LM2-2 (PostgreSQL) LM2-4 (PostgreSQL) LM2-4 (PostgreSQL) LM2-8 (PostgreSQL) | 4 8 16 4 1 2 4 8 | 8 16 32 64 128 128 16 32 64 | Hour Hour Hour Hour Hour Hour Hour Hour | 0.331 0.657 1.316 2.633 2.633 0.169 0.336 0.696 2.633 |
| M2-2 (PostgreSQL) M2-4 (PostgreSQL) M2-8 (PostgreSQL) M2-16 (PostgreSQL) XM2-4 (PostgreSQL) LM2-1 (PostgreSQL) LM2-2 (PostgreSQL) LM2-4 (PostgreSQL) LM2-4 (PostgreSQL) LM2-8 (PostgreSQL) LM2-8 (PostgreSQL) L2-12 (PostgreSQL) | 4 8 16 4 1 2 4 8 | 8 16 32 64 128 128 16 32 64 128 | Hour Hour Hour Hour Hour Hour Hour Hour | 0.331 0.657 1.316 2.633 2.633 0.169 0.336 0.696 2.633 2.633 |
| M2-2 (PostgreSQL) M2-4 (PostgreSQL) M2-8 (PostgreSQL) M2-16 (PostgreSQL) XM2-4 (PostgreSQL) LM2-1 (PostgreSQL) LM2-2 (PostgreSQL) LM2-4 (PostgreSQL) LM2-8 (PostgreSQL) LM2-8 (PostgreSQL) L2-12 (PostgreSQL) L2-24 (PostgreSQL) | 4 8 16 4 1 2 4 8 | 8 16 32 64 128 128 16 32 64 | Hour Hour | 0.331 0.657 1.316 2.633 2.633 0.169 0.336 0.696 2.633 2.633 2.943 |
| M2-2 (PostgreSQL) M2-4 (PostgreSQL) M2-8 (PostgreSQL) M2-16 (PostgreSQL) XM2-4 (PostgreSQL) LM2-1 (PostgreSQL) LM2-2 (PostgreSQL) LM2-2 (PostgreSQL) LM2-4 (PostgreSQL) LM2-8 (PostgreSQL) LM2-8 (PostgreSQL) L2-12 (PostgreSQL) L2-24 (PostgreSQL) L2-24 (PostgreSQL) | 4 8 16 4 1 2 4 8 | 8 16 32 64 128 128 16 32 64 128 | Hour Hour Hour Hour Hour Hour Hour Hour | 0.331 0.657 1.316 2.633 2.633 0.169 0.336 0.696 2.633 2.633 2.943 Rate |
| M2-2 (PostgreSQL) M2-4 (PostgreSQL) M2-8 (PostgreSQL) M2-16 (PostgreSQL) XM2-4 (PostgreSQL) LM2-1 (PostgreSQL) LM2-2 (PostgreSQL) LM2-4 (PostgreSQL) LM2-8 (PostgreSQL) L2-12 (PostgreSQL) L2-12 (PostgreSQL) L2-12 (PostgreSQL) | 4 8 16 4 1 2 4 8 | 8 16 32 64 128 128 16 32 64 128 | Hour Hour | 0.331 0.657 1.316 2.633 2.633 0.169 0.336 0.696 2.633 2.633 2.943 |

Email Delivery

| Туре | Unit of Measure | Rate |
|------------------------------------|-----------------|---------|
| Email Delivery (Up to 10,000) | Month | 34.086 |
| Email Delivery (Up to 30,000) | Month | 97.391 |
| Email Delivery (Up to 100,000) | Month | 292.173 |
| Email Delivery (Up to 250,000) | Month | 681.739 |
| Email Delivery (Up to 500,000) | Month | 1266 |
| Email Delivery (Up to 1 million) | Month | 1558 |
| Email Delivery (Up to 1.5 million) | Month | 1850 |
| Email Delivery (Up to 2 million) | Month | 2142 |
| Email Delivery (Up to 2.5 million) | Month | 2434 |

Content Delivery Network

| Data Transfer (Per GB pricing per Region per tier) | Japan | North America (includes Mexico) | EMEA | APAC (less Japan, India, Australia, New Zealand) | India | Australia & New Zealand | South America |
|---|-------|---------------------------------------|-------|---|-------|----------------------------|---------------|
| First 10 TB / month | 0.131 | 0.084 | 0.084 | 0.131 | 0.117 | 0.131 | 0.171 |
| Next 40 TB / month | 0.110 | 0.065 | 0.065 | 0.110 | 0.112 | 0.120 | 0.169 |
| Next 100 TB / month | 0.104 | 0.055 | 0.055 | 0.104 | 0.104 | 0.113 | 0.167 |
| Next 350 TB / month | 0.094 | 0.040 | 0.040 | 0.094 | 0.102 | 0.101 | 0.159 |
| Next 524 TB / month | 0.084 | 0.032 | 0.032 | 0.084 | 0.092 | 0.092 | 0.136 |
| Next 4,096 TB / month | 0.084 | 0.030 | 0.030 | 0.084 | 0.092 | 0.092 | 0.136 |
| Over 5,120 TB / month | 0.072 | 0.024 | 0.024 | 0.072 | 0.092 | 0.092 | 0.134 |

Notes

- 1. Unit price depends on the region where edge servers are located, and the nearest region from each end user is automatically selected.
- 2. Billing period is from beginning to end of the month when the service is used (UTC). It is charged to K5 user in the second month after the service is used.
- 3. Help desk charge for CDN will be calculated based on the usage of CDN in the previous month.
- 4. 1TB = 1024GB

| Data Transfer (Per 10,000 Hit Counts per Region) | Japan | North America (includes Mexico) | EMEA | APAC (less Japan, India, Australia, New Zealand) | India | Australia & New Zealand | South America |
|---|---------|---------------------------------------|---------|---|---------|----------------------------|---------------|
| HTTP | 0.00839 | 0.00681 | 0.00839 | 0.00839 | 0.00839 | 0.00839 | 0.01573 |
| HTTPS | 0.01153 | 0.00944 | 0.01153 | 0.01153 | 0.01153 | 0.01206 | 0.02202 |

Notes

- 1. Unit price depends on the region where edge servers are located, and the nearest region from each end user is automatically selected.
- 2. Billing period is from beginning to end of the month when the service is used (UTC). It is charged to K5 user in the second month after the service is used.
- 3. Help desk charge for CDN will be calculated based on the usage of CDN in the previous month.

Monitoring

| Туре | Unit of Measure | Rate |
|--------------|-----------------|-------|
| Alarm | Month | 0.091 |
| Custom Meter | Month | 0.456 |

Security

| Туре | Unit of Measure | Rate |
|--|-----------------|---------|
| Trend Micro Deep Security as a Service | Licence / Month | 130.434 |

CF - CloudFoundry

| Туре | Unit of Measure | Rate |
|---|-----------------|-------|
| CF - build packs (allocated memory size x run time as GB hours) | Hour | 0.045 |
| CF - PostgreSQL Small (1vcpu; 4GB Ram; 20GB Disk) | Hour | 0.292 |
| CF - L1 (10GB log/service) | Hour | 0.234 |
| CF - M1 (50GB log/service) | Hour | 0.956 |
| CF - custom meter (maximum simultaneous use per month) | Month | 1.043 |

Notes

- 1. Build packs are each metered and charged per hour or part thereof.
- 2. Build pack charges start to incur from the creation of the build pack / application and end when the application is stopped.
- 3. Database (PostgreSQL Small) usage is also metered and charged per hour or part thereof.
- 4. Database charges start to incur from the creation of the application enabling the relational database and end when this service is deleted.

PF

| Monthly flat rate | Unit of Measure | Rate |
|------------------------------------|-----------------|---------|
| PF mini 2 tier (1 App 1 DB) | Month | 852.173 |
| PF mini 3 tier (1 Web 1 App 1 DB) | Month | 1130 |
| PF Small 2 tier (2 App 1 DB) | Month | 2956 |
| PF Small 3 tier (2 Web 2 App 1 DB) | Month | 3565 |
| Pay per use | Unit of Measure | Rate |
| PF Additional Instance | Hour | 0.434 |

API Management

| Туре | Unit of Measure | Rate |
|---|-----------------|---------|
| APIM Pro - The limit of API Calls is 25M for each 3 month period | Month | 2054 |
| APIM Pro Overage - The additional set of 2.5M calls per 3 month | Month | 1141 |
| APIM Standard - The limit of API Calls is 3M for each 1 month period | Month | 684.782 |
| APIM Standard - The limit of API Calls is 10M for each 1 month period | Month | 2054 |
| APIM Standard - The limit of API Calls is 20M for each 1 month period | Month | 3834 |
| APIM Standard Overage - The additional set of 1M calls per 1 month | Month | 456.521 |

Notes

- 1. Where a limit applies, a flat rate is charged permitting calls up to the prescribed limit.
- 2. Charges apply for calls in excess of that limit during the measurement period at the applicable 'Overage' rates.
- 3. [Charges start to incur within 3 days from the date of the Customer's application for APIM.]

SF

| Туре | Unit of Measure | Rate |
|------|-----------------|---------|
| SF | Month | 608.695 |

IoT Platform

| Monthly flat rate | Unit of Measure | Rate |
|-------------------------------|-----------------------|---------|
| Economy | Month | 434.782 |
| Standard | Month | 869.565 |
| Advanced | Month | 4347 |
| Pay per use | Unit of Measure | Rate |
| Resource usage (up to 3000) | - | 0.000 |
| Resource usage (3001 or more) | Resource | 0.026 |
| API usage SSL usage | 10000 API calls | 0.086 |
| | 10000 API (SSL) calls | 0.173 |
| Event function usage | 1000 checks | 0.086 |
| Disk storage | 100 MB | 0.434 |
| Traffic | 100 MB | 0.086 |
| Notes | | |

Notes

- 1. Monthly flat rate includes a free usage amount for pay per use: Economy (EUR 43.478), Standard (EUR 565.217), Advanced (EUR 4782).
- 2. Resource usage is charged for maximum number of registered resources in the month.
- 3. Light API is a request satisfying below:
 - PUT request for JSON data (4KB or smaller) or GET request for JSON data (4KB or smaller) & present specified & "?" not included in the query
- 4. API usage is charged for each unit of up to 10000 API calls:
 - 1 Light API call; 1 API call; 1 API call other than Light API = 10 API calls; 1 bulk API call to register multiple pieces of data = 200 API calls
- 5. SSL usage is charged for each unit of up to 10000 API calls via SSL (HTTPS/MQTTS):
- 1 Light API call = 1 API (SSL) call; 1 API call other than Light API = 10 API (SSL) calls; 1 bulk API call to register multiple pieces of data via SSL= 200 API (SSL) calls
- 6. Event function usage is charged for each unit of up to 1,000 checks of event conditions set for each resource. All checks are counted irrespective of whether the event conditions are met or not. Each use of the event function is calculated as 1 API use.
- 7. Disk storage is charged for each unit of up to 100 MB of maximum stored data size in the month.
- 8. Traffic is charged for each unit of 100 MB of communication data during registration and acquisition of binary data.

Private Network Connection

| Туре | Unit of Measure | Rate |
|--|-----------------|---------|
| K5 Inter Connection - 100M (Reasonable-effort) | Month | 0.000 |
| K5 Inter Connection - 100M (Bandwidth-reserved) | Month | 173.913 |
| Direct Port Connection - 1G (Reasonable-effort) | Month | 478.260 |
| Direct Port Connection - 10G (Reasonable-effort) | Month | 1043 |

Help Desk

| Туре | Minimum Monthly Charge | Percentage of Total Spend Charge |
|-------|---------------------------|--|
| Light | 52.173 | 10% |
| Basic | 260.869 | 10% |

Notes

- 1. Help Desk is charged per contract.
- 2. Help Desk is charged by higher one of either the Minimum Monthly Charge or Percentage of Total Spend Charge.
- 3. Total Spend Charge means Total K5 service spend including all laaS, PaaS and other K5 service.

This price list is correct at time of publishing but subject to change.

A Customer is charged at the most recently published rates applying at the time charges are incurred or as otherwise prescribed by the Customer Agreement.

Version 6.2.0