

Reliable, high-speed, high-quality color scanning for the production environment.

# fi-4860C

## Production Color Scanner

Now there's no need to sacrifice color or image quality for speed.

- ▶ Scan in color at the same speed as monochrome (63 ppm / 125 ipm @ 200 dpi, Portrait)
- ▶ High duty cycle allows you to scan up to 10,000 documents per day
- ▶ 500-page automatic document feeder (ADF) with ultrasonic double feed detection
- ▶ Includes hardware JPEG compression, ScanRight™ IPC image-enhancement and Adobe® Acrobat® Standard
- ▶ Enhance productivity with Fujitsu service and support



**FUJITSU**

THE POSSIBILITIES ARE INFINITE

# fi-4860C

## Production Color Scanner

### Speed, flexibility and reliability without compromise.

The Fujitsu fi-4860C Production color scanner doesn't force you to choose between color, quality and performance. Its dual color CCD arrays scan both sides of a page in one pass, enabling you to scan 63 pages-per-minute (ppm) and 125 images-per-minute (ipm), at 200 dpi, in color, grayscale or monochrome. And with a duty cycle rated at 10,000 pages per day, the fi-4860C scanner easily satisfies production-level scanning requirements.

A reliable, 500-page ADF accommodates documents ranging from 2.9" by 2.9" up to 11" by 17" and can be configured to hold 250 pages for smaller batches. For smooth feeding, the ADF is also equipped with ultrasonic double feed detection ensuring superior paper throughput. The fi-4860C scanner also offers automatic page-size detection and document deskew in grayscale mode, which enables you to scan mixed batches of documents. Combined with high-bandwidth SCSI-III connectivity and a full version of Adobe® Acrobat® Standard, the fi-4860C scanner is the ideal addition to any production scanning environment. A VRS configuration is also available for advanced imaging processing technology including automatic crop, deskew and brightness.

### On-site warranty helps maximize uptime.

The fi-4860C scanner includes a 90-day, on-site, Limited Warranty. For full details on the Limited Warranty and on all service programs, go to [www.ImagingService.com](http://www.ImagingService.com) or call (800) 301-9475.

### About Fujitsu Computer Products of America, Inc.

Fujitsu Computer Products of America, Inc. is a subsidiary of Fujitsu Limited, a leading provider of customer-focused IT and communications solutions for the global marketplace. FCPA provides innovative solutions for the U.S. marketplace. Current product and service offerings include: high performance hard disk drives, magneto-optical drives, scanners and scanner maintenance.

Fujitsu Computer Products of America, Inc.  
[www.fcpa.fujitsu.com](http://www.fcpa.fujitsu.com)

1255 East Arques Avenue Sunnyvale, CA 94085-4701. (800) 626-4686 (408) 746-7000 [info@fcpa.fujitsu.com](mailto:info@fcpa.fujitsu.com)

© 2005 Fujitsu Computer Products of America, Inc. All rights reserved. All statements herein are valid only in the U.S. for U.S. residents, are based on normal operating conditions, are provided for informational purposes only, and are not intended to create any implied warranty of merchantability or fitness for a particular purpose. Fujitsu Computer Products of America, Inc. reserves the right to modify at any time without prior notice these statements, our products, their performance specifications, availability, price and warranty and post-warranty programs. Fujitsu and the Fujitsu logo are registered trademarks and The Possibilities are Infinite is a trademark of Fujitsu Limited. ScanRight, ScanCare and ScanAid are trademarks of Fujitsu Computer Products of America, Inc. Adobe and Acrobat are either registered trademarks or trademarks of Adobe Systems Incorporation in the United States and/or other countries. All other trademarks are the property of their respective owners.

### fi-4860C Scanner Specifications

Functional Specifications			
Technology	Dual Color Charge coupled device (CCD image sensor)		
Output	Monochrome/Grayscale 100, 150, 200, 240, 300, 400 selectable		
Resolution (dpi)	Color 100, 150, 200, 300, 400 <sup>1</sup> selectable		
Optical Resolution (dpi)	400		
Image Enhancement	Dither and error diffusion (standard model) Auto crop, deskew and brightness (VRS model)		
Grayscale	10 bit/1024 level (internal), 8 bit/256 level (output)		
Scanning speed	<b>Standard Model</b>	<b>Simplex</b>	<b>Duplex</b>
	Monochrome, Grayscale & Color @ 200 dpi (portrait)	63ppm <sup>2</sup>	125ipm <sup>2</sup>
	Monochrome & Grayscale @ 200 dpi (landscape)	74ppm	146ipm
	<b>VRS Model</b>	<b>Simplex</b>	<b>Duplex</b>
Monochrome & Grayscale @ 200 dpi (portrait)	63ppm	125ipm	
Color @ 200 dpi (portrait)	54ppm	64ipm	
Document feeding mode	Automatic document feeder (ADF)		
ADF capacity	500 Sheets (selectable 250)		
Document size	ADF minimum	(2.9 in x 2.9 in.)	
	ADF maximum	(A3) (11.7 in x 17 in)	
Interface	Ultra Wide SCSI		
Software Driver Support	ISIS and TWAIN driver included (Win 98/2000/NT 4.0/XP)		
JPEG Compression	Hardware-based; choose from 7 different levels		
Physical Specifications			
Power requirements (auto-switching)	100 – 240 VAC, 50/60 Hz		
Power consumption	250VA or less		
Operating environment	Temperature	59°F – 95°F (5°C – 35°C)	
	Relative humidity	20% – 80% (non-condensing)	
Dimensions (HxWxD)	20.5 in. x 17 in. x 20.6 in.		
Weight	99 lbs.		
Reliability Specifications			
Daily duty cycle	Up to 10,000 pages		
Limited Warranty	3 months on-site		
Optional Service Programs	<b>In-Warranty Upgrades and Post Warranty (Plus)</b> <b>On-site:</b> ScanCare® (Preventative maintenance + Basic) Basic (Includes parts, labor and travel) <b>Response Time Options:</b> 4-hour or Next Business Day <b>Consumables:</b> ScanAid™ Kits		
<small>Terms and conditions apply. A service contract must be executed to purchase all service programs noted in this document.</small>			
<b>Features</b>	Ultrasonic double feed detection, RGB color dropout, Page-end detection, Long document scanning, Grayscale-based auto size detection and document deskew		
<b>Bundled Software</b>	Adobe® Acrobat® Standard, ScandAll 21		
<b>Options</b>	Pre-scan and Post-scan Imprinters		
<b>fi-4860C Part Number</b>	PA03296-B062		
<b>fi-4860C-VRS Part Number</b>	PA03296-B059		

<sup>1</sup> Color scanning @ 400dpi supported up to legal size

<sup>2</sup> Requires Pentium® III 1Ghz PC Computer with 512MB memory or above for optimum color throughput

