

LifeBook L2020

- Superior performance in a stylish compact housing
- Designed for Microsoft® Windows® operating systems
- Seamless Wi-Fi connectivity with Atheros 802.11a/b/g⁷
- Crisp display for enhanced viewing
- Detachable IR keyboard and IR mouse
- Slot-in DVD/CD-RW Combo Drive



Fujitsu recommends Microsoft® Windows® XP Professional for Mobile Computing.

L2020 Recommended Configurations

| | |
|------------------------------|--|
| Processor | Mobile AMD Athlon™ XP - M Processor 2000+ QuantiSpeed™ architecture with 3DNow!™ Professional & AMD PowerNow! Technology |
| OS Supported | Microsoft® Windows® XP Home Edition Microsoft® Windows® XP Professional Edition Microsoft® Windows® 2000 Professional Edition |
| Display | 15" High Brightness XGA TFT, 1024 x 768 pixels |
| Optical Drive | Slot-in DVD/CD-RW Combo Drive |
| Wireless LAN | Atheros Wireless 54Mbps ³ network connection 802.11a/b/g ⁷ with Dual Antenna |
| Memory | 256MB DDR266 |
| Hard Disk | 60GB |
| Standard Battery Life | Approx. 3.6hrs ¹ |
| Weight | Approx. 4.8kg |
| Specifications | |
| Chipset | ATI RADEON™ IGP320M + ALI M1535+ |
| Secondary Cache | 256KB |
| Max. Memory Supported | 768MB DDR266 |
| Hard Disk Drive | Ultra DMA/100 and S.M.A.R.T Support |
| Graphics | ATI RADEON™ IGP320M, selectable 32/64/128MB shared memory ⁵ with 3D accelerator and AGP support |
| Audio | SigmaTel STAC9767 AC97 codec with built-in Stereo Speakers and Woofer (Box Type Stereo) OUT : Headphone-out IN : Microphone-in |
| Communication | 56K V.92 ² modem, IrDA 1.1 4Mbps ⁶ , 100/10 Mbps ⁴ Fast Ethernet and Atheros Wireless 54Mbps ³ network connection 802.11a/b/g ⁷ with Dual Antenna Separate ON/OFF switch for wireless network connection |
| User Interface | Keyboard: Detachable, Infra-red, 87-key, 19mm key pitch, 3mm key stroke Infra-red Scroll Mouse |
| Card Slot | PC Card Slot Type I/II x 2/Type III x 1 SD Card/Memory Stick PRO x 1 |
| Connector Interface | USB 2.0 x 3, RJ45 (LAN), RJ11 (modem), IEEE1394, Headphone-out, Microphone-in, AC Power Input |
| Quick Launch Panel | Four Programmable Application Launch Buttons (Internet, Email and two other software) |
| Dimensions | 333mm (W) x 172.5mm (D) x 299mm min. (H) |
| Bundled Accessories | |
| AC Adapter | Input AC 100~240V, Output DC 19V 80W |
| Software on CD | Norman Virus Control & Norman Personal Firewall |

¹ Results obtained from Ziff Davis (BusinessWinstone 2001) Battery Mark V4.0.1. Actual battery life will vary based on screen brightness, sound volume settings, running applications, connected peripherals, power management settings, battery conditioning, and other customer preferences. DVD or hard disk drive usage may also have a significant impact on battery life.

² Maximum 56Kbps performance varies according to your local service providers' services as well as line condition. V.92 performance is also dependent on local service providers' services.

³ This term does not represent actual data rate of 54Mbps and simply indicates compliance with IEEE 802.11g and IEEE 802.11a standards. Actual maximum data rate depends on local network settings, configurations and connected devices.

⁴ This term does not represent actual data rate of 100/10Mbps and simply indicates compliance with IEEE 802.3 and IEEE 802.3u standards. Actual maximum network data rate depends on network configurations, cable conditions as well as connected devices.

⁵ Memory allocation (max. 128MB) can be pre-set in the BIOS setup for optimal graphics and system performance. The memory size available to the Operating System will be less than the total size of installed memory modules.

⁶ Actual maximum data rate performance depends on local network settings, configurations and connected devices.

⁷ Atheros 802.11a is only available for approved countries.

It is natural for all thin-film transistor (TFT) liquid crystal displays (LCD) to show a small number of missing or discoloured dots. These are commonly known as non-conforming pixels. This is a technology limitation of TFT LCD and does not represent a defect. Fujitsu warranty does not cover limitations in technology such as non-conforming pixels.

Specifications reflected above are engineering and hardware specifications. They do not represent actual usage or operating dimensions, sizes, performance and weights as these are dependent on factors such as operating temperature, type of operating system and applications used, connected devices and accessories as well as hardware configurations of the notebook.



SINGAPORE:
Fujitsu PC Asia
Pacific Pte Ltd
Tel : (65) 6776 0688
Fax : (65) 6776 0788

MALAYSIA:
Fujitsu PC Asia
Pacific Pte Ltd
Tel : (60-3) 2093 3997
Fax : (60-3) 2093 4245

HONG KONG:
Fujitsu PC
Asia Pacific Ltd
Tel : (852) 3101 8133
Fax : (852) 3101 0633

THAILAND:
Fujitsu Systems
Business (Thailand) Ltd
PC Division
Tel : (66-2) 263 7888
Fax : (66-2) 263 7880
www.fujitsu-pc.ap.in.th

AUSTRALIA:
Fujitsu PC Australia
Toll Free: 1800 288 283
Tel : (61-2) 9004 7455
Fax : (61-2) 9004 7720
www.lifebook.com.au

CHINA:
Fujitsu PC China Division
Tel : (86-21) 2890 9622
Fax : (86-21) 2890 9999
cn.fujitsu.com

PHILIPPINES:
Fujitsu Philippines Inc.
Tel : (63-2) 812 4001
Fax : (63-2) 817 7576

TAIWAN:
Fujitsu Taiwan Ltd
Tel : (886-2) 2311 2255
Fax : (886-2) 2311 2277

VIETNAM:
Fujitsu Vietnam Ltd
Tel : (84-4) 831 3895-7
Fax : (84-4) 831 3898

INDONESIA:
PT Fujitsu Systems
(Indonesia)
Tel : (62-21) 344 2601
Fax : (62-21) 344 2593

Note: For countries not listed above, please contact our Singapore office.

www.pc-ap.fujitsu.com

All rights to the mentioned trademarks reside with their respective owners. Fujitsu endeavours to ensure that the information in this documentation is correct and fairly stated, but does not accept liability for any errors or omissions. The development of Fujitsu products and services is continuous and published information may not be up to date. It is important to check the current position with Fujitsu. The document is not part of the contract or licence save in so far as may be expressly agreed.

Dealer: