

THE POSSIBILITIES ARE INFINITE

FUJITSU

Fujitsu recommends Windows Vista® Business.

LifeBook S6410 Enhanced

slim & mobile perfection



LifeBook S6410 Enhanced



**LIFEBOOK** | Built-In Confidence

# THE ELEGANCE OF TRUE MOBILITY

Take the path to business success today with the new LifeBook S6410 Enhanced. Created for maximum productivity and mobility, the 13.3-inch wide model captures attention with its sleek, streamlined profile and lightweight design for the traveling executive. An integrated suite of advanced features for instant converged communication, including a built-in 1.3 Mega Pixel camera, dual digital stereo microphones and wireless antenna, lets you keep in touch with associates quickly and easily, even on the move. Furthermore, you can be assured that confidential data is protected by the most advanced security features, including Fujitsu 3D Shock Sensor, BIOS Lock and Fingerprint Sensor.



## 1.9kg Designed for Life On-The-Move

Specially designed for the busy executive who travels frequently, the LifeBook S6410 Enhanced features a slim profile that makes it effortless to carry around, while the ample 13.3-inch wide display enables easy viewing, even while on-the-move.



## 1.3 Mega Pixel Instant Converged Communication

Stay in touch with business associates and friends instantly with the help of comprehensive communication tools, including a 1.3 Mega Pixel camera, dual built-in stereo microphones and wireless antennas.



## Ultimate Security Anywhere

Incorporating advanced security features including Fujitsu 3D Shock Sensor, BIOS Lock and Hard Disk Lock, the LifeBook S6410 Enhanced lets you rest assured that confidential data is safe from prying eyes. The essential Fingerprint Sensor security gives you instant access to your encrypted data with a swipe of your pre-registered fingerprint.



THE POSSIBILITIES ARE INFINITE

FUJITSU

Fujitsu recommends Windows Vista® Business.

- 13.3-inch wide Intel® Centrino® Duo LifeBook with professional mobility at approximately 1.9kg\*
- Instant converged communications using built-in 1.3 Mega Pixel camera and dual built-in stereo microphones
- High brightness SuperFine LCD for perfect picture and movie viewing
- Hot-swappable modular bay device options for ultimate flexibility
- Health and environment friendliness with RoHS compliance<sup>10</sup>
- Designed for Genuine Windows Vista® operating systems

\* with weight saver option

### Specifications

Intel® Centrino® Duo processor technology  
- Intel® Core™2 Duo Processor T7500\* (2.20GHz, 4MB L2 cache, 800MHz)  
- Intel® GM965 Express Chipset

- Intel® PRO/Wireless 4965AGN/3945BG wireless connection

Genuine Windows Vista® Business  
(or Genuine Windows Vista® Home Premium)  
(or Genuine Windows Vista® Home Basic)

13.3-inch SuperFine WXGA TFT 250nits, 1280 x 800 pixels

Dual Layer DVD Super Multi Writer<sup>9</sup>/ DVD/CD-RW Combo Drive

1GB DDR2 667MHz

Max. Memory Supported<sup>14</sup> - 4GB DDR2 667MHz, Dual Channel

1GB/ -

160GB

Up to 4.3hrs<sup>1</sup> (6-cell Li-Ion 5800mAh)

Approx. 1.9kg (w/ weight saver option)

### Detailed Specifications

SATA-150 5400rpm, S.M.A.R.T support, Two Partitions - 50/50<sup>13</sup>, protected by Fujitsu 3D Shock Sensor<sup>15</sup>

Integrated Intel® Graphics Media Accelerator X3100 with Intel® Clear Video Technology<sup>11</sup> and DVMT<sup>6</sup> 4.0 delivers low-power, high-performance 2D/3D graphics with Shader Model 3.0, video and display capabilities at a max. shared memory of 384MB

RealTek ALC262 HD audio codec with dual built-in stereo speakers

HD Audio-in: External Mic-in, Dual Built-in Stereo Microphones

HD Audio-out: Headphone-out

1.3 Mega Pixel CMOS camera, Bluetooth® v2.0+EDR, 56K V.92<sup>2</sup>, Infrared IrDA 1.1 4Mbps<sup>1</sup>, Global Modem MDC1.5, 1000/100/10Mbps<sup>1</sup> Gigabit

Ethernet PCI Express x 1 and Intel® PRO/Wireless 4965AGN/3945BG wireless connection with three antenna. Separate ON/OFF switch for wireless network connection

Spill-resistant Keyboard<sup>12</sup>: 84-key, 19mm key pitch, 2.7mm key stroke

Intelligent Touch Pad with configurable vertical and horizontal scroll functions

Fingerprint Sensor with vertical scroll functions

PC Card Type II, Smartcard<sup>7</sup> support, Secured Digital/ SDHC/ Memory Stick<sup>8</sup>/ Memory Stick<sup>8</sup> PRO/ xD

USB 2.0 x 3, VGA (external display), RJ45 (LAN), RJ11 (modem), IEEE1394, mini S-Video out, HDA-in, HDA-out, Power Adapter DC-in,

Port Replicator Interface

Four Programmable Application Launch Buttons (Internet, Email, Support and one other software)

Four Functions: Stop / Eject, Play / Pause, Next, Previous

BIOS Lock, Hard Disk Lock, Anti-theft Lock Slot, Smartcard<sup>7</sup> support, Fingerprint Sensor

314mm (W) x 234mm (D) x 26.4/ 34.9mm (H)

### Bundled Accessories

Input AC 100-240V, Output DC 19V 80W

Softex Omnipass, CyberLink Power2Go™, CyberLink PowerProducer™, Roxio Easy Media Creator, Adobe Acrobat Reader, Fujitsu UpdateNavi<sup>16</sup>,

Fujitsu 3D Shock Sensor Utility, Fujitsu Power Saving Utility, Fujitsu Hardware Diagnostic Tool, Fujitsu Display Manager, Sun Microsystems Java Runtime

Camera Capture Application, Microsoft Office Professional 2007 60-day Convertible Trial<sup>17</sup>

1 year Full Licensed Norman Virus Control with Sandbox Technology and Norman Personal Firewall, Acronis True Image

### Optional Accessories

Connector Interface:

USB 2.0 x 4, DVI-D, VGA (external display), RJ45 (LAN), PS/2 (keyboard/mouse), Serial, Parallel, Power Adapter DC-in

Replaceable with

- Bay Battery, 6-cell Li-Ion 2300mAh, up to 6hrs<sup>1</sup> battery life (Standard + Bay Batteries)

- Dual Layer DVD Super Multi Writer<sup>9</sup>

- DVD/CD-RW Combo Drive

- Weight Saver

Converts mini S-Video out port to standard S-Video out port. Use a S-Video cable for connection to a TV

External USB 1.44MB FDD

USB Optical Black Mouse (Retractable)

The above information shows the general technical specifications of the product and does not represent actual configuration that would be sold in your region. For specific configurations and their availability, please check with your local distributors.

1 Results obtained from BAPCo® MobileMark®2007(Productivity Workload) performed on systems with maximum battery life settings. Actual battery life will vary based on screen brightness, sound volume settings, running applications, connected peripherals, power management settings, battery conditioning, and other customer preferences. Built-in bay device or hard drive usage may also have a significant impact on battery life. Note: Battery life is based on Intel® Core™2 Duo Processor T7500.

2 Maximum 56Kbps performance varies according to your local service providers' services as well as line condition. V.92 performance is dependent on local service providers' services.

3 This term does not represent actual data rate of 4Mbps and simply indicates compliance with ITA standard specification 1.1. Actual maximum data rate depends on local configurations and connected devices.

4 This term does not represent actual data rate of 1000/100/10Mbps and simply indicates compliance with IEEE 802.3, IEEE 802.3u and IEEE 802.3ab standards. Actual maximum data rate depends on network configurations, cable conditions as well as connected devices.

5 Please check actual bundling with country local distributor. T7500 refers to (2.20GHz, 4MB L2 cache, 800MHz FSB).

6 Dynamic Video Memory Technology (DVMT) dynamically responds to application requirement and efficiently allocates the proper amount of memory (max. 384MB) for optimal graphics and system performance. The memory size available to the Operating System will be less than the size of installed memory module.

7 Fujitsu does not provide the application for Smartcard solution.

8 BIOS Lock needs a supervisor/user password to access BIOS setup. BIOS settings can be configured to prompt for password at every first bootup or all bootup sequences. Access to BIOS setup is needed to configure Hard Disk Lock. Hard Disk Lock requires an access key to retrieve data on the hard disk. This is a Data Confidentiality security feature. LifeBook Lock requires a supervisor/user password to bootup the LifeBook when it powers up or resumes last session from suspend/hibernate mode. This is an anti-theft feature with more than 800,00 password combinations using the buttons in the Quick Launch Panel. Anti-theft Lock Slot allows the use of a lock to physically secure the LifeBook. Smartcard slot usage is dependent on customer's solution.

Fingerprint sensor uses AuthenTec TruePrint™ Technology and Softex OmniPass to remember customer list of user IDs and passwords. Full security unlock sequence - LifeBook Lock, Bootup Lock (BIOS Lock), Hard Disk Lock, Fingerprint Windows Login.

NOTE: Loss of password requires the LifeBook to be returned to Japan factory for system refresh. Cost of shipment and lost data will be borne by the customer. Backup your user's profile before changing HDD. Without the user's profile associated with a document at the point of encryption, Softex OmniPass cannot decrypt the encrypted document. 2 passwords refers to Master Password and User Password of the HDD Lock. The Master Password can be used to clear the User Password at the BIOS settings under Hard Disk Security. If HDD Lock prompt is enabled, only the User Password can be used to boot up the unit. Loss of these 2 passwords means the HDD content cannot be retrieved. It is the customer's responsibility to ensure the safe keeping of these 2 passwords for retrieval of data from the locked HDD.

9 Supports DVD multi formats such as DVD-RAM, DL DVD+R, DVD+RW, DVD+R, CD-RW, DVD-ROM, CD-R and CD-ROM.

10 RoHS (Restriction on Hazardous Substances) compliance means the system and its internal components comply with the EU RoHS directive (2002/95/EC) on the restricted use of six hazardous substances in the manufacture of the system and its internal components.

11 Intel® Clear Video Technology is a combination of video processing hardware and software technologies that delivers enhanced high-definition video playback, sharper images, precise colour control and advanced support for a wide range of digital displays interfaces, including High-Definition Multimedia Interface (HDMI).

12 Spill-resistant keyboard does not imply the system is water-proof. If liquid is spilled onto the keyboard, power off the system immediately and turn the notebook upside down to drain off the liquid.

13 This refers to Windows Vista® hard disk drives C:\ and D:\. 50/50 refer to approximate 50% allocation of user accessible hard disk storage to C:\ and D:\ drives. For Vista® hard disk drives, 1GB will be reserved for internal recovery usage which is not shown.

14 4GB DDR2 667MHz maximum memory is supported when Fujitsu recommended 2GB DDR2 667MHz memory module is made available.

15 Fujitsu 3D Shock Sensor of a powered-up unit retracts hard disk read-write head to a secured zone upon detection of excessive vibrations or shocks. This greatly reduces the possibility of damage to the hard disk and its contents - example in the event of a sudden drop or impact. The sensor monitors movement from three axes and its sensitivity can be adjusted by user to accommodate

different working environments using the Fujitsu 3D Shock Sensor Utility.

16 UpdateNavi is a Fujitsu Proprietary application that updates LifeBook drivers by connecting automatically to Fujitsu's server. This will help update your LifeBook with the latest software drivers and utilities to ensure compatibility between hardware and software, maintaining smooth operation anytime, anywhere.

17 Microsoft Office Professional 2007 60-day Convertible Trial needs online activation to begin. 60-day starts from day of activation.

18 Intel® Turbo Memory is a multi-component platform technology that uses non-volatile memory (Flash memory) to increase system responsiveness, make multi-tasking faster, and extend battery life.

\*PCI Express™ and the PCI Express design marks are registered trademarks and/or service marks of PCI-SIG.

Dolby and the double-D symbol are registered trademarks of Dolby Laboratories.

It is natural for all thin-film transistor (TFT) liquid crystal displays (LCD) to show a small number of missing or discolored dots. These are commonly known as non-conforming pixels. This is a technology limitation of TFT LCD and does not represent a defect. Fujitsu warranty does not cover limitations in technology such as non-conforming pixels.

Specifications reflected above are engineering and hardware specifications. They do not represent actual usage or operating dimensions, sizes, performances and weights as these are dependent on factors such as operating temperature, type of operating system and application used, connected devices and accessories as well as hardware configurations of the notebook. Please check the compatibility of 3rd party accessories before purchase. Ambient temperature: 5° to 35°C / 41 to 95°F (operating), -15° to 60°C / 5 to 140°F (non-operating). Relative humidity: 20% to 85% RH (operating), 8% to 85% RH (non-operating). Please note that 1GB is equivalent to 1,073,741,824 bytes.

LifeBook S6410 Enhanced

# LifeBook S6410 Enhanced

Fujitsu recommends Windows Vista® Business.

## LifeBook S6410 Enhanced

- 13.3-inch wide Intel® Centrino® Duo LifeBook with professional mobility at approximately 1.9kg\*
- Instant converged communications using built-in 1.3 Mega Pixel camera and dual built-in stereo microphones
- High brightness SuperFine LCD for perfect picture and movie viewing
- Hot-swappable modular bay device options for ultimate flexibility
- Health and environment friendliness with RoHS compliance<sup>10</sup>
- Designed for Genuine Windows Vista® operating systems

\* with weight saver option

| Specifications                    |   |
|-----------------------------------|---|
| Platform                          | Intel® Centrino® Duo processor technology<br>- Intel® Core™2 Duo Processor T7500* (2.20GHz, 4MB L2 cache, 800MHz)<br>- Intel® GM965 Express Chipset<br>- Intel® PRO/Wireless 4965AGN/3945BG wireless connection   |
| Operating System                  | Genuine Windows Vista® Business<br>(or Genuine Windows Vista® Home Premium)<br>(or Genuine Windows Vista® Home Basic)   |
| Display                           | 13.3-inch SuperFine WXGA TFT 250nits, 1280 x 800 pixels   |
| Modular Bay Device                | Dual Layer DVD Super Multi Writer <sup>7</sup> / DVD/CD-RW Combo Drive  |
| Memory                            | 1GB DDR2 667MHz<br>Max. Memory Supported <sup>14</sup> - 4GB DDR2 667MHz, Dual Channel  |
| Intel® Turbo Memory <sup>18</sup> | 1GB / -   |
| Hard Disk                         | 160GB   |
| Battery                           | Up to 4.3hrs <sup>1</sup> (6-cell Li-Ion 5800mAh)   |
| Weight                            | Approx. 1.9kg (w/ weight saver option)  |
| Detailed Specifications           |   |
| Hard Disk Drive                   | SATA-150 5400rpm, S.M.A.R.T support, Two Partitions - 50/50 <sup>11</sup> , protected by Fujitsu 3D Shock Sensor <sup>15</sup>  |
| Graphics                          | Integrated Intel® Graphics Media Accelerator X3100 with Intel® Clear Video Technology <sup>11</sup> and DVM <sup>16</sup> 4.0 delivers low-power, high-performance 2D/3D graphics with Shader Model 3.0, video and display capabilities at a max. shared memory of 384MB  |
| High Definition (HD) Audio        | RealTek ALC262 HD audio codec with dual built-in stereo speakers<br>HD Audio-in: External Mic-in, Dual Built-in Stereo Microphones<br>HD Audio-out: Headphone-out   |
| Communication                     | 1.3 Mega Pixel CMOS camera, Bluetooth® v2.0+EDR, 56K V.92 <sup>2</sup> , Infrared IrDA 1.1 4Mbps <sup>3</sup> , Global Modem MDC1.5, 1000/100/10Mbps <sup>4</sup> Gigabit Ethernet PCI Express x 1 and Intel® PRO/Wireless 4965AGN/3945BG wireless connection with three antenna. Separate ON/OFF switch for wireless network connection  |
| User Interface                    | Spill-resistant Keyboard <sup>12</sup> : 84-key, 19mm key pitch, 2.7mm key stroke<br>Intelligent Touch Pad with configurable vertical and horizontal scroll functions<br>Fingerprint Sensor with vertical scroll functions  |
| Card Slots                        | PC Card Type II, Smartcard <sup>8</sup> support, Secured Digital/ SDHC/ Memory Stick <sup>9</sup> / Memory Stick <sup>9</sup> PRO/ xD   |
| Connector Interface               | USB 2.0 x 3, VGA (external display), RJ45 (LAN), RJ11 (modem), IEEE1394, mini S-Video out, HDA-out, Power Adapter DC-in, Port Replicator Interface  |
| Quick Launch Panel                | Four Programmable Application Launch Buttons (Internet, Email, Support and one other software)  |
| Media Playback Panel              | Four Functions: Stop / Eject, Play / Pause, Next, Previous  |
| Security <sup>8</sup>             | BIOS Lock, Hard Disk Lock, Anti-theft Lock Slot, Smartcard <sup>8</sup> support, Fingerprint Sensor   |
| Dimensions                        | 314mm (W) x 234mm (D) x 26.4/34.9mm (H)   |
| Bundled Accessories               |   |
| AC Adapter                        | Input AC 100-240V, Output DC 19V 80W  |
| Bundled Software                  | Softex Omnipass, CyberLink Power2Go™, CyberLink PowerProducer™, Roxio Easy Media Creator, Adobe Acrobat Reader, Fujitsu UpdateNav <sup>17</sup> , Fujitsu 3D Shock Sensor Utility, Fujitsu Power Saving Utility, Fujitsu Hardware Diagnostic Tool, Fujitsu Display Manager, Sun Microsystems Java Runtime Camera Capture Application, Microsoft Office Professional 2007 60-day Convertible Trial <sup>17</sup> |
| Software on CD                    | 1 year Full Licensed Norman Virus Control with Sandbox Technology and Norman Personal Firewall, Acronis True Image  |
| Optional Accessories              |   |
| Port Replicator                   | Connector Interface:<br>USB 2.0 x 4, DVI-D, VGA (external display), RJ45 (LAN), PS/2 (keyboard/mouse), Serial, Parallel, Power Adapter DC-in  |
| Modular Bay Options               | Replaceable with:<br>- Bay Battery, 6-cell Li-Ion 2300mAh, up to 6hrs <sup>1</sup> battery life (Standard + Bay Batteries)<br>- Dual Layer DVD Super Multi Writer <sup>7</sup><br>- DVD/CD-RW Combo Drive<br>- Weight Saver   |
| Mini S-Video Cable                | Converts mini S-Video out port to standard S-Video out port. Use a S-Video cable for connection to a TV   |
| Floppy Disk Drive                 | External USB 1.44MB FDD   |
| Mouse                             | USB Optical Black Mouse (Retractable)   |

The above information shows the general technical specifications of the product and does not represent actual configuration that would be sold in your region. For specific configurations and their availability, please check with your local distributors.

- 1 Results obtained from BAPCo® MobileMark®2007(Productivity Workload) performed on systems with maximum battery life settings. Actual battery life will vary based on screen brightness, sound volume settings, running applications, connected peripherals, power management settings, battery conditioning, and other customer preferences. Built-in bay device or hard drive usage may also have a significant impact on battery life. Note: Battery life is based on Intel® Core™2 Duo Processor T7500.
- 2 Maximum 56Kbps performance varies according to your local service providers' services as well as line condition. V.92 performance is dependent on local service providers' services.
- 3 This term does not represent actual data rate of 4Mbps and simply indicates compliance with IrDA standard specification 1.1. Actual maximum data rate depends on local configurations and connected devices.
- 4 This term does not represent actual data rate of 1000/100/10Mbps and simply indicates compliance with IEEE 802.3, IEEE 802.3u and IEEE 802.3ab standards. Actual maximum data rate depends on network configurations, cable conditions as well as connected devices.
- 5 Please check actual bundling with country local distributor. T7500 refers to (2.20GHz, 4MB L2 cache, 800MHz FSB).
- 6 Dynamic Video Memory Technology (DVM) dynamically responds to application requirement and efficiently allocates the proper amount of memory (max. 384MB) for optimal graphics and system performance. The memory size available to the Operating System will be less than the size of installed memory module.
- 7 Fujitsu does not provide the application for Smartcard solution.
- 8 BIOS Lock needs a supervisor/user password to access BIOS setup. BIOS settings can be configured to prompt for password at every first bootup and all bootup sequences. Access to BIOS setup is needed to configure Hard Disk Lock. Hard Disk Lock requires an access key to retrieve data on the hard disk. This is a Data Confidentiality security feature. LifeBook Lock requires a supervisor/user password to bootup the LifeBook when it powers up or resumes last session from suspend/hibernate mode. This is an anti-theft feature with more than 800,000 password combinations using the buttons in the Quick Launch Panel. Anti-theft Lock Slot allows the use of a lock to physically secure the LifeBook. Smartcard slot usage is dependent on customer's solution. Fingerprint sensor uses AuthenTec TruePrint™ Technology and Softex OmniPass to remember customer list of user IDs and passwords. Full security unlock sequence - LifeBook Lock, Bootup Lock (BIOS Lock), Hard Disk Lock, Fingerprint Windows Login.
- NOTE: Loss of password requires the LifeBook to be returned to Japan factory for system refresh. Cost of shipment and lost data will be borne by the customer. Backup your user's profile before changing HDD. Without the user's profile associated with a document at the point of encryption, Softex OmniPass cannot decrypt the encrypted document. 2 passwords refers to Master Password and User Password of the HDD Lock. The Master Password can be used to clear the User Password at the BIOS settings under Hard Disk Security. If HDD Lock prompt is enabled, only the User Password can be used to boot up the unit. Loss of these 2 passwords means the HDD content cannot be retrieved. It is the customer's responsibility to ensure the safe keeping of these 2 passwords for retrieval of data from the locked HDD.
- NOTE: Loss of password requires the LifeBook to be returned to Japan factory for system refresh. Cost of shipment and lost data will be borne by the customer. Backup your user's profile before changing HDD. Without the user's profile associated with a document at the point of encryption, Softex OmniPass cannot decrypt the encrypted document. 2 passwords refers to Master Password and User Password of the HDD Lock. The Master Password can be used to clear the User Password at the BIOS settings under Hard Disk Security. If HDD Lock prompt is enabled, only the User Password can be used to boot up the unit. Loss of these 2 passwords means the HDD content cannot be retrieved. It is the customer's responsibility to ensure the safe keeping of these 2 passwords for retrieval of data from the locked HDD.
- 9 Supports DVD multi formats such as DVD-RAM, DL DVD±R, DVD±RW, DVD±R, DVD-RW, DVD-ROM, CD-R and CD-ROM.
- 10 RoHS (Restriction on Hazardous Substances) compliance means the system and its internal components comply with the EU RoHS directive (2002/95/EC) on the restricted use of six hazardous substances in the manufacture of the system and its internal components.
- 11 Intel® Clear Video Technology is a combination of video processing hardware and software technologies that delivers enhanced high-definition video playback, sharper images, precise colour control and advanced support for a wide range of digital displays interfaces, including High-Definition Multimedia Interface (HDMI).
- 12 Spill-resistant keyboard does not imply the system is water-proof. If liquid is spilled onto the keyboard, power off the system immediately and turn the notebook upside down to drain off the liquid. This refers to Windows Vista® hard disk drives C:\ and D:\, 50/50 refer to approximate 50% allocation of user accessible hard disk storage to C:\ and D:\ drives. For Vista® hard disk drives, 1GB will be reserved for internal recovery usage which is not shown.
- 14 4GB DDR2 667MHz maximum memory is supported when Fujitsu recommended 2GB DDR2 667MHz memory module is made available.
- 15 Fujitsu 3D Shock Sensor of a powered-up unit retracts hard disk read-write head to a secured zone upon detection of excessive vibrations or shocks. This greatly reduces the possibility of damage to the hard disk and its contents in the event of a sudden drop or impact. The sensor monitors movement from three axes and its sensitivity can be adjusted by user to accommodate different working environments using the Fujitsu 3D Shock Sensor Utility.
- 16 UpdateNav is a Fujitsu Proprietary application that updates LifeBook drivers by connecting automatically to Fujitsu's server. This will help update your LifeBook with the latest software drivers and utilities to ensure compatibility between hardware and software, maintaining smooth operation anytime, anywhere.
- 17 Microsoft Office Professional 2007 60-day Convertible Trial needs online activation to begin. 60-day starts from day of activation.
- 18 Intel® Turbo Memory is a multi-component platform technology that uses non-volatile memory (Flash memory) to increase system responsiveness, make multi-tasking faster, and extend battery life.

\*PCI Express® and the PCI Express design marks are registered trademarks and/or service marks of PCI-SIG.

Dolby and the double-D symbol are registered trademarks of Dolby Laboratories.

It is natural for all thin-film transistor (TFT) liquid crystal displays (LCD) to show a small number of missing or discolored dots. These are commonly known as non-conforming pixels. This is a technology limitation of TFT LCD and does not represent a defect. Fujitsu warranty does not cover limitations in technology such as non-conforming pixels.

Specifications reflected above are engineering and software specifications. They do not represent actual usage or operating dimensions, sizes, performances and weights as these are dependent on factors such as operating temperature, type of operating system and application used, connected devices and accessories as well as hardware configurations of the notebook. Please check the compatibility of 3rd party accessories before purchase. Ambient temperature: 5° to 35°C / 41 to 95°F (operating), -15° to 60°C / 5 to 140°F (non-operating). Relative humidity: 20% to 85% RH (operating), 8% to 85% RH (non-operating). Please note that 1GB is equivalent to 1,073,741,824 bytes.




### Convenient Application Panel

The LifeBook S6410 Enhanced was thoughtfully designed to simplify your operations. Convenient buttons located on the discreet, mirror-like application panel above the keyboard give you easy, one-touch access to common functions.



### High Visibility Status Indicators

The status indicators on the LifeBook S6410 Enhanced are located at the edge of the palmrest and are easily visible with the LCD cover opened or closed. Indicators will also display the battery charging status even with the cover closed.



### Premium Wide Screen

The 13.3-inch wide screen comes in premium 16:10 ratio as found in wide screens, enabling you to enjoy perfect DVD playback. The screen ratio also provides optimum display space for efficient business use, allowing two applications to be opened at the same time. The SuperFine LCD 250nits construction for the screen makes it remarkably slim in design, while saving power.



- Quick Launch Panel**: Four programmable application launch buttons.
- Multimedia Playback Panel**: Instant access to playback functions on DVD movie.
- Speakers**: The built-in dual speakers provide stereo sound.
- USB 2.0 Connectors**: Download MP3 music to your MP3 player.
- Spill-resistant Keyboard**: Protects your LifeBook from accidental liquid spills.
- Modular Bay Device**: Plug and play additional bay option e.g. bay battery.
- Fingerprint Sensor**: Instant access to encrypted files and folders as well as password enabled websites and online applications.
- Status Indicator LED**: This indicator displays operating status symbols that correspond to battery charging status components of your notebook.
- PC Card Slot**: Plug and play a high-data bandwidth multimedia accessory e.g. TV tuner card for pure enjoyment. TV Tuner card is not provided.
- SD/ SDHC/ MS/ MS PRO/ xD Slot**: Exchange information on your LifeBook with your PDA and mobile phones. Download pictures from your digital camera to your LifeBook. Memory cards are not provided.
- Wireless LAN Connection**: Check your mails and surf the internet at wireless LAN hotspots. Turn it off at a click of the button.
- IEEE1394 Connector**: Download movies and photos from video camera and digital camera to your LifeBook.
- High Definition Audio Connectors**: Experience high quality music and recording with the latest audio codec.
- Built-in 1.3 Mega Pixel Camera**: Take pictures, create videos and chat with others in astounding clarity.
- MP3**: Download MP3 music to your MP3 player.
- Wireless LAN/ Bluetooth ON/OFF Switch**
- S-Video Connector**
- HD Audio-out**
- Anti-theft Lock Slot**
- External VGA Connector**
- PC Card (Type II) Slot**
- PC Card Eject Button**
- DC-in Connector**
- Air Inlet**
- SD/ SDHC/ MS/ MS PRO/ xD Card Slot**
- USB 2.0 Connectors**
- Air Outlet**
- USB 2.0 Connector**
- IEEE1394 Connector**
- HD Audio-in**
- Status Indicator LED**
- Wireless LAN/ Bluetooth ON/OFF Switch**
- S-Video Connector**
- HD Audio-out**
- Anti-theft Lock Slot**
- External VGA Connector**
- PC Card (Type II) Slot**
- PC Card Eject Button**
- DC-in Connector**
- Air Inlet**
- SD/ SDHC/ MS/ MS PRO/ xD Card Slot**
- USB 2.0 Connectors**
- Air Outlet**
- USB 2.0 Connector**

- Front**: IEEE1394 Connector, HD Audio-in, Status Indicator LED, Wireless LAN/ Bluetooth ON/OFF Switch, S-Video Connector, HD Audio-out
- Back**: Anti-theft Lock Slot
- Left**: LAN Connector, External VGA Connector, PC Card (Type II) Slot, PC Card Eject Button, DC-in Connector, Air Inlet, SD/ SDHC/ MS/ MS PRO/ xD Card Slot
- Right**: USB 2.0 Connectors, Air Outlet, USB 2.0 Connector, Anti-theft Lock Slot, Modem Connector, Modular Bay Device






## Optional Accessories




### Dual Layer DVD Super Multi Writer

Dual-layer DVD-R technology lets you record almost twice the amount of the data on a single disc surface. Compatible with CD-R, CD-RW, DVD-R, DVD-RW and DVD-RAM.



### Modular Bay Battery

Searching for power sources when you're outdoors can be a hassle. Extend your LifeBook's operating hours with a modular battery pack.



### Weight Saver

Reduces the weight of your LifeBook whenever the optical drive is not required.



### AC Adapter

An additional adapter at home, office and in the briefcase makes traveling a lot simpler.




### Mini S-Video Cable

Connect your LifeBook to a television display via the S-Video port.



### Optical USB Black Mouse (Retractable)

Optical tracking technology offers convenient usage.



### Port Replicator

Unique wedge design provides easy, one-step connection and removal of your LifeBook. When connected, it links all your peripherals to your LifeBook.

**HONG KONG (Head Office):**  
Fujitsu PC  
Asia Pacific Ltd  
Tel : (852) 3101 8133  
Fax : (852) 3101 0633  
hk.fujitsu.com/pc

**AUSTRALIA &  
NEW ZEALAND:**  
Fujitsu PC Australia  
Toll Free: (AU) 1800 288 283  
(NZ) 0800 288 283  
Fax : (61-2) 9889 3360

**CHINA:**  
Fujitsu PC China Division  
Tel : (86-21) 3310 9888  
Fax : (86-21) 3310 0606  
cn.fujitsu.com/pc

**INDIA:**  
Fujitsu India Limited  
Tel : (91-11) 2370 6070  
Fax : (91-11) 2370 6079

**INDONESIA:**  
Fujitsu Indonesia  
Tel : (62-21) 570 9330  
Fax : (62-21) 573 5150

**MALAYSIA:**  
Fujitsu PC Asia  
Pacific Pte Ltd  
Tel : (60-3) 7728 4868  
Fax : (60-3) 7728 4830  
my.fujitsu.com/pc

**PHILIPPINES:**  
Fujitsu Philippines Inc.  
Tel : (63-2) 812 4001  
Fax : (63-2) 817 7576  
ph.fujitsu.com/pc

**SINGAPORE:**  
Fujitsu PC Asia  
Pacific Pte Ltd  
Tel : (65) 6776 0688  
Fax : (65) 6776 0788  
sg.fujitsu.com/pc

**TAIWAN:**  
Fujitsu Taiwan Ltd  
Tel : (886-2) 2311 2255  
Fax : (886-2) 2311 2277

**THAILAND:**  
Fujitsu Systems  
Business (Thailand) Ltd  
PC Division  
Tel : (66-2) 263 7888  
Fax : (66-2) 263 7880

**VIETNAM:**  
Fujitsu Vietnam Ltd  
Tel : (84-4) 831 3895  
Fax : (84-4) 831 3898

Note: For countries not listed above, please contact our Hong Kong office.

*All rights to the mentioned trademarks reside with their respective owners. Fujitsu endeavours to ensure that the information in this documentation is correct and fairly stated, but does not accept liability for any errors or omissions. The development of Fujitsu products and services is continuous and published information may not be up to date. It is important to check the current position with Fujitsu. The document is not part of the contract or licence save in so far as may be expressly agreed.*

JOB NO.: 1781 • Printed by Fujitsu PC Asia Pacific Limited in October 2007. Information is correct at time of printing.

Dealer:

Fujitsu recommends Windows Vista® Business.

LifeBook S6410 Enhanced

slim & mobile perfection




### Optional Accessories




#### Dual Layer DVD Super Multi Writer

Dual-layer DVD-R technology lets you record almost twice the amount of the data on a single disc surface. Compatible with CD-R, CD-RW, DVD-R, DVD-RW and DVD-RAM.



#### Modular Bay Battery

Searching for power sources when you're outdoors can be a hassle. Extend your LifeBook's operating hours with a modular battery pack.



#### Weight Saver

Reduces the weight of your LifeBook whenever the optical drive is not required.



#### AC Adapter

An additional adapter at home, office and in the briefcase makes traveling a lot simpler.



#### Mini S-Video Cable

Connect your LifeBook to a television display via the S-Video port.



#### Optical USB Black Mouse (Retractable)

Optical tracking technology offers convenient usage.



#### Port Replicator

Unique wedge design provides easy, one-step connection and removal of your LifeBook. When connected, it links all your peripherals to your LifeBook.

All rights to the mentioned trademarks reside with their respective owners. Fujitsu endeavours to ensure that the information in this documentation is correct and fairly stated, but does not accept liability for any errors or omissions. The development of Fujitsu products and services is continuous and published information may not be up to date. It is important to check the current position with Fujitsu. The document is not part of the contract or licence save in so far as may be expressly agreed.

Dealer:

JOB NO.: 1781 • Printed by Fujitsu PC Asia Pacific Limited in October 2007. Information is correct at time of printing.

**HONG KONG (Head Office):**  
Fujitsu PC  
Asia Pacific Ltd  
Tel : (852) 3101 8133  
Fax : (852) 3101 0633  
hk.fujitsu.com/pc

**AUSTRALIA &  
NEW ZEALAND:**  
Fujitsu PC Australia  
Toll Free: (AU) 1800 288 283  
(NZ) 0800 288 283  
Fax : (61-2) 9889 3360

**CHINA:**  
Fujitsu PC China Division  
Tel : (86-21) 3310 9888  
Fax : (86-21) 3310 0606  
cn.fujitsu.com/pc

**INDIA:**  
Fujitsu India Limited  
Tel : (91-11) 2370 6070  
Fax : (91-11) 2370 6079

**INDONESIA:**  
Fujitsu Indonesia  
Tel : (62-21) 570 9330  
Fax : (62-21) 573 5150

**MALAYSIA:**  
Fujitsu PC Asia  
Pacific Pte Ltd  
Tel : (60-3) 7728 4868  
Fax : (60-3) 7728 4830  
my.fujitsu.com/pc

**PHILIPPINES:**  
Fujitsu Philippines Inc.  
Tel : (63-2) 812 4001  
Fax : (63-2) 817 7576  
ph.fujitsu.com/pc

**SINGAPORE:**  
Fujitsu PC Asia  
Pacific Pte Ltd  
Tel : (65) 6776 0688  
Fax : (65) 6776 0788  
sg.fujitsu.com/pc

**TAIWAN:**  
Fujitsu Taiwan Ltd  
Tel : (886-2) 2311 2255  
Fax : (886-2) 2311 2277

**THAILAND:**  
Fujitsu Systems  
Business (Thailand) Ltd  
PC Division  
Tel : (66-2) 263 7888  
Fax : (66-2) 263 7880

**VIETNAM:**  
Fujitsu Vietnam Ltd  
Tel : (84-4) 831 3895  
Fax : (84-4) 831 3898

Note: For countries not listed above, please contact our Hong Kong office.



**LIFEBOOK** | Built-In Confidence

