

# **FUJITSU**



HONG KONG (Head Office): Fuiitsu PC Asia Pacific Ltd

Tel: (852) 3101 8133 Fax: (852) 3101 0633 hk.fuiitsu.com/pc

#### CHINA:

Fuiitsu PC China Division Tel: (86-21) 3310 9888 Fax: (86-21) 3310 0606 cn.fuiitsu.com/pc

#### INDONESIA:

Fuiitsu Indonesia Tel: (62-21) 570 9330 Fax: (62-21) 573 5150 id.fujitsu.com/pc

#### PHILIPPINES:

Fujitsu Philippines Inc. Tel : (63-2) 812 4001 Fax: (63-2) 817 7576 ph.fujitsu.com/pc

#### TAIWAN:

Fujitsu Taiwan Ltd Tel: (886-2) 2311 2255 Fax: (886-2) 2311 2277 tw.fuiitsu.com/pc

#### VIETNAM:

Fuiitsu Vietnam Ltd Tel: (84-4) 831 3895 Fax: (84-4) 831 3898 vn.fujitsu.com/pc

#### AUSTRALIA & NEW ZEALAND: Fujitsu PC Australia

Toll Free: (AU) 1800 288 283 (NZ) 0800 288 283 Fax: (61-2) 9889 3360 au.fuiitsu.com/pc

#### INDIA:

Fuiitsu India Limited Tel: (91) 124 4705100 Fax: (91) 124 4705199 in.fujitsu.com/pc

my.fujitsu.com/pc

#### MALAYSIA:

Fujitsu PC Asia Pacific Pte Ltd Tel: (60-3) 7728 4868 Fax: (60-3) 7728 4830


#### SINGAPORE:

Fujitsu PC Asia Pacific Pte Ltd Tel: (65) 6776 0688 Fax: (65) 6776 0788 sg.fujitsu.com/pc

#### THAILAND: Fujitsu Systems Business

(Thailand) Ltd PC Division Tel: (66-2) 263 7888 Fax: (66-2) 263 7880 th.fujitsu.com/pc

All rights to the mentioned trademarks reside with their respective owners. Fuiltsu endeavours to ensure that the information in this documentation is correct and fairly stated, but does not accept liability for any errors or omissions. The development of Fujitsu products and services is continuous and published information may not be up to date. It is important to check the current position with Fujitsu. The document is not part of the contract or licence save in so far as may be expressly agreed JOB NO.: FUJI023 • Printed by Fujitsu PC Asia Pacific Limited in September 2008. Information is correct at time of printing. Note: For countries not listed above, please contact our Hong Kong office.





#### Hassle-free Travel

The LifeBook U2010 features an integrated GPS module. Finding a new destination has never been easier – simply follow the real-time directions on the map.



#### Power On The Go

The new Intel® Centrino® Atom™ processor Z530 drives the LifeBook U2010 with 1.6 GHz of processing power. With integrated GPS and an energy-efficient battery, you will also enjoy up to 3.5 hours of ultra-mobile computing and up to 7.5 hours with extended battery.



#### Music Anywhere

Now you can listen to your favourite tunes or downloaded talk shows anywhere with a built-in FM transmitter\* that wirelessly plays music to your home hi-fi or car speakers.It even lets you share music with your friends.

\*Transmit on FM frequencies ranging from 89 to 98MHz within a distance of 2 to 3 meters from FM Radio with application running on Genuine Windows Vista® Home Premium Operating System.



#### Stay Connected

Take digital photos and easily stay in touch with friends and colleagues with the built-in 1.3 Mega Pixel camera. The 5.6-inch Superfine WXGA display ensures exceptional clarity with 1280 x 800 pixels resolution. WiFi, LAN and Bluetooth® v2.1 comes as standard.



#### Microsoft® Origami™ Function

The LifeBook U2010 comes with Microsoft® Origami™ Experience 2.0, the software suite built on Windows Vista® Home Premium Operating System and is specially designed for Ultra-Mobile PCs. Microsoft® Origami™ Experience 2.0 includes exciting new programs – Origami™ Central, Origami™ Picture Password and Origami™ Now – that enhance the functionality of the U2010.





#### Hand-held device

The LifeBook U2010 is an ultra small, palmsized hand-held device, great for use while on the go.




#### Tablet PC


It is also a Tablet PC with pen input for quick note taking without any need for paper.



#### Notebook

Enjoy the convenience and efficiency of the LifeBook U2010 as a notebook with Qwerty keyboard.





## **OPTIONAL ACCESSORIES**







External Slimline USB

# Super Multi DVD Writer The External Slimline USB Super Multi Writer is ideal for those of you who require to read and record data occasionally.



Port Replicator Unique wedge design provides easy, one-step connection and removal of your LifeBook. When connected, it links all your peripherals to your LifeBook.



# **Battery**A second battery pack comes in handy when travelling for extended periods.




AC Adapter
An additional adapter at home,
office and in the briefcase makes
travelling a lot simpler.









# OPTIONAL ACCESSORIES







# External Slimline USB Super Multi DVD Writer The External Slimline USB Super Multi Writer is ideal for those of you who require to read and record data occasionally.



Port Replicator Unique wedge design provides easy, one-step connection and removal of your LifeBook. When connected, it links all your peripherals to your LifeBook.



**Battery**A second battery pack comes in handy when travelling for extended periods.



AC Adapter
An additional adapter at home, office and in the briefcase makes travelling a lot simpler.



ultra-mobile unit that fits snugly in your palm, it will change the way you work, play and entertain. Users on the go will appreciate the robust processing power and efficient energy consumption of the U2010. With the built-in 1.3 Mega Pixel camera and the latest full-featured Intel® Centrino® Atom™ processor technology, it is the ideal digital multi-media solution. Experience unparalleled fun and maximum functionality anywhere.

## Fujitsu recommends Windows Vista® Home Premium.



#### Hassle-free Travel

The LifeBook U2010 features an integrated GPS module. Finding a new destination has never been easier – simply follow the real-time directions on the map.



#### Power On The Go

The new Intel® Centrino® Atom™ processor Z530 drives the LifeBook U2010 with 1.6 GHz of processing power. With integrated GPS and an energy-efficient battery, you will also enjoy up to 3.5 hours of ultra-mobile computing and up to 7.5 hours with extended battery.



# Music Anywhere

Now you can listen to your favourite tunes or downloaded talk shows anywhere with a built-in FM transmitter\* that wirelessly plays music to your home hi-fi or car speakers. It even lets you share music with your friends.

\*Transmit on FM frequencies ranging from 89 to 98MHz within a distance of 2 to 3 meters from FM Radio with application running on Genuine Windows Vista® Home Premium Operating System.



# Stay Connected

Take digital photos and easily stay in touch with friends and colleagues with the built-in 1.3 Mega Pixel camera. The 5.6-inch Superfine WXGA display ensures exceptional clarity with 1280 x 800 pixels resolution. WiFi, LAN and Bluetooth® v2.1 comes as standard.



# Microsoft® Origami™ Function

The LifeBook U2010 comes with Microsoft® Origami™ Experience 2.0, the software suite built on Windows Vista® Home Premium Operating System and is specially designed for Ultra-Mobile PCs. Microsoft® Origami™ Experience 2.0 includes exciting new programs – Origami™ Central, Origami™ Picture Password and Origami™ Now – that enhance the functionality of the U2010.





#### Hand-held device

The LifeBook U2010 is an ultra small, palmsized hand-held device, great for use while on the go.



# Tablet PC

It is also a Tablet PC with pen input for quick note taking without any need for paper.



# Notebook

Enjoy the convenience and efficiency of the LifeBook U2010 as a notebook with Qwerty keyboard.

Note: For countries not listed above, please contact our Hong Kong office.

for any errors or omissions. The development of Fujitsu products and services is confinuous and published information may not be up to date. It is important to check the current position with Fujitsu. The document is not part of the contract or incence save in so far as may be expressly agreed.JOB NO.: FUJIOSS • Frinted by Fujitsu PC Asia Pacific Limited in September 2008, information is correct at time of printing.

9g.1Upireu.com/pc AFAILEAUD: Uisu Systems Businass (Thanisian) Pd. 166-2, 283 7888 Fax 166-2, 283 7880 ph. 101 1890.com/pc

Fujitau PC Asia Pacific Pte Ltd 1e1 : (65) 6776 (68) Fax : (65) 6776 (67) 297/mos pustiint pa

SINGAPORE:

AIDNI:

(a) 1124 4705100

(b) 124 4705100

(c) 124 4705109

(c) (c) 124 4705109

(c) (c) 124 4705109

(c) (c) 124 4705105

(c) (c) 1728 4820

(c) 1728 4830

AUSTRALIA & NEW ZEALAND:

Ullylitau PC Australia

Toll Free: (AU) 1800 288 283

Fax : (A - 5 9889 3360

Fax : (A - 5 9889 3360

Rousinjitau.com/pc

| IETNAM: | ujitsu Vietnam Ltd | ujitsu Vietnam Ltd | st : (84-4) 831 3898 | ax : (84-4) 831 3898 | u.fujitsu.com/pc

### NAWIAT

| Fujitsu Taiwan Ltd |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2) | Fax : (886-2) |

| Fax : (886-2)

PHILIPPINES: Fujitsu Philippines Inc. Tel : (63-2) 812 4001 Pax : (63-2) 817 7576 ph.fujitsu.com/pc Fujitsu Indonesia 16 : (62-21) 570 9330 Fax : (62-21) 573 5750 M.fujitsu.com/pc

CHINA:

Tujitau PC China Division
Tel : (86-21) 3310 9888
Fax : (86-21) 3310 0606
cn:fujitau.com/pc

HONG KONG (Head Office):
Fujitsu PC Asia Pacific Ltd
Tel : (852) 3101 8133
Fax : (852) 3101 0633
hk.fujitsu.com/pc











# LifeBook U2010



- Super light-weight, 5.6-inch touch-screen tablet-convertible Ultra-Mobile PC (UMPC) with Intel® Centrino® Atom™ processor technology
- Genuine Windows Vista® Home Premium
- Intelligently designed as a Notebook, Tablet PC or Hand-held to suit your flexible work mode
   Microsoft® Origami™ Experience 2.0® for quick-touch access of music, videos, pictures, games and other
- Optimal connectivity via built-in Wireless LAN, Fast Ethernet and Bluetooth® v2.1
- Wirelessly play audio and music to nearby FM radio speakers<sup>9</sup>
- WXGA display with high brightness 300nits for superb outdoor stunning view of text, graphics and videos
- Never lose your way and go with direction with Integrated GPS<sup>11</sup>

	Specifications
Platform	Intel <sup>®</sup> Centrino <sup>®</sup> Atom™ processor technology - Intel <sup>®</sup> Centrino <sup>®</sup> Atom™ processor Z530 (1.6GHz, 512 L2 Cache, 533Mhz) - Intel <sup>®</sup> System Controller Hub
Operating System	Genuine Windows Vista® Home Premium (or Genuine Windows Vista® Business)
Display	5.6-inch SuperFine WXGA TFT <sup>10</sup> , 1280 x 800 pixels, Passive Touch Panel
Memory	1 GB DDR2 533MHz
Hard Disk	60GB HDD/ 64GB SSD
Bluetooth®	v2.1 + EDR
Battery	Up to 3.5hrs¹ on HDD/ Up to 4hrs¹ on SSD (2-cell Li-lon 2900mAh)
Weight	Approx. 0.61kg
	Detailed Specifications
Hard Disk Drive	60GB HDD: 1.8-inch PATA Ultra DMA 100 (4200rpm), 2 plates, S.M.A.R.T support, Two Partitions - 50/50 <sup>2</sup>
Graphics	Intel® Graphics Media Accelerator 500
Audio	RealTek ALC269 HD audio codec with built in speaker and digital microphone
Communication	Bluetooth® v2.1, RealTek Fast Ethernet, Atheros® XSPAN™ 802.11n³ with dual antenna, 1.3 Mega Pixel camera, GPS¹¹
User Interface	Keyboard with Glide Point: 68-keys, 15mm key pitch, 1.3mm key stroke Glide Point with two buttons (left & right) Touch Screen Panel with Stylus Pen 4 LEDs Indicator (Power-LED, DC-in/ Charge-LED, Battery Status-LED, HDD Access-LED)
Card Slots	1 x Type I/II CF Card slot 1 x Secure Digital (SD) Card Reader
Connector Interface	USB 2.0 x 1, Audio-in, Audio-out, Power Adapter DC-in, VGA (external display) and RJ45 (LAN) via bundled LAN/ VGA adapter connector
Quick Launch Panel	Two programmable application buttons, two programmable up/down key buttons, one rotation button, one Ctrl+Alt+Del button and one FnKey button
Security <sup>4</sup>	User and supervisor BIOS password, Boot Sector Write Prevention, Fingerprint Sensor, SMART HDD, Anti-theft Lock Slot
Dimensions	Approx 171mm (W) x 135mm (D) x 26.5 - 33.0mm (H)

	Bundled Accessories
AC Adapter	Input AC100-240V, Output DC16V, 2.5A (40W)
Bundled Softwares	Microsoft® Origami™ Experience 2.0 Pack (Runs on Genuine Windows Vista® Home Premium Operating System only), Acronis True Image, Softex OmniPass
	ArcSoft Camera Capture, Adobe Acrobat Reader, Sun Microsystems Java Runtime, Fujitsu UpdateNavis, Fujitsu Hardware Diagnostic Tool,
	Fujitsu Display Manager, Roxio Easy Media Creator, Microsoft Office Professional 2007 60-day Convertible Trial <sup>6</sup>
Other Softwares	1 year Full Licensed Norman Virus Control
VGA/ LAN Adapter <sup>7</sup>	External adaptor for connection to RJ45 (LAN), VGA (external display)
Carrying Case <sup>7</sup>	Portable Slip Case
	Optional Acessories
Port Replicator	Connector Interface: USB 2.0 x 4, VGA (external display), RJ45 (LAN), Power Adapter DC-in Dimensions: 190 mm (W) x 110mm (D) x 159mm (H) Weight: 0.33kg
Extended Battery	Up to 7.5hrs¹ on HDD/ Up to 8.5hrs¹ on SSD (4-cell Li-lon 5800mAh)













The above information shows the general technical specifications of the product and does not represent actual configuration. For specific configurations and their availability, please check with your local distributors.

- Disclaimers:

  1. Results obtained from BAPCo® MobileMark®2007(Productivity Workload) performed on systems with maximum battery life settings under laboratory testing environment. Actual battery life will vary based on screen brightness, sound volume settings, running applications, connected peripherals, power management settings, battery conditioning, and other customer preferences in the real life situation. Built-in bay device or hard drive usage may also have a significant impact on battery life. Note: Battery life is based on Intel® Centrino® Atom ™ Processor Z530.

  2. This refers to Windows Vista® hard disk drives C\and D\A\. 50/50 refer to approximate 50% allocation of user accessible hard disk storage to C\and D\A\drives respectively. For Windows Vista® hard disk drives, 1GB will be reserved for internal recovery usage which is not shown.

  3. XSPAN™ are trademarks of Atheros® Communications. Client with Atheros® XSPAN™ enabled chipset, delivers a maximum of 300 Mbps link speed, with performance subject to wireless access point capacity and network environment.

  4. BIOS I ock needs a supervisor/user password to access BIOS setup. BIOS setups leaded to
- 3. XSPANI\*\* are trademarks of Atheros\*\* Communications. Client with Atheros\*\* XSPANI\*\* enabled crippset, delivers a maximum of 300 Mtpps link speed, with performance subject to wrieless access point capacity and network environment.

  4. BIOS Lock needs a supervisor/user password to access BIOS settings can be configured to prompt for password at every first bootup or all bootup sequences. Access to BIOS setup is needed to configure Hard Disk Lock, Hard Disk Lock requires an access key to retrieve data on the hard disk. This is a Data Confidentiality security feature. LifeBook Lock requires a supervisor/user password to bootup the LifeBook when it powers up or resumes last session from suspend/hibernate mode. Anti-theft Lock Slot allows the use of a lock to physically secure the LifeBook. Fingerprint Secure is a supervisor/user password to bootup to the Committee of the Configuration of the Configura

Product weight is for base system only. Weight varies depending on diffe

Specifications reflected above are engineering and hardware specifications. They do not represent actual usage or operating dimensions, sizes, performances and weights as these are dependent on factors such as operating temperature, type of operating system and application used, connected devices and accessories as well as hardware configurations of the notebook. Please check the compatibility of 3rd party accessories before purchase. Ambient temperature: 5\* to 36\*C / 41 to 95\*F (operating), -15\* to 60\*C / 5 to 140\*F (packaged). Relative humidity: 20% to 85% RH (operating), 8% to 85% RH (packaged). Please note that GB = billion bytes. 1GB is equivalent to 1,073,741,824 bytes.



## LifeBook U2010



- Super light-weight, 5.6-inch touch-screen tablet-convertible Ultra-Mobile PC (UMPC) with Intel® Centrino® Atom™ processor technology Genuine Windows Vista® Home Premium
- Intelligently designed as a Notebook, Tablet PC or Hand-held to suit your flexible work mode
- Microsoft® Origami™ Experience 2.0® for quick-touch access of music, videos, pictures, games and other favourite functions
- Optimal connectivity via built-in Wireless LAN, Fast Ethernet and Bluetooth®
- Wirelessly play audio and music to nearby FM radio speakers<sup>9</sup>
- · WXGA display with high brightness 300nits for superb outdoor stunning view of text, graphics and videos
- Never lose your way and go with direction with Integrated GPS<sup>11</sup>

	Specifications
Platform	Intel <sup>®</sup> Centrino® Atom™ processor technology - Intel <sup>®</sup> Centrino® Atom™ processor Z530 (1.6GHz, 512 L2 Cache, 533Mhz) - Intel <sup>®</sup> System Controller Hub
Operating System	Genuine Windows Vista® Home Premium (or Genuine Windows Vista® Business)
Display	5.6-inch SuperFine WXGA TFT <sup>10</sup> , 1280 x 800 pixels, Passive Touch Panel
Memory	1 GB DDR2 533MHz
Hard Disk	60GB HDD/ 64GB SSD
Bluetooth®	v2.1 + EDR
Battery	Up to 3.5hrs¹ on HDD/ Up to 4hrs¹ on SSD (2-cell Li-lon 2900mAh)
Weight	Approx. 0.61kg
	Detailed Specifications
Hard Disk Drive	60GB HDD: 1.8-inch PATA Ultra DMA 100 (4200rpm), 2 plates, S.M.A.R.T support, Two Partitions - 50/50 <sup>2</sup>
Graphics	Intel® Graphics Media Accelerator 500
Audio	RealTek ALC269 HD audio codec with built in speaker and digital microphone
Communication	Bluetooth® v2.1, RealTek Fast Ethernet, Atheros® XSPAN™ 802.11n³ with dual antenna, 1.3 Mega Pixel camera, GPS¹¹
User Interface	Keyboard with Glide Point: 68-keys, 15mm key pitch, 1.3mm key stroke Glide Point with two buttons (left & right) Touch Screen Panel with Stylus Pen 4 LEDs Indicator (Power-LED, DC-in/ Charge-LED, Battery Status-LED, HDD Access-LED)
Card Slots	1 x Type I/II CF Card slot 1 x Secure Digital (SD) Card Reader
Connector Interface	USB 2.0 x 1, Audio-in, Audio-out, Power Adapter DC-in, VGA (external display) and RJ45 (LAN) via bundled LAN/ VGA adapter connector
Quick Launch Panel	Two programmable application buttons, two programmable up/down key buttons, one rotation button, one Ctrl+Alt+Del button and one FnKey button
Security <sup>4</sup>	User and supervisor BIOS password, Boot Sector Write Prevention, Fingerprint Sensor, SMART HDD, Anti-theft Lock Slot
Dimensions	Approx 171mm (W) x 135mm (D) x 26.5 - 33.0mm (H)

	Bundled Accessories
AC Adapter	Input AC100-240V, Output DC16V, 2.5A (40W)
Bundled Softwares	Microsoft® Origami™ Experience 2.0 Pack (Runs on Genuine Windows Vista® Home Premium Operating System only), Acronis True Image, Softex OmniPass,
	ArcSoft Camera Capture, Adobe Acrobat Reader, Sun Microsystems Java Runtime, Fujitsu UpdateNavi⁵, Fujitsu Hardware Diagnostic Tool,
	Fujitsu Display Manager, Roxio Easy Media Creator, Microsoft Office Professional 2007 60-day Convertible Trial <sup>6</sup>
Other Softwares	1 year Full Licensed Norman Virus Control
VGA/ LAN Adapter <sup>7</sup>	External adaptor for connection to RJ45 (LAN), VGA (external display)
Carrying Case <sup>7</sup>	Portable Slip Case
	Optional Acessories
Port Replicator	Connector Interface: USB 2.0 x 4, VGA (external display), RJ45 (LAN), Power Adapter DC-in Dimensions: 190 mm (W) x 110mm (D) x 159mm (H) Weight: 0.33kg
Extended Battery	Up to 7.5hrs¹ on HDD/ Up to 8.5hrs¹ on SSD (4-cell Li-lon 5800mAh)













The above information shows the general technical specifications of the product and does not represent actual configuration. For specific configurations and their availability, please check with your local distributors.

- Disclaimers:

  1. Results obtained from BAPCo® MobileMark®2007(Productivity Workload) performed on systems with maximum battery life settings under laboratory testing environment. Actual battery life will vary based on screen brightness, sound volume settings, running applications, connected peripherals, power management settings, battery conditioning, and other customer preferences in the real life situation. Built-in bay device or hard drive usage may also have a significant impact on battery life. Note: Battery life is based on Intel® Centrino® Atom™ Processor Z530.

  2. This refers to Windows Vista® hard disk drives (C. and D.N. 5075 refer to approximate 50% allocation of user accessible hard disk storage to C. and D.N. drives respectively. For Windows Vista® hard disk drives, (16B will be reserved for internal recovery usage which is not shown.

  3. XSPAN™ are trademarks of Atheros® Communications. Client with Atheros® XSPAN™ enabled chipset, delivers a maximum of 300 Mbps link speed, with performance subject to wireless access point capacity and network environment.

  4. BIOS Lock needs a supervisor/user password to access BIOS setup. BIOS settings can be configured to prompt for password at every first bootup or all bootup sequences. Access to BIOS setup is needed to configure Hard Disk Lock. Hard Disk Lock requires an access key to retrieve data on the hard disk. This is a Data Confidentiality security feature. LifeBook Lock requires a supervisor/user password to bootup the LifeBook when it powers up or resumes last session from suspend/hibemate mode. Anti-theft Lock Slot allows the use of a lock to physically secure the LifeBook. Cok requires as supervisor/user password to bootup the LifeBook comiless to remember customer list of user 10B and passwords. Full security lock sequence LifeBook Lock, Requires and Disk Lock, Fingerpritit Windows Logon. NOTE: Loss of password requires the LifeBook to be returned to Japan factory for system refresh. Cost of shipment and lost data will be borne by the customer. B

Product weight is for base system only. Weight varies depending on different configurations.

Specifications reflected above are engineering and hardware specifications. They do not represent actual usage or operating dimensions, sizes, performances and weights as these are dependent on factors such as operating temperature, type of operating system and application used, connected devices and accessories as well as hardware configurations of the notebook. Please check the compatibility of 3rd party accessories before purchase. Ambient temperature: 5° to 35° C / 41 to 95°F (operating), -15° to 60° C / 5 to 140°F (packaged). Relative humidity; 20% to 85% RH (operating), 8% to 85% RH (packaged). Please note that GB = billion bytes. 1GB is equivalent to 1,073,741,824 bytes.





HONG KONG (Head Office): Fujitsu PC Asia Pacific Ltd Tel: (852) 3101 8133 Fax: (852) 3101 0633

hk.fujitsu.com/pc

CHINA: Fujitsu PC China Division Tel: (86-21) 3310 9888 Fax: (86-21) 3310 0606 cn.fujitsu.com/pc Fujitsu Indonesia Tel: (62-21) 570 9330 Fax: (62-21) 573 5150 id.fujitsu.com/pc

PHILIPPINES: Fujitsu Philippines Inc. Tel: (63-2) 812 4001 Fax: (63-2) 817 7576 ph.fujitsu.com/pc

TAIWAN: Fujitsu Taiwan Ltd
Tel: (886-2) 2311 2255
Fax: (886-2) 2311 2277
tw.fujitsu.com/pc

VIETNAM: Fujitsu Vietnam Ltd Tel: (84-4) 831 3895 Fax: (84-4) 831 3898 vn.fujitsu.com/pc

AUSTRALIA & NEW ZEALAND: Fujitsu PC Australia Toll Free: (AU) 1800 288 283 (NZ) 0800 288 283 Fax: (61-29 9889 3360 au.fujitsu.com/pc

INDIA: Fujitsu India Limited Tel: (91) 124 4705100 Fax: (91) 124 4705199 in.fujitsu.com/pc

MALAYSIA: Fujitsu PC Asia Pacific Pte Ltd Tel: (60-3) 7728 4868 Fax: (60-3) 7728 4830 my.fujitsu.com/pc

SINGAPORE: Fujitsu PC Asia Pacific Pte Ltd Tel: (65) 6776 0688 Fax: (65) 6776 0788 sg.fujitsu.com/pc

THAILAND: THAILAND: Fujitsu Systems Business (Thailand) Ltd PC Division Tel: (66-2) 263 7888 Fax: (66-2) 263 7880 th.fujitsu.com/pc

All rights to the mentioned trademarks reside with their respective owners. Fujitsu endeavours to ensure that the information in this documentation is correct and fairly stated, but does not accept liability for any errors or omissions. The development of Fujitsu products and services is continuous and published information may not be due to the date. It is important to check the current position with Fujitsu. The document is not part of the contract or licence save in so far as may be expressly agreed. JOS NO.: FUJISU Police Police (Imited in September 2008. Information is correct at time of prince and the prince prince and the prince pr







# LifeBook U2010



- Super light-weight, 5.6-inch touch-screen tablet-convertible Ultra-Mobile PC (UMPC) with Intel® Centrino® Atom™ processor technology
- Genuine Windows Vista® Home Premium
- Intelligently designed as a Notebook, Tablet PC or Hand-held to suit your flexible work mode
- Microsoft® Origami™ Experience 2.08 for quick-touch access of music, videos, pictures, games and other favourite functions
- Optimal connectivity via built-in Wireless LAN, Fast Ethernet and Bluetooth® v2.1
- Wirelessly play audio and music to nearby FM radio speakers
  - WXGA display with high brightness 300nits for superb outdoor stunning view of text, graphics and videos Never lose your way and go with direction with Integrated GPS<sup>11</sup>

	Specifications
Platform	Intel <sup>®</sup> Centrino <sup>®</sup> Atom™ processor technology - Intel <sup>®</sup> Centrino <sup>®</sup> Atom™ processor Z530 (1.6GHz, 512 L2 Cache, 533Mhz) - Intel <sup>®</sup> System Controller Hub
Operating System	Genuine Windows Vista® Home Premium (or Genuine Windows Vista® Business)
Display	5.6-inch SuperFine WXGA TFT <sup>10</sup> , 1280 x 800 pixels, Passive Touch Panel
Memory	1 GB DDR2 533MHz
Hard Disk	60GB HDD/ 64GB SSD
Bluetooth®	v2.1 + EDR
Battery	Up to 3.5hrs¹ on HDD/ Up to 4hrs¹ on SSD (2-cell Li-lon 2900mAh)
Weight	Approx. 0.61kg
	Detailed Specifications
Hard Disk Drive	60GB HDD: 1.8-inch PATA Ultra DMA 100 (4200rpm), 2 plates, S.M.A.R.T support, Two Partitions - 50/50 <sup>2</sup>
Graphics	Intel® Graphics Media Accelerator 500
Audio	RealTek ALC269 HD audio codec with built in speaker and digital microphone
Communication	Bluetooth® v2.1, RealTek Fast Ethernet, Atheros® XSPAN™ 802.11n³ with dual antenna, 1.3 Mega Pixel camera, GPS¹¹
User Interface	Keyboard with Glide Point: 68-keys, 15mm key pitch, 1.3mm key stroke Glide Point with two buttons (left & right) Touch Screen Panel with Stylus Pen 4 LEDs Indicator (Power-LED, DC-in/ Charge-LED, Battery Status-LED, HDD Access-LED)
Card Slots	1 x Type I/II CF Card slot 1 x Secure Digital (SD) Card Reader
Connector Interface	USB 2.0 x 1, Audio-in, Audio-out, Power Adapter DC-in, VGA (external display) and RJ45 (LAN) via bundled LAN/ VGA adapter connector
Quick Launch Panel	Two programmable application buttons, two programmable up/down key buttons, one rotation button, one Ctrl+Alt+Del button and one FnKey button
Security <sup>4</sup>	User and supervisor BIOS password, Boot Sector Write Prevention, Fingerprint Sensor, SMART HDD, Anti-theft Lock Slot
Dimensions	Approx 171mm (W) x 135mm (D) x 26.5 - 33.0mm (H)

	Bundled Accessories
AC Adapter	Input AC100-240V, Output DC16V, 2.5A (40W)
Bundled Softwares	Microsoft <sup>®</sup> Origami <sup>™</sup> Experience 2.0 Pack (Runs on Genuine Windows Vista <sup>®</sup> Home Premium Operating System only), Acronis True Image, Softex OmniPass ArcSoft Camera Capture, Adobe Acrobat Reader, Sun Microsystems Java Runtime, Fujitsu UpdateNavi <sup>®</sup> , Fujitsu Hardware Diagnostic Tool, Fujitsu Display Manager, Roxio Easy Media Creator, Microsoft Office Professional 2007 60-day Convertible Trial <sup>®</sup>
Other Softwares	1 year Full Licensed Norman Virus Control
VGA/ LAN Adapter <sup>7</sup>	External adaptor for connection to RJ45 (LAN), VGA (external display)
Carrying Case <sup>7</sup>	Portable Slip Case Optional Acessories
Port Replicator	Connector Interface: USB 2.0 x 4, VGA (external display), RJ45 (LAN), Power Adapter DC-in Dimensions: 190 mm (W) x 110mm (D) x 159mm (H) Weight: 0.33kg
Extended Battery	Up to 7.5hrs¹ on HDD/ Up to 8.5hrs¹ on SSD (4-cell Li-lon 5800mAh)













The above information shows the general technical specifications of the product and does not represent actual configuration. For specific configurations and their availability, please check with your local distributors

The above information shows the general technical specifications of the product and does not represent actual configuration. For specific configurations and their availability, please check with your local distributors.

Disclaimers:

1. Results obtained from BAPCo® MobileMark®2007(Productivity Workload) performed on systems with maximum battery life settings under laboratory testing environment. Actual battery life will vary based on screen brightness, sound volume settings, running applications, connected peripherals, power management settings, battery conditioning, and other customer preferences in the real life situation. Built-in bay device or hard drive usage may also have a significant impact on battery life is based Attom™ Processor Z530.

2. This refers to Windows Vista® hard disk drives C\(^1\) and D\(^1\). 50\(^2\)50 refer to approximate 50\(^9\)6 allocation of user accessible hard disk storage to C\(^1\) and D\(^1\) drives respectively. For Windows Vista® hard disk drives C\(^1\) and D\(^1\). 50\(^1\)50 refer to approximate 50\(^9\)6 allocation of user accessible hard disk storage to C\(^1\) and D\(^1\) drives respectively. For Windows Vista® hard disk drives C\(^1\) and D\(^1\) drives respectively. For Windows Vista® hard disk drives C\(^1\) and the variation of the respective of the respect

Specifications reflected above are engineering and hardware specifications. They do not represent actual usage or operating dimensions, sizes, performances and weights as these are dependent on factors such as operating temperature, type of operating system and application used, connected devices and accessories as well as hardware configurations of the notebook. Please check the compatibility of 3rd party accessories before purchase. Ambient temperature: 5° to 35°C / 41 to 95°F (operating), -15° to 60°C / 5 to 140°F (packaged). Relative humidity: 20% to 85% RH (operating), 8% to 85% RH (packaged). Please note that GB = billion bytes. 1GB is equivalent to 1,073,741,824 bytes.





COOL SILVER

FUCHSIA RED

PINK GOLD

OCEAN BLACK

LUMINOUS BLUE

HONG KONG (Head Office): Fujitsu PC Asia Pacific Ltd Tel: (852) 3101 8133 Fax: (852) 3101 0633 hk.fujitsu.com/po

Fujitsu PC China Division Tel: (86-21) 3310 9889 Tel: (86-21) 3310 9888 Fax: (86-21) 3310 0606 cn.fujitsu.com/pc

PHILIPPINES: Fujitsu Philippines Inc. Tel: (63-2) 812 4001 Fax: (63-2) 817 7576 ph.fujitsu.com/pc

TAIWAN: Fujitsu Taiwan Ltd Tel: (886-2) 2311 2255 Fax: (886-2) 2311 2277 tw.fujitsu.com/pc

Fujitsu Vietnam Ltd Tel: (84-4) 831 3895 Fax: (84-4) 831 3898 vn.fujitsu.com/pc

AUSTRALIA & NEW ZEALAND: Fujitsu PC Australia Toll Free: (AU) 1800 288 283 (NZ) 0800 288 283 Fax: (61-2) 9889 3360 au.fujitsu.com/pc


INDIA: Fujitsu India Limited Tel: (91) 124 4705100 Fax: (91) 124 4705199 in.fujitsu.com/pc

MALAYSIA: Fujitsu PC Asia Pacific Pte Ltd Tel::(60-3) 7728 4868 Fax::(60-3) 7729

SINGAPORE: Fujitsu PC Asia Pacific Pte Ltd Tel: (65) 6776 0688 Fax: (65) 6776 0788 sg.fujitsu.com/pc

THAILAND: Fujitsu Systems Business (Thailand) Ltd PC Division Tel: (66-2) 263 7888 Fax: (66-2) 263 7880 th.fujitsu.com/pc

All rights to the mentioned trademarks reside with their respective owners. Fujitsu endeavours to ensure that the information in this documentation is correct and fairly stated, but does not accept liat for any errors or omissions. The development of Fujitsu products and services is continuous and published information may not be up to date. It is important to check the current position with Fujitsu. document is not part of the contract or licence save in so far as may be expressly agreed. JOB NO.: FUJI023 • Printed by Fujitsu PC Asia Pacific Limited in September 2008. Information is correct at time of printers are producted by the contract or licence save in so far as may be expressly agreed. JOB NO.: FUJI023 • Printed by Fujitsu PC Asia Pacific Limited in September 2008. Information is correct at time of printers are producted by the product of the contract or licence save in so far as may be expressly agreed. JOB NO.: FUJI023 • Printed by Fujitsu PC Asia Pacific Limited in September 2008. Information is correct at time of printers are producted by the product of the current products.





#### Hassle-free Travel The LifeBook U2010 features an integrated GPS module. Finding a new

destination has never been easier - simply follow the real-time directions on the map. Power On The Go

# Your Ultimate 3-in-1 Companion



Music Anywhere

The new Intel® Centrino® Atom™ processor Z530 drives the LifeBook U2010 with 1.6 GHz of processing power. With integrated GPS and an energy-efficient battery, you will also enjoy up to 3.5 hours of ultra-mobile computing and up to 7.5 hours with extended battery.

Now you can listen to your favourite tunes or downloaded talk shows anywhere with a built-in FM transmitter\* that wirelessly plays music to your

home hi-fi or car speakers.It even lets you share music with your friends. \*Transmit on FM frequencies ranging from 89 to 98MHz within a distance of 2 to 3 meters from FM Radio with apprunning on Genuine Windows Vista® Home Premium Operating System.

# Hand-held device

The LifeBook U2010 is

an ultra small, palmsized hand-held device, great for use while on the go.



# Stay Connected

Take digital photos and easily stay in touch with friends and colleagues with the built-in 1.3 Mega Pixel camera. The 5.6-inch Superfine WXGA display ensures exceptional clarity with 1280 x 800 pixels resolution. WiFi, LAN and Bluetooth® v2.1 comes as standard.



# Tablet PC

It is also a Tablet PC with pen input for quick note taking without any need for paper.




# Microsoft® Origami™ Function


The LifeBook U2010 comes with Microsoft® Origami™ Experience 2.0, the software suite built on Windows Vista® Home Premium Operating System and is specially designed for Ultra-Mobile PCs. Microsoft® Origami™ Experience 2.0 includes exciting new programs – Origami™ Central, Origami™ Picture Password and Origami™ Now - that enhance the functionality of the U2010.




# Notebook

Enjoy the convenience and efficiency of the LifeBook U2010 as a notebook with Qwerty keyboard.





# OPTIONAL ACCESSORIES





# External Slimline USB Super Multi DVD Writer The External Slimline USB Super Multi Writer is ideal for those of you who require to read and record data

occasionally



A second battery pack comes in handy when travelling for

extended periods.



Unique wedge design provides easy, one-step connection and removal of your LifeBook. When connected, it links all your peripherals to your LifeBook.



