Fujitsu recommends Windows 10 Pro.



# Data Sheet FUJITSU STYLISTIC Q738 Tablet



### Tablet Mobility Meets Notebook Productivity

The FUJITSU Tablet STYLISTIC Q738 is a highly durable and secure 2-in-1 detachable that meets the demands of today's mobile professionals. Its 33.8 cm (13.3-inch) FHD anti-glare display with pen and touch support, and 8th generation Intel® Core™ i7 processor technology ensure excellent performance, even when you're on the go.

#### Tablet mobility and notebook productivity in one device

Allows you to be productive even in unconventional working environments.

 Highly durable 2 in 1 detachable with reinforced corners, powered by the latest 8th generation Intel processor



#### Content creation and colloboration

Give your work a personal touch and enjoy the benefits of precise handwriting recognition and multi-touch display.

- Pen-based handwriting recognition with WACOM 4096-level pen pressure
- Data entry via onscreen keyboard with predicate text on 33.8 cm (13.3-inch) LCD

#### Lean and agile

More freedom to work from anywhere at anytime.

■ Weight starting at 780 grams, the device offers you ultimate portability

#### Enterprise ready

Windows®10 Professional operating system for multitasking, security and compatbitily Seamless deployment in commercial environments. Easily connect with and use established Windows-based applications.







# Specification

Processor family <sup>3</sup>	Intel® Core™ i7-8650U processor (1.9 GHz, up to 4.2 GHz, 8 MB)
	Intel® Core™ i5-8350U processor (1.7 GHz, up to 3.6 GHz, 6 MB)
	Intel® Core™ i5-7200U processor (2.5 GHz, up to 3.1 GHz, 3 MB) Intel® Core™ i3-7130U processor (2.7 GHz, 3 MB)
Chipset	Integrated in CPU
Operating system	Windows 10 Pro <sup>1</sup>
operating system	Windows 10 Home
Maximum RAM capacity	16 GB
Memory slots	LPDDR3 (1866 MHz)
Internal storage <sup>4</sup>	SSD SATA, 128 GB / 256 GB / 512 GB, M.2, SED/OPAL
Display	33.8 cm (13.3-inch), (Full HD), anti-glare display, 1,920 x 1,080 pixel, 1000:1, 330 cd/m <sup>2</sup>
Digitizer / Touch Technology	Wacom Digitizer for pen (AES) input plus capacitive 10 finger multi-touch screen
Graphics <sup>6</sup>	Intel® UHD Graphics 620 (8th Gen)
didpines	Intel® HD Graphics 620 (7 <sup>th</sup> Gen)
LAN	via cradle or optional cable accessory
WLAN (Optional)	Intel® Dual Band Wireless-AC8265 11ac with integrated Bluetooth COMBO
WWAN (Optional) <sup>2</sup>	LTE Sierra Wireless EM7455 (Cat. 6) (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s)
Camera (Optional)	Front camera 2 megapixel, rear camera 5 megapixel with autofocus and photo LED
Audio	Built-in array microphone, 2x built-in speakers (stereo)
Interfaces	1 DC-in
interfaces	1 combo audio/microphone
	1 USB 3.1 Gen 2 (USB Type-C™)
	1 USB 3.1 Gen 1 (USB 3.0)
	1 USB 2.0
	1 micro HDMI 1 VGA (via optional cradle or optional conversion cable)
	1 Ethernet RJ-45 (via optional cradle or optional conversion cable)
	1 Tablet pen garage
Expansion slots	1 microSD (supports microSD, microSDHC, microSDXC)
•	1 microSIM (only for models with integrated 4G/LTE)
Keyboard dock	US/ TW/ TH Keyboard w/backlit, spill resistant
	Number of keyboard keys: 84, Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm
	Multi gesture touchpad with integrated mouse button functionality 1 Ethernet RJ-45 port
Cradle (Charging or Europiese)	1 DC-in (19 V)
Cradle (Charging or Functional)	1 Audio: line-in
	1 Audio: line-out
	3 USB 3.1 Gen1 (USB3.0) total
	1 DisplayPort
	1 VGA
	1 Ethernet RJ-45 (10/100/1000) 1 Kensington Lock support
Security (Optional)	Kensington Lock support
	EraseDisk (optional)
	Trusted Platform Module (TPM 2.0)
	Embedded fingerprint sensor (optional)
	Smartcard reader (optional)
	Hard disk password User and supervisor BIOS password
	AuthConductor trial
Manageability	Intel® vPro™ technology (Subject to processors)
-3 /	PXE 2.1 Boot code
	WoL (Wake-on-LAN)
	Wake up from S5 (off mode)
	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment)
	SMBIOS (System Management BIOS)
Additional Software	Waves MaxxAudio (audio enhancer)
	Fujitsu Anytime USB Charge Utility
	Fujitsu Battery Utility
	Fujitsu Function Manager
	Microsoft® Office 2016 Trial
	McAfee Multi Access 60 days Trial Recovery DVD for Windows®
	Sierra Wireless Skylight (optional with WWAN)
AC Adapter	19 V / 65 W (3.42 A)
Battery	3-cell, 38 Wh; Up to 11hrs 50mins <sup>5</sup>
Dimension (W x D x H)	315 x 200.9 x 9.7 mm
Weight	from 0.796 kg slate only, weight of keyboard docking from 0.568 kg
Environmental Compliance	RoHS; WEEE; ENERGY STAR® 6.1; EPEAT® Gold (dedicated regions)



## Recommended Accessories

#### STYLISTIC Cradle



Get better efficiency, flexibility and expandability with the STYLISTIC cradle. The cradle is the perfect docking solution for your STYLISTIC device, whether in the office or at home, it takes just a second to attach your device to the cradle and get connected to peripherals such as an external display, keyboard and mouse. Your workplace is simple and tidy while you are ready to work with your Fujitsu device.

#### **USB Type-C Port Replicator**



The FUJITSU USB Type-C Portreplicator is the perfect solution for connecting FUJITSU mobile clients with a single USB Type-C plug. It allows you to charge and transfer data at the same time via only one cable in order to support your first steps towards a clean desk environment. High speed data transfer through USB 3.1 and Gigabit LAN make it possible to be more flexible and work faster.

### LAN Conversion Cable (USB to LAN) for STYLISTIC Q



The FUJITSU USB to LAN Conversion Cable enables you to connect your compatible STYLISTIC Q Tablet to a wired network connection.

GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification. (Picture similar to product)

### Micro HDMI to HDMI Conversion Cable



The Fujitsu Micro HDMI to HDMI Conversion Cable enables you to view content from your compatible STYLISTIC Tablet when the available projector or external display has an HDMI connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments.

#### **USB to VGA Conversion Cable**



The FUJITSU USB to VGA Conversion Cable enables you to view content from your compatible STYLISTIC Tablet when the available projector or external display has a VGA connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments. (Picture similar to product)

#### **Bumper Case Kit**



The protective bumper case kit is designed to prevent damages to your STYLISTIC Q738. Openings of the cover allow you to access all ports and buttons whilest the hand strap on the back of the case fives you a firm grip while working with your tablet outside the office.

#### Fujitsu recommends Windows 10 Pro.



### AES Pen with replacement stylus tips

Take your creativity to the next level, with the most natural pen experience with the AES Pen with replacement stylus tips. With pen nibs that are very thin, you can experience the writing and signing behavior of an ink pen.



#### Back-lit Keyboard Dock

Enjoy the benefits of a physical back-lit keyboard dock connection which is more reliable and hassle free. With the attached keyboard dock you get the ability to prop the tablet up and fold it over the tablet's screen to protect it, especially when you are mobile. Keyboard Dock (all versions)



Fujitsu recommends Windows 10 Pro.

## More information

#### Fujitsu products, solutions & services

In addition to FUJITSU Tablet STYLISTIC Q738, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships

#### Fuiitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

#### **Computing Products**

www.fujitsu.com/global/products/computing/

#### Software

www.fujitsu.com/software/

#### More information

Learn more about FUJITSU Tablet STYLISTIC Q738, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/fts/tabletpc

#### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at http://www.fujitsu.com/global/about/environment/



#### Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www. fujitsu.com/fts/resources/navigation/terms-of-use.

Copyright 2018 Fujitsu Technology Solutions GmbH

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

#### Contact Us

#### HONG KONG Fujitsu PC Asia Pacific Ltd

Tel: (852) 3910-8228 Email: fpca.hksales@hk.fujitsu.com hk.fujitsu.com/pc

#### PHILIPPINES Fujitsu Philippines, Inc.

Tel: (63) 2-812-4001 Email: info@ph.fujitsu.com ph.fujitsu.com/pc

#### VIETNAM

Fujitsu Vietnam Limited (Hanoi) Tel: (84) 4-2220-3113 Email: sales@vn.fujitsu.com vn.fujitsu.com/pc

**SINGAPORE** Fujitsu Asia Pte Ltd.

Teĺ: (65) 6710-5403 E mail: fsg.info.pc@sg.fujitsu.com sg.fujitsu.com/pc

### Fujitsu (Malaysia) Sdn. Bhd

Tel: (60) 3-8230-4188 Email: askfujitsu@my.fujitsu.com my.fujitsu.com/pc

Fujitsu (China) Co., Ltd.

Tel: (86) 021-26079126 Email: cpcacn.support@cn.fujitsu.com cn.fujitsu.com/pc

### Fujitsu Taiwan Ltd.

Tel: (886) 0800-688-028 Email: lifebook@tw.fujitsu.com tw.fujitsu.com/pc

**INDONESIA** PT. Fujitsu Indonesia

Tel: (62) 21-570-9330 Email: callcenter@id.fujitsu.com id.fujitsu.com/pc

#### THAILAND

Fujitsu (Thailand) Co., Ltd Tel: (66) 0-2302-1500 Email: info@th.fujitsu.com th.fujitsu.com/pc

Note: For countries not listed above, please contact our Hong Kong office.

#### Specification disclaimers

Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates.

WWAN module is optional and requires separately purchased service contract. Check with service provider for coverage and availability in your area. Connection speeds will vary due to location, environment, network conditions, and other factors.

<sup>3</sup> vPro™ is not available on i7-8550U, i5-8250U, i5-7200U and i3.

<sup>4</sup> GB = 1 billion bytes. TB = 1 trillion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery.

<sup>5</sup> Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime

<sup>6</sup> Shared memory depending on main memory size and operating system

FUJITSU shall not be liable for technical or editorial errors or omissions contained herein. Ultrabook, Celeron, Celeron Inside, Ore Inside, Intel Logo, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside Logo, Intel Inside Logo, Intel Inside Logo, Intel VPro, Itanium, Itanium Inside, Pentium, Pentium Inside, vPro Inside, Xeon, and Xeon Inside are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. USB Type-C<sup>™</sup> and USB-C<sup>™</sup> are trademarks of USB Implementers Forum. All other trademarks are the property of their respective owners.

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms.

9 2018 Fujitsu PC Asia Pacific Limited

Last Update: 20th June 2018