

ENHANCED KEYBOARD

Multimedia Windows Keyboard (101 Keys)

FKB8811 SERIES



■ FEATURES

- PS/2 Purple connector Interface
- Windows®95 keys for Windows®95, Windows®98, Windows®2000, WindowsNT4.0® driver files available.
- Excellent operation.
 - Step type key panel switch.
 - Full-travel 3.8 mm (0.149 in.) keystroke, 55 g operating force (1.936 oz.), 20 g (0.704 oz.) tactile response.
 - Soft tactile snap feedback, silent keyswitch technology.
- High quality and reliability.
- Laser printed keycaps help to meet environmental requirements.
- Space saver profile 15 inches wide x 7.4 inches deep.

■ MAIN APPLICATIONS

- Desktop type personal computer systems, especially those with 15" LCD combinations.
- Workstations and terminals, and for multimedia space saver applications.

■ CONSTRUCTION

- FKB8811 Keyboard unit with interface cable.

FKB8811 SERIES


■ SPECIFICATIONS

| Item | | Specifications |
|-------------|-----------------------|---|
| | | FKB8811 Series |
| Mechanical | Number of Keys | 101 normal and 14 Multimedia keys (optional) |
| | Key Switch Type | Membrane switch |
| | Keypop | Rectangular cylindrical, Step type |
| | Operating Force | 55 gf \pm 25 gf (1.936 \pm 0.88 oz.) |
| | Stroke | 3.8 mm \pm 0.5 mm (0.149 in. \pm 0.019 in.) |
| | Tactile feedback | New soft snap type 20 g (0.704 oz.) |
| | Operating Life | 10 M operations min. for the main keys and 100,000 for multimedia keys |
| | Tilt / Palm Rest | 2 levels |
| | Color | single color light grey keycaps and enclosure |
| Electrical | Power Supply | +5 V \pm 0.25 V DC, 100 mA max. |
| | Interface | PS/2 6-pin Mini-DIN connector in PC99 color |
| | Interlock | F-key rollover |
| Environment | Operating Temperature | 0 to 40°C |
| | Storage Temperature | -20 to 60°C |
| | Humidity | 90% RH max. at +40°C max. inversely proportional change to 50% RH at 60°C |

■ MODEL NUMBERS


| Model Number | Number of Keys | Key Arrangement |
|--------------|----------------|---|
| FKB8811-001 | 115 Keys | Multimedia Keys, PS/2 Interface, US Version |
| FKB8811-101 | 115 Keys | Multimedia Keys, USB Interface, US Version |
| FKB8811-301 | 101 Keys | PS/2 Interface, US Version |
| FKB8811-401 | 101 Keys | USB Interface, US Version |

■ TYPICAL KEY LAYOUT



FKB8811 SERIES

MULTIMEDIA KEYS



Fujitsu Components International Headquarter Offices

Japan
 Fujitsu Component Limited
 Gotanda-Chuo Building
 3-5, Higashigotanda 2-chome, Shinagawa-ku
 Tokyo 141, Japan
 Tel: (81-3) 5449-7010
 Fax: (81-3) 5449-2626
 Email: promothq@ft.ed.fujitsu.com
 Web: www.fcl.fujitsu.com

North and South America
 Fujitsu Components America, Inc.
 250 E. Caribbean Drive
 Sunnyvale, CA 94089 U.S.A.
 Tel: (1-408) 745-4900
 Fax: (1-408) 745-4970
 Email: marcom@fcai.fujitsu.com
 Web: www.fcai.fujitsu.com

Europe
 Fujitsu Components Europe B.V.
 Diamantlaan 25
 2132 WV Hoofddorp
 Netherlands
 Tel: (31-23) 5560910
 Fax: (31-23) 5560950
 Email: info.marketing@fceu.fujitsu.com
 Web: www.fceu.fujitsu.com

Asia Pacific
 Fujitsu Components Asia Ltd.
 102E Pasir Panjang Road
 #04-01 Citilink Warehouse Complex
 Singapore 118529
 Tel: (65) 375-8560
 Fax: (65) 273-3021
 Email: fcal@fcal.fujitsu.com
www.fcal.fujitsu.com