

# Data Sheet

## FUJITSU Display V19T-2R LED

### Display

Value display: 47cm (18.5-inch) widescreen

---

The FUJITSU Display V19T-2R LED comes in a 16:9 format with a trendy style. There is no compromise in picture quality and energy efficiency. It is the best choice to get high pixel density with restricted desk space. It is easy-to-use and once it is installed you never have to adjust it again – proven Fujitsu quality.

Widescreen display with LED backlight panel in optimum 16:9 format

< 1W/inch typical power consumption

5ms fast response (typ.) – perfect for office and internet

1366 x 768 HD resolution for excellent entertainment experience

Includes both Analog (VGA) or Digital (DVI) display inputs



# Technical details

<b>Special Feature</b>	Ultra-slim with integrated power supply
<b>Stand details</b>	
Stand	removable
Picture height over desk (mm)	60 mm
Tilt angle	-5° / +15°
<b>Picture performance</b>	
Panel and backlit	TN/LED
Screen Surface Treatment	Anti-glare, 3H hard coating
Contrast – typical	600:1
Contrast – advanced	30,000,000:1
Response time typical	5 ms
Viewing angle (h/v) - typical	90°/65°
Color performance	16.7 million colors (Hi-FRC)
Brightness – typical	200 cd/m <sup>2</sup>
<b>Size and Resolution</b>	
Aspect ratio	16:9
Diagonal Size	47 cm (18.5-inch)
Resolution (native)	1366 x 768 (recommended)
Resolution (interpolated)	1280 x 720 pixel, 1024 x 768 pixel, 832 x 624 pixel, 800 x 600 pixel, 720 x 400 pixel, 640 x 480 pixel
Picture Size	409.8 x 230.4 mm
Pixel Pitch	0.3 mm
<b>Connectivity</b>	
VGA/D-SUB	1 x D-SUB
DVI	1 x DVI-D (Dual Link)
<b>OSD Languages and setting options</b>	
Languages	English, French, German, Italian, Japanese, Korean, Espanola, Portuguese, Russian, Turkish, Simplified Chinese, Traditional Chinese
Brightness / Contrast / Color	Brightness, Contrast, Color Temperature
Image adjust	H-Position, V-Position, Clock, Phase
On Screen Display (OSD)	Language, H-Position, V-Position, Timer, Transparency
Setup	Picture Mode, Signal Source, Aspect Ratio, DCR
Factory Reset	Reset
<b>Power consumption (typical)</b>	
Soft switch off	<0.5 W
Operating maximum brightness	25W
Power supply display	integrated
<b>Electrical values</b>	
Rated voltage range	100 V – 240 V
Rated frequency range	50 Hz – 60 Hz
Protection class	1
<b>Compliance</b>	
Global	CB
<b>Quality and Reliability</b>	
MTBF (demonstrated)	30,000h
<b>Dimensions / Weight / Environmental</b>	
Dimension without stand (W x D x H)	446mm x 47mm x 275mm
Dimension with stand (W x D x H)	446mm x 148mm x 335mm
Weight (packed)	3.3 kg
Weight (Monitor only)	2.6 kg
<b>Miscellaneous</b>	
Miscellaneous	VESA DDC/CI, Flat Display Mounting Interface VESA MIS-D 75C, Kensington lock
Color	Matt black

<b>Package content</b>	
<b>Display delivered accessories</b>	Power cable for wall socket (UK) 1.5m, VGA Data cable 1.5m, User Manual
<b>Display delivered accessories notes</b>	Data cables and power cable detachable on display
<b>Order information</b>	
<b>Order Code</b>	HLMNR02UKB-R1 (UK power plug + VGA cable)
<b>EAN Code</b>	8888551229611 (UK power plug + VGA cable)
<b>Warranty</b>	
<b>Standard Warranty</b>	3 years (depending on country)
<b>Service level</b>	Next Business Day – 1 to 1 Exchange (depending on country)

# More information

## Fujitsu OPTIMIZATION Services

In addition to Fujitsu Display V19T-2 LED, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to data centre solutions, Managed Infrastructure and Infrastructure-as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

### Computing Products

[www.fujitsu.com/global/services/computing](http://www.fujitsu.com/global/services/computing)

## More information

To learn more about Fujitsu Display V19T-2 LED, please contact your Fujitsu sales representative, Fujitsu Business partner, or visit our website.  
<http://hk.fujitsu.com/pc>

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at <http://www.fujitsu.com/global/about/environment/>



## Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

## Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

## Contact Us

Head Office:

### HONG KONG

**Fujitsu PC Asia Pacific Ltd**

Tel: (852) 3910 8282

Fax: (852) 3910 8113

[hk.fujitsu.com/pc](http://hk.fujitsu.com/pc)

### SINGAPORE

**Fujitsu PC Asia Pacific Pte Ltd**

Tel: (65) 6776 0688

Fax: (65) 6395 6693

[sg.fujitsu.com/pc](http://sg.fujitsu.com/pc)

### CHINA

**Fujitsu PC China Division**

Tel: (86-21) 5877 0638

Fax: (86-21) 5877 5280

[cn.fujitsu.com/pc](http://cn.fujitsu.com/pc)

### INDONESIA

**Fujitsu PC Asia Pacific Ltd**

Tel: (62-21) 2956 8505

Fax: (62-21) 2956 8502

[id.fujitsu.com/pc](http://id.fujitsu.com/pc)

### VIETNAM

**Fujitsu Vietnam Ltd**

Tel: (65) 6776 0688

Fax: (65) 6395 6693

[sg.fujitsu.com/pc](http://sg.fujitsu.com/pc)

### MALAYSIA

**Fujitsu PC Asia Pacific Pte Ltd**

Tel: (60-3) 7728 4868

Fax: (60-3) 7728 4830

[my.fujitsu.com/pc](http://my.fujitsu.com/pc)

### PHILIPPINES

**Fujitsu Philippines, Inc.**

Tel: (63-2) 812 4001

Fax: (63-2) 817 7576

[ph.fujitsu.com/pc](http://ph.fujitsu.com/pc)

### TAIWAN

**Fujitsu Taiwan Ltd**

Tel: (886-2) 2311 2255

Fax: (886-2) 2311 2277

[tw.fujitsu.com/pc](http://tw.fujitsu.com/pc)

### THAILAND

**Fujitsu Systems Business (THAILAND) Ltd PC Division**

Tel: (66-2) 261 2700

Fax: (66-2) 261 2705

[th.fujitsu.com/pc](http://th.fujitsu.com/pc)

Note: For countries not listed above, please contact our Hong Kong office.

All rights to the mentioned trademarks reside with their respective owners. Fujitsu endeavours to ensure that the information in this documentation is correct and fairly stated, but does not accept liability for any errors or omissions. The development of Fujitsu products and services is continuous and published information may not be up to date. It is important to check the current position with Fujitsu. The document is not part of the contract or licenses save in so far as may be expressly agreed.