

## Data Sheet FUJITSU Display V27T-1R LED Display

### Value display: 68.6cm (27-inch) widescreen

The FUJITSU Display V27T-1R LED comes in a 16:9 format with a trendy style. There is no compromise in picture quality and energy efficiency. It is the best choice to get high pixel density with restricted desk space. It is easy-to-use and once it is installed you never have to adjust it again – proven Fujitsu quality.

Plane to Line Switching (PLS) technology with 1,920 x 1,080 pixels high resolution for pin sharp pictures.

< 1W/inch typical power consumption and ENERGY STAR<sup>®</sup> compliant

Includes both Analog (VGA) and HDMI display inputs

Low blue light mode

Flicker-free backlight

Color:





# Technical details

	Plane to Line Switching (PLS) technology; Ultra-slim with frameless design; Low blue light mode; Flicker-free
Special Features	backlight
Stand details	
Stand	removable
Picture height over desk (mm)	79.2 mm
Tilt angle	-5° / +20°
Picture performance	
Panel and backlit	Plane to Line Switching (PLS) technology /LED
Screen Surface Treatment	Anti-glare, Haze 25%, 3H hard coating
Contrast – typical	1000:1
Contrast – advanced	30,000,000:1
Response time typical	15 ms
Viewing angle (h/v) - typical	178°/178°
Color performance	16.7 million colors (Hi-FRC)
Brightness – typical	250 cd/m <sup>2</sup>
Low blue light mode	Supported
Flicker-free backlight	Supported
Size and Resolution	
Aspect ratio	16:9
Diagonal Size	68.6 cm (27-inch)
Resolution (native)	1920 x 1080 (recommended)
Resolution (interpolated)	1680 x 1050 pixel, 1440 x 900 pixel, 1366 x 768 pixel, 1280 x 1024 pixel, 1280 x 720 pixel, 1024 x 768 pixel, 800 x 600 pixel, 640 x 480 pixel
Picture Size	597.9 x 336.3 mm
Pixel Pitch	0.3114 mm
Connectivity	
VGA/D-SUB	1 x D-SUB
DVI	N/A
HDMI	1 x HDMI
Audio signal input	3.5 mm stereo phone jack
Audio sound output	2 x 2 W
OSD Languages and setting options	
Languages	English, French, German, Italian, Japanese, Korean, Espanola, Portuguese, Russian, Turkish, Simplified Chinese, Traditional Chinese
Brightness / Contrast / Color	Brightness, Contrast, Color Temperature
Image adjust	H-Position, V-Position, Clock, Phase
On Screen Display (OSD)	Language, H-Position, V-Position, Timer, Transparency
Setup	Picture Mode, Signal Source, Aspect Ratio, DCR
Factory Reset	Reset
Power consumption (typical)	
Soft switch off	<0.5 W
Operating maximum brightness	30W
Power supply display	External power supply
Electrical values	
Rated voltage range	100 V – 240 V
Rated frequency range	50 Hz – 60 Hz
Protection class	1
Compliance	
Global	(Planned) CB
Quality and Reliability	<u> </u>
MTBF (demonstrated)	30,000h
Dimensions / Weight / Environmental	
Dimension without stand (W x D x H)	612mm x 365mm x 40.3mm
· · · · · ·	



Dimension with stand (W x D x H)	612mm x 444.4mm x 174.6mm
Weight (packed)	6 kg
Weight (Monitor only)	4.3 kg
Miscellaneous	
Miscellaneous	Kensington lock
Color	Black / White
Package content	
Display delivered accessories	Power cable for wall socket (UK) 1.5m, D-SUB Data cable 1.5m, User Manual
Display delivered accessories notes	Data cables and power cable detachable on display
Order information	
Order Code	HLMNR05UKB-R1 (Black)
EAN Code	8888551229666 (Black)
Warranty	
Standard Warranty	1 year (depending on country)
Service level	Carry In



## More information

#### Fujitsu OPTIMIZATION Services

In addition to Fujitsu Display V19T-2 LED, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, knowhow and worldwide partnerships.

#### **Dynamic Infrastructures**

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to data centre solutions, Managed Infrastructure and Infrastructureas-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing

#### More information

To learn more about Fujitsu Display V19T-2 LED, please contact your Fujitsu sales representative, Fujitsu Business partner, or visit our website. http://hk.fujitsu.com/pc

#### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at http://www. fujitsu.com/global/about/environment/



#### Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

#### Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

#### Contact Us

Head Office: HONG KONG Fujitsu PC Asia Pacific Ltd Tel: (852) 3910 8282 Fax: (852) 3910 8113 hk.fujitsu.com/pc

#### MALAYSIA

**Fujitsu PC Asia Pacific Pte Ltd** Tel: (60-3) 7728 4868 Fax: (60-3) 7728 4830 my.fujitsu.com/pc

#### SINGAPORE Fujitsu PC Asia Pacific Pte Ltd Tel: (65) 6776 0688 Fax: (65) 6395 6693

#### PHILIPPINES

sg.fujitsu.com/pc

Note: For countries not listed above, please contact our Hong Kong office.

Fujitsu Philippines, Inc. Tel: (63-2) 812 4001 Fax: (63-2) 817 7576 ph.fujitsu.com/pc

#### CHINA

**Fujitsu PC China Division** Tel: (86-21) 5877 0638 Fax: (86-21) 5877 5280 cn.fujitsu.com/pc

#### TAIWAN Fujitsu Taiwan Ltd

Tel: (886-2) 2311 2255 Fax: (886-2) 2311 2277 tw.fujitsu.com/pc

#### INDONESIA

**Fujitsu PC Asia Pacific Ltd** Tel: (62-21) 2956 8505 Fax: (62-21) 2956 8502 id.fujitsu.com/pc

#### THAILAND

**Fujitsu Systems Business** (**THAILAND**) Ltd PC Division Tel: (66-2) 261 2700 Fax: (66-2) 261 2705 th.fujitsu.com/pc

#### VIETNAM

**Fujitsu Vietnam Ltd** Tel: (65) 6776 0688 Fax: (65) 6395 6693 sq.fujitsu.com/pc

All rights to the mentioned trademarks reside with their respective owners. Fujitsu endeavours to ensure that the information in this documentation is correct and fairly stated, but does not accept liability for any errors or omissions. The development of Fujitsu products and services is continuous and published information may not be up to date. It is important to check the current position with Fujitsu. The document is not part of the contract or licenses save in so far as may be expressly agreed.