Fujitsu recommends Windows 10 Pro.



Data Sheet FUJITSU LIFEBOOK S937 Notebook

Your Stylish Marathon Runner

The FUJITSU Notebook LIFEBOOK S937 is a lightweight, touch-enabled notebook for frequent travelers. An ideal travel companion, it combines full functionality with an exceptional lightweight design starting at 1.13 kg¹ and a battery runtime spanning over two working days. Its crystal clear 33.8 cm (13.3-inch) WQHD or FHD anti-glare display option enables best viewing comfort. Numerous features, such as Fujitsu's famous modular bay concept, optional 4G/LTE connectivity help you concentrate on your business while on the move. Moreover, a wide range of enterprise class security features and the unique palm vein sensor option guarantee ultimate protection of your company data. Choose the port replicator for best-in-class convenience in the office



A stylish runner

Enjoy sleek design with best performance

Latest processor and DDR4 memory technology up to 24 GB RAM

Flexible functionality with modular bay

Choose and exchange your desired modular bay element for extended functionality

Extend battery runtime up to 29 hours with a second battery option and primary battery, further options are a second hard disk drive, Blu-ray Disc™ or DVD Super Multi drive



Work and be online anywhere with confidence and ease

Exceptionally lightweight starting from 1.13 kg¹, with a sturdy magnesium housing and aluminum palm rest, optional 4G/LTE connectivity.

Ultimate security

Protect your notebook and company data against unauthorized access

 Embedded palm vein sensor or fingerprint sensor option, integrated SmartCard reader, encrypted disk, ATP, TPM option

Best-in-class ergonomics

Enjoy comfortable viewing and touch panel options

A crystal clear resolution WQHD (2560x1440) or FHD (1920x1080) IGZO display with anti-glare, non-touch or glare, touch option, backlit keyboard option





Fujitsu recommends Windows 10 Pro.



COMPONENTS

Base Unit	LIFEBOOK S937			
Operating System				
Operating system	Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home			
Processor	Intel® Core™ i7-7600U Processor (4M Cache, 2.8 GHz, up to 3.90 GHz) Intel® Core™ i7-7500U Processor (4M Cache, 2.7 GHz, up to 3.50 GHz) Intel® Core™ i5-7200U Processor (3M Cache, 2.5 GHz, up to 3.10 GHz)			
Memory modules	4GB DDR4 2133MHz 8GB DDR4 2133MHz 16GB DDR4 2133MHz			
Hard disk drives (internal)	SSD SATA III, 512 GB, M.2, SED/OPAL SSD SATA III, 256 GB, M.2, SED/OPAL SSD SATA III, 512 GB, M.2 SSD SATA III, 256 GB, M.2 HDD SATA III, 1 TB, 5.4k rpm HDD SATA III, 500 GB, 5.4k rpm			
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s)			
Modular Bay Options	2 nd bay battery 2 nd hard disk drive kit Blu-ray Writer DVD Super Multi Weight Saver			
Interface add on cards/componen	ts (optional)			
3G/4G (Optional)	LTE Sierra Wireless EM7305 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)			
WLAN (Optional)	Intel® Dual Band Wireless-AC 8265 802.11ac/a/b/g/n (2x2) and Bluetooth® 4.1 Combo, vPro capable Intel® Dual Band Wireless-AC 8265 802.11ac/a/b/g/n (2x2) and Bluetooth® 4.1 Combo			
Display	33.8 cm (13.3-inch) FHD antiglare, 1920 x 1080 pixel, 330cd/m² 33.8 cm (13.3-inch) FHD touch glare, 1920 x 1080 pixel, 330cd/m² 33.8 cm (13.3-inch) WQHD antiglare, 2560 x 1440 pixel, 350cd/m² 33.8 cm (13.3-inch) WQHD touch glare, 2560 x 1440 pixel, 350cd/m²			
Multimedia				
Camera	Built-in webcam, HD 720p			

Base unit

Base unit	LIFEBOOK S937
General system information	
Chipset	Integrated
Supported capacity RAM (max.)	24 GB
Memory slots total	1 DIMM (DDR4)
Memory notes	DDR4 – 2133 MHz
-	8 GB onboard, 1 DIMM slot with max. 16 GB
LAN	Built-in 10/100/1000 MBit/s, Intel® I219LM
BIOS features	InsydeH20 Bios
Audio type	On board
Audio codec	Realtek ALC255 (HD audio)
Audio features	Stereo Speakers
Display	
Display notes	ISO 9241-307 - Pixel class II [WQHD] Viewing angle: Left/Right 80°, Top 80°, Bottom 80°; Color Gamut: 72% [Full HD] Viewing angle: Left/Right 89°, Top 89°, Bottom 89°; Color Gamut: 72%

Fujitsu recommends Windows 10 Pro.



Graphics

Graphics					
TFT resolution (HDMI)	Up to 4,096 x 2,160				
TFT resolution (VGA)	Up to 1,920 x 1,200				
TFT resolution (DVI on Port Replicator)	Up to 1,920 x 1,200				
TFT resolution (DisplayPort on Port Replicator)	Up to 3,200 x 2,000				
Graphics brand name	Intel® HD Graphics 620				
Graphics features	3 Display Support (2 external, 1 internal)				
Graphics notes	Shared memory depending on main memory size and operating system				
Interfaces					
DC-in	1				
Audio: line-in / microphone	1 (combo port with Audio line-in)				
Audio: line-out / headphone	1 (combo port with Audio line-out)				
Internal microphones	2 digital microphones (array)				
USB 3.1 (Gen1) total	3 (1 with Anytime USB Charge functionality)				
VGA	1				
HDMI	1				
Ethernet (RJ-45)	1				
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 128GB)				
SmartCard slot	1 (optional)				
SIM card slot	1 (only for models with integrated 3G/UMTS or 4G/LTE module)				
Kensington Lock Support	1				
Port Replicator interfaces (optional)					
DC-in	1 (19V)				
Power on switch	1				
Audio: headphone	1				
Audio: microphone	1				
USB 3.1 (Gen1) total	4				
DisplayPort	1 (up to 3200 x 2000)				
VGA	1 (up to 1920 x 1200)				
DVI	1 (up to 1920 x 1200)				
Ethernet (RJ-45)	1 (10/100/1000)				
Kensington Lock support	1 (Port rep only) Port replicator supports 0-Watts functionality				
Notes	Port replicator supports o-watts functionality				
Keyboard and pointing devices	US Keyboard w/ Backlight (optional)				
	Number of keyboard keys: 84, Keyboard pitch: 19.0 mm, Keyboard stroke: 1.2 mm				
	Multi gesture touchpad with two mouse click buttons				
	ECO Button				
	Status LED Application buttons				
	Power Button				
Wireless technologies					
Antennas	2 Dual band WLAN antennas, 2 UMTS/LTE antennas optional, 1 Bluetooth antenna shared with WLAN				
Bluetooth	Bluetooth® 4.1				
WLAN encryption	WEP, WPA, WPA2				
WLAN notes	Import and usage according to country-specific regulations.				
NFC	Optional (available in Hong Kong only)				
WiDi support	Yes (with Intel W-LAN)				





D	n	we	 	n	٨l	٠,
г	U	WE	su	μ	μι	v

AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Stick Type AC-Adapter 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology				
Notes	65W AC Adapter for usage with system / 80W AC Adapter for usage with Port Replicator				
Battery	Li-lon battery 6-cell, 77 Wh Li-lon battery 4-cell, 51 Wh Li-lon battery 3-cell, 24 Wh				
1st Battery Run-time	Up to 15 hr and 40 min				
1 st and 2 nd Battery Run-time	Up to 29 hr and 10 min				
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.				
Dimensions / Weight / Environmental					
Dimensions (W x D x H)	316 x 214 x 19.8~26.9 mm				
Weight	Start from 1.13kg (2.49 lb)				
Weight notes	Including weight saver, 3-cell battery, 256GB SSD, 8GB RAM, Full HD, non-touch display				
Operating ambient temperature	5 - 35 °C				
Operating relative humidity	20 - 80 %				
Compliance					
Europe	CE CB				
Global	RoHS II (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) ENERGY STAR® 6.1 EPEAT® Gold (dedicated regions)				
Additional Software					
Additional Software (preinstalled)	Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Bonus Apps Fujitsu Function Manager Fujitsu LIFEBOOK Application Panel Fujitsu Mobility Center Extension Utility Fujitsu Software AutoInstaller Fujitsu Workplace Protect Microsoft® Office 2016 Trial McAfee Multi Access 60 days Trial				
Additional Software (optional)	Sierra Wireless Skylight (optional with WWAN)				
	CyberLink PowerDVD (optional with DVD Super Multi) Recovery DVD for Windows®				
Manageability	CyberLink PowerDVD (optional with DVD Super Multi)				
Manageability	CyberLink PowerDVD (optional with DVD Super Multi) Recovery DVD for Windows® PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology (depending on CPU)				
Manageability Manageability technology	CyberLink PowerDVD (optional with DVD Super Multi) Recovery DVD for Windows® PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN)				
Manageability Manageability technology Supported standards	CyberLink PowerDVD (optional with DVD Super Multi) Recovery DVD for Windows® PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology (depending on CPU) iAMT 10.0 (depending on CPU)				
Manageability Manageability technology Supported standards Security	CyberLink PowerDVD (optional with DVD Super Multi) Recovery DVD for Windows® PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology (depending on CPU) iAMT 10.0 (depending on CPU) WMI, PXE				
Manageability Manageability technology Supported standards Security Physical Security	CyberLink PowerDVD (optional with DVD Super Multi) Recovery DVD for Windows® PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology (depending on CPU) iAMT 10.0 (depending on CPU)				
Manageability Manageability technology Supported standards Security Physical Security System and BIOS Security	CyberLink PowerDVD (optional with DVD Super Multi) Recovery DVD for Windows® PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology (depending on CPU) iAMT 10.0 (depending on CPU) WMI, PXE Kensington Lock support Optional: Discrete Trusted Platform Module (TPM 2.0) Optional: Erasedisk Hard disk password User and supervisor BIOS password Embedded fingerprint sensor (optional) Embedded palm vein sensor (optional) Smartcard reader (integrated)				
	CyberLink PowerDVD (optional with DVD Super Multi) Recovery DVD for Windows® PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology (depending on CPU) iAMT 10.0 (depending on CPU) WMI, PXE Kensington Lock support Optional: Discrete Trusted Platform Module (TPM 2.0) Optional: Erasedisk Hard disk password User and supervisor BIOS password Embedded fingerprint sensor (optional) Embedded palm vein sensor (optional)				





Service level	Bring-in Service (depending on country specific requirements)		
Maintenance and Support Services			
Recommended service	3 years, 9x5, Response Time: Next Business Day		
Spare Parts availability	5 years after end of product life		

Recommended Accessories

Port Replicator



Flexibility, expandability, desktop replacement and investment protection are just a few benefits of Fujitsu docking options. It takes just a second to attach your notebook to the Port Replicator to connect to your external display, keyboard and mouse. Choose from a selection of port replicators to suit your Notebook and enjoy a hassle free and tidy workplace.

Second Battery for Modular Bay



Modern business demands that busy professionals be ready to meet customers, make presentations, and work wherever is necessary to get the job done. With a Second Battery for your Fujitsu LIFEBOOK you will be more flexible than ever. Installation is effortless. Just slide the Second Battery into your Fujitsu LIFEBOOK's modular bay.

Second Hard Disk Drive or SSD Carrier for Modular Bay



Modern business generates more and more data everyday so you may find yourself needing some extra storage space for critical data. Extend your storage with this 2nd HDD or SSD option by simply sliding this carrier into the modular bay slot on your Fujitsu LIFEBOOK. Choose the storage capacity to suit your needs and order separately from the list of options

Fujitsu Prestige Backpack





The FUJITSU Prestige Backpack 17 protects notebooks with up to 17-inch displays. It contains three large compartments, two elastic mesh side pockets and a front bay. The padded back compartment provides protection for your notebook, while other sections store power adaptors and office supplies. Padded shoulder straps and back cushions provide comfort on the move.

Fujitsu Display P24-8 WS Pro



The FUJITSU P24-8 WS Pro display (24-inch, 16:10) provides outstanding picture performance thanks to cutting edge panel technology. It is the perfect choice for CAD and document management applications with request for 1,200 lines. It also boasts unique and innovative features such as our patent-applied Presence Sensor technology and USB support during standby.



More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK S937, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, knowhow and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to data centre solutions, Managed Infrastructure and Infrastructure-as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing

More information

To learn more about Fujitsu LIFEBOOK S937, please contact your Fujitsu sales representative, Fujitsu Business partner, or visit our website. http://hk.fujitsu.com/pc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact Us

HONG KONG Fujitsu PC Asia Pacific Ltd Tel: (852) 3910-8228 Email: fpca.hksales@hk.fujitsu.com hk.fujitsu.com/pc

PHILIPPINES Fujitsu Philippines, Inc. Tel: (63) 2-812-4001 Email: info@ph.fujitsu.com ph.fujitsu.com/pc

VIETNAM
Fujitsu Vietnam Limited (Hanoi)
Tel: (84) 4-2220-3113
Email: sales@vn.fujitsu.com

SINGAPŌRE Fujitsu Asia Pte Ltd. Tel: (65) 6710-5403 E mail: fsg.info.pc@sg.fujitsu.com sq.fujitsu.com/pc

PHILIPPINES
Fujitsu (Malaysia) Sdn. Bhd
Tel: (60) 3-8318-3700
Email: marketing@my.fujitsu.com
my.fujitsu.com/pc

CHINA
Fujitsu (China) Co., Ltd.
Tel: (86) 021-26079126
Email: cpcacn.support@cn.fujitsu.com
cn.fujitsu.com/pc

TAIWAN
Fujitsu Taiwan Ltd.
Tel: (886) 0800-688-028
Email: lifebook@tw.fujitsu.com
tw.fujitsu.com/pc

INDONESIA Pt. Fujitsu Indonesia Tel: (62) 21-570-9330 Email: callcenter@id.fujitsu.com id.fujitsu.com/pc

THAILAND Fujitsu (Thailand) Co., Ltd Tel: (66) 0-2302-1500 Email: info@th.fujitsu.com th.fujitsu.com/pc

Note: For countries not listed above, please contact our Hong Kong office.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Inside Logo, Intel vPro, Itanium,

Itanium Inside, Pentium, Pentium Inside, vPro Inside, Xeon, and Xeon Inside are trademarks of Intel Corporation in the U.S. and/or other countries.

All rights to the mentioned trademarks reside with their respective owners. Fujitsu endeavours to ensure that the information in this documentation is correct and fairly stated, but does not accept liability for any errors or omissions. The development of Fujitsu products and services is continuous and published information may not be up to date. It is important to check the current position with Fujitsu. The document is not part of the contract or licence save in so far as may be expressly agreed.

Last Update: 29th March 2017