

Data Sheet FUJITSU LIFEBOOK U757 Notebook

Ultra-Mobile Meets Ultra Secure


The FUJITSU Notebook LIFEBOOK U757, based on the 7th generation Intel® Core™ processor is a slim, light and stylish ultra-mobile notebook for business professionals who are always on the move. With its 15.6-inch and light weight of only 1.7 kg, it provides excellent mobility. Ergonomic viewing is guaranteed with the anti-glare HD, FHD, UHD or optional FHD touch display options and the embedded palm vein or finger print sensor provide outstanding security. Smart design combines legacy interfaces like full-size VGA and easy upgradeability with a thin and durable housing. The common port replicator in the LIFEBOOK U family facilitates workplace sharing within today's modern workstyle.



Premium connectivity

Stay flexible and productive within a modern workplace environment

- Full set of interfaces with, full-size LAN connector, full-size VGA port and USB Type-C
- Embedded 4G/LTE, WLAN and Bluetooth



Enhance your security with outstanding features to best protect your notebook and company data from unauthorized access

 Embedded palm vein or finger print sensor, Trusted Platform Module 2.0, integrated SmartCard reader



Elegant design and mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

 A remarkably slim 19.2 mm ultra-mobile notebook starting from 1.7 kg, HD or FHD or UHD display, anti-glare, FHD touch panel option, aluminum/magnesium housing and optional backlit keyboard



Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

Shared components such as the same port replicator optional with USB Type C, AC
 Adapter, keyboard layout, BIOS and bit image across the ultra-mobile LIFEBOOK U family

Convenient upgradeability

Direct access to key components reduces upgrade time and costs

■ Battery, memory and internal storage can be changed easily





COMPONENTS

Processor	Intel® Core™ i7-7600U Processor (4M Cache, 2.8 GHz, up to 3.90 GHz)
	Intel® Core™ i7-7500U Processor (4M Cache, 2.7 GHz, up to 3.50 GHz)
	Intel® Core™ i5-7300U Processor (3M Cache, 2.6 GHz, up to 3.50 GHz)
	Intel® Core™ i5-7200U Processor (3M Cache, 2.5 GHz, up to 3.10 GHz)
	Intel® Core™ i3-7100U Processor (3M Cache, 2.4 GHz)
Operating System	Windows 10 Pro. Fujitsu recommends Windows 10 Pro.
	Windows 10 Home
Memory	4GB DDR4 2133MHz
	8GB DDR4 2133MHz
	16GB DDR4 2133MHz
Hard disk drives	SSD PCIe NVMe, 512 GB, M.2, SED/OPAL
	SSD PCIe NVMe, 256 GB, M.2, SED/OPAL
	SSD SATA III, 512 GB, M.2, SED/OPAL
	SSD SATA III, 256 GB, M.2, SED/OPAL
	SSD SATA III, 256 GB, M.2
	SSD SATA III, 128 GB, M.2
	HDD SATA III, 1 TB, 5.4k rpm
	HDD SATA III, 500 GB, 5.4k rpm
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
	Accessible capacity may vary, also depending on used software.
	Up to 20 GB of HDD space is reserved for system recovery
	Internal SSD interface: S-ATA III or PCle
Display	39.6 cm (15.6") HD antiglare, 1366 x 768 pixel, 350:1, 220cd/m²
	39.6 cm (15.6") FHD antiglare, 1920 x 1080 pixel, 700:1, 300cd/m ²
	39.6 cm (15.6") FHD touch antiglare, 1920 x 1080 pixel, 700:1, 300cd/m²
	39.6 cm (15.6") UHD antiglare, 3840 x 2160 pixel, 700:1, 300cd/m²
Keyboard	Keyboard w/ touchstick
	Backlit keyboard w/o touchstick
4G/LTE (Optional)	LTE Sierra Wireless EM7305 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
WLAN (Optional)	Intel® Dual Band Wireless-AC 8265 802.11ac/a/b/g/n (2x2) and Bluetooth® 4.1 Combo, vPro capable
	Intel® Dual Band Wireless-AC 8265 802.11ac/a/b/g/n (2x2) and Bluetooth® 4.1 Combo
Camera	Optional: Built-in webcam, HD

Base unit

Base unit	LIFEBOOK U757	LIFEBOOK U757 (Intel vPro)
General system information		
Chipset	Integrated	
Supported capacity RAM (max.)	32 GB	
Memory slots total	2 DIMM (DDR4)	
Memory notes	DDR4 – 2133 MHz	
LAN	Built-in 10/100/1000 MBit/s, Intel® 219V	Built-in 10/100/1000 MBit/s, Intel® 219LM (w/iAMT)
BIOS features	InsydeH20 Bios	
Audio type	On board	
Audio codec	Realtek ALC255 (HD audio)	
Audio features	Stereo Speakers	





Graphics			
Display notes	ISO 9241-307 - Pixel class II		
	[Ultra HD] Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gamut: 72%		
	[Full HD] Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gamut: 72%		
Graphics	[HD] Viewing angle: Left/Right 45°, Top 20°, Bottom 40°; Color Gamut: 45%		
	Ha to 7 006 v 2 160		
TFT resolution (DisplayPort)	Up to 4,096 x 2,160		
TFT resolution (VGA)	Up to 1,920 x 1,200		
TFT resolution (DVI on Port Replicator)	Up to 1,920 x 1,200		
Graphics brand name	Intel® HD Graphics 620		
Graphics features	3 Display Support		
Graphics notes	Shared memory depending on main memory size and operating system		
Interfaces			
DC-in	1		
Audio:	1 combo audio/microphone jack		
Internal microphones	2 digital microphones (array)		
USB 3.1 Type-C total			
USB 3.1 Type-C total	1 (up to 5Gbps; with Power Delivery function; support DisplayPort) 2 (1 with Anytime USB Charge functionality)		
VGA	<u> </u>		
VGA DisplayPort	1		
· '			
HDMI	1		
Ethernet (RJ-45)	1		
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 128GB)		
SmartCard slot	1 (optional)		
SIM card slot	1 (Micro SIM; only for models with integrated 4G/LTE module)		
Kensington Lock Support	1		
Keyboard and pointing devices			
	Keyboard w/ touchstick		
	Backlit Keyboard w/o touchstick, spill resistant		
	Number of keyboard keys: 10/, (w/10key). Voyboard eitch: 19 /, mm. Voyboard etreke: 1.7 mm.		
	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm		
	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LFD		
	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons		
Wireless technologies	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED		
<u> </u>	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED		
Antennas	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button		
Antennas Bluetooth	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button 2 Dual band WLAN antennas, 2 LTE antennas optional		
Antennas Bluetooth WLAN encryption	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button 2 Dual band WLAN antennas, 2 LTE antennas optional Bluetooth® 4.1		
Antennas Bluetooth WLAN encryption WLAN notes	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button 2 Dual band WLAN antennas, 2 LTE antennas optional Bluetooth® 4.1 WEP, WPA, WPA2		
Antennas Bluetooth WLAN encryption WLAN notes Power supply	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button 2 Dual band WLAN antennas, 2 LTE antennas optional Bluetooth® 4.1 WEP, WPA, WPA2 Import and usage according to country-specific regulations.		
Antennas Bluetooth WLAN encryption WLAN notes Power supply	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button 2 Dual band WLAN antennas, 2 LTE antennas optional Bluetooth® 4.1 WEP, WPA, WPA2 Import and usage according to country-specific regulations. 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Stick Type 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Zero-Watt		
Antennas Bluetooth WLAN encryption WLAN notes Power supply AC Adapter	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button 2 Dual band WLAN antennas, 2 LTE antennas optional Bluetooth® 4.1 WEP, WPA, WPA2 Import and usage according to country-specific regulations. 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Stick Type 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Zero-Watt 19 V / 90 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Standard		
Antennas Bluetooth WLAN encryption WLAN notes Power supply AC Adapter	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button 2 Dual band WLAN antennas, 2 LTE antennas optional Bluetooth® 4.1 WEP, WPA, WPA2 Import and usage according to country-specific regulations. 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Stick Type 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Zero-Watt 19 V / 90 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Standard 65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator		
Antennas Bluetooth WLAN encryption WLAN notes Power supply AC Adapter Notes Battery	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button 2 Dual band WLAN antennas, 2 LTE antennas optional Bluetooth® 4.1 WEP, WPA, WPA2 Import and usage according to country-specific regulations. 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Stick Type 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Zero-Watt 19 V / 90 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Standard 65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator Lithium Polymer battery 4-cell 50 Wh w/ battery status indicator		
Antennas Bluetooth WLAN encryption WLAN notes Power supply AC Adapter Notes Battery Battery Run-time	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button 2 Dual band WLAN antennas, 2 LTE antennas optional Bluetooth® 4.1 WEP, WPA, WPA2 Import and usage according to country-specific regulations. 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Stick Type 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Zero-Watt 19 V / 90 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Standard 65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator Lithium Polymer battery 4-cell 50 Wh w/ battery status indicator Up to 11 hr 20 min		
Antennas Bluetooth WLAN encryption WLAN notes Power supply AC Adapter Notes Battery Battery Run-time	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button 2 Dual band WLAN antennas, 2 LTE antennas optional Bluetooth® 4.1 WEP, WPA, WPA2 Import and usage according to country-specific regulations. 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Stick Type 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Zero-Watt 19 V / 90 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Standard 65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator Lithium Polymer battery 4-cell 50 Wh w/ battery status indicator Up to 11 hr 20 min Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office		
Antennas Bluetooth WLAN encryption WLAN notes Power supply AC Adapter Notes Battery Battery Run-time	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button 2 Dual band WLAN antennas, 2 LTE antennas optional Bluetooth® 4.1 WEP, WPA, WPA2 Import and usage according to country-specific regulations. 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Stick Type 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Standard 19 V / 90 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Standard 65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator Lithium Polymer battery 4-cell 50 Wh w/ battery status indicator Up to 11 hr 20 min Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details.		
Wireless technologies Antennas Bluetooth WLAN encryption WLAN notes Power supply AC Adapter Notes Battery Battery Run-time Battery notes	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button 2 Dual band WLAN antennas, 2 LTE antennas optional Bluetooth® 4.1 WEP, WPA, WPA2 Import and usage according to country-specific regulations. 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Stick Type 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Zero-Watt 19 V / 90 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Standard 65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator Lithium Polymer battery 4-cell 50 Wh w/ battery status indicator Up to 11 hr 20 min Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between		
Antennas Bluetooth WLAN encryption WLAN notes Power supply AC Adapter Notes Battery Battery Run-time	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button 2 Dual band WLAN antennas, 2 LTE antennas optional Bluetooth® 4.1 WEP, WPA, WPA2 Import and usage according to country-specific regulations. 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Stick Type 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Zero-Watt 19 V / 90 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Standard 65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator Lithium Polymer battery 4-cell 50 Wh w/ battery status indicator Up to 11 hr 20 min Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery		
Antennas Bluetooth WLAN encryption WLAN notes Power supply AC Adapter Notes Battery Battery Run-time	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button 2 Dual band WLAN antennas, 2 LTE antennas optional Bluetooth® 4.1 WEP, WPA, WPA2 Import and usage according to country-specific regulations. 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Stick Type 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Zero-Watt 19 V / 90 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Standard 65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator Lithium Polymer battery 4-cell 50 Wh w/ battery status indicator Up to 11 hr 20 min Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary		
Antennas Bluetooth WLAN encryption WLAN notes Power supply AC Adapter Notes Battery Battery Run-time Battery notes	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button 2 Dual band WLAN antennas, 2 LTE antennas optional Bluetooth® 4.1 WEP, WPA, WPA2 Import and usage according to country-specific regulations. 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Stick Type 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Zero-Watt 19 V / 90 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Standard 65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator Lithium Polymer battery 4-cell 50 Wh w/ battery status indicator Up to 11 hr 20 min Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery		
Antennas Bluetooth WLAN encryption WLAN notes Power supply AC Adapter Notes Battery Battery Run-time Battery notes Dimensions / Weight / Environmental	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button 2 Dual band WLAN antennas, 2 LTE antennas optional Bluetooth® 4.1 WEP, WPA, WPA2 Import and usage according to country-specific regulations. 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Stick Type 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Zero-Watt 19 V / 90 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Standard 65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator Lithium Polymer battery 4-cell 50 Wh w/ battery status indicator Up to 11 hr 20 min Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery		
Antennas Bluetooth WLAN encryption WLAN notes Power supply AC Adapter Notes Battery Battery Run-time Battery notes Dimensions / Weight / Environmental Dimensions (W x D x H)	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button 2 Dual band WLAN antennas, 2 LTE antennas optional Bluetooth® 4.1 WEP, WPA, WPA2 Import and usage according to country-specific regulations. 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Stick Type 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Zero-Watt 19 V / 90 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Standard 65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator Lithium Polymer battery 4-cell 50 Wh w/ battery status indicator Up to 11 hr 20 min Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime. 378 x 256 x 19.2 mm 378 x 256 x 19.6 mm (touch option)		
Antennas Bluetooth WLAN encryption WLAN notes Power supply AC Adapter Notes Battery Battery Run-time Battery notes Dimensions / Weight / Environmental Dimensions (W x D x H) Weight	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button 2 Dual band WLAN antennas, 2 LTE antennas optional Bluetooth® 4.1 WEP, WPA, WPA2 Import and usage according to country-specific regulations. 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Stick Type 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Standard 65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator Lithium Polymer battery 4-cell 50 Wh w/ battery status indicator Up to 11 hr 20 min Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime. 378 x 256 x 19.2 mm 378 x 256 x 19.6 mm (touch option) Start from 1.7 kg		
Antennas Bluetooth WLAN encryption WLAN notes Power supply AC Adapter Notes Battery Battery Run-time Battery notes Dimensions / Weight / Environmental	Number of keyboard keys: 104 (w/10key), Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button 2 Dual band WLAN antennas, 2 LTE antennas optional Bluetooth® 4.1 WEP, WPA, WPA2 Import and usage according to country-specific regulations. 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Stick Type 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Zero-Watt 19 V / 90 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Standard 65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator Lithium Polymer battery 4-cell 50 Wh w/ battery status indicator Up to 11 hr 20 min Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.		



Operating relative humidity	20 - 80 %
Compliance	
Europe	CE CB
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) ENERGY STAR® 6.1 EPEAT® Gold (dedicated regions)
Additional Software	
Additional Software (preinstalled)	Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Bonus Apps Fujitsu Function Manager Fujitsu Function Manager Fujitsu LIFEBOOK Application Panel Fujitsu Mic Mute Utility Fujitsu Mobility Center Extension Utility Fujitsu Software AutoInstaller Fujitsu Workplace Protect Microsoft® Office 2016 Trial
Additional Software (optional)	McAfee Multi Access 60 days Trial Sierra Wireless Skylight (optional with WWAN) Recovery DVD for Windows®
Manageability	
Manageability technology	PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN)
Supported standards	WMI, PXE
Security	
Physical Security	Kensington Lock support
System and BIOS Security	Optional: Trusted Platform Module (TPM 2.0) Optional: Erasedisk
User Security	Hard disk password User and supervisor BIOS password Embedded fingerprint sensor (optional) Embedded palm vein sensor (optional) Access protection via internal Smartcard reader (optional) Fujitsu Workplace Protect (secure authentication solution)
Warranty	
Standard warranty	3 years (depending on country)
Service level	Bring-in Service (depending on country specific requirements)
Maintenance and Support Services	
Recommended service	3 years, 9x5, Response Time: Next Business Day
Spare Parts availability	5 years after end of product life



Recommended Accessories


Classic Port Replicator



Flexibility, expandability, desktop replacement and investment protection are just a few benefits of Fujitsu docking options. It takes just a second to attach your notebook to the Port Replicator and get connected to your external display, keyboard and mouse. Your workplace is simple and tidy while you are instantly ready to work with your notebook.

Compatible Models: LIFEBOOK U727, U747, U757

Type-C Port Replicator





Compatible with FUJITSU LIFEBOOK T937, U7x7, P727

AC Adapter LIFEBOOK



Power your notebook at work, at home or on the road with a second power source. You can easily recharge your notebook everywhere. Depending on your notebook you can choose from various AC Adapters ranging from a stick type adapter to standard adapters, or even the innovative ECO AC Adapter.

Fujitsu Prestige Backpack





The FUJITSU Prestige Backpack 17 protects notebooks with up to 17-inch displays. It contains three large compartments, two elastic mesh side pockets and a front bay. The padded back compartment provides protection for your notebook, while other sections store power adaptors and office supplies. Padded shoulder straps and back cushions provide comfort on the move.

Fujitsu Display P24-8 WS Pro



The FUJITSU P24-8 WS Pro display (24-inch, 16:10) provides outstanding picture performance thanks to cutting edge panel technology. It is the perfect choice for CAD and document management applications with request for 1,200 lines. It also boasts unique and innovative features such as our patent-applied Presence Sensor technology and USB support during standby.

Fujitsu Display E20T-7 LED



The FUJITSU Display E20T-7 LED (19.5-inch, 16:9) comes in a trendy style. There is no compromise in picture quality and energy efficiency. It is the best choice to get high pixel density with restricted desk space. It is easy-to-use and once it is installed you never have to adjust it again - proven Fujitsu quality.



More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK U757, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, knowhow and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to data centre solutions, Managed Infrastructure and Infrastructure-as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing

More information

To learn more about Fujitsu LIFEBOOK U757, please contact your Fujitsu sales representative, Fujitsu Business partner, or visit our website. http://hk.fujitsu.com/pc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at http://www.fujitsu.com/global/about/environment/

Green Policy Innovation

Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact Us

HONG KONG

Fujitsu PC Asia Pacific Ltd Tel: (852) 3910-8228 Email: fpca.hksales@hk.fujitsu.com hk.fujitsu.com/pc

PHILIPPINES Fujitsu Philippines, Inc. Tel: (63) 2-812-4001 Email: info@ph.fujitsu.com ph.fujitsu.com/pc

VIETNAM Fujitsu Vietnam Limited (Hanoi) Tel: (84) 4-2220-3113 Email: sales@vn.fujitsu.com

vn.fujitsu.com/pc

SINGAPORE Fujitsu Asia Pte Ltd. Tel: (65) 6710-5403 E mail: fsg.info.pc@sg.fujitsu.com sg.fujitsu.com/pc

PHILIPPINES Fujitsu (Malaysia) Sdn. Bhd Tel: (60) 3-8318-3700 Email: marketing@my.fujitsu.com my.fujitsu.com/pc

CHINA
Fujitsu (China) Co., Ltd.
Tel: (86) 021-26079126
Email: cpcacn.support@cn.fujitsu.com
cn.fujitsu.com/pc

TAIWAN Fujitsu Taiwan Ltd. Tel: (886) 0800-688-028 Email: lifebook@tw.fujitsu.com tw.fujitsu.com/pc

INDONESIA
Pt. Fujitsu Indonesia
Tel: (62) 21-570-9330
Email: callcenter@id.fujitsu.com
id.fujitsu.com/pc

THAILAND Fujitsu (Thailand) Co., Ltd Tel: (66) 0-2302-1500 Email: info@th.fujitsu.com th.fujitsu.com/pc

Note: For countries not listed above, please contact our Hong Kong office.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Inside Logo, Intel vPro, Itanium,

Itanium Inside, Pentium, Pentium Inside, vPro Inside, Xeon, and Xeon Inside are trademarks of Intel Corporation in the U.S. and/or other countries.

All rights to the mentioned trademarks reside with their respective owners. Fujitsu endeavours to ensure that the information in this documentation is correct and fairly stated, but does not accept liability for any errors or omissions. The development of Fujitsu products and services is continuous and published information may not be up to date. It is important to check the current position with Fujitsu. The document is not part of the contract or licence save in so far as may be expressly agreed.

Last Update: 5th January 2017