

Data Sheet FUJITSU Tablet STYLISTIC Q665

2 in 1 Uniting Mobility and Power

The FUJITSU Tablet STYLISTIC Q665 is a 2 in 1 that provides the perfect balance of mobility and performance. It is designed to support go-anywhere lifestyles with a fan less, compact design and a toughened glass that protects the 11.6" anti-glare display in hectic days. Flexible input options like keyboard, pen and touch enable you to handle your business routines most efficiently, the way you prefer. Because productivity is key, it is backed by Ultrabook™ performance, a full-day battery runtime and optional 4G/LTE. While enterprise-grade security options keep your data safe. An attachable keyboard and cradle enhance usability.



2 in 1 design

Enjoy the perfect balance of the mobility of a tablet and the performance of an Ultrabook $^{\mathbb{M}}$. Completely quiet for maximum comfort. A attachable keyboard transforms the tablet into a notebook.

Fan less, thin and light



Empowers a fully digital offcie, from note taking to audit-proof signatures - in tablet or notebook mode.

■ Toughened, anti-glare display with pen and touch input, as well as with the keyboard.



Keeps you going whenever you want and whereever you are.

■ Full-day battery runtime with fast charging functionality. Combined with on-the-go connectivity like 4G/LTE with GPS.

Powerful manageabiltiy and security

Stay in control of your device and your data, wherever you or your device are.

Optional embedded fingerprint sensor, SmartCard reader, TPM, Intel® vPro™ technology, encrypted drives and Kensington® lock slot.







Page 1 / 6 hk.fujitsu.com/pc

COMPONENTS

Processes	Intel® Core™ M-5Y71 (4MB, 2.9GHz) with Intel® Turbo Boost Technology (Intel® vPro™)
Processor	Intel® Core™ M-5Y31 (4MB, 2.4GHz) with Intel® Turbo Boost Technology
	Intel® Core™ M-5Y10c (4MB, 2.00Hz) with Intel® Turbo Boost Technology
	<i>y</i>
	Intel® Core™ vPro™ Processor - Best Platform for Businesses of all sizes
Operating System	
Operating system compatible	Windows8.1 64bit
	Windows8.1 Professional 64bit
	Windows7 Professional 64bit
Memory	4GB LPDDR3 1600MHz (4GB Onboard)
	8GB LPDDR3 1600MHz (8GB Onboard)
Hard disk drives (internal)	SSD M.2, 512 GB
	SSD M.2, 256 GB
	SSD M.2, 128 GB SSD M.2, 512 GB, OPAL capable
	SSD M.2, 256 GB, OPAL capable SSD M.2, 256 GB, OPAL capable
	SSD M.2, 128 GB, OPAL capable
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software.
	For Windows® 8.1 solid state drives, less than or equal to 25GB will be reserved for internal recovery
	. or minority or some state direct, east that of equal to a south the reservoir
Interface add on cards/components (opti	·
4G (Optional)	4G/ LTE Sierra Wireless EM7305 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
WLAN (Optional)	Intel® Dual Band Wireless-AC 7265 802.11ac/a/b/g/n (2x2) and Bluetooth® 4.0 Combo
Display	11.6-inch FHD, AG, Multi-Touch, 300 cd/m² (1920 x 1080)
	11.6-inch FHD, Glare, Multi-Touch, 300 cd/m² (1920 x 1080)
Digitizer (Optional)	Dual Digitizer for pen input plus capacitive 10-finger multi-touch screen
Manufacturer	Wacom
Pressure	1024 levels
Resolution	2540ppi
Report Rate	133 points per sec
Sensors	3-axis Acceleromoter
	Compass
	Gyroscope Ambient Light Sensor
	GPS
Multimedia	
Camera (Optional)	Front camera 2 megapixel, rear camera 5 megapixel with autofocus and mobile light
· · · ·	31 2 21 22 22 23 23 24 25 25 25 25 25 25 25 25 25 25 25 25 25

Base unit

Base unit	STYLISTIC Q665 11.6"
General system information	
Chipset	Integrated
Chipset notes	Supports iAMT 10.0 Intel® vPro™ requires Core™ M-5Y71 CPU, Intel WLAN 7265 ac, TPM module
Supported capacity RAM (max.)	8GB
Memory slots total	Nil
Memory notes	LPDDR3 – 1600 MHz 4GB/ 8GB onboard (max.)
LAN	Built-in 10/100/1000 MBit/s Intel® I218LM
BIOS features	BIOS based on Phoenix SecureCore
Audio codec	Realtek ALC283 (HD audio)
Audio features	Stereo Speakers

Page 2 / 6 hk.fujitsu.com/pc

<u>- </u>	
Graphics (SURMI)	Max; 4096×2160 @ 24Hz
TFT resolution (µHDMI)	
Graphics brand name	Intel® HD Graphics 5300
Graphics features	3 Displays Support
Graphics notes	Shared memory depending on main memory size and operating system
Interfaces	1400
DC-in	1 (19V)
Audio: line-out / headphone	1 (Combined with line-in jack)
Audio: line-in / microphone	1 (Combined with line-out jack)
Internal microphones	2 (Digital)
USB 2.0 total	1
USB 3.0 total	1
Ethernet (RJ-45)	1 (via optional cradle or optional USB adapter cable)
HDMI	1 micro HDMI
Memory card slots	1 microSD up to 2GB, microSDHC up to 32GB, microSDXC up to 64GB
SmartCard slot	1 (Optional)
SIM card slot	1 (Optional)
Cradle (optional)	1 (10)/
DC-in	1 (19V)
VGA	1
Audio: line-in Audio: line-out	<u> </u>
HDMI	<u> </u>
USB 3.0 total	3
Ethernet (RJ-45)	1 (10/100/1000 MBit/s Intel® I218LM)
Kensington Lock support	1 (10/100/1000 minios mice 12/100m)
Slice Keyboard	Dimensions: 294.8 × 228.18 × 23.64 mm, Weight: 780q
	17.5mm key pitch, 1.7mm key stroke, US Layout
	Touchpad with click buttons
Wireless technologies	
Antennas	2 Dual band WLAN antennas, 2 LTE antennas optional, 1 Bluetooth antenna shared with WLAN
NFC	Nil
WLAN notes	Import and usage according to country-specific regulations.
Power supply	19 V / 65 W (3.42 A), 100 V - 240 V, 3-pin AC-Adapter
AC Adapter Notes	
1st battery options	65W AC Adapter for usage with system/ min Lithium polymer battery 3-cell, 38 Wh
Run-time (1st battery)	Up to 11 hrs 50 mins (3-cell, 38Wh)
Battery charging time	2 hrs (3-cell)
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2014 Benchmark Office Productivity Workload mode e.g.
battery notes	bactery until the minimum is observed on wombuse activities under mobile mank zon benchmark office inductivity woman mode easily suffing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It
	does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application
	and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	294.8 x 192.4 x 11.9mm 294.8 x 192.4 x 15mm (with SmartCard)
Weight	Start from 775g
Weight notes	Including 3-cell battery, Glare display, no digitizer
Operating ambient temperature	Running: 5 - 35 °C; Packed -10 - 60 °C
Operating relative humidity	Running: 20 - 80%; Packed 20 - 80% (relative humidity, non-condensing)
Compliance	CO.
Global	CB CE
	FCC
	UL
	RoHS (Restriction of hazardous substances) Microsoft Operating Systems (HCT / HCL entry / WHQL)
	Microsoft Operating Systems (HCL7 HCL entry / WHQL) EnergyStar 6.1
	er

Page 3 / 6 hk.fujitsu.com/pc

Additional Software Adobe Reader <Windows7 only> Adobe Reader Touch <Windows8 only> Fujitsu Auto Rotation Utility <Windows7 only> Additional Software (preinstalled) Fujitsu Battery Utility Fujitsu Bonus Apps Fujitsu Display Manager Fujitsu Function Manager Fujitsu Hotkey Utility <Windows7 only> Fujitsu LIFEBOOK Application Panel Fujitsu Mobility Center Extension Utility Fujitsu Software AutoInstaller Fujitsu System Manager Fujitsu System Restore and Recovery Fujitsu Workplace Protect Microsoft® Office 2013 60 days Trial McAfee Multi Access 60 days Trial Roxio® Creator LJ Skype WiFi <Windows8 only> Additional Software (optional) Intel® WiDi (BTO) Sierra Wireless Skylight (BTO) TPM Utility (BTO) Manageability Wake on LAN Wake on Modem, Manageability technology Wake off Modern, PXE, WFM 2.0 Compliant DMI Intel® vPro™ technology iAMT 10.0 (depending on CPU) WOL, WOM, PXE, WFM 2.0 Compliant DMI Supported standards Physical Security Kensington Lock support Optional: Trusted Platform Module (TPM 1.2) System Security User Security Hard disk password User and supervisor BIOS password Embedded fingerprint sensor (optional) Workplace Protect (secure authentication solution) Smartcard reader (optional) Warranty Standard warranty 1 year (depending on country) Bring-in Service (depending on country specific requirements) Service level **Maintenance and Support Services** 3 years, 9x5, Response Time: Next Business Day Recommended service Spare Parts availability 5 years after end of product life

Page 4 / 6 hk.fujitsu.com/pc

Recommended Accessories

Cradle



Enjoy 100% CPU power and connect peripherals via USB, LAN, VGA and HDMI ports.

TPU Case



The Protective TPU Cover is designed to help prevent damage to your STYLISTIC Q665 Tablet PC.

Folio Case



Travel worry-free with this stylish case to cushion your STYLISTIC Q665

Slice Keyboard



The Slice Keyboard for your STYLISTIC Q665 allows fast content creation while on the go and additionally protects against scratches. It also folds to position your tablet at various comfortable angles for efficient working no matter where your job takes you.

Conversion Cable



Enhance your connectivity and network capabilities with this range of conversion cables.

• USB to LAN

• Micro HDMI to VGA

Page 5 / 6 hk.fujitsu.com/pc

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK Q665, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to data centre solutions, Managed Infrastructure and Infrastructure-as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing

More information

To learn more about Fujitsu TABLET STYLISTIC Q665, please contact your Fujitsu sales representative, Fujitsu Business partner, or visit our website. http://hk.fujitsu.com/pc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact Us

Head Office: HONG KONG

Fujitsu PC Asia Pacific Ltd Tel: (852) 3910 8282 Fax: (852) 3910 8113

hk.fujitsu.com/pc

MALAYSIA Fujitsu PC Asia Pacific Ptd Ltd

Tel: (60-3) 7728 4868 Fax: (60-3) 7728 4830 my.fujitsu.com/pc SINGAPORE Fujitsu PC Asia Pacific Ptd Ltd

Tel: (65) 6776 0688 Fax: (65) 6395 6693 sg.fujitsu.com/pc

PHILIPPINES
Fujitsu Philippines, Inc.
Tel: (63-2) 812 4001

Fax: (63-2) 817 7576 ph.fujitsu.com/pc CHINA

Fujitsu PC China Division Tel: (86-21) 5877 0638

Fax: (86-21) 5877 5280 cn.fujitsu.com/pc

TAIWAN Fujitsu Taiwan Ltd

Tel: (886-2) 2311 2255 Fax: (886-2) 2311 2277 tw.fujitsu.com/pc INDONESIA

Fujitsu PC Asia Pacific LtdTel: (62-21) 2956 8505
Fax: (62-21) 2956 8502
id.fujitsu.com/pc

THAILAND

Fujitsu Systems Business (THAILAND) Ltd PC Division Tel: (66-2) 261 2700

Fax: (66-2) 261 2705 th.fujitsu.com/pc VIETNAM
Fujitsu Vietnam Ltd
Tel: (65) 6776 0688
Fax: (65) 6395 6693
vn.fujitsu.com/pc

Note: For countries not listed above, please contact our Hong Kong office.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Inside Logo, Intel vPro, Itanium,

Itanium Inside, Pentium, Pentium Inside, vPro Inside, Xeon, and Xeon Inside are trademarks of Intel Corporation in the U.S. and/or other countries.

All rights to the mentioned trademarks reside with their respective owners. Fujitsu endeavours to ensure that the information in this documentation is correct and fairly stated, but does not accept liability for any errors or omissions. The development of Fujitsu products and services is continuous and published information may not be up to date. It is important to check the current position with Fujitsu. The document is not part of the contract or licence save in so far as may be expressly agreed.

Page 6 / 6 hk.fujitsu.com/pc