

# Data Sheet Fujitsu TP8 Model Axxx All-In-One PoS

#### The next generation in PoS Technology

- Future-proof performance: Intel<sup>®</sup> 6<sup>th</sup> and 7<sup>th</sup> Generation Processors and the fastest PCIE NVME SSD storage
- The most modular all-in-one PoS terminal, with field swappable LCD (15", 18.5") and PC module
- Super sleek AIO suits any counter on adjustable stand or with built-in VESA polemount support
- Highly reliable and serviceable: External access to memory and storage; quick release from stand
- Maximum Flexibility: Common design supports same software image on AIO and modular PoS
- Low TCO over a reliable 10+ years' service life, 5+ Years' make plus extra 5+ Years' service

#### Introduction

The new Fujitsu *TP8* All-In-One (AIO) PoS terminal is a next generation point-of-sale solution for retailers who want the best performance, functionality, reliability, serviceability, and maximum ROI to create an attractive world-class shopping environment.

The *TP8* Model A6xx with Intel® 6<sup>th</sup> Generation "Skylake" CPUs, from Celeron® "A610" to Intel® Core™ i5 "A650"; protects investments in Windows® 7 and 8.x environments with migration to Windows 10. The *TP8* Model A7xx with 7<sup>th</sup> Generation "Kaby Lake" CPUs up to Intel® Core™ i5 "A750", gives maximum Windows 10 performance. With up to 32 GB RAM, options for 2.5" SATA3 heritage drives and the new, ~3x faster M.2 PCIE NVME SSD drives, the *TP8* is a future-proof PoS platform or even a genuine store server. The *TP8* combines leading performance, peripheral and network connectivity in a super sleek package.

The *TP8* PoS is a family of AIO and Modular systems, sharing key parts so the same software image runs on both, for flexible deployment and reduced support costs. The *TP8* is one of the most modular AIOs available, with easily field-swappable LCDs (15", 18.5") and PC module, further reducing support costs and simplifying migration to future modules and technology – all while extending the life of existing components like the LCD.

The sleek and stylish design of the TP8 AIO has modern aesthetics that easily blend with a full range of retail environments - from fashionable and sophisticated to extremely rugged. The dual-hinge stand enables flat-folding for clean counters, adjustability to suit variable height operators and 150° tilting from vertical to past horizontal for easy cable/connector access, while hiding cables for best aesthetics and security. Retailers want the flexibility of a single platform that supports multiple in-store touch points, reducing installation and service costs, and providing fast, easy customer transactions for the ultimate shopping experience. The TP8 AIO installs easily on counter-top, pole, wall and in kiosks.

The *TP8* continues the TeamPoS® tradition of superior quality and reliability. Intelligent power management and advanced thermal designs, including blade-server heat-sink and fan, ensure cool reliable operation in the harshest retail conditions. High quality drives protect data and boost uptime, e.g. 1x 2.5" SATA3, or up to 2x M.2 PCIE SSDs with RAID1 mirroring. The *TP8* is easy to service with fast tool-free access to many key parts and a screwdriver to access the rest, e.g. external access to RAM and storage, thumb-screw removal of AIO from stand. Support for Intel® Active







Page 1 of 4 www.fujitsu.com/us

Management Technology (AMT), vPro™ and SMBIOS enables remote management by leading enterprise suites.

Customer-focused applications such as registration, promotions, and loyalty programs can be deployed easily with the *TP8* AlO customer-facing display that can be integrated or dispersed for maximum flexibility. Fujitsu offers a full set of leading-edge PoS peripheral options that have gone through extensive compatibility and reliability testing to maximize system scalability and flexibility. This robust peripheral portfolio gives retailers the ability to extend the useful life of the *TP8* AlO through incremental modifications as business requirements change.

#### High Performance and Connectivity:

- Latest Intel® processors, Celeron® to Core™ i5; Q170 chipset
- 32 GB RAM max. 2x high speed DDR4 SO-DIMM
- Up to 2x M.2 PCIe NVME SSD, up to 3x faster than SATA3
- 1" x 2.5" bay for optional SATA3 drive
- Gigabit LAN: Optional WLAN, WWAN (region dependent)
- Peripheral ports: 2x video, 10 USB (6x5V, 3x12V, 1x24V), 1x Serial DB9 0/5/12V, audio, cash drawer

#### Versatility:

- Sleek contemporary design
- Counter-top and VESA options available
- 15" and 18.5" modular PCap Touch LCD (field swappable)
- Open architecture; wide operating system support

#### Green:

- Processor and LED backlight powersaving modes
- Efficient power supply supporting multiple peripherals
- Green recyclable materials: WEEE and ROHS compliant
- Eco-friendly packaging and minimal documentation

Page 2 of 4 www.fujitsu.com/us

## Technical details

### Fujitsu recommends Windows.

General Specifications	
Processor	Intel® 6th Generation "Skylake" 35W, supporting Windows 7, 8.x and 10:
	■ A610: Celeron® G3900TE 2.3GHz, 2 core / 2 threads, 2MB, No AMT
	■ A650: Intel® Core™ i5-6500TE 2.3-3.3GHz, 4 core / 4 threads, 6MB, AMT and Intel® vPro™
	Intel® 7th Generation "Kaby Lake" 35W, supporting Windows 10 only:
	■ A710: Intel® Celeron® G3930TE 2.5GHz, 2 core / 2 threads, 2MB, No AMT
	■ A750: Intel® Core™ i5-7500T 2.7-3.3GHz, 4 core / 4 threads, 6MB, AMT and Intel® vPro™
Chipset	Intel® Q170 Express, Intel Active Management Technology (Intel® AMT v11.6) and Intel® vPro™ on Intel® Core™ i5,
	TPM v2.0
Operator Display	15" 4:3 and 18.5" 16:9 LCD size options, with Projected Capacitive Multi-Touch Gesturing
Memory	4GB memory in all base models. 32GB max supported; 2 slots total.
	Optional 4GB, 8GB and 16GB modules
BIOS	AMI μΕFI BIOS with Remote BIOS Flash
Audio	TAC97-compliant high-definition audio
Graphics	Integrated Intel high-definition graphics controller
Connectivity	High-speed Gigabit LAN RJ-45 10/100/1000 Mbps with Wake On LAN.
Storage	Standard 1x 2.5" 128GB SATA3 SSD in base models
	Optional: 1x or 2x M.2 PCIe NVME SSD 128 or 256GB w/ RAID 0/1; or 2.5" 500GB SATA3 HDD
I/O Ports	10 USB (4x 5W USB 3.1 gen1, USB2: 2x5V, 3x12V, 1x24V), 1x Serial DB9 0/5/12V, 2x DisplayPort, 1x cash drawer RJ-12
	(Y-cable option for 2nd cash drawer), 1x line out, 1x mic in
Power Supply	220W AC Adapter supporting maximum powered peripheral configuration
System Management	Intel Active Management Technology (AMT) and Intel® vPro™, Desktop Management Interface (DMI), Pre-boot
	Execution Environment (PXE), Advanced Power Management (APM), Advanced Configuration and Power Interface
	(ACPI), Wake on LAN (WOL), System Management BIOS, TPM v2.0
Color	Black
Dimensions	$14.8''(W) \times 2.6''(D) \times 12.4''(H) \mid 367.6$ mm (W) × 67mm (D) × 315.8 (H) (width and depth with counter-top base with
	15" display; depth is AIO head unit only)
Weight	24 lb / 10.9 Kg
Certifications	FCC, CSA, RSM, CE (TBD); CCC (TBD), VCCI (TBD) WEEE, ROHS
Green Compliance	
Options	Supports all popular standard retail peripherals
AIO Mounting	Countertop Stand, dual hinge for excellent adjustability, with connector & cable covers. 3rd party VESA stands also
Connectivity	Wireless LAN 802.11 a/b/g/n Mini PCle Card with Wake On LAN Optional 15" colour customer-facing LCD, XGA 1024x768. Non-Touch 400cd/m2, PCap Touch 350cd/m²
Customer Display Customer VFD	Alpha-numeric (20 digits x 2 lines) 245 (W) x 40 (D) x 100 (H) mm non-integrated pole/remote mount (tilt/swivel)
Printers	Epson®: TM-H6000, TM-H2000, TM-T88, TM-T70. Fujitsu CT-11, FP-2000
Keyboards	Fujitsu 133-key keyboards and Fujitsu 110-key keyboards
MSR	3-Track Magnetic Stripe Reader (MSR)
Cash Drawers	Standard, Compact and Flip-Top
Software	Standard, Compact and Emp-top
Operating Systems	POSReady 7 32/64bit, Windows 7 Pro 32/64bit, Windows 8.1, Windows 10 IoT Ent. 2016 LTSB Value, SUSE® Linux® 12
API's	Supports UPOS 1.14 (OPOS, JPOS) and ESC-POS based applications
AIII	Supports of OS 1.14 (of OS, Ji OS) and ESC 1 OS based applications

Page 3 of 4 www.fujitsu.com/us

## About Fujitsu Americas

#### Fujitsu recommends Windows.

Fujitsu America, Inc. is the parent and/or management company of a group of Fujitsu-owned companies operating in North, Central and South America and Caribbean, dedicated to delivering the full range of Fujitsu products, solutions and services in ICT to our customers in the Western Hemisphere. These companies are collectively referred to as Fujitsu Americas. Fujitsu enables clients to meet their business objectives through integrated offerings and solutions, including consulting, systems integration, managed services, outsourcing and cloud services for infrastructure, platforms and applications; data center and field services; and server, storage, software and mobile/tablet technologies. For more information, please visit: www.fujitsu.com/us and http://twitter.com/fujitsuamerica

#### Fujitsu OPTIMIZATION Services

In addition to Fujitsu STYLISTIC Q737, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know- how and worldwide partnerships.

#### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

#### Computing products

www.fujitsu.com/global/services/computing/

#### Software

www.fujitsu.com/software/

#### More information

To learn more about Fujitsu TP8 Model Axxx All-In-One PoS, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. http://solutions.us.fujitsu.com/

#### Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

#### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global knowhow, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at: www.fujitsu.com/global/about/environment/



#### Copyright

Fujitsu and the Fujitsu logo are trademarks or registered trademarks of Fujitsu Limited in the United States and other countries. TeamPoS is a trademark or registered trademark of Fujitsu Frontech North America Inc. in the United States and other countries. Intel, Celeron, Intel Core and vPro are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Windows is either a registered trademark or trademark of Microsoft Corporation in the United States and other countries. Linux is a trademark or registered trademark of Linus Torvalds in the United States and other countries. Epson is a trademark or registered trademark of Seiko Epson Corporation in the United States and other countries. SUSE is a trademark or registered trademark of SUSE IP Development Limited or its subsidiaries or affiliates in the United States and other countries. All other trademarks referenced herein are the property of their respective owners.

The statements provided herein are for informational purposes only and may be amended or altered by Fujitsu America, Inc. without notice or liability. Product description data represents Fujitsu design objectives and is provided for comparative purposes; actual results may vary based on a variety of factors. Specifications are subject to change without notice.

Copyright© 2017 Fujitsu America, Inc. All rights reserved. FPC65-7715-01 03/17. 17.0301.0747bh

#### Contact

FUJITSU AMERICA, INC.

Address: 1250 East Arques Avenue Sunnyvale, CA 94085-3470, U.S.A.

Telephone: 800 831 3183 or 408 746 6000 Website: http://solutions.us.fujitsu.com

Contact Form: http://solutions.us.fujitsu.com/contact

Have a question? Email us at: AskFujitsu@us.fujitsu.com

Page 4 of 4 www.fujitsu.com/us