## Data Sheet FUJITSU LIFEBOOK T937 Tablet

## Top Performer with a Twist

The FUJITSU Tablet LIFEBOOK T937 is a versatile 2 in 1 Ultrabook™ for demanding professionals with new dynamic work styles. Its ultra-thin, durable magnesium housing, just 19.8 mm height, and super lightweight design enable you to travel in comfort. With a simple flip of the super crisp, rotatable 13.3-inch FHD display with pen and touch support you can switch to tablet mode. The new backlit keyboard layout, enterprise-grade security features, pull-out LAN connector and embedded 4G/LTE let you work securely wherever you are. With the optional port replicator, with Type-C USB docking, maximum convenience in the office is ensured.

### Tablet and Ultrabook™ in one

Give your work a personal touch and enjoy the benefits of precise handwriting recognition and multiple-touch

 Bi-directional rotatable 13.3-inch display with dual digitizer allows audit-proof pen and touch input, or with the keyboard

### Ultimate mobility

Be available anytime anywhere with wireless connectivity and additional features that ease your life

 Optional 4G/LTE (incl. GPS), WLAN, Bluetooth, fast charging user-exchangeable battery, durable SSD options

### Highest security

Protect your company data against unauthorized third-party access

SmartCard reader, Palm Vein sensor, fingerprint sensor, OPAL encrypted drives and Trusted Platform Module (TPM)

### Ergonomic working

Maximize your productivity with ultimate convenience and comfort features for business users

 Super high resolution Full HD (1920 x 1080) display options, backlit keyboard and optional port replicator









Page 1 of 6



# COMPONENTS

Processor	Intel® Core™ i7-7660U Processor (4M Cache, 2.5 GHz, up to 4.00 GHz)
	Intel® Core™ i5-7360U Processor (4M Cache, 2.3 GHz, up to 3.60 GHz)
	Intel® Core™ i5-7300U Processor (3M Cache, 2.6 GHz, up to 3.50 GHz)
	Intel® Core™ i5-7200U Processor (3M Cache, 2.5 GHz, up to 3.10 GHz)
Operating System	Windows 10 Pro. Fujitsu recommends Windows 10 Pro.
	Windows 10 Home
Memory	4GB DDR4 2133MHz
	8GB DDR4 2133MHz
	16GB DDR4 2133MHz
Hard disk drives	SSD PCIe NVMe, 512 GB, M.2, SED/OPAL
	SSD PCIe NVMe, 256 GB, M.2, SED/OPAL
	SSD SATA III, 512 GB, M.2, SED/OPAL
	SSD SATA III, 256 GB, M.2, SED/OPAL
	SSD SATA III, 128 GB, M.2, SED/OPAL
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
	Accessible capacity may vary, also depending on used software.
	Up to 20 GB of HDD space is reserved for system recovery
	Internal SSD interface: S-ATA III or PCIe
Display	33.8 cm (13.3") HD touch w/active pen, glare, 1366 x 768 pixel, 200cd/m²
	33.8 cm (13.3") FHD touch w/active pen, glare, 1920 x 1080 pixel, 330cd/m <sup>2</sup>
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing). With magnesium display lid.
4G/LTE (Optional)	LTE-A Sierra Wireless EM7455 (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s)
WLAN (Optional)	Intel® Dual Band Wireless-AC 8265 802.11ac/a/b/g/n (2x2) and Bluetooth® 4.1 Combo, vPro capable
Camera	Optional: Built-in webcam, HD

## Base unit

Base unit	LIFEBOOK T937
General system information	
Chipset	Integrated
Supported capacity RAM (max.)	20 GB (available in i7-7660U and i5-7360U, 4 GB onboard) 16 GB
Memory slots total	1 DIMM (DDR4)
Memory notes	DDR4 – 2133 MHz
LAN	Built-in 10/100/1000 MBit/s, Intel® 219LM (w/iAMT)
BIOS features	InsydeH20 Bios
Audio type	On board
Audio codec	Realtek ALC255 (HD audio)
Audio features	Stereo Speakers
Sensors	3-axis Accelerometer Gyroscope Ambient Light Sensor GPS (w/WWAN only) e-Compass
Display	
Display notes	ISO 9241-307 - Pixel class II [Full HD] Viewing angle: Left/Right 89°, Top 89°, Bottom 89° [HD] Viewing angle: Left/Right 45°, Top 20°, Bottom 20°



Digitizer / Touch Technology	Wacom Digitizer for pen input plus capacitive 10-finger multi-touch screen
Graphics	
TFT resolution (HDMI)	Up to 4,096 x 2,160
TFT resolution (VGA)	Up to 1,920 x 1,200
Graphics brand name	Intel® Iris™ Plus Graphics 640 (available in i7-7660U and i5-7360U)
	Intel® HD Graphics 620
Graphics features	3 Display Support (2 external, 1 internal)
Graphics notes	Shared memory depending on main memory size and operating system
Interfaces	
DC-in	1
Audio:	1 combo audio/microphone jack
Internal microphones	2 digital microphones (array)
USB 3.1 Type-C total	1
USB 3.0 total	2 (1 with Anytime USB Charge functionality)
VGA	1
HDMI	1
Ethernet (RJ-45)	1
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 128GB)
SmartCard slot	1 (optional)
SIM card slot	1 (Micro SIM; only for models with integrated 4G/LTE module)
Kensington Lock Support	1
Keyboard and pointing devices	
	Number of keyboard keys: 84, Keyboard pitch: 19mm, Keyboard stroke: 1.2mm Multi gesture touchpad with two mouse buttons Tablet Pen stored in pen garage Status LED Power Button
Wireless technologies	
Antennas	2 Dual band WLAN antennas, 2 LTE antennas optional
Bluetooth	Bluetooth® 4.1
WLAN encryption	WEP, WPA, WPA2
WLAN notes	Import and usage according to country-specific regulations.
Power supply	
AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Stick Type 19 V / 90 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Standard
Battery	Lithium Polymer battery 4-cell 50 Wh w/ battery status indicator
Battery features	Rapid Charge
Battery Run-time	Up to 10 hr (tbc)
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	318 x 224 x 19.8 mm
Weight	Starting from 1.38 kg
Weight notes	Weight may vary depending on actual configuration (including battery pack)
Operating ambient temperature	5 - 35 °C
Operating relative humidity	20 - 80 %
Compliance	
Europe	CE
<b>b~</b>	CB

Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) ENERGY STAR® 6.1 EPEAT® Gold (dedicated regions)
Additional Software	
Additional Software (preinstalled)	Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Battery Change Utility Fujitsu Bonus Apps Fujitsu Function Manager Fujitsu Mic Mute Utility Fujitsu Mobility Center Extension Utility Fujitsu Pen Low Battery Notification Fujitsu Software AutoInstaller Fujitsu System Manager Fujitsu Workplace Protect Microsoft® Office 2016 Trial McAfee Multi Access 60 days Trial
Additional Software (optional)	Sierra Wireless Skylight (optional with WWAN) Recovery DVD for Windows®
Manageability	
Manageability technology	PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN)
Supported standards	WMI, PXE
Security	
Physical Security	Kensington Lock support
System and BIOS Security	Optional: Trusted Platform Module (TPM 2.0)
User Security	Hard disk password User and supervisor BIOS password Embedded fingerprint sensor (optional) Embedded palm vein sensor (optional) Access protection via internal Smartcard reader (optional) Fujitsu Workplace Protect (secure authentication solution)
Warranty	
Standard warranty	3 years (depending on country)
Service level	Bring-in Service (depending on country specific requirements)
Maintenance and Support Services	
Recommended service	3 years, 9x5, Response Time: Next Business Day
Spare Parts availability	5 years after end of product life



# **Recommended Accessories**

Type-C Port Replicator	Flexibility, expandability, desktop replacement, investment protection 3x USB 3.0, DisplayPort, VGA, HDMI, RJ-45
The of an -	Compatible with FUJITSU LIFEBOOK T937, U7x7, P727
AC Adapter LIFEBOOK	Power your notebook at work, at home or on the road with a second power source. You can easily recharge your notebook everywhere. Depending on your notebook you can choose from various AC Adapters ranging from a stick type adapter to standard adapters, or even the innovative ECO AC Adapter.
Fujitsu Prestige Backpack	The FUJITSU Prestige Backpack 17 protects notebooks with up to 17-inch displays. It contains three large compartments, two elastic mesh side pockets and a front bay. The padded back compartment provides protection for your notebook, while other sections store power adaptors and office supplies. Padded shoulder straps and back cushions provide comfort on the move.
Fujitsu Display P24-8 WS Pro	The FUJITSU P24-8 WS Pro display (24-inch, 16:10) provides outstanding picture performance thanks to cutting edge panel technology. It is the perfect choice for CAD and document management applications with request for 1,200 lines. It also boasts unique and innovative features such as our patent-applied Presence Sensor technology and USB support during standby.
Fujitsu Display E20T-7 LED	The FUJITSU Display E20T-7 LED (19.5-inch, 16:9) comes in a trendy style. There is no compromise in picture quality and energy efficiency. It is the best choice to get high pixel density with restricted desk space. It is easy-to-use and once it is installed you never have to adjust it again - proven Fujitsu quality.

# FUĴĨTSU

## More information

### Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK T937, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, knowhow and worldwide partnerships.

### Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to data centre solutions, Managed Infrastructure and Infrastructureas-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

**Computing Products** www.fujitsu.com/global/services/computing

### More information

To learn more about Fujitsu LIFEBOOK T937, please contact your Fujitsu sales representative, Fujitsu Business partner, or visit our website. http://hk.fujitsu.com/pc

### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at http://www. fujitsu.com/global/about/environment/

### Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

### Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.



### Contact Us

HONG KONG Fujitsu PC Asia Pacific Ltd Tel: (852) 3910-8228 Email: fpca.hksales@hk.fujitsu.com hk.fujitsu.com/pc

PHILIPPINES Fujitsu Philippines, Inc. Tel: (63) 2-812-4001 Email: info@ph.fujitsu.com ph.fujitsu.com/pc

#### VIETNAM

Fujitsu Vietnam Limited (Hanoi) Tel: (84) 4-2220-3113 Email: sales@vn.fujitsu.com vn.fujitsu.com/pc SINGAPORE Fujitsu Asia Pte Ltd. Tel: (65) 6710-5403 E mail: fsg.info.pc@sg.fujitsu.com sg.fujitsu.com/pc

PHILIPPINES Fujitsu (Malaysia) Sdn. Bhd Tel: (60) 3-8318-3700 Email: marketing@my.fujitsu.com my.fujitsu.com/pc CHINA Fujitsu (China) Co., Ltd. Tel: (86) 021-26079126 Email: cpcacn.support@cn.fujitsu.com cn.fujitsu.com/pc

TAIWAN Fujitsu Taiwan Ltd. Tel: (886) 0800-688-028 Email: lifebook@tw.fujitsu.com tw.fujitsu.com/pc INDONESIA Pt. Fujitsu Indonesia Tel: (62) 21-570-9330 Email: callcenter@id.fujitsu.com id.fujitsu.com/pc

THAILAND Fujitsu (Thailand) Co., Ltd Tel: (66) 0-2302-1500 Email: info@th.fujitsu.com th.fujitsu.com/pc

Note: For countries not listed above, please contact our Hong Kong office.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Inside Logo, Intel vPro, Itanium,

Itanium Inside, Pentium, Pentium Inside, vPro Inside, Xeon, and Xeon Inside are trademarks of Intel Corporation in the U.S. and/or other countries.

All rights to the mentioned trademarks reside with their respective owners. Fujitsu endeavours to ensure that the information in this documentation is correct and fairly stated, but does not accept liability for any errors or omissions. The development of Fujitsu products and services is continuous and published information may not be up to date. It is important to check the current position with Fujitsu. The document is not part of the contract or licence save in so far as may be expressly agreed.

Last Update: 16<sup>th</sup> January 2017