Fujitsu recommends Windows 10 Pro.



# Data Sheet FUJITSU Tablet STYLISTIC Q509

#### Tough Tablet for Hard Work

The FUJITSU Tablet STYLISTIC Q509 enables new levels of productivity in industrial settings. It is made for rough environments thanks to its spill and dust resistant housing. The lightweight design combines with a 10.1-inch display with reinforced corners. Ultimate connectivity and security options like 4G/LTE and fingerprint sensor, as well as a long battery runtime let you stay connected wherever you are.

#### Made for rough and tough environments

Discover new levels of productivity in rough industrial settings

- Semi-ruggedized, spill and dust resistant due to its fanless design
- Solid housing with reinforced corners ensures durability
- Durability is Military Standard MIL-STD-810G compliant
- Optional TPU cover for greater robustness

#### Convenience and mobility

All day productivity for indoor and outdoor use

- 10.1" anti-glare touch screen with active stylus pen
- Integrated pen garage
- High performance battery with increased charging voltage (up to 80% in one hour)

#### Enterprise connectivity and security

Secure data access from everywhere

- Embedded 4G/LTE
- Keyboard dock with additional LAN and charging port
- Integrated fingerprint sensor
- Family concept: Uses the same cradle as STYLISTIC Q739 and STYLISTIC V727







# Components

Base unit	STYLISTIC Q509	STYLISTIC Q509 LTE
Operating systems		
Operating system pre-installed	Windows 10	Windows 10
Operating system compatible	Windows 10	Windows 10
Processor	Intel® Celeron® processor N4000 (2 Cores / 2 Threads, 1.1 GHz)	Intel® Celeron® processor N4000 (2 Cores / 2 Threads, 1.1 GHz)
Hard disk drive	64 GB, eMMC module 128 GB, eMMC module	64 GB, eMMC module 128 GB, eMMC module
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: S-ATA III (6GBit/s)	
Multimedia		
Camera	Front camera 2.0 megapixel, rear camera 8.0 megapixel with autofocus and light	

## Base unit

Base unit	STYLISTIC Q509	STYLISTIC Q509 LTE
General system information		
Chipset	Integrated in CPU	Integrated in CPU
Supported capacity RAM	4 GB	4 GB
Supported capacity RAM (max.)	4 GB	4 GB
Memory slots	LPDDR4 (2400 MHz)	LPDDR4 (2400 MHz)
LAN notes	LAN connector via optional keyboard dock, cradle or optional USB adapter cable	LAN connector via optional keyboard dock, cradle or optional USB adapter cable
BIOS version	UEFI Specification 2.5	UEFI Specification 2.5
BIOS features	InsydeH20 Bios	InsydeH20 Bios
Audio type	On board	On board
Audio codec	Realtek ALC255	Realtek ALC255
Audio features	2x internal microphones, 2x built-in speakers (stereo)	2x internal microphones, 2x built-in speakers (stereo)
MIL-STD tested	Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.	Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.
Display		
Display	25.7 cm (10.1-inch),IPS,(WUXGA),1,920 x 1,200 pixel,500 cd/m <sup>2</sup>	25.7 cm (10.1-inch),IPS,(WUXGA),1,920 x 1,200 pixel,500 cd/m <sup>2</sup>
Display notes	Toughened glass	Toughened glass
Sensors	Ambient Light Sensor Compass Gyroscope Proximity	Ambient Light Sensor Compass Gyroscope Proximity

Display Aspect satio	16:9	16.0
Aspect ratio	500 cd/m <sup>2</sup>	16:9 500 cd/m <sup>2</sup>
Brightness - typical Digitizer / Touch Technology	Multi-touch up to 10 fingers, active pen support	
Ambient light sensor	Integrated	Multi-touch up to 10 fingers, active pen support Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically	While enabled, the ambient light sensor automatically
	adjusts the display backlight	adjusts the display backlight
Viewing angle (h/v) - typical	160°/160°	160°/160°
Graphics		
Base unit	STYLISTIC Q509	STYLISTIC Q509 LTE
TFT resolution (VGA)	1,920 x 1,200 pixel	1,920 x 1,200 pixel
Graphics features	Dual Display support (1x external, 1x internal)	Dual Display support (1x external, 1x internal)
Graphics notes	Shared memory depending on main memory size and operating system 3D accelerator	Shared memory depending on main memory size and operating system 3D accelerator
Interfaces		
DC-in	1	1
Audio: line-out / headphone	1 (combo port with Audio line-in)	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)	1 (combo port with Audio line-out)
USB 3.1 Gen1 (USB 3.0) total	1	1
USB 3.1 Gen2 total	1 (USB Type C)	1 (USB Type C)
USB Type-C	1 with power delivery	1 with power delivery
HDMI	1 (on optional cradle or via optional adapter cable)	1 (on optional cradle or via optional adapter cable)
Ethernet (RJ-45)	1 (via optional keyboard dock or cradle)	1 (via optional keyboard dock or cradle)
Memory card slots	<ul><li>1 - SD/microSD card : 2GB</li><li>- SDHC/microSDHC card : 32GB</li><li>- SDXC card : 512GB</li><li>- microSDXC card : 200GB (or 128GB)</li><li>Speed Class: up to UHS-I</li></ul>	1 - SD/microSD card : 2GB - SDHC/microSDHC card : 32GB - SDXC card : 512GB - microSDXC card : 200GB (or 128GB) Speed Class: up to UHS-I
SIM card slot		1 (MicroSIM - only for models with integrated 4G/LTE)
Interface Module notes	LAN and VGA available via conversion cable., Ethernet via conversion cable (USB to RJ-45)	LAN and VGA available via conversion cable., Ethernet via conversion cable (USB to RJ-45)
Cradle (Charging or Functional)		
DC-in	1 (19V)	
Audio: line-in	1	
Audio: line-out	1	
USB 3.1 Gen1 (USB 3.0) total	3	
DisplayPort	1	
VGA	1	
Ethernet (RJ-45)	1 (10/100/1000)	
Kensington Lock support	1	
Interface Module notes	If USB 3.0 or 2.0 is supported, is determined by the technological base of the product.	
Wireless technologies		
Antennas	2x dual band for WLAN, Bluetooth shared with WLAN	2x dual band for WLAN, 2x for LTE, Bluetooth shared with WLAN
WLAN encryption	WEP, WPA, WPA2	
WLAN notes	Import and usage according to country-specific regulations.	
LTE/UMTS/GPS notes	Including GPS functionality Import and usage according to country-specific regulations.	
	import and usage according to country-specific regulations	
GPS	import and usage according to country-specific regulations	Embedded in 3G/4G module if configured with WWAN
GPS Power supply	import and usage according to country-specific regulations	

Power supply			
1st battery	Lithium polymer battery 3-cell, 34 Wh	Lithium polymer battery 3-cell, 34 Wh	
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details.  The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.		
Dimensions / Weight / Environmental			
Dimensions (W x D x H)	263 x 168.9 x 12.4 mm		
	10.3 x 0.65 x 0.48 inch		
Weight	from 620 g	from 635 g	
Weight (lbs)	from 1.36 lbs	from 1.39 lbs	
Weight notes	Weight may vary depending on actual configura		
Operating ambient temperature	5 - 35 °C (41 - 95 °F); Packed -10 - 60 °C (14 - 140 °F)		
Operating relative humidity	Running: 20 - 80% (relative humidity); Packed: 20 - 80% (relative humidity)		
Compliance			
Product	STYLISTIC Q509		
Compliance link	https://sp.ts.fujitsu.com/sites/certificates		
Additional Software			
Additional software (optional)	Microsoft Office (buy license to activate the pre-installed Microsoft Office) CyberLink YouCam (webcam software) Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows®		
Manageability			
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN)		
Manageability software	DeskView Client DeskView Instant BIOS Management		
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management		
Manageability link	http://www.fujitsu.com/fts/manageability		
 Security			
Physical Security	Kensington Lock support	Kensington Lock support	
User Security	Embedded fingerprint sensor (optional) Hard disk password User and supervisor BIOS password	Embedded fingerprint sensor (optional) Hard disk password User and supervisor BIOS password	
Warranty			
Warranty period	3 years (for countries within OCEANIA)		
Warranty type	On-site Service / Collect & Return Service (depending on location)		
Warranty Terms & Conditions	https://www.fujitsu.com/au/Images/Fujitsu-Computer-Products-Warranty-Information-2019.pdf		
Spare Parts availability	3 years after end of product life		
Service Weblink	https://www.fujitsu.com/au/support/warranty-information/index.html		

## Recommended Accessories

**USB Type-C Port Replicator** 



The FUJITSU USB Type-C Portreplicator is the perfect solution for connecting Order Code: FUJITSU mobile clients with a single USB Type-C plug.It allows you to charge S26391-F1667-L100 and transfer data at the same time via only one cable in order to support your first steps towards a clean desk environment. High speed data transfer through USB 3.1 and Gigabit LAN make it possible to be more flexible and work faster.

STYLISTIC Q & STYLISTIC V Cradle



Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.

Order Code: S26391-F3147-L100

LAN Conversion Cable (USB to LAN) for STYLISTIC Q and STYLISTIC V



The FUJITSU USB to LAN Conversion Cable enables you to connect your compatible STYLISTIC Tablet to a wired network connection. GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification. (Picture similar to product)

Order Code: S26391-F1418-L840

STYLISTIC Q509 TPU Cover



The protective TPU Cover is designed to prevent damages to your STYLISTIC Q509. Openings of the cover allow you to access all ports and buttons whilest the hand strap on the back of the case fives you a firm grip while working with your tablet outside the office.

Order Code: S26391-F3309-L200

STYLISTIC Q509 Stylus Pen



Ergonomic and authentic handwriting on your tablet

Order Code: S26391-F3309-L510

### More information

#### Fujitsu products, solutions & services

In addition to FUJITSU Tablet STYLISTIC Q509, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

#### **Computing Products**

www.fujitsu.com/global/products/computing/

#### Software

www.fujitsu.com/software/

#### More information

Learn more about FUJITSU Tablet STYLISTIC Q509, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/au/products/computing/pc/tablets

#### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment/



#### Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/au/resources/navigation/terms-of-use.html

#### Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

#### CONTACT

Fujitsu Australia Limited Website: www.fujitsu.com/au 2019-15-07

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/au/resources/navigation/terms-of-use.html
Copyright 2019 Fujitsu Technology Solutions GmbH