

Data Sheet Fujitsu LIFEBOOK® E754 Notebook

A durable, elegant, thin commercial notebook, combining style with business computing

Fujitsu recommends Windows 8.1 Pro.

LIFEBOOK E series premium notebooks are specifically designed to stand up to the demands of hard business use. Offering a line of 15.6-inch, 14-inch and 13.3-inch notebooks and industry leading slim design, you'll find the perfect device to fit your exact business needs. This business-aligned series of notebooks include a common BIOS, components and accessories, resulting in decreased complexity and roll-out expenses. With their superb feature set, ergonomic design and thorough security concept you don't have to make compromises when selecting your next business computer. Featuring a brilliant LCD display, a variety of interfaces and high-end security features, this configurable notebook can provide you exceptional convenience and flexibility whenever or wherever you need a computer you can count on.

Performance

Powered by the 4th Generation Intel® Core™ processor, with Turbo Boost Technology¹ these LIFEBOOK E series notebooks help businesses cut costs and increase efficiency by taking advantage of intelligent performance, unique hardware-assisted security, and manageability features. Custom configure your notebook with one of Intel's top performing processors. Breeze through standard business apps with ease, or take on more challenging apps with confidence.

Turbo Boost technology improves the performance of your application with an automatic burst of speed, whenever you need it.











Why not maximize your productivity with premium notebooks that can provide you with one of the best feature sets for business users?





- Supports Intel Rapid Start Technology to get you up and running quickly
- Optional backlit keyboard, large touchpad and modular bay for 2nd battery, Blu-ray[™] drive, or Dual Layer DVD writer for convenient and flexible working environments
- Integrated optional SmartCard reader, optional Full Disk Encryption (FDE) drives and fingerprint sensor for excellent protection of company data
- Full set of interfaces with wireless connectivity and Full HD webcam with status LED for easy connectivity





Shown with optional Port Replicator















Technical details

Fujitsu recommends Windows 8.1 Pro.

Software	
Operating systems	Windows 8.1 Pro 64-bit
	Windows® 7 Professional 64-bit
Additional Software	
Security software	McAfee Multi Access (anti-virus and internet security software; 60 days trial version)
Additional software (preinstalled)	Adobe® Reader®
Additional solutions (premistance)	Application Panel Display Manager
	ShockSensor Utility (not available on SSD)
	Power Saving Utility
	Online user documentation
	CyberLink PowerDirector, CyberLink PowerDVD, CyberLink YouCam
Additional software (optional)	CyberLink MakeDisc, Skype for Windows® 8.1,
	Microsoft® Office Home & Student 2013,
	Microsoft® Office Home & Business 2013
Voy Specifications	(Listed specifications are for the current model only and NOT for earlier models or revisions to this product.)
Key Specifications Processor	
	4th Generation Intel® Core™ i3-4000M (3 MB, up to 2.4 GHz)
	4th Generation Intel® Core™ i5-4200M (3 MB, up to 3.1 GHz) ²
	4th Generation Intel® Core™ i5-4300M processors (3 MB, up to 3.3 GHz) ²
	4th Generation Intel® Core™ i7-4600M processors (4 MB, up to 3.6 GHz) ²
	4th Generation Intel® Core™ i7-4702MQ (6 MB, up to 3.2 GHz)²
Chipset ³	Intel® QM87
Memory modules	2 GB DDR3, 1600 MHz, PC3-12800, SO DIMM
	4 GB DDR3, 1600 MHz, PC3-12800, SO DIMM
	8 GB DDR3, 1600 MHz, PC3-12800, SO DIMM
Base unit memory (LIFEBOOK E754 1	·
Supported capacity RAM (max.)	16 GB (8 GB + 8 GB)
Memory slots total	2
Memory slot type	DIMM (DDR3) ⁴
BIOS features	BIOS based on Phoenix SecureCore
Display⁵	15.6-inch, LED backlight, (HD), Anti-glare display, 1366 x 768 pixel, 200 cd/m²,
	IPS, (Full HD), Anti-glare display, magnesium, 1,920 x 1,080 pixel, 300:1 , 300 cd/m²
Graphics ⁶	
TFT resolution (DisplayPort)	up to 2560 x 1600
TFT resolution (VGA)	up to 1920 x 1200
TFT resolution	
(DVI on Port Replicator)	up to 1920 x 1200
Graphics brand name	Intel® HD Graphics 4600
Video memory total	Win8.1 64-bit - Main memory 2 GB — Up to 735 MB
	- Main memory 4 GB or more — Up to 1664 MB
	Win7 64-bit - Main memory 2 GB — Up to 774 MB
	- Main memory 4 GB or more — Up to 1696 MB
Hard disk drives (internal) ⁷	320 GB (5400 rpm) hard drive - With and without TCG Opal Compliant Self-encrypted Drive (SED)
	500 GB (5400 rpm) hard drive
	320 GB (5400 rpm) Hybrid hard drive with 8GB Cache
	500 GB (5400 rpm) Hybrid hard drive with 8GB Cache
	128 GB Solid State Drive – With and without TCG Opal Compliant Self-encrypted Drive (SED)
	256 GB Solid State Drive – With and without TCG Opal Compliant Self-encrypted Drive (SED)
	512 GB Solid State Drive (SSD drives support Intel® RST Technology)
WLAN (optional)	Intel® Dual Band Wireless-N 7260 802.11 a/b/g/n with integrated Bluetooth®
	Intel® Wireless-N 7260 b/g/n, with integrated Bluetooth®

Page 2 of 5 http://solutions.us.fujitsu.com

Technical details

Fujitsu recommends Windows 8.1 Pro.

Wireless Broadband ⁸	N/A
Modular bay options	2 nd battery
	Blu-ray Disc® writer (BD-XL)
	Dual layer multi-format DVD writer
	Weight saver
Base unit	LIFEBOOK E754
nterfaces	
Memory card slots	1 (SD3.0 up to 2 GB, SDHC up to 32 GB, SDXC up to 64 GB)
SmartCard slot	1 (optional)
HDMI port] 2 /1 31 A 31 HCD Cl
USB 3.0 total	3 (1 with Anytime USB Charge functionality)
USB 2.0 total	
VGA	
DisplayPort	1
Ethernet (RJ-45)	1
DC-in	1
Audio: line-in / microphone	1
Audio: line-out / headphone	1
Internal microphones	2x digital microphones (array)
Docking connector for	
Port Replicator	1
Kensington Lock support	1
Wired communication	
LAN	Built-in 10/100/1000 MBit/s Intel® 1217LM
Keyboard and pointing devices	
	Standard spill-resistant keyboard (Black keycaps with red sides); Antimicrobial spill-resistant keyboard
	(black keycaps); back lit keyboard (black key caps)
	Number of keyboard keys: 84, Keyboard pitch: 0.73 in. (18.4mm), Keyboard stroke: 0.067 in. (1.7mm)
	Touchpad (3.77 in \times 2.27 in) with 1 integrated mouse button
	Optional: Fingerprint sensor
	ECO Button helps conserve battery life
Multimedia	
Audio type	On board
Audio codec	Realtek ALC3233
Audio features	Stereo speakers
Camera	Optional: Built-in webcam with LED indicator, Full HD (2.073 megapixel) (Microsoft® Lync™)
Power supply	
AC Adapter ⁹	19 V / 90W (4.74A), 100 V - 240 V (AC Input), 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter
	19 V / 65 W (3.42 A), 100 V - 240 V (AC Input), 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter
1st battery options	Li-Ion battery 6-cell, 63 Wh
	Li-lon battery 6-cell, 72 Wh
2nd battery (optional)	Li-lon battery 6-cell, 28 Wh
Runtime 1st battery ¹⁰	Up to 12 hrs and 30 min (with 72 Wh battery and Full HD LCD)
Runtime 1st + 2nd battery ¹⁰	Up to 20 hrs (with 72 Wh high capacity main battery + 2nd Battery + SSD Hard Drive + Full HD LCD)
Battery charging time	~160 min (63Wh) ~ 200 min (72Wh)

Page 3 of 5 http://solutions.us.fujitsu.com

Technical details

Fujitsu recommends Windows 8.1 Pro.

Dimensions / Weight / Environmental	
Dimensions (W \times D \times H)	14.72 in. x 9.84 in. x .078-1.06 in.
Weight	With modular optical drive approx. 4.49 lbs.; with modular weight saver approx. 4.27 lbs.;
	with 2nd modular battery approx. 4.71 lbs.
MIL-STD Built Tough ¹¹	MIL- STD-810G tested for various demanding environmental conditions, functional shock, vehicle vibration vibration integrity, altitude, low (cold) and high (heat) temperature, humidity, transit drop, and blowing dust
	blowing dust
Operating ambient temperature	42-91 °F
Operating relative humidity	20 - 85 %
Security	
System protection	Kensington Lock support
	Advanced Theft Protection (Computrace®)
Access protection	Hard disk password
	Optional: Access protection via internal SmartCard reader
	User and supervisor BIOS password
	OmniPass Fingerprint Software (pre-installed)
	Optional: Trusted platform module (TPM 1.2)
Port Replicator interfaces (optional)	
DC-in	1 (19V)
Power on switch	1
Audio: headphone	1
Audio: microphone	1
USB 3.0 total	4
DisplayPort	2 (up to 2560 x 1600) - 1 DP shared with DVI, works exclusive with DVI
VGA	1 (up to 1920 x 1200)
DVI	1 (up to 1920 x 1200) - shared with 1 of the display ports - works exclusive with DP
Ethernet (RJ-45)	1 (10/100/1000)
Kensington Lock support	1
eSATA	1
	Port replicator supports up to three displays
Compliance and Service Information	
Warranty	One or three year International Limited Warranty on select corporate configurations; 24/7 technical suppor
Product Compliance	FCC Part 15B Class B and FCC Part 15C; FCC Part 15E; IC ICES-003 Class B and RSS-210, UL-cUL Listed, CE Marking (Not supported when configured with the WWAN module), ENERGY STAR® V6.0 qualified

Notes:

- 1) Turbo boost technology supported on select processors
- 2) Supports Intel® Turbo Boost Technology
- 3) Supports iAMT 8.0, Intel® vPro™ requires Core i5-43xx / i7-46xx processor & TPM module
- 4) DDR3 1600 MHz
- 5) Viewing angle HD: Left/Right 45°, Top 15°, B 35°
- 6) Shared memory depending on main memory size and operating system
- 7) One GB equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on installed software. Up to 20 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s)
- 8) Wireless service is not included with your notebook/ tablet PC. Activation, credit approval, and 2-year minimum commitment required. Monthly service fee, taxes, surcharges are extra. Actual connectivity is subject to wireless service provider's coverage area and may be affected by equipment, topography, signal strength, environmental considerations, and other factors. Service may vary significantly within buildings. Coverage not available everywhere see wireless carrier's coverage map for details. Terms and Conditions and additional restrictions apply. A GPS application (compatible with NMEA v 3.1 or later) must be purchased separately.
- 9) 65W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator
- 10) Battery life tested using MobileMark 2007 and Windows® 7 operating system, and may include audio muted and power saving utility enabled. Battery life will vary depending on the product configuration, product model, application loaded on the product, power management settings on the product, Operating System, and the product features used by the customer. As with all batteries, the maximum capacity of the installed batteries will decrease with time, usage, and how often the batteries are charged by the user.
- 11) MIL-STD-810G test results are not a guarantee of future performance under identified test conditions, nor does it imply that it will meet the contract requirements of Department of Defense. Accidental damage is not covered under standard international limited warranty.

Page 4 of 5

About Fujitsu America

Fujitsu recommends Windows 8.1 Pro.

Fujitsu America, Inc., is a leading ICT solutions provider for organizations in the U.S., Canada and the Caribbean. Fujitsu enables clients to meet their business objectives through integrated offerings and solutions, including consulting, systems integration, managed services, outsourcing and cloud services for infrastructure, platforms and applications; data center and field services; and server, storage, software and mobile/tablet technologies.

For more information, please visit: http://solutions.us.fujitsu.com/ and http://twitter.com/fujitsuamerica

Copyright

Fujitsu, and the Fujitsu logo, are registered trademarks of Fujitsu Limited. Microsoft, Windows, and Lync are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Intel, Intel Core, and the Intel logo are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Adobe and Adobe Reader are trademarks or registered trademarks of Adobe Systems, Inc. in the United States and other countries. Bluetooth and the Bluetooth logo are registered trademarks of Bluetooth SIG, Inc. Blu-ray and Blu-ray Disc are trademarks or registered trademarks of the Blu-ray Disc Association in the United States and other countries. Computrace is a registered trademark of Absolute Software Corporation. ENERGY STAR is a trademark or registered trademark of the U.S. Environmental Protection Agency. All other trademarks mentioned herein are the property of their respective owners. Product description data represents Fujitsu design objectives and is provided for comparative purposes; actual results may vary based on a variety of factors. Specifications are subject to change without notice.

Copyright ©2014 Fujitsu America, Inc. All rights reserved. FPC65-64570-901 2/14 14.0201

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

FUJITSU AMERICA, INC.

Address: 1250 East Arques Avenue Sunnyvale, CA 94085-3470, U.S.A.

Telephone: 800 831 3183 or 408 746 6000 Website: http://solutions.us.fujitsu.com

Contact Form: http://solutions.us.fujitsu.com/contact

Have a question? Email us at: AskFujitsu@us.fujitsu.com