

Designed for productivity

High volume, speed and quality with a low TCO

FUJITSU Image Scanner fi-6400

- **Efficient.** Fast operation with short 'ready to scan' response times
- **Reliable.** Paper protection module and mechanisms minimise operator intervention
- **Versatile.** Mixed batch scanning with widest range of paper characteristics
- **Intelligent.** Market leading technology and automated routines



shaping tomorrow with you

FUJITSU



Cost efficient document capture for everyone

The fi-6400 is the ideal enterprise class scanning solution for small and medium sized companies who may be wishing to introduce a centralised document capture solution. Indeed, larger organisations who need added flexibility from their scanning infrastructure could utilise the affordable fi-6400 for applications where decreasing scan requirements are needed across multiple locations, when there is a need for a higher throughput scanner to cover peak times or simply as a back-up system.

The technology packed and intuitively versatile fi-6400 will help those companies wishing to look for a high volume scanning solution that is designed for processing incoming documents and turning these paper documents into useful electronic data. An end to end capture process that can boost workflow routines, business process management and automation.

These automated routines can help deliver a performance bonus to document-hungry businesses when archiving records, satisfying compliance requirements and introducing bulk document sets to workflows. The result is a robust scanner with an impressively low total cost of ownership compared to other models within and beyond its class and as such provides a fast return on investment.



fi-6400 side view

Experience impressive throughput

Convert large volumes of documents quickly, with dependable throughput every day. The fi-6400 minimises operator interference through automated functionality to provide uninterrupted performance when processing large batches of documents.

Set up and refinements of the fi-6400 are so easy to manage that intentional adjustments of workflow routines can be achieved even on an ad-hoc basis. The fi-6400 can scan at speeds of 100 pages per minute (ppm) or when double sided 200 images per minute (ipm) at 300 dpi in A4 landscape mode (85ppm/170ipm in A4 portrait mode). When higher resolutions are needed operators can select up to 600 optical dpi.



A4 Landscape at 300 dpi 100 ppm / 200 ipm
A4 Portrait at 300 dpi 85 ppm / 170 ipm
Scan mixed batches through the 500 sheet hopper

Benefit from excellent paper feed performance

Mixed document batches can be managed efficiently when the physical characteristics of documents change within the batch. The fi-6400 handles different sized sheets from A8 to A3 and differences in materials such as when paper, cardboard and plastic vary in weight and thickness – leaving the operator free to attend to parallel tasks or prepare the next batch of documents, without being distracted by misfeed alerts.

The fi-6400 incorporates a top-of-the-line paper-feed mechanism with 'Paper Protection' and 'Multi-feed Protection' functions that can anticipate paper feed problems before they happen. The Intelligent Multi-feed Function allows document scan parameters to be applied which enables the sensors to be set up to help identify and subsequently ignore attachments such as sticky notes or items with a photo attached that would otherwise cause disruptions to the scanning process.

Enjoy minimal office and environmental impact

The fi-6400 features an impressively small desk-footprint and near-silent operation. The foldaway hopper means that the fi-6400 is suitable for placement in a range of office locations. The scanner helps support environmental policies such as waste management, recycling initiatives and becoming greener through sustainability initiatives.

Perform more efficient post-scan tasks

Time saving, image enhancing features such as Automatic Colour Detection, Automatic Orientation, intelligent and advanced dynamic threshold control for optimised images (iDTC & ADTC) and Multifeed Detection contribute to more efficient document processing day after day. The 'Automatic Image Quality Checker' automatically detects and visualises image irregularities such as large folds, or tears, or even possible sheet overlays and allows for post-scan exception handling. On the paper output side the 'Automatic Stacker' ensures the correct and neat arrangement of scanned documents for physical storage.

Manage from a single location

Scanner Central Admin software enables Fujitsu scanners to be managed and maintained from a single location to minimise scanner downtime anywhere on the global system.

Software, interfaces and compatibility

The integrated operating panel and LCD give at-a-glance settings, operating status and pre-set scan options. The fi-6400 can be operated through a USB interface, allowing for direct PaperStream IP TWAIN and ISIS driver control.

Optional extras



Post Imprinter (front side) (fi-680PRF)

{Part Number – PA03575-D201}

Post Imprinter (reverse side) (fi-680PRB)

{Part Number – PA03575-D203}

The imprinter option enables users to print information on original documents for document management purposes such as for tracking or compliance. After documents have been scanned the fi-680PRF (post imprinter) prints information on the front of the document and the fi-680PRB (post imprinter) prints information on the reverse side of the document.



Fujitsu best-in-class scanner driver and document capturing software



PaperStream IP

Scanner driver for high-quality image enhancement

- TWAIN and ISIS compliant scanner driver
- Industry leading integrated image enhancement capabilities
- Patch code and barcode recognition
- Pre-defined and custom scanning profiles for routine tasks
- Supports the user when needed with visual guidance through "Assisted Scan"
- Auto cropping, auto deskew, auto colour detecting, auto blank page detection and deletion



PaperStream Capture

Efficient, high-quality front-end capture solution

- One-stop batch scanning application that simplifies and accelerates the routine task of document capture through its 'One Click Capture' concept
- High-speed, high volume scanning with real-time image display, bar code detection and indexing
- PaperStream IP is an integral part of PaperStream Capture and ensures high-quality images
- Scan-verify-index-release in a single, streamlined routine that every user can easily perform
- Supports ad hoc scanning requirements for exception handling through "Assisted Scan" and, where required, instantly changing settings

Specifications

Model	fi-6400	
Supported operating systems	See http://emea.fujitsu.com/fiscannerfaqs/ for further information	
Scanner type	ADF (automatic document feeder) and manual feed	
Scanning modes	Simplex / Duplex, Colour / Greyscale / Mono	
Image sensor type	Colour CCD (charge coupled device) x 2	
Light source	White LED array ¹	
Document size	Minimum: A8 Portrait (52 x 74 mm) / Maximum: A3 (297 x 420 mm) Long page scanning: 3,048 mm ²	
Recommended paper weight	20 to 209 g/m ²	
Scanning speed (A4 Landscape) ³	Colour ⁴ / Greyscale ⁴ / Mono	
	Simplex: 100 ppm (200, 300 dpi), Duplex: 200 ipm (200, 300 dpi)	
Scanning speed (A4 Portrait) ³	Colour ⁴ / Greyscale ⁴ / Mono	
	Simplex: 85 ppm (200, 300 dpi), Duplex: 170 ipm (200, 300 dpi)	
Paper chute capacity ⁵	500 sheets (A4: 80 g/m ²)	
Background colours	White / Black (Selectable)	
Optical resolution	600 dpi	
Output resolution ⁶	Colour / Greyscale / Mono	
	50 to 600 dpi (adjust by 1 dpi increments), 1,200 dpi (driver) ⁷	
Output format	Colour: 24 bit / 8 bit, Greyscale: 8 bit, Mono: 1 bit	
Interface/ Connector shape	USB 2.0, USB: B type	
Image processing functions	Automatic colour detection, Automatic page size detection, De-Skew, Automatic orientation, Upper lower separation, Multi-image, Blank page skip, Error diffusion, Dither, Dropout colour (R, G, B, None, White, Specified, Saturation), Image emphasis, Simplified DTC, Advanced DTC, iDTC, sRGB	
Power requirements / Power consumption	AC 100 to 240V, ±10% / Operating: 200W or less (Sleep mode: 3.2W or less) Auto standby (OFF) mode: 0.5W or less	
Operating environment	Temperature: 15 to 35°C, Relative humidity: 20 to 80% (Non-condensing)	
Dimensions (W x D x H) ⁸ / Weight	460 x 430 x 310 mm / 32 kg	
Included software / drivers	PaperStream IP Driver (TWAIN & ISIS™), 2D Barcode for PaperStream, Software Operation Panel, Error Recovery Guide, PaperStream Capture, Scanner Central Admin tools	
Environmental compliance	ENERGY STAR® / RoHS® / Ecodesign ¹⁰	
Others	Multi-feed detection	3 ultrasonic double-feed detection sensors, Paper detection sensor
Standard Warranty (included in the price of the product)	1 Year Standard Warranty: Onsite Service - Next Business Day Response +1 Preventative Maintenance	

- ¹ Class 1 LED product
- ² The fi-6400 is capable of scanning documents that exceed A3 in length: Documents up to 863 mm in length can be scanned at resolutions up to 400 dpi and documents between 863 mm and 3,048 mm can be scanned at resolutions between 50 dpi and 200 dpi (Long page scanning does not support resolutions that exceed 400 dpi).
- ³ Actual scanning speeds are affected by data transmission and software processing times.
- ⁴ JPEG compressed figures.
- ⁵ Maximum capacity varies, depending upon paper weight.
- ⁶ Maximum output resolutions may vary, depending upon the size of the area being scanned and whether the scanner is scanning in simplex or duplex.
- ⁷ Scanning limitations due to scanning mode, document size and available memory may occur when scanning at high resolutions (600 dpi or higher).
- ⁸ Excluding the ADF hopper.
- ⁹ PFU (EMEA) LIMITED, a Fujitsu company, has determined that this product meets RoHS requirements (2011/65/EU)
- ¹⁰ PFU (EMEA) LIMITED, a Fujitsu company, has determined that this product meets Ecodesign Directive requirements (2009/125/EC)
- ¹¹ Geographic Limitations may apply to Service Plans and Service Levels in some countries. Please contact us for more information.

Optional Service Plans ¹¹	Order by Part Number	Service Description
Extended Warranty	U3-EXTW-MVP	3 Year Extended Warranty: Onsite Service - Next Business Day Response +1 Preventative Maintenance per year
Silver Service Plan	U3-SILV-MVP	3 Year Service Plan: Onsite Service - 8 Hour Response + 8 Hour Fix +1 Preventative Maintenance per year
Gold Service Plan	U3-GOLD-MVP	3 Year Service Plan: Onsite Service - 8 Hour Response + 8 Hour Fix +2 Preventative Maintenance per year
Platinum Service Plan	U3-PLAT-MVP	3 Year Service Plan: Onsite Service - 8 Hour Response + 8 Hour Fix +3 Preventative Maintenance per year

Onsite Service = A visit by a technician with a spare parts kit to repair the product at your premises.
Preventative Maintenance = A scheduled visit by a technician to disassemble, clean, lubricate, recalibrate, reassemble and test.

All names, manufacturer names, brand and product designations are subject to special trademark rights and are manufacturer's trademarks and/or registered brands of their respective owners.
All indications are non-binding. Technical data is subject to change without prior notification.



PFU (EMEA) Limited
Hayes Park Central
Hayes End Road, Hayes
Middlesex UB4 8FE
United Kingdom

Tel: +44 (0)20 8573 4444

PFU (EMEA) Limited
Frankfurter Ring 211
80807 Munich
Germany

Tel: +49 (0)89 32378 0

PFU (EMEA) Limited
Viale Monza, 259
20126 Milano (MI)
Italy

Tel: +39 02 26294 1

PFU (EMEA) Limited
Camino Cerro de los Gamos, 1
28224 Pozuelo de Alarcón
Madrid
Spain

<http://emea.fujitsu.com/scanners>

