

BATTERY CHARGER

PRODUCT OVERVIEW



Specification	Rapid Charger with USB output
Type	Battery Charger
Input	DC: 5V / 0.8A (Max) USB Micro-B
Output	DC: 5V / 0.5A (Max) USB Standard A
Charge	Approx. 3.5 hours (AA min. 1900mAh)
Battery	AA / AAA Size 2 Cells charging simultaneously
Security Function	Reverse Insertion protection, Short circuit protection, Security Function Timer protection, High temperature protection
Light Indicator	Red light : Charging battery; Green light: Finished charging battery Blue light: Discharging
Dimensions	98 x 41 x 23mm
Weight for charger	55g
Product Number	HLBAC0001-01

GALLERY

(1) Packing product shot



(2) Charging mobile device



(3) Charging batteries with USB cable



(4) Compatible with AAA battery



(5) Battery already pre-charge



(6) Able to use other alkaline battery for urgent charging



SAFETY INSTRUCTION

MAIN FEATURES

- Charge up your phone immediately by supplying power through the USB cable.
- Blue LED indicator will be lighted up while charging mobile.
- Can be used as Battery Charger of AA/AAA Ni-Mh batteries, by using PC's USB port or AC Adapter as power source.
- Red LED indicator will be lighted up when charging batteries; and Green LED indicator will be lighted up after the Ni-MH batteries are fully charged.
- Alkaline battery (2 pieces) can be also used as battery charger to charge up your phone.

CAUTION

Charger:

- Please only use our company's Ni-Mh battery for charging.
- Please do not open the device/change any components, which might cause short circuit, electric shock, or even fire.

Rechargeable Battery:

- Please only use our company's charger.
- Please do not swap the electrode when charging.
- Please do not heat or put the product into fire.
- Please do not solder the battery or change the chemical inside.
- The liquid splash to eyes from the battery might cause blind, please wash your eyes with clean water and seek for doctor's advice immediately.
- Please do not use the battery in water-proof/sealed device.