

Data Sheet

Fujitsu Rechargeable Portable Battery Bank Accessories Portable Battery Bank

Rechargeable Battery Bank w/ LED Display

Product Highlight

Suitable for most Smartphones, Tablets., Music Players & Mobile Gaming Devices

Cell Type : Premium Lithium Ion Battery
Input : DC 5V, 2.1A (max) for MC380 & MC700
Output : DC 5V, 2.1A (max) / DC 5V, 1A
USB Port : 2 port for MC380 & MC700
1 port for MC120
Display : Smart LEDs Display For Remaining Power
Cycle Life : Over 500 times

Quick Charge function

Smart LED Display – remaining power

Multiple Safety Protection

- Short Circuit Protection
- Over Charge Protection
- Over Voltage Protection
- Over Discharge Protection
- Over-current Protect

Input

- 5200mAh – 1.5A input
- 7800mAh – 2.0A input
- 10400mAh – 2.0A input



Product Series

Part Number	FUJ-PB-HLPBR0015-01 MC120	FUJ-PB-HLPBR0019-01 MC380	FUJ-PB-HLPBR0023-01 MC700
Power Capacity	5200mAh	7800mAh	10400mAh
Color	White	White	White
Cell Type	Premium Lithium Ion Battery	Premium Lithium Ion Battery	Premium Lithium Ion Battery
Input	DC 5V, 1A (max)	DC 5V, 1A (max)	DC 5V, 1A (max)
Output	DC 5V, 1A (max)	DC 5V, 2.1A (max) / DC 5V, 1A	DC 5V, 2.1A (max) / DC 5V, 1A
USB Port	1	2	2
Re-Charge Time	6-8hrs (via 1A adapter)	9-10hrs (via 1A adapter) 4-6hrs (via 2.1A adapter)	8-10hrs (via 1A adapter) 6-8hrs (via 2.1A adapter)
Cycle Life	Over 500 times	Over 500 times	Over 500 times
Bundle	Micro USB Charging Cable	Micro USB Charging Cable	Micro USB Charging Cable
Dimensions	22.5 x 41 x 88 mm	22.5 x 60 x 88 mm	23 x 79 x 93 mm
Net Weight	120g	182g	203g

Contact

Fujitsu PC Asia Pacific Ltd.
 Website: www.fujitsu.com/hk
 2014

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data illustrations are complete, actual or correct is excluded. Designations maybe trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
 Copyright © Fujitsu PC Asia Pacific Ltd.

Product Series

Part Number	HLPBR0015-01	HLPBR0019-01	HLPBR0023-01
Power Capacity	5200mAh	7800mAh	10400mAh
Color	White	White	White
Cell Type	Premium Lithium Ion Battery	Premium Lithium Ion Battery	Premium Lithium Ion Battery
Input	DC 5V, 1.5A (max)	DC 5V, 1A (max)	DC 5V, 2A (max)
Output	DC 5V, 1A (max)	DC 5V, 2.1A (max) / DC 5V, 1A	DC 5V, 2.1A (max) / DC 5V, 1A
USB Port	1	2	2
Re-Charge Time	4hrs (via 1.5A adapter)	5hrs (via 2A adapter)	6hrs (via 2A adapter)
Cycle Life	Over 500 times	Over 500 times	Over 500 times
Bundle	Micro USB Charging Cable	Micro USB Charging Cable	Micro USB Charging Cable
Dimensions	22.5 x 41 x 88 mm	22.5 x 60 x 88 mm	28 x 79 x 93.9 mm
Net Weight	120g	200g	254g

Contact

Fujitsu PC Asia Pacific Ltd.
 Website: www.fujitsu.com/hk
 2014

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data illustrations are complete, actual or correct is excluded. Designations maybe trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
 Copyright © Fujitsu PC Asia Pacific Ltd.

Product Series

Part Number	FUJ-PB-HLPBR0016-01 MC120	FUJ-PB-HLPBR0020-01 MC380	FUJ-PB-HLPBR0024-01 MC700
Power Capacity	5200mAh	7800mAh	10400mAh
Color	Grey	Grey	Grey
Cell Type	Premium Lithium Ion Battery	Premium Lithium Ion Battery	Premium Lithium Ion Battery
Input	DC 5V, 1.5A (max)	DC 5V, 1A (max)	DC 5V, 2A (max)
Output	DC 5V, 1A (max)	DC 5V, 2.1A (max) / DC 5V, 1A	DC 5V, 2.1A (max) / DC 5V, 1A
USB Port	1	2	2
Re-Charge Time	4hrs (via 1.5A adapter)	5hrs (via 2A adapter)	6hrs (via 2A adapter)
Cycle Life	Over 500 times	Over 500 times	Over 500 times
Bundle	Micro USB Charging Cable	Micro USB Charging Cable	Micro USB Charging Cable
Dimensions	22.5 x 41 x 88 mm	22.5 x 60 x 88 mm	28 x 79 x 93.9 mm
Net Weight	120g	200g	254g

Contact

Fujitsu PC Asia Pacific Ltd.
 Website: www.fujitsu.com/hk
 2014

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data illustrations are complete, actual or correct is excluded. Designations maybe trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
 Copyright © Fujitsu PC Asia Pacific Ltd.

Product Series

Part Number	HLPBR0017-01	HLPBR0021-01	HLPBR0025-01
Power Capacity	5200mAh	7800mAh	10400mAh
Color	Blue	Blue	Blue
Cell Type	Premium Lithium Ion Battery	Premium Lithium Ion Battery	Premium Lithium Ion Battery
Input	DC 5V, 1.5A (max)	DC 5V, 1A (max)	DC 5V, 2A (max)
Output	DC 5V, 1A (max)	DC 5V, 2.1A (max) / DC 5V, 1A	DC 5V, 2.1A (max) / DC 5V, 1A
USB Port	1	2	2
Re-Charge Time	4hrs (via 1.5A adapter)	5hrs (via 2A adapter)	6hrs (via 2A adapter)
Cycle Life	Over 500 times	Over 500 times	Over 500 times
Bundle	Micro USB Charging Cable	Micro USB Charging Cable	Micro USB Charging Cable
Dimensions	22.5 x 41 x 88 mm	22.5 x 60 x 88 mm	28 x 79 x 93.9 mm
Net Weight	120g	200g	254g

Contact

Fujitsu PC Asia Pacific Ltd.
 Website: www.fujitsu.com/hk
 2014

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data illustrations are complete, actual or correct is excluded. Designations maybe trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
 Copyright © Fujitsu PC Asia Pacific Ltd.

Product Series

Part Number	FUJ-PB-HLPBR0018-01 MC120	FUJ-PB-HLPBR0022-01 MC380	FUJ-PB-HLPBR0026-01 MC700
Power Capacity	5200mAh	7800mAh	10400mAh
Color	Pink	Pink	Pink
Cell Type	Premium Lithium Ion Battery	Premium Lithium Ion Battery	Premium Lithium Ion Battery
Input	DC 5V, 1.5A (max)	DC 5V, 1A (max)	DC 5V, 2A (max)
Output	DC 5V, 1A (max)	DC 5V, 2.1A (max) / DC 5V, 1A	DC 5V, 2.1A (max) / DC 5V, 1A
USB Port	1	2	2
Re-Charge Time	4hrs (via 1.5A adapter)	5hrs (via 2A adapter)	6hrs (via 2A adapter)
Cycle Life	Over 500 times	Over 500 times	Over 500 times
Bundle	Micro USB Charging Cable	Micro USB Charging Cable	Micro USB Charging Cable
Dimensions	22.5 x 41 x 88 mm	22.5 x 60 x 88 mm	28 x 79 x 93.9 mm
Net Weight	120g	200g	254g

Contact

Fujitsu PC Asia Pacific Ltd.
 Website: www.fujitsu.com/hk
 2014

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data illustrations are complete, actual or correct is excluded. Designations maybe trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
 Copyright © Fujitsu PC Asia Pacific Ltd.