

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

FUJITSU



Redefine
Power & Gravity
LifeBook SH760/SH560

LifeBook SH760/SH560 Redefine Power & Gravity

The brand new Fujitsu LifeBook SH760 & SH560 are tailor-made for urbane individuals seeking mobility and functionality. Boasting key features such as mobility, connectivity, versatility and unprecedented security to the next level, the SH760 & SH560 have all the essential qualities as a perfect personal companion.



Uncompromising Power

The SH760 and SH560 are fitted with a 13.3-inch back-light LED display which offers optimum brightness of 300nits and 200nits respectively for pure viewing pleasure. With its lightweight chassis, achieve extended battery life through the ECO button, so you can enjoy the ultimate in mobile performance.



Sleek Design

Style at its finest. The unique design is apparent in its glossy application panel juxtaposed with a silver lining that exudes a sense of quality. The SH760 also has a sleeker outlook with its thinner and lighter magnesium alloy chassis. SH760 is available in Shiny Black while the SH560 is available in both Urban White and Ebony Black.



Scroll-at-Ease

Discerning users will find comfort, usability and convenience with both the SH760 and SH560. All thanks to the impeccably user-friendly design, especially the unique Scroll Wheel design which you can use to freely scroll web pages or lengthy documents.



Connect with Speed

With the next generation USB 3.0 connector*, users can now connect to their data up to 10x faster than USB 2.0. Retrieving big capacity data such as photos, videos or music files can now be performed in a split second.

* Only available for LifeBook SH760



Optimal User-friendliness

With the USB-charging function, all you have to do is just plug in your mobile devices with the SH760 or SH560, saving you the hassle of multiple adapters. Both notebooks also feature a 5-button Application Panel, giving you easy access to the ECO button or direct access to webcam application.

Optional Accessories



Modular Bay Battery

Searching for power sources when you're outdoors can be a hassle. Extend the operating hours of your LifeBook with a modular battery pack.



Port Replicator

Unique wedge design provides easy, one-step connection and removal of your LifeBook. When connected, it links all your peripherals to your LifeBook.

* Only available for LifeBook SH760



Weight Saver

When the optical drive is not needed, the Weight Saver is ideal to reduce the weight of the LifeBook.



AC Adapter

An additional adapter at home, office and in the briefcase makes traveling a lot simpler.

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LifeBook SH760/ SH560



- 13.3-inch notebook at approximately 1.6kg* & 1.8kg* for professional mobility
 - Unique Scroll Wheel design for convenient scrolling for web pages or lengthy documents
 - Next Generation USB 3.0 connector that is up to 10x faster than USB 2.0
 - Optimal user-friendliness with the new Keypad Keyboard and USB-charging function for mobile devices
 - Achieve extended battery life for mobile computing through the ECO Button
 - Health and Environment friendliness with RoHS compliance¹⁰
- * with weight saver option only

	LifeBook SH760	LifeBook SH560
Specifications		
Platform	Intel® Core™ i7-620M ¹ processor 2.66GHz with Turbo Boost up to 3.33GHz/5-540M ¹ processor 2.53GHz with Turbo Boost up to 3.066GHz/ i5-520M ¹ processor 2.40GHz with Turbo Boost up to 2.933GHz - Intel® HM55 Express Chipset	Intel® Core™ i3-330M ¹ processor - Intel® HM55 Express Chipset
Operating System ¹⁶	Genuine Windows® 7 Professional (or Genuine Windows® 7 Home Premium) (or Genuine Windows® 7 Home Basic) ¹⁷	
Display ¹⁵	13.3-inch SuperFine HD back-light LED 300nits, 1366 x 768 pixels	13.3-inch SuperFine HD back-light LED 200nits, 1366 x 768 pixels
Modular Bay Device	Dual Layer DVD Super Multi Writer ⁹	
Memory	4GB DDR3 1066MHz Max. Memory Supported ¹⁴ - 8GB DDR3 1066MHz, Dual Channel	2GB DDR3 1066MHz Max. Memory Supported ¹⁴ - 8GB DDR3 1066MHz, Dual Channel
Hard Disk	500GB	320GB
Battery	Up to 4.5hrs ¹ (6cell Li-ion 5800mAh)	Up to 5hrs ¹ (6cell Li-ion 5200mAh)
Weight	Approx. 1.6kg (w/ weight saver option)	Approx. 1.8kg (w/ weight saver option)
Detailed Specifications		
Hard Disk Drive	SATA-150 5400rpm, S.M.A.R.T support, Two Partitions - 50/50 ¹³ , protected by Fujitsu 3D Shock Sensor ¹³	SATA-150 5400rpm, S.M.A.R.T support, Two Partitions - 50/50 ¹³
Graphics	NVIDIA GeForce 310M with dedicated video memory of 512MB	NVIDIA GeForce 310M with dedicated video memory of 512MB Intel® HD Graphic
High Definition (HD) Audio	Realtek ALC269 HD audio codec with Dual Built-in Stereo Speakers and Dual Built-in Stereo Microphone HD Audio-in: External Mic-in HD Audio-out: Headphone-out	
Communication	2.0 Mega Pixel camera, Bluetooth® v2.1+EDR, 56K V.92 ² Global Modem MDC1.5, 1000/100/10Mbps ³ Gigabit Ethernet PCI Express® x 1 and Atheros WLAN 802.11BGN (HB97) network connection. Separate ON/OFF switch for wireless network connection.	1.3 Mega Pixel camera, Bluetooth® v2.1+EDR, 1000/100/10Mbps ³ Gigabit Ethernet PCI Express® x 1 and Atheros WLAN 802.11BGN wireless network connection. Separate ON/OFF switch for wireless network connection.
User Interface	Spill-resistant Keyboard ¹² : 84-key, 19mm key pitch, 2.7mm key stroke Independent ergonomic Scroll Wheel that perfectly fit with finger Intelligent Touch Pad with configurable vertical and horizontal scroll functions Fingerprint Sensor with vertical scroll functions	Spill-resistant Keyboard ¹² : 84-key, 19mm key pitch, 2.7mm key stroke Independent ergonomic Scroll Wheel that perfectly fit with finger Intelligent Touch Pad with configurable vertical and horizontal scroll functions
Card Slots	ExpressCard™/34/54, Secured Digital / SDHC	
Connector Interface	USB 2.0 x 2, USB 3.0 x 1, VGA (external display), RJ45 (LAN), RJ11 (modem), HDMI, HDA-in, HDA-out, Power Adapter DC-in, Port Replicator Interface	USB 2.0 x 3, VGA (external display), RJ45 (LAN), HDMI, HDA-in, HDA-out, Power Adapter DC-in
Quick Launch Panel	Five Programmable Application Launch Buttons (Support, Mail, Internet, ECO and Camera button)	
Security ⁸	BIOS Lock, Hard Disk Lock, Anti-theft Lock Slot, Fingerprint Sensor, Trusted Platform Module option	BIOS Lock, Hard Disk Lock, Anti-theft Lock Slot
Dimensions	316mm (W) x 227mm (D) x 24.7/32.3mm (H)	316mm (W) x 227mm (D) x 27.9/35.8mm (H)
Colours ⁴	Shiny Black	Urban White / Ebony Black
Bundled Accessories		
AC Adapter	Input AC 100-240V, Output DC 19V 80W	
Bundled Software	Softex Omnipass, CyberLink PowerDVD™, CyberLink PowerDirector™, Roxio Easy Media Creator, Adobe Acrobat Reader, Fujitsu UpdateNav™, Fujitsu 3D Shock Sensor Utility™, Fujitsu Power Saving Utility, Fujitsu Hardware Diagnostic Tool, Fujitsu Display Manager, Sun Microsystems Java Runtime, CyberLink YouCam™, Windows Live Essentials (Windows Live Messenger, Windows Photo Gallery, Windows Live Mail, Windows Live Call, Windows Live Writer) Microsoft Office Professional 2007 60-day Convertible Trial ¹	CyberLink PowerDVD™, CyberLink PowerDirector™, Roxio Easy Media Creator, Adobe Acrobat Reader, Fujitsu UpdateNav™, Fujitsu Power Saving Utility, Fujitsu Hardware Diagnostic Tool, Fujitsu Display Manager, Sun Microsystems Java Runtime, CyberLink YouCam™, Windows Live Essentials (Windows Live Messenger, Windows Photo Gallery, Windows Live Mail, Windows Live Call, Windows Live Writer), Microsoft Office Professional 2007 60-day Convertible Trial ¹
Other Software	1 year Full Licensed Norman Virus Control	
Optional Accessories		
Port Replicator	Connector Interface: USB 2.0 x 4, DVI-D, VGA (external display), RJ45 (LAN), e-SATA, Serial, Parallel, Audio-out, Power Adapter DC-in	
Modular Bay Options	Replaceable with - Bay Battery, 6cell Li-ion 2500mAh, up to 7hrs ¹ battery life (Standard + Bay Batteries) - Dual Layer DVD Super Multi writer ⁹ - Weight Saver	Replaceable with - Bay Battery, 6cell Li-ion 2500mAh, up to 9hrs ¹ battery life (Standard + Bay Batteries) - Dual Layer DVD Super Multi writer ⁹ - Weight Saver

The above information shows the general technical specifications of the product and does not represent actual configuration. For specific configurations and their availability, please check with your local distributors.

Disclaimers:

- Results obtained from BAPCO® MobileMark® 2007 (Productivity Workload) performed on systems with maximum battery life settings under laboratory testing environment. Actual battery life will vary based on screen brightness, sound volume settings, running applications, connected peripherals, power management settings, battery conditioning, and other customer preferences in the real life situation. Built-in bay device or hard drive usage may also have a significant impact on battery life. Note: Battery life is based on Intel® Core™ i5-520M processor with discrete graphics card for SH760 and i3-330M processor with Intel® HD graphics for SH560.
- Maximum 56Kbps performance varies according to your local service providers' services as well as line condition. V.92 performance is dependent on local service providers' services.
- Please check actual bundling with country local distributor. I7-620M refers to 2.66GHz, 4MB cache, i5-540M refers to 2.53GHz, 3MB cache, i5-520M refers to 2.40GHz, 3MB cache and i3-330M refers to 2.13GHz, 3MB cache.
- This term does not represent actual data rate of 1000/100/10Mbps and simply indicates compliance with IEEE 802.3, IEEE 802.3u and IEEE 802.3ab standards. Actual maximum data rate depends on network configurations, cable conditions as well as connected devices.
- Please check actual bundling with country local distributor.
- UpdateNav is a Fujitsu Proprietary application that updates LifeBook drivers by connecting automatically to Fujitsu's server. This will help update your LifeBook with the latest software drivers and utilities to ensure compatibility between hardware and software, maintaining smooth operation anytime, anywhere.
- Microsoft Office Professional 2007 60-day Convertible Trial needs online activation to begin. 60-day starts from day of activation.
- BIOS Lock needs a supervisor/user password to access BIOS setup. BIOS settings can be configured to prompt for password at every first bootup or all bootup sequences. Access to BIOS setup is needed to configure Hard Disk Lock. Hard Disk Lock requires an access key to retrieve data on the hard disk. This is a Data Confidentiality security feature. LifeBook Lock requires a supervisor/user password to bootup the LifeBook when it powers up or resumes last session from suspend/hibernate mode. Anti-theft Lock Slot allows the use of a lock to physically secure the LifeBook. Smartcard slot usage is dependent on customer's solution. Fingerprint sensor uses AuthenTec TruePrint™ Technology and Softex OmniPass to remember customer list of user IDs and passwords. Full security unlock sequence - LifeBook Lock, Bootup Lock (BIOS Lock), Hard Disk Lock, Fingerprint Windows Logon. NOTE: Loss of password requires the LifeBook to be returned to Japan factory for system refresh. Cost of shipment and lost data will be borne by the customer. Backup your user's profile before changing HDD. Without the user's profile associated with a document at the point of encryption, Softex OmniPass cannot decrypt the encrypted document.
- Supports DVD multi formats such as DVD-RAM, DL DVD±R, DVD±RW, DVD±R, CD-RW, DVD-ROM, CD-R and CD-ROM.
- RoHS (Restriction on Hazardous Substances) compliance means the system and its internal components comply with the EU RoHS directive (2002/95/EC) on the restricted use of six hazardous substances in the manufacture of the system and its internal components.
- Fujitsu 3D Shock Sensor of a powered-up unit retracts hard disk read-write head to a secured zone upon detection of excessive vibrations or shocks. This greatly reduces the possibility of damage to the hard disk and its content - example in the event of a sudden drop or impact. The sensor monitors movement from three axes and its sensitivity can be adjusted by user to accommodate different working environments using the Fujitsu 3D Shock Sensitivity Utility.
- Spill-resistant keyboard does not imply the system is water-proof. If liquid is spilled onto the keyboard, power off the system immediately and turn the notebook upside down to drain off the liquid.
- This refers to Windows® 7 hard disk drives C:\ and D:\. 50/50 refers to approximate 50% allocation of user accessible hard disk storage to C:\ and D:\ drives respectively. For Windows 7 hard disk drives, 16GB will be reserved for internal recovery usage which is not shown.
- 8GB DDR3 1066MHz maximum memory is supported when Fujitsu recommended 4GB DDR3 1066MHz memory module is made available.
- It is natural for all thin-film transistor (TFT) liquid crystal displays (LCD) to show a small number of missing or discolored dots. These are commonly known as non-conforming pixels. This is a technology limitation of TFT LCD and does not represent a defect. Fujitsu warranty does not cover limitations in technology such as non-conforming pixels.
- Customer may select between 32-bit and 64-bit upon initial startup.
- Please check actual bundling with country local distributor. Windows® 7 Home Basic is available for selected regions only.

Specifications reflected above are engineering and hardware specifications. They do not represent actual usage or operating dimensions, sizes, performances and weights as these are dependent on factors such as operating temperature, type of operating system and application used, connected devices and accessories as well as hardware configurations of the notebook. Please check the compatibility of 3rd party accessories before purchase. Ambient temperature: 15° to 35°C / 41° to 95°F (operating), 15° to 60°C / 5 to 140°F (non-operating). Relative humidity: 20% to 85% RH (operating), 8% to 85% RH (non-operating). Please note that 1GB is equivalent to 1,073,741,824 bytes.

hk.fujitsu.com/pc

Head Office:
HONG KONG
Fujitsu PC Asia Pacific Ltd
Tel : (852) 3101 8133
Fax : (852) 3101 0633
hk.fujitsu.com/pc

AUSTRALIA & NEW ZEALAND:
Fujitsu PC Australia
Toll Free : (AU) 1800 288 283
(NZ) 0800 288 283
Fax : (61-2) 9889 3360
au.fujitsu.com/pc

CHINA:
Fujitsu PC China Division
Tel : (86-21) 3310 9888
Fax : (86-21) 3310 0606
cn.fujitsu.com/pc

INDONESIA:
Fujitsu Indonesia
Tel : (62-21) 570 9330
Fax : (62-21) 573 1510
id.fujitsu.com/pc

MALAYSIA:
Fujitsu PC Asia Pacific Pte Ltd
Tel : (60-3) 7728 4838
Fax : (60-3) 7728 4830
my.fujitsu.com/pc

PHILIPPINES:
Fujitsu Philippines Inc.
Tel : (63-2) 812 4001
Fax : (63-2) 817 5776
ph.fujitsu.com/pc

SINGAPORE:
Fujitsu PC Asia Pacific Pte Ltd
Tel : (65) 6776 0688
Fax : (65) 6776 0788
sg.fujitsu.com/pc

TAIWAN:
Fujitsu Taiwan Ltd
Tel : (886-2) 2311 2255
Fax : (886-2) 2311 2277
tw.fujitsu.com/pc

THAILAND:
Fujitsu Systems Business (Thailand) Ltd
PC Division
Tel : (66-2) 263 7888
Fax : (66-2) 263 7880
th.fujitsu.com/pc

VIETNAM:
Fujitsu Vietnam Ltd
Tel : (84-4) 831 3895
Fax : (84-4) 831 3898
vn.fujitsu.com/pc

Note: For countries not listed above, please contact our Hong Kong office.

All rights to the mentioned trademarks reside with their respective owners. Fujitsu endeavours to ensure that the information in this documentation is correct and fairly stated, but does not accept liability for any errors or omissions. The development of Fujitsu products and services is continuous and published information may not be up to date. It is important to check the current position with Fujitsu. The document is not part of the contract or licence save in so far as may be expressly agreed.

JOB NO.: FUJITSU0034 • Printed by Fujitsu PC Asia Pacific Limited in January 2010. Information is correct at time of printing.



Dealer: