- Bie Che Oter B

8 - r

Fujitsu recommends Windows Vista® Home Premium.

LifeBook A6220 Fashion With Function

madeinjapan LIFЕВООК | Built-In Confidence Communal A

()

## Flash Your Colours

The LifeBook A6220 reflects your true personality and individuality with colourful, trendy looks. The 15.4-inch Wide XGA TFT SuperFine display will greet your eyes with vivid images and crystal clear details for maximum viewing pleasure. For both work and entertainment, a discrete graphics chip is on hand to ensure only the most dynamic and detailed graphics hit the screen. For ultimate convenience, the 8-button Easy-access Panel gives you instant access to frequently used applications. And with a host of security features from the Fingerprint Sensor, BIOS Lock, Hard Disk Lock to Spill-resistant Keyboard, your LifeBook is definitely well-protected .



## Switch Your Colour

Available in Lamp Black and Urban White, the LifeBook A6220 gets more exciting with three flashy Colour Lid options of Gold, Indigo and Red to complement your apparel ensemble. You don't have to make a choice, just get all the colours to match your ever changing mood everyday. Featuring a micro dot pattern on the palmrest, the LifeBook A6220 delivers smart look and a tactile feel for an overall sensory pleasure.



# intel Centring Performance to go

## **Flawless Performance**

Work and play now feels so much better when powered by the Intel<sup>®</sup> Centrino<sup>®</sup> 2 processor Technology paired with a high-capacity HDD of up to 320GB SATA Drive that allows you to multitask at high speed. Expanding your recording options is a choice of Disk Drive options of Blu-Ray or Dual Layer DVD Super Multi Writer.

THE POSSIBILITIES ARE INFINITE



#### Fujitsu recommends Windows Vista<sup>®</sup> Home Premium.

- Brilliant SuperFine Wide XGA display for excellent movie and picture viewing
- Genuine Windows Vista<sup>®</sup> Home Premium
- Instant converged communications using built-in 1.3 Mega Pixel camera<sup>2</sup> and internal digital microphone
- Comprehensive connectivity with USB 2.0 x 4, eSATA, Secured Digital/ Memory Stick®/ Memory Stick® PRO,
- PCMCIA Type I/II, ExpressCard™, IEEE1394 and HDMI-Out15
- · 8-button Easy-access Panel (Support, Internet, Email, three other softwares, Volume Down, Volume Up)
- nt friandlinges with PoUS o

Intel® Centrino <sup>®</sup> 2 processor Technology - Intel® Core <sup>™</sup> 2 Duo processor P8600 <sup>11</sup> Intel® Core <sup>™</sup> 2 Duo processor P8400 <sup>11</sup> - Intel® VIFI Link 5300AGN (3x3) network connection Genuine Windows Vista® Home Premium (or Genuine Windows Vista® Home Basic) 15.4-inch SuperFine WXGA TFT <sup>6</sup> , 1280 x 800 pixels (300nits Brightness, 300:1 Contrast Ratio, 45% Colour Gamut) Blu-ray Disc Drive/ Dual Layer DVD Super Multi Writer <sup>6</sup> 2GB DDR3 1066MHz ZGB DDR3 1066MHz Up to 2.03hrs' (6-cell Li-lon 5200mAh) Approx. 2.97kg (w/ 6-cell battery) Detailed Specifications SATA-150 Drive, SMA.R.T support, Two Partitions - 50/50°, protected by Fujitsu 3D Shock Sensor <sup>13</sup>	
- Intel® PM45 Express Chipset - Intel® WFI Link 5300AGN (3x3) network connection Genuine Windows Vista® Home Premium (or Genuine Windows Vista® Home Basic) 15.4-inch SuperFine WXGA TFT <sup>16</sup> , 1280 x 800 pixels (300nits Brightness, 300:1 Contrast Ratio, 45% Colour Gamut) Blu-ray Disc Drive/ Dual Layer DVD Super Multi Writer <sup>6</sup> 2GB DDR3 1066MHz Max. Memory Supported <sup>10</sup> - 4GB DDR3 1066MHz, Dual-Channel Support 250GB/ 320GB 5400rpm SATA Drive Up to 2.03hrs' (6-cell Li-lon 5200mAh) Approx. 2.97Kg (w/ 6-cell battery) Detailed Specifications	
- Intel <sup>®</sup> WiFi Link 5300AGN (3x3) network connection Genuine Windows Vista <sup>®</sup> Home Permium (or Genuine Windows Vista <sup>®</sup> Home Basic) 15.4-inch SuperFine WXGA TFT <sup>®</sup> , 1280 x 800 pixels (300nits Brightness, 300:1 Contrast Ratio, 45% Colour Gamut) Blu-ray Disc Drive/ Dual Layer DVD Super Multi Writer <sup>a</sup> 2GB DDR3 1066MHz Max. Memory Supported <sup>10</sup> - 4GB DDR3 1066MHz, Dual-Channel Support 250GB / 320GB 5400rpm SATA Drive Up to 2.03hrs <sup>a</sup> (6-cell Li-lon 5200mAh) Approx. 2.97kg (w/ 6-cell battery) Detailed Specifications	
Genuine Windows Vista® Home Premium (or Genuine Windows Vista® Home Basic) 15.4-inch SuperFine WXGA TTF <sup>15</sup> , 1280 x 800 pixels (300nits Brightness, 300:1 Contrast Ratio, 45% Colour Gamut) Blu-ray Disc Drive/ Dual Layer DVD Super Multi Writer <sup>6</sup> 2GB DDR3 1066MHz Max. Memory Supported <sup>10</sup> - 4GB DDR3 1066MHz, Dual-Channel Support 250GB/ 320GB 5400rpm SATA Drive Up to 2.03hrs' (6-cell Li-lon 5200mAh) Approx. 2.97kg (w/ 6-cell battery) Detrilled Specifications	
(or Genuine Windows Vista® Home Basic) 15.4-inch SuperFine WXGA TFT <sup>16</sup> , 1280 x 800 pixels (300nits Brightness, 300:1 Contrast Ratio, 45% Colour Gamut) Blu-ray Disc Drive/ Dual Layer DVD Super Multi Writer <sup>4</sup> 2GB DDR3 1066MHz Max. Memory Supported <sup>10</sup> - 4GB DDR3 1066MHz, Dual-Channel Support 250GB/ 320GB 5400rpm SATA Drive Up to 2.03hrs' (6-cell Li-lon 5200mAh) Approx. 2.97kg (w/ 6-cell battery) Detailed Specifications	
15.4-inch SuperFine WXGA TFT <sup>16</sup> , 1280 x 8 <sup>00</sup> pixels (300nits Brightness, 300:1 Contrast Ratio, 45% Colour Gamut) Blu-ray Disc Drive/ Dual Layer DVD Super Multi Writer <sup>5</sup> 2GB DDR3 1066MHz Max. Memory Supported <sup>10</sup> - 4GB DDR3 1066MHz, Dual-Channel Support 250GB/ 320GB 5400rpm SATA Drive Up to 2.03hrs <sup>1</sup> (6-cell Li-lon 5200mAh) Approx. 2.97kg (w/ 6-cell battery) Detailed Specifications	
Blu-ray Disc Drive/ Dual Layer DVD Super Multi Writer <sup>a</sup> 2GB DDR3 1066MHz Max. Memory Supported <sup>10</sup> - 4GB DDR3 1066MHz, Dual-Channel Support 250GB/ 320GB 5400rpm SATA Drive Up to 2.03hrs' (6-cell Li-lon 5200mAh) Approx. 2.97kg (w/ 6-cell battery) Detailed Specifications	
2GB DDR3 1066MHz Max. Memory Supported <sup>10</sup> - 4GB DDR3 1066MHz, Dual-Channel Support 250GB/ 320CB 5400rpm SATA Drive Up to 2.03hrs' (6-cell Li-lon 5200mAh) Approx. 2.97kg (w/ 6-cell battery) Detailded Specifications	
Max. Memory Supported <sup>10</sup> - 4GB DDR3 1066MHz, Dual-Channel Support 250GB/ 320GB 5400rpm SATA Drive Up to 2.03hrs <sup>1</sup> (6-cell Li-lon 5200mAh) Approx. 2.97kg (w/ 6-cell battery) Detailed Specifications	
250GB/ 320GB 5400rpm SATA Drive Up to 2.03hrs' (6-cell Li-lon 5200mAh) Approx. 2.97kg (w/ 6-cell battery) Detailed Specifications	
Up to 2.03hrs <sup>1</sup> (6-cell Li-lon 5200mAh) Approx. 2.97kg (w/ 6-cell battery) Detailed Specifications	
Approx. 2.97kg (w/ 6-cell battery) Detailed Specifications	
Detailed Specifications	
SATA-150 Drive SMART support Two Partitions - 50/50% protected by Euliteu 3D Shock Sensor <sup>13</sup>	
ATI Mobility Radeon <sup>TM</sup> HD 3470 with 895MB HyperMemory <sup>TM7</sup> graphics processor	
RealTek ALC269 HD audio codec with dual built-in stereo speakers	
HD Audio-in: External Mic-in	
HD Audio-out: Headphone-out	
1000/100/10Mbps <sup>3</sup> Gigabit Ethernet PCI Express x 1 and Intel® WiFi Link 5300AGN (3x3) network connection with three antennas.	
Separate ON/OFF switch for wireless connection, Bluetooth® v2.1 + EDR (Optional). Built-in 1.3 Mega Pixel camera <sup>2</sup> Spill-resistant Keyboard <sup>®</sup> : 86-key, 19mm key pitch, 3.0mm key stroke	
intelligent Touch Pad with configurable vertical and horizontal scroll functions	
Interrigent rouch rad with computative vertical and horizontal scroll functions PCMCIA Type //I. ExpressCard <sup>TM</sup> /34 /54 support PCMCIA	
Secured Digital / Memory Stick®/ Memory Stick® PRO	
USB 2.0 x 4, es74, VGA (external display), RU45 (LAN), IEEE1394, HDMI-Out15, HD Audio-In, HD Audio-Out, Power Adapter DC-in	
Subject 2014 - Section 2015 - Section 2014 - Sectio	
BIOS Lock 2-password Hard Disk Lock, Anti-theft Lock Slot, Fingerprint Sensor	
Biological Construction and Disk Look, Antra the Look Giol, Thingerprint Gensol	

Input AC 100-240V, Output DC 19V 80W CyberLink PowerDVD™, CyberLink PowerDirector, Roxio Easy Media Creator, Adobe Acrobat Reader, Fujitsu UpdateNavi¹, Fujitsu Hardware Diagnostic Tool, Fujitsu Display Manager, Fujitsu 3D Shock Sensor Utility, Fujitsu Power Saving Utility, Fujitsu Hotkey Utility, Sun Microsystems Java Runtime, Microsoft Office Professional 2007 60-day Convertible Trial<sup>14</sup>

year Full Licensed Norman Virus Control with Sandbox Technology and Norman Personal Firewall, Acronis True Image, ArcSoft WebCarn Companion™ 2 Optional Accessories External USB 1.44MB FDD

Optical USB Black Mouse (Retractable)

e above information shows the general technical specifications of the product and does not represent actual configuration that would be sold in your region. For ecific configurations and their availability, please check with your local distributors.

Scalines: Results obtained from BAPCo® MobileMark® 2007 (Productivity Workload) performed on systems with maximum battery life settings under laboratory testing environment. Actual battery life will vary based on screen brightness, sound volume settings, running applications, connected peripherals, power management settings, battery conditioning, and other customer preferences in the real life situation. Built-in bay devices or hard off we usage may also have a significant impact on battery life. Note: Up to 2.03hrs battery life is based on Intel® Core™2 Duo processor P8600 configuration with standard 6-cell Li-lon 5200mAh battery.

Available only for models with built-in camera. Please check with your local distributor on the local configurations. This term does not represent actual data rate of 1000/100/10Mbps and simply indicates compliance with IEEE 802.3, IEEE 802.3u and IEEE 802.3ab standards.

This term does not represent actual data rate of 1000/100/10Mpbs and simply indicates compliance with IEEE 802.3, IEEE 802.3u and IEEE 802.3b standards. Actual maximum data rate depends on network configurations, cable conditions as well as connected devices. BIOS Lock needs a supervisor/user password to access BIOS setup. BIOS settings can be configured to prompt for password at every first bootup or all bootup sequences. Access to BIOS setup is needed to configure Hard Disk Lock. Hard Disk Lock requires an access key to retrieve data on the hard disk. This is a Data Confidentially security feature. Anti-thet Lock Stat allows the use of a lock to physically secure the LifeBook. Fingerprint Sensor uses Authen For TruePrint™ Technology and Softex OmniPass to remember customer list of user IDs and passwords. Full security unlock sequence - Bootup Lock (BIOS Lock), Hard Disk tool. For every the data on the location. Lock, Fingerprint Windows Logon.

NOTE: Loss of password requires the LifeBook to be returned to Japan factory for system refresh. Cost of shipment and lost data will be borne by the customer. NOTE: Loss of password requires the Linebook to be returned to Japan factory for system refersh. Cost of sinpment and lost data will be borne by the customer: Backup your user's profile before changing HDD. Without the user's profile associated with a document at the point of encryption. Softex OmniPass cannot decrypt the encrypted document. 2-password refers to Master Password and User Password of the HDD Lock. The Master Password can be used to clear the User Password at the BIOS settings under Hard Disk Security. If HDD Lock prompt is enabled, only the User Password can be used to boot up the unit. Loss of these 2 passwords means the HDD content cannot be retrieved. It is the customer's responsibility to ensure the safe keeping of these 2 passwords for retrieval of data from the locked HDD.

Supports DVD multi formats such as DVD-RAM, DL DVD±R, DVD±RW, DVD±R, CD-RW, DVD-ROM, CD-R and CD-ROM

Bolts (Restriction on Hazardous Substances) compliance means the system and its internal components comply with the EU RoHS directive (2002/95/EC) on the restricted use of six hazardous substances in the production of the system and its internal components. 895MB HyperMemory™ refers to a total of 128MB dedicated video memory and 767MB shared system memory. The memory size available to the Operating Porter with long these total balances in the inst-line demonstration of the system and 767MB shared system memory. The memory size available to the Operating

solving hyperwernory, "Fellers to a total of Lowid dedicated video memory and Yorkib shared system memory. The memory size available to the operating System will be less than the total size of the installed memory modules. Split-resistant Keyboard does not imply the system is water-proof. If liquid is split onto the keyboard, power off the system immediately and turn the notebook upside down to drain off the liquid.

This refers to Windows Vista® hard disk drives C:\ and D:\ 50/50 refers to approximate 50% allocation of user accessible hard disk storage to C:\ and D:\ drives For Windows Vista® hard disk drives, 1GB and 8GB will be reserved respectively for internal recovery usage which is not shown

The system can support up to 4GB of physical memory, but the system will use up to only 3GB (1GB~1024MB) accessible memory Please check actual bundling with country local distributor. P8600 refers to (2.4GHz, 3MB L2 cache, 1066MHz FSB) and P8400 refers to (2.26GHz, 3MB L2 cache 1066MHz ESB)

Cache, Toboliniz FSB). UpdateNavi is a Fujitsu Proprietary application that updates LifeBook drivers by connecting automatically to Fujitsu's server. This will help update your LifeBook with the latest software drivers and utilities to ensure compatibility between hardware and software, maintaining smooth operation anytime, anywhere. Fujitsu 3D Shock Sensor of a powered-up unit retracts hard disk read-write head to a secured zone upon detection of excessive vibrations or shocks. This greatly

reduces the possibility of damage to the hard disk and its contents - example in the event of a sudden drop or impact. The sensor monitors movement from three

reduces the possibility of darlage to the hard disk and its cutlents: - example in the event of a stoucher drop of impact, the sensor infoliors indiverse internation three axes and its estimation to be adjusted by user to accommodate different working environments using the Fujitsu 20 Shock Sensor Utility. Microsoft Office Professional 2007 60-day Convertible Trial needs online activation to begin. 60-day starts from day of activation. HDMI-Out (High-Definition Multimedia Interface) digital Interfaces supports both audio and video signals. It is natural for all thin-film transistor (TFT) liquid crystal displays (LCD) to show a small number of missing or discoloured dots. These are commonly known as non-conforming pixels.

olby and the double-D symbol are registered trademarks of Dolby Laboratories.

PCI Express" and the PCI Express design marks are registered trademarks and/or service marks of PCI-SIG.

pecifications reflected above are engineering and hardware specifications. They do not represent actual usage or operating dimensions, sizes, performances and relights as these are dependent on factors such as operating temperature, type of operating system and application used, connected devices and accessories as well s hardware configurations of the notebook. Please check the compatibility of 3rd party accessories before purchase. Ambient temperature: 5° to 35°C / 41 to 95°F operating), -15° to 60°C / 5 to 140°F (non-operating). Please note that 1GB is uivalent to 1.073.741.824 bytes



Feast your eyes on a 15.4-inch SuperFine Wide XGA display for maximum viewing pleasure at 300nits brightness, 300:1 contrast ratio and 45% colour gamut. Expect high quality images in vivid colours that will deliver an unpararelled gaming, working and entertainment experience.

**9** 1.3

Front

Back

I eft

Right

**Built-in Wireless LAN** 

Air Vents

PC Card Type I/II Slot

Wireless LAN/ Bluetooth

SD/ MS/ MS PRO Card Slo

**ON/OFF Switch** 

LCD Panel Latch

External VGA IEEE 1394

HDA-Out

Co

Connectors

上下市

Built-in Optical Disk Drive

ExpressCard™/ PC Card Eject Buttons

USB 2.0 Connectors

HDA-In

HDMI Video-Out USB 2.0

Terminal



## Converged Communication, Total Connectivity

Stay connected to your business associates and friends with a comprehensive list of communication tools and connectivity features. With multiple ports such as eSATA and HDMI-Out built for your convenience, you can easily hook up to external devices. A total converged connectivity experience is also within reach especially with the presence of features such as the built-in Intel® WiFi Link 5300AGN WLAN, 1.3 Mega Pixel camera and microphone.

LifeBook A6220

LAN Connector

Anti-theft

Lock Slot

DC-in Connector

eSATA Connector

Air Vents




· Health and environment friendliness with RoHS compliance6

	Specifications
Platform	Intel <sup>®</sup> Centrino <sup>®</sup> 2 processor Technology
	<ul> <li>Intel<sup>®</sup> Core<sup>™</sup>2 Duo processor P8600<sup>11</sup>/ Intel<sup>®</sup> Core<sup>™</sup>2 I</li> </ul>
	- Intel <sup>®</sup> PM45 Express Chipset
	<ul> <li>Intel<sup>®</sup> WiFi Link 5300AGN (3x3) network connection</li> </ul>
Operating System	Genuine Windows Vista® Home Premium
	(or Genuine Windows Vista <sup>®</sup> Home Basic)
Display	15.4-inch SuperFine WXGA TFT <sup>16</sup> , 1280 x 800 pixels (300
Built-in Bay Device	Blu-ray Disc Drive/ Dual Layer DVD Super Multi Writer <sup>5</sup>
Memory	2GB DDR3 1066MHz
	Max. Memory Supported10 - 4GB DDR3 1066MHz, Dua
Hard Disk	250GB/ 320GB 5400rpm SATA Drive
Battery	Up to 2.03hrs1 (6-cell Li-Ion 5200mAh)
Weight	Approx. 2.97kg (w/ 6-cell battery)
-	Detailed Specifications
Hard Disk Drive	SATA-150 Drive, S.M.A.R.T support, Two Partitions - 5
Graphics	ATI Mobility Radeon™ HD 3470 with 895MB HyperMer
High Definition (HD) Audio	RealTek ALC269 HD audio codec with dual built-in ste
	HD Audio-in: External Mic-in
	HD Audio-out: Headphone-out
Communication	1000/100/10Mbps3 Gigabit Ethernet PCI Express x 1 and
	Separate ON/OFF switch for wireless connection, Bluetoc
User Interface	Spill-resistant Keyboard8: 86-key, 19mm key pitch, 3.0
	Intelligent Touch Pad with configurable vertical and ho
Card Slot	PCMCIA Type I/II, ExpressCard <sup>™</sup> /34 /54 support
	Secured Digital/ Memory Stick®/ Memory Stick® PRO
Connector Interface	USB 2.0 x 4, eSATA, VGA (external display), RJ45 (LAN), I
Easy Access Panel	8-button Easy-access Panel (Support, Internet, Email,
Security <sup>4</sup>	BIOS Lock, 2-password Hard Disk Lock, Anti-theft Loc
Dimensions	368mm (W) x 265mm (D) x 43.5mm max. (H)
	Bundled Accessories
AC Adapter	Input AC 100~240V, Output DC 19V 80W
Bundled Software	CyberLink PowerDVD™, CyberLink PowerDirector, Ro.
	Diagnostic Tool, Fujitsu Display Manager, Fujitsu 3D Sl
	Runtime, Microsoft Office Professional 2007 60-day Co
Other Software	1 year Full Licensed Norman Virus Control with Sandbox
	Optional Accessories
Floppy Disk Drive	External USB 1.44MB FDD
Mouse	Optical USB Black Mouse (Retractable)

Disclaime





- Lock, Fingerprint Windows Logon.
- - Supports DVD multi formats such as DVD-RAM, DL DVD±R, DVD±RW, DVD±R, CD-RW, DVD-ROM, CD-R and CD-ROM.


- Dolby and the double-D symbol are registered trademarks of Dolby Laboratories.

"PCI Express" and the PCI Express design marks are registered trademarks and/or service marks of PCI-SIG.

PCI



equivalent to 1.073.741.824 bytes.



FUITSU

LIFEBOOK

\*For model with Bluetooth® only







**Express**Card



#### Fujitsu recommends Windows Vista® Home Premium.

- Instant converged communications using built-in 1.3 Mega Pixel camera<sup>2</sup> and internal digital microphone • Comprehensive connectivity with USB 2.0 x 4, eSATA, Secured Digital/ Memory Stick®/ Memory Stick® PRO,
- 8-button Easy-access Panel (Support, Internet, Email, three other softwares, Volume Down, Volume Up)

Duo processor P84001

nits Brightness, 300:1 Contrast Ratio, 45% Colour Gamut)

al-Channel Support

#### 0/50<sup>9</sup>, protected by Fujitsu 3D Shock Senso mory<sup>™7</sup> graphics processor reo speakers

Intel® WiFi Link 5300AGN (3x3) network connection with three antennas. th® v2.1 + EDR (Optional). Built-in 1.3 Mega Pixel camera2 nm key stroke rizontal scroll functions

IEEE1394, HDMI-Out15, HD Audio-In, HD Audio-Out, Power Adapter DC-in three other softwares, Volume Down, Volume Up) k Slot, Fingerprint Sensor

xio Easy Media Creator. Adobe Acrobat Reader. Fuiitsu UpdateNavi12. Fuiitsu Hardware nock Sensor Utility, Fujitsu Power Saving Utility, Fujitsu Hotkey Utility, Sun Microsystems Java nvertible Trial<sup>14</sup> echnology and Norman Personal Firewall, Acronis True Image, ArcSoft WebCam Companion™ 2

The above information shows the general technical specifications of the product and does not represent actual configuration that would be sold in your region. For specific configurations and their availability, please check with your local distributors.

Disclaimers: 1 Results obtained from BAPCo® MobileMark® 2007 (Productivity Workload) performed on systems with maximum battery life settings under laboratory testing environment. Actual battery life will vary based on screen brightness, sound volume settings, running applications, connected peripherals, power management settings, battery conditioning, and other customer preferences in the real life situation. Built-in bay devices or hard drive usage may also have a significant impact on battery life. Note: UP to 2.03rb statery life is based on Intel® Core<sup>114</sup> 2 Duo processor P800 motifyaration with standard 6-cell Li-lon 520mAh battery. 2 Available only for models with built-in camera. Please check with your local distributor on the local configurations.

Available only for models with built-in camera. Please check with your local distributor on the local configurations.
 This term does not represent actual data rate of 1000/100/10Mbps and simply indicates compliance with IEEE 802.3, IEEE 802.3, u and IEEE 802.3ab standards. Actual maximum data rate depends on network configurations, cable conditions as well as connected devices.
 BIOS Lock needs a supervisor/user password to access BIOS setup. BIOS settings can be configured to prompt for password at every first bootup or all bootup sequences. Access to BIOS setup is needed to configure Hard Disk Lock. Hard Disk Lock requires an access key to retrieve data on the hard disk. This is a Data Confidentiality security feature. Anti-theft Lock Slot allows the use of a lock to physically secure the LifeBook. Fingerprint Sensor uses AuthenTec TruePrint™ Technology and Softex OmniPass to remember customer list of user IDs and passwords. Full security unlock sequence - Bootup Lock (BIOS Lock), Hard Disk Lock.

NOTE: Loss of password requires the LifeBook to be returned to Japan factory for system refresh. Cost of shipment and lost data will be borne by the customer. NOTE: Loss of password requires the Lifebdok to be returned to Japan factory for system reress. Lost of shipment and lost data will be borne by the customer. Backup your user's profile before changing HDD. Without the user's profile associated with a document at the point of encryption, Softex OmniPass cannot decrypt the encrypted document. 2-password refers to Master Password and User Password of the HDD Lock. The Master Password can be used to clear the User Password' at the BIOS settings under Hard Disk Security. If HDD Lock prompt is enabled, only the User Password can be used to boot up the unit. Loss of these 2 passwords means the HDD content cannot be retrieved. It is the customer's responsibility to ensure the safe keeping of these 2 passwords for retrieval of data from the locked HDD.

Supports UVU multi tormats such as DVD-FAM, DL DVD=R, DVD=R, VDD=RV, DVD=RV, DVD-ROM, CD-R and CD-ROM.
 RoHS (Festriction on Hazardous Substances) compliance means the system and its internal components comply with the EU RoHS directive (2002/95/EC) on the restricted use of six hazardous substances) in the production of the system and its internal components.
 895MB HyperMemory<sup>TM</sup> refers to a total of 128MB dedicated video memory and 767MB shared system memory. The memory size available to the Operating System will be less than the total size of the installed memory modules.
 8 Spill-resistant Keyboard does not imply the system is water-proof. If liquid is spill onto the keyboard, power off the system immediately and turn the notebook upside down to drain of the liquid.
 9 This refers to Unidows Vista® hard disk drives C:\and D:\ 50/50 refers to approximate 50% allocation of user accessible hard disk storage to C:\and D:\ drives. For Windows Vista® hard disk drives C:\and D:\ 50/50 refers to approximate 50% allocation of user accessible hard disk storage to C:\and D:\ drives. For Windows Vista® hard disk drives .TB and 8GB will be reserved respectively for internal reconvery usene which is not shown

For Windows Vista® hard disk drives, 1GB and 8GB will be reserved respectively for internal recovery usage which is not shown. 10 The system can support up to 4GB of physical memory, but the system will use up to only 3GB (1GB–1024MB) accessible memory.

11 Please check actual bundling with country local distributor. P8600 refers to (2.4GHz, 3MB L2 cache, 1066MHz FSB) and P8400 refers to (2.26GHz, 3MB L2

 Prease crieck actual building with country local distribution, redood relets to [2, 4GHz, 3MB L2 cache, 1060MHz FSb] and reduct relets to [2, 2GHz, 3MB L2 cache, 1060MHz FSb].
 UpdateNavi is a Fujitsu Proprietary application that updates LifeBook drivers by connecting automatically to Fujitsu's server. This will help update your LifeBook with the latest software drivers and utilities to ensure compatibility between hardware and software, maintaining smooth operation anytime, anywhere.
 Fujitsu 3D Shock Sensor of a powered-up unit retracts hard disk read-write head to a secured zone upon detection of excessive vibrations or shocks. This greatly 13 Fujiss 3D Shock Sensor or a powered-up unit retracts hard dask feed-write head to a social 20th equival 20th equival to the possibility of admage to the hard disk and its contents - example in the event of a sudden drop or impact. The sensor monitors movement from three axes and its sensitivity can be adjusted by user to accommodate different working environments using the Fujitsu 3D Shock Sensor Utility.
14 Microsoft Office Professional 2007 60-day Convertible Trial needs online activation to begin. 60-day starts from day of activation.
15 HDMI-Out (High-Definition Multimedia Interface) digital interface supports both audio and video signals.
16 It is natural for all thin-film transistor (TFT) liquid crystal displays (LCD) to show a small number of missing or discoloured dots. These are commonly known as non-conforming pixels. This is a technology limitation of TFT LCD and does not represent a defect. Fujitsu warranty does not cover limitations in technology such as non-conforming pixels.

Specifications reflected above are engineering and hardware specifications. They do not represent actual usage or operating dimensions, sizes, performances and weights as these are dependent on factors such as operating temperature, type of operating system and application used, connected devices and accessories as well as hardware configurations of the notebook. Please check the compatibility of 3rd party accessories before purchase. Ambient temperature: 5° to 35°C / 41 to 95°F (operating), -15° to 60°C / 5 to 140°F (non-operating). Relative humidity: 20% to 65% RH (operating), 8% to 85% RH (non-operating). Please note that 1GB is



#### **Optional Accessories**



#### AC Adapter

An additional adapter at home, office and in the briefcase makes travelling a lot simpler.



Battery

Double the operating hours of your LifeBook with a second battery pack.



### Optical USB Black Mouse (Retractable)

Optical tracking technology offers convenient usage.

OB NO.: 2169 • Printed by Fujitsu PC Asia nformation is correct at time of printing.

Dealer:

#### HONG KONG (Head Office): Fujitsu PC Asia Pacific Ltd Tel : (852) 3101 8133 Fax : (852) 3101 0633 hk.fujitsu.com/pc

AUSTRALIA 8 NEW ZEALAND:

Fujitsu PC Australia Toll Free: (AU) 1800 288 283 (NZ) 0800 288 283 Fax : (61-2) 9889 3360 au.fujitsu.com/pc

#### CHINA:

Fujitsu PC China Division Tel : (86-21) 3310 9888 Fax : (86-21) 3310 0606 cn.fujitsu.com/pc

INDIA:

Fujitsu India Limited Tel : (91) 124 470 5100 Fax : (91) 124 470 5199 in.fujitsu.com/pc

INDONESIA:

Fujitsu Indonesia Tel : (62-21) 570 9330 Fax : (62-21) 573 5150 id.fujitsu.com/pc

MALAYSIA: Fujitsu PC Asia Pacific Pte Ltd Tel : (60-3) 7728 4868 Fax : (60-3) 7728 4830 my.fujitsu.com/pc

PHILIPPINES: Fujitsu Philippines Inc. Tel : (63-2) 812 4001 Fax : (63-2) 817 7576

ph.fujitsu.com/pc SINGAPORE: Fujitsu PC Asia Pacific Pte Ltd Tel : (65) 6776 0688

Fax : (65) 6776 0788 sg.fujitsu.com/pc

TAIWAN:

Fujitsu Taiwan Ltd Tel : (886-2) 2311 2255 Fax : (886-2) 2311 2277 tw.fujitsu.com/pc

THAILAND:

Fujitsu Systems Business (Thailand) Ltd PC Division Tel : (66-2) 263 7888 Fax : (66-2) 263 7880 th.fujitsu.com/pc

#### VIETNAM:

Fujitsu Vietnam Ltd Tel : (84-4) 831 3895 Fax : (84-4) 831 3898 vn.fujitsu.com/pc

Note: For countries not listed above, please contact our Hong Kong office.

# THE POSSIBILITIES ARE INFINITE

#### Fujitsu recommends Windows Vista® Home Premium.

The second secon

A FIRITES

267-1-050



**Optional Accessories** 



AC Adapter

An additional adapter at home, office and in the briefcase makes travelling a lot HONG KONG (Head Office): simpler.



Battery

Double the operating hours of your LifeBook with a second battery pack.



Optical USB Black Mouse (Retractable)

Optical tracking technology offers convenient usage

INDIA: Fujitsu India Limited Tel : (91) 124 470 5100 Fax : (91) 124 470 5199 n.fujitsu.com/pc

Fujitsu PC China Division

Tel : (86-21) 3310 9888

Fax : (86-21) 3310 0606 cn.fujitsu.com/pc

Fujitsu PC

Asia Pacific Ltd Tel : (852) 3101 8133 Fax : (852) 3101 0633 hk.fuiitsu.com/pc

AUSTRALIA & NEW ZEALAND: Fujitsu PC Australia Toll Free: (AU) 1800 288 283

CHINA

(NZ) 0800 288 283 Fax : (61-2) 9889 3360 au.fujitsu.com/pc

INDONESIA: Fujitsu Indonesia Tel : (62-21) 570 9330 Fax : (62-21) 573 5150 id.fujitsu.com/pc

MALAYSIA: Fujitsu PC Asia Pacific Pte Ltd Tel : (60-3) 7728 4868 Fax : (60-3) 7728 4830 my.fujitsu.com/pc

PHILIPPINES: Fujitsu Philippines Inc Tel : (63-2) 812 4001 Fax : (63-2) 817 7576 ph.fujitsu.com/pc

SINGAPORE: Fujitsu PC Asia Pacific Pte Ltd Tel : (65) 6776 0688 Fax : (65) 6776 0788 sg.fujitsu.com/pc

TAIWAN Fuiitsu Taiwan Ltd Tel : (886-2) 2311 2255 Fax : (886-2) 2311 2277 tw.fuiitsu.com/pc

THAILAND: Fujitsu Systems Business (Thailand) Ltd PC Division Tel : (66-2) 263 7888 Fax : (66-2) 263 7880 th.fujitsu.com/pc

VIETNAM: Fujitsu Vietnam Ltd Tel : (84-4) 831 3895 Fax : (84-4) 831 3898 vn.fujitsu.com/pc

Note: For countries not listed above, please contact our Hong Kong office.

Dealer:





madeinjapan

LifeBook A6220

**LIFEBOOK** | Built-In Confidence

**Fashion With Function** 

# Flash Your Colours

1144 14

The LifeBook A6220 reflects your true personality and individuality with colourful, trendy looks. The 15.4-inch Wide XGA TFT SuperFine display will greet your eyes with vivid images and crystal clear details for maximum viewing pleasure. For both work and entertainment, a discrete graphics chip is on hand to ensure only the most dynamic and detailed graphics hit the screen. For ultimate convenience, the 8-button Easy-access Panel gives you instant access to frequently used applications. And with a host of security features from the Fingerprint Sensor, BIOS Lock, Hard Disk Lock to Spill-resistant Keyboard, your LifeBook is definitely well-protected .



# Switch Your Colour

Available in Lamp Black and Urban White, the LifeBook A6220 gets more exciting with three flashy Colour Lid options of Gold, Indigo and Red to complement your apparel ensemble. You don't have to make a choice, just get all the colours to match your ever changing mood everyday. Featuring a micro dot pattern on the palmrest, the LifeBook A6220 delivers smart look and a tactile feel for an overall sensory pleasure.





## Flawless Performance

Work and play now feels so much better when powered by the Intel® Centrino® 2 processor Technology paired with a high-capacity HDD of up to 320GB SATA Drive that allows you to multitask at high speed. Expanding your recording options is a choice of Disk Drive options of Blu-Ray or Dual Layer DVD Super Multi Writer.