

# Datasheet

## Fujitsu

### Interactive Panel

#### IW652 Pro / IW752 Pro / IW862 Pro



#### New way achieves excellence

Fujitsu Interactive Panel is the essential hub for modern meeting spaces as well as digitize classrooms. Compared to projector-based systems, the Fujitsu Interactive Panel offers unparalleled visual performance and fosters collaboration to elevate meeting and teaching efficiency.

#### Interactive display with 4K resolution

- Available In 65" / 75" / 86", offers big viewing experience

#### High accuracy touch experience


- Intuitive 20 points of touch
- Resistant to optical interference (use as usual under direct sunlight)
- Resistant to shielding
- Rapid response, fluent in writing & demonstration

#### Durable whiteboard surface

- AG tempered glass Mohs level 7

#### Multi OS + multi modules

- Seamless switching between OS
- Built-in Android + pluggable PC module
- Concealed WIFI module supports WIFI 6 standard



# Technical Details

## Picture performance

Panel backlit	IPS, DLED
Screen surface treatment	AG tempered glass Mohs level 7
Contrast – typical	65", 75", 86": 1,200:1
Viewing angle (h/v) - typical	178°
Color performance	1.07 billion colors
Brightness – typical	350 cd/m <sup>2</sup> (Typ)
Flicker-free technology	Supports
Low blue light	Supports
Anti-glare filter	Supports
Built-in ambient light sensor	Yes

## Size and resolution

Aspect ratio	16:9
Resolution (native)	3,840 (H) x 2,160 (V)
Picture size (H x V)	65": 1,428.48 x 803.52 mm 75": 1,649.664 x 927.936 mm 86": 1,895.04 x 1,065.96 mm
Pixel pitch	65": 0.372mm 75": 0.4296 mm 86": 0.4935 mm
Response time	8 ms (Typ)
Refreshing frequency	60 Hz

## Connectivity

VGA / D-SUB IN	1 x D-SUB
HDMI	1 x HDMI OUT (4K), 3 x HDMI IN (HDMI 2.0)
USB	1 x USB 2.0 4 x USB 3.0 (including 2 USB ports in front)
USB Type-C™	1 x USB Type-C™
Audio in	1 x 3.5 mm stereo phone jack
Audio output	1 x Audio out
RS232 control	1 x RS232
Built-in speaker	Yes, 2 x 16 W
LAN IN	1 x GIGABIT LAN (RJ45)
LAN OUT	1 x GIGABIT LAN (RJ45)

TOUCH OUT	2 x TOUCH OUT (USB 3.0)
SPDIF	1 x SPDIF
Bluetooth	Yes
WiFi	Yes, dual band, supports WiFi 6

**Touch system**

Sensing type	Infrared recognition
Touch point	20 points touches, 10 points writing
Minimum object size	3 mm
Writing height	≤2 mm
Writing double colors with double pens simultaneously	Supports
Touch tool	Finger / Passive infrared pen / Active infrared pen
Response time	≤10 ms
Accuracy	±1 mm (over 90% area)
Communication mode	Full-speed USB (driver free)
Realtime 4K screen capture and annotation	Supports

**Wireless Screen Mirroring**

Wireless Screen Mirroring	Supports
PIN code connection mode	Supports both static and dynamic pin codes
Maximum number of split screens / devices projecting to the Panel simultaneously (Panel standalone Android mode)	9
Self-hotspot Screen Mirroring	Supports
Native AirPlay protocol for Screen Mirroring	Supports
Native Chromecast protocol for Screen Mirroring	Supports
Mirroring of Panel display to client devices	Supports
Reversely control Windows / MacOS during Screen Mirroring	Supports, client software required
Multi-Panels synchronization	Supports
Built-in moderator console	Yes

**Power consumption (typical)**

Soft switch off	≤0.5 W
Overall power (max power)	65": 450 W
	75": 550 W
	86": 650 W

**Electrical values**

Rated voltage range	100 V – 240 V
Rated frequency range	50 Hz – 60 Hz
	65": 4.5 A
	75": 5.5 A
	86": 6.5 A

**Quality and reliability**

MTBF	50,000 h
------	----------

**System**

CPU (Central Processing Unit)	Quad core A73 x 4 (1.8Ghz)
GPU (Graphics Processing Unit)	Quad core Mali G52
System memory	4 GB
Storage	32 GB
OS	Android 9.0

**Dimensions / Weight / Environmental**

Key location & number	Front physical keys, 1
Dimension L x H x D	65": 1,488.4 x 896.6 x 86.4 mm 75": 1,709.1 x 1,019.5 x 85.7 mm 86": 1,957 x 1,159 x 86 mm
Dimension (package) L x W x H	65": 1,628 x 208 x 1,005 mm 75": 1,863 x 225 x 1,140 mm 86": 2,110 x 225 x 1,283 mm
Net weight	65": 38 kg 75": 49.5 kg 86": 64.6 kg
Gross weight	65": 48.5 kg 75": 63.4 kg 86": 82.28 kg
Thickness of machine and wall mount	65": 116.4 mm (9,060 G) 75": 115.7 mm (9,060 G) 86": 116 mm (9,060 G)
Wall-hanging screw spec	M8 x 25 mm
VESA	65": 600 x 400 mm 75": 800 x 400 mm 86": 800 x 600 mm

<b>Miscellaneous</b>	
Color	Black
Password lock	Supports
USB key Panel lock	Supports
Magnetic pen holder	Yes
Smart shared USB	Supports, two front-facing USB 3.0 ports
Switch sources	Supports
Scheduled power up / shutdown	Supports
Clock & time	Manual / automatically synchronize with server
Multiple-windows	Supports
<b>Accessories</b>	
AC power cable	British standard power cord (3 meters) EU power cord (3 meters)
USB cable	x 1, 5 meters, USB 2.0
HDMI cable	x 1, 3 meters
Writing pen	x 2
Remote control	x 1
Operation instruction	x 1
<b>Order information</b>	
Order code	65": HLIWB0024A-01 75": HLIWB0027A-01 86": HLIWB0029A-01
EAN code	65": 8888551427536 75": 8888551427543 86": 8888551427567
<b>Warranty</b>	
Standard warranty	1 year (depending on country)
Service level	On-site

## More information

### Moving forward for a sustainable world – Fujitsu Uvance



The word “Uvance” embodies a concept of “Making all (Universal) things move forward (Advance) in a sustainable direction.

Fujitsu Uvance will leverage Fujitsu's technological capabilities and problem-solving expertise across seven key focus areas, including Sustainable Manufacturing, Consumer Experience, Healthy Living, Trusted Society, Digital Shifts, Business Applications, and Hybrid IT, to offer unprecedented value to customers, while contributing to the achievement of its

ultimate purpose —“to make the world more sustainable by building trust in society through innovation.”

Through Fujitsu Uvance, we are committed to transforming the world into a place where people can live their lives, enjoying prosperity and peace of mind. Empowering each other to make the world more sustainable.

For more information of Fujitsu Uvance, please visit <https://www2.fujitsu.com/global/uvance>

### Driving customer success with Fujitsu's complete portfolio of service offering

To grow in an uncertain world, it is imperative to stay resilient and agile to respond complex and unforeseen challenges.

Under the global business brand – Uvance, Fujitsu provides a full range of reliable and best-in-class product, service, and solution offerings with digital innovation, from sustainable manufacturing to smart city ecosystem, to create a more sustainable world and resolve social issues. This empowers customers to strengthen resilience through Fujitsu's trusted solutions using cutting-edge technologies, while increasing their business agility and improving the reliability of their IT operations.

For more information, please visit <https://www.fujitsu.com/global>

### Contact Us

#### HONG KONG

**Fujitsu Business Technologies Asia Pacific Ltd.**

Tel: (852) 3910-8228  
Email: [fbta.hksales@fujitsu.com](mailto:fbta.hksales@fujitsu.com)  
[hk.fujitsu.com/pc](http://hk.fujitsu.com/pc)

#### INDONESIA

**PT Fujitsu Indonesia**

Tel: (62) 21-570-9330  
Email: [marketing.fid@fujitsu.com](mailto:marketing.fid@fujitsu.com)  
[id.fujitsu.com/pc](http://id.fujitsu.com/pc)

#### TAIWAN

**Fujitsu Taiwan Ltd.**

Tel: (886) 2-2311-2255  
Email: [ftl.lifebook@fujitsu.com](mailto:ftl.lifebook@fujitsu.com)  
[tw.fujitsu.com/pc](http://tw.fujitsu.com/pc)

#### SINGAPORE

**Fujitsu Asia Pte Ltd.**

Tel: (65) 6512-7555  
Email: [fapl.info@fujitsu.com](mailto:fapl.info@fujitsu.com)  
[sg.fujitsu.com/pc](http://sg.fujitsu.com/pc)

#### PHILIPPINES

**Fujitsu Philippines, Inc.**

Tel: (63) 2-8841-8488  
Email: [info@fujitsu.com](mailto:info@fujitsu.com)  
[ph.fujitsu.com/pc](http://ph.fujitsu.com/pc)

#### THAILAND

**Fujitsu (Thailand) Co., Ltd.**

Tel: (66) 0-2302-1500  
Email: [info.th@fujitsu.com](mailto:info.th@fujitsu.com)  
[th.fujitsu.com/pc](http://th.fujitsu.com/pc)

#### CHINA

**Fujitsu (China) Holdings Co., Ltd. – PC China Division**

Tel: 86 (21) 58871000-8721  
Email: [fpcacn.support@cn.fujitsu.com](mailto:fpcacn.support@cn.fujitsu.com)  
[cn.fujitsu.com/pc](http://cn.fujitsu.com/pc)

#### MALAYSIA

**Fujitsu (Malaysia) Sdn. Bhd**

Tel: (60) 3-8230-4188  
Email: [askfujitsu.my@fujitsu.com](mailto:askfujitsu.my@fujitsu.com)  
[my.fujitsu.com/pc](http://my.fujitsu.com/pc)

#### VIETNAM

**Fujitsu Vietnam Limited**

Tel: (84-24) 2220-3113  
Email: [sales-vn@fujitsu.com](mailto:sales-vn@fujitsu.com)  
[vn.fujitsu.com/pc](http://vn.fujitsu.com/pc)

Note: For countries not listed above, please contact Hong Kong office.