

Fujitsu Data Intelligence Basic Functional Description

Preface

Purpose

This document describes the functions provided by Fujitsu Data Intelligence Basic.

Readers

This document explains what Fujitsu Data Intelligence Basic can do for customers who are considering Fujitsu Data Intelligence Basic.

Structure

This document is organized as follows.

Chapter	Contents
Chapter 1 Function Overview	Provides a function overview of Fujitsu Data Intelligence Basic.
Chapter 2 Function Details Provides function details for Fujitsu Data Intelligence Basic.	
Chapter 3 System Requirements	Provides system requirements for using Fujitsu Data Intelligence Basic.

How to read

Refer to Chapter 1 for an overview of Fujitsu Data Intelligence Basic, Chapter 2 for function details, and Chapter 3 for system requirements.

Revision history

Version number	Date	Content
Version 1.0	Sep. 29th, 2023	New (Only Japanese)
Version 2.0	Feb. 29th, 2024	Add new features
Version 3.0	Apr. 26th, 2024	Add new features

Contents

Chapter 1	Feature Overview	
	Introduction to Fujitsu Data Intelligence Basic	
1.2	Feature Overview for Fujitsu Data Intelligence Basic	
1.2.1	Fujitsu Kozuchi Generative Al	
1.2.2	Fujitsu Kozuchi AutoML	
1.2.3	Fujitsu Kozuchi Predictive Analytics (Demand Forecast)	4
1.2.4	Fujitsu Kozuchi Predictive Analytics(IoT)	4
1.2.5	Fujitsu Kozuchi for Vision	5
1.2.6	Fujitsu Kozuchi XAI (Wide Learning)	5
1.2.7	Standard Data Platform	5
Chapter 2	Feature Details	
2.1	Feature Details of Fujitsu Kozuchi Generative Al	7
2.1.1	Chat Interface	
2.1.2	Capture and manage data	
2.1.3	Answering questions, generating document chunks	7
2.1.4	Viewing data references	
2.1.5	Hallucination detection	
2.2	Feature Details of Fujitsu Kozuchi AutoML	
2.2.1	API Interface (input)	8
2.2.2	Automatic code generation based on metadata	9
2.2.3	API Interface (output)	
2.3	Feature Details of Fujitsu Kozuchi Predictive Analytics (Demand Forecast)	
2.3.1	Building predictive models	
2.3.2	Demand forecast	
2.3.3	Dashboard for SCM	
2.4	Feature Details of Fujitsu Kozuchi Predictive Analytics (IoT)	
2.4.1	Acquisition of sensor data (IoT device)	
2.4.2	Data processing	
2.4.3	Linking data to BI tools	
2.5	Feature Details of Fujitsu Kozuchi for Vision	
2.5.1	Acquisition of data	
2.5.2	Data processing	
2.5.3	Linking data to BI tools	
2.5.4	Human behavior detection Al	
2.5.5	People's flow and Vehicle information analysis	
2.5.6	Self-checkout video analysis	
2.6	Feature Details of Fujitsu Kozuchi XAI (Wide Learning)	
2.6.1	API Interface (input)	
2.6.2	Interpreting predictive basis with knowledge chunks	
2.6.3	API Interface (output)	
2.7	Feature Details of Standard Data Platform	
2.7.1	Storing data	
2.7.2	Data preparation	
2.7.3	Data Integration	
2.7.4	Visualization and Analytics	
2.7.5	Management function	
Chapter 3	System Requirements	
	System Requirements for Fujitsu Data Intelligence Basic	
3.1.1	Internet connection	
3.1.2	Internet VPN connection	14

ii

Chapter 1 Feature Overview

This chapter provides a feature overview of Fujitsu Data Intelligence Basic.

1.1 Introduction to Fujitsu Data Intelligence Basic

Fujitsu Data Intelligence Basic provides customers with features as a platform to accelerate data-driven businesses.

This service provides the infrastructure and features necessary for data analytics, enabling customers to make advanced decisions and be data-driven to support business model transformation.

Figure 1.1 Overview of Fujitsu Data Intelligence Basic



1.2 Feature Overview for Fujitsu Data Intelligence Basic

Describes the features provided by Fujitsu Data Intelligence Basic.


Table 1.1 Features of Fujitsu Data Intelligence Basic

No.	Features	Overview	F	Providing pattern
1	Fujitsu Kozuchi Generative Al	It provides the unique conversational generative Al function by using business data. And it make Al answers be stable by checking hallucination. Please refer to 1.2.1 about the provided function.	Environment Connection network *Select one Data Visualization Tools Options	-Microsoft Azure -Internet -Internet VPN -Dedicated Chat Web Application
2	Fujitsu Kozuchi AutoML	It provides highly accurate AI models that can generates trial-and- error execution programs in a short time by our company's proprietary AutoML technology. Please refer to 1.2.2 about the provided function.	Environment Connection network Data Visualization Tools Options	REST API Virtual Network Connections None -
3	Fujitsu Kozuchi Predictive Analytics (Demand Forecast)	It provides demand forecast and visualization (dashboard) function for SCM. Please refer to 1.2.3 about the provided function.	Environment Connection network Data Visualization Tools Options	Microsoft Azure Internet VPN Dedicated Web Application -
4	Fujitsu Kozuchi Predictive Analytics (IoT)	It provides functions for processing sensor data of IoT devices into a format suitable for analysis and visualization. Please refer to 1.2.4 about the provided function.	Environment Connection network *Select one Data Visualization Tools *Select one Options	Microsoft Azure Internet Internet VPN Microsoft Power BI None Time Series Search
5	Fujitsu Kozuchi for Vision	It provides Al-based video analytics for digitalizing human behavior, attribute information and vehicle information. Please refer to 1.2.5 about the provided function.	Environment Connection network *Select one Data Visualization Tools *Select one Options	•Microsoft Azure •Internet •Internet VPN •Microsoft Power BI •None
6	Fujitsu Kozuchi XAI (Wide Learning)	It provides Explainable AI capabilities to logically and objectively understand the calculation process along the way and the basis for the decision. Please refer to 1.2.6 about the provided function.	Environment Connection network Data Visualization Tools Options	REST API Virtual Network Connections None Causal Inference
7	Standard Data Platform for Microsoft Azure	Standard Data Platform functions on Microsoft Azure. Please refer to 1.2.7 about the provided function.	Environment Connection network *Select one Data Visualization Tools *Select one Options	•Microsoft Azure •Internet •Internet VPN •Microsoft Power BI •None •Time Series Search •Causal inference •Multi-tenant
8	Standard Data Platform for Amazon Web Services	Standard Data Platform functions on Amazon Web Services. Please refer to 1.2.7 about the provided function.	providing environment Corresponding connection network *Select one Data Visualization Tools *Select one Options	• Amazon Web Services • Internet • Internet VPN • Tableau Server • None

1.2.1 Fujitsu Kozuchi Generative Al

It provides the typical Conversational Generative AI capabilities represented by the generic Large Language Model (LLM) and leverage customer data.

Figure 1.2 Overview of Fujitsu Kozuchi Generative Al



■Function List

Fujitsu Kozuchi Generative AI provides the following functions.


Table 1.2 Functions of Fujitsu Kozuchi Generative Al

No.	Functions	Summary	
1	Chat Interface	It provides a web application that links chat history and multiple chats from a	
		conversational interface.	
2	Capture and manage	You can retrieve and delete data from web applications, link site data by specifying	
	data	URLs, and group conversation content.	
3	Answering questions, generating document chunks	Browse to the content specified by the data retrieval feature and answer questions about the data. Generates document chunks on response. Displays whether the vectorized data was referenced as intended. Detects "plausible errors" in generated AI responses that are not based on data.	
4	Viewing data references		
5	Hallucination detection		

1.2.2 Fujitsu Kozuchi AutoML

It provides the optimal machine learning algorithms and generate source code for learning and prediction using various structural data in the business scene.

Figure 1.3 Overview of Fujitsu Kozuchi AutoML



■Function List

Fujitsu Kozuchi AutoML provides the following functions.


Table 1.3 Functions of Fuiitsu Kozuchi AutoML

	Table 1:51 directoris of Fojitso Rozdeni Adtor iz			
No.	Functions	Summary		
1	API Interface (input)	Set metadata linkage and various parameters.		
2	Automatic code generation based on metadata	Search for the best algorithm from linkage information and generate source code for machine learning.		
3	API Interface (output)	Outputs the generated source as a response to the API.		

1.2.3 Fujitsu Kozuchi Predictive Analytics (Demand Forecast)

It provides the demand forecasting function based on our company's proprietary Dynamic Ensemble Model.

Figure 1.4 Overview of Fujitsu Kozuchi Predictive Analytics (Demand Forecast)



■Function List

Fujitsu Kozuchi Predictive Analytics (Demand Forecast) provides the following functions.


Table 1.4 Functions of Fujitsu Kozuchi Predictive Analytics (Demand Forecast)

Ī	No.	Functions	Summary
	1	Building predictive models	Create forecast processing logic and set forecast processing parameters.
	2	Demand forecast	Learn and predict with Dynamic Ensemble Models.
Ī	3	Dashboard for SCM	Visualize the results of the forecast for SCM on the dashboard.

1.2.4 Fujitsu Kozuchi Predictive Analytics(IoT)

It processes sensor data from IoT devices into a format suitable for analysis and visualization.

Figure 1.5 Overview of Fujitsu Kozuchi Predictive Analytics (IoT)



■Function List

Fujitsu Kozuchi Predictive Analytics (IoT) provides the following functions.


Table 1.5 Functions of Fujitsu Kozuchi Predictive Analytics (IoT)

No.	Functions	Summary	
1	Acquisition of sensor	Provides an interface for capturing sensor data obtained from IoT devices into a	
	data (IoT device)	cloud environment.	
2	Data processing	Cleanse sensor data from IoT devices and process it into a format suitable for analysis and visualization.	
3	Linking data to BI tools	Links the result of data processing to BI tools (Microsoft Power BI).	

1.2.5 Fujitsu Kozuchi for Vision

It processes statistical data captured and analyzed by using a camera and visualize human behavior, people's flow and vehicle information.

Figure 1.6 Overview of Fujitsu Kozuchi for Vision



■Function List

Fujitsu Kozuchi for Vision provides the following functions.

Table 1.6 Functions of Fujitsu Kozuchi for Vision

No.	Functions	Summary	
1	Acquisition data	Provides an interface to bring data output into a cloud environment.	
2	Data processing	Cleanse data and process it into a format suitable for analysis and visualization.	
3	Linking data to BI tools	Links the result of data processing to BI tools (Microsoft Power BI).	
4	Human behavior detection Al	Detects and analyzes human behavior from video data.	
5	People's flow and Vehicle information analysis	Analyzes people's flow, attribute information of people, and vehicle information from video data.	
6	Self-checkout video analysis	Analyzes camera images installed at the self-checkout and compares camera images with POS data to detect missed scans at the self-checkout.	

1.2.6 Fujitsu Kozuchi XAI (Wide Learning)

It provides learning/prediction functions as Explainable AI (XAI) for the black-box results, which is a problem in conventional machine learning.

Figure 1.7 Overview of Fujitsu Kozuchi XAI (Wide Learning)



■Function List


Fujitsu Kozuchi XAI (Wide Learning) provides the following functions.

Table 1.7 Functions of Fujitsu Kozuchi XAI (Wide Learning)

	No.	Functions	Summary	
Γ	1	API Interface (input)	Link learning and prediction data and set various parameters.	
	2	Interpreting predictive basis with knowledge chunks	Analyze the content of the data and create knowledge chunks and learning models. Generates the structure of a knowledge chunk as a Relationship Graph. Manage learned and predicted models.	
	3	API Interface (output)	Output prediction results and Relationship Graph as API responses.	

1.2.7 Standard Data Platform

It provides functions from data processing to visualization and analysis. Provide data processing results from the platform in accordance with customer instructions.



■Function List

Standard Data Platform provides the following functions.

Table 1.8 Functions of Standard Data Platform

No.	Functions	Summary	
1	Storing data	It links data to operational data stores (ODS), data lakes, and DBs on the data utilization standard platform through APIs and screen processing. You can choose between batch data linkage and streaming linkage.	
2	Data preparation	After the data is stored, pipeline processing defined as a job performs data cleansing and integration/editing (ETL/ELT).	
3	Data integration	Stores data processing results in Data Warehouse (DWH)/Data Mart. Use Delta Lake on Databricks.	
4	Visualization and Analytics	Visualize and analyze data stored through data integration with BI tools (Microsoft Power BI or Tableau Server).	
5	Management function	Provides the necessary authentication, network, and security settings.	

6

Chapter 2 Feature Details

This chapter provides feature details for Fujitsu Data Intelligence Basic.

2.1 Feature Details of Fujitsu Kozuchi Generative Al

Figure 2.1 Feature Details of Fujitsu Kozuchi Generative Al

Fujitsu Kozuchi Generative Al

Customer

Azure OpenAl Service
(GPT-3.5 Turbo/GPT-4)

Generative Al Tramework

Chat interface

Apache Kafka

Kubernetos
docker

Apache Kafka

Kubernetos
docker

Standard Data Platform

2.1.1 Chat Interface

Provides a web application as a chat interface using conversational generative AI. You can upload files to be included in the AI as customer data, set URLs to be used as references, and select whether or not to prevent hallucination.

About Fujitsu

Prate time a door fujits come fujitsu

Prate time a door fujits come de fujitsu fujitsu

Figure 2.2 Feature Details of Fujitsu Kozuchi Generative AI

2.1.2 Capture and manage data

Gets data from the chat interface and links it with site data specified by the URL. You can group your conversations.

2.1.3 Answering questions, generating document chunks

Analyze the data of various files and URL references linked by the data acquisition/management function, and answer questions about the data.

It generates document chunks when you answer.

Information about the generated document chunks is managed in the database or storage area of the Customer Usage Environment.

Because document chunks are not integrated into regular LLM, they are available without mixing with other customers' search results.

2.1.4 Viewing data references

To evaluate where the information chunked into documents in the Answer Questions, generating document chunks feature refers to the actual prompt, perform visualization of where it relates to the document.

Figure 2.3 Viewing data references




2.1.5 Hallucination detection

Detects "plausible errors" in generated AI responses that are not based on data.

2.2 Feature Details of Fujitsu Kozuchi AutoML

Figure 2.4 Feature Details of Fujitsu Kozuchi AutoML



Fujitsu Kozuchi AutoML has two control schemes.

- Pipelines Method:
 - By linking metadata, the AutoML engine returns the best machine learning source (without learning/predicting)
- Train-Prediction Method:.
 - Collaborate with actual learning and prediction data to enable the AutoML engine to learn and predict the best solution and manage the model.

2.2.1 API Interface (input)

[Pipeline Method]

Linkage with meta information in learning data.

[Train-Prediction Method]

Linkage with learning or predictive data.

2.2.2 Automatic code generation based on metadata

[Pipeline Method]

Analyzes the meta information, and extracts and evaluates the best algorithm processing, and generates the resulting program sources with descriptions.

[Train-Prediction Method]

Analyzes the meta information, extracts and evaluates the best algorithm processing, generates the resulting program source, and manages the model after the learning process is performed. When the API for prediction processing is used, it performs predictions using the managed model.

2.2.3 API Interface (output)


[Pipeline Method]

This method returns the result (program source) created by automatic code generation. [Train-Prediction Method]

Returns the result (prediction result) created by automatic code generation.

2.3 Feature Details of Fujitsu Kozuchi Predictive Analytics (Demand Forecast)

Figure 2.5 Feature Details of Fujitsu Kozuchi Predictive Analytics (Demand Forecast)



2.3.1 Building predictive models

In addition to creating predictive processing logic that combines data preprocessing, postprocessing, and execution control for various processes, you can set predictive processing parameters such as learning data and the period to be predicted for multiple models with different characteristics.


2.3.2 Demand forecast

Integrates forecast results from multiple models with Dynamic Ensemble Model and forecasts demand.

2.3.3 Dashboard for SCM

Visualize data based on forecast and actual values for product sales and inventory. You can also visualize data by category or product.

Figure 2.6 Dashboard for SCM



2.4 Feature Details of Fujitsu Kozuchi Predictive Analytics (IoT)

Figure 2.7 Feature Details of Fujitsu Kozuchi Predictive Analytics (IoT)

APIs for publishing

Web API Collaboration

Fujitsu Kozuchi Predictive Analytics (IoT)

Pipeline Implementation + Streaming Data Storage Processing

Apache Kafka
Pub/Sub Definition

Apache Kafka
Rubernetes databricks ZABBIX

Microsoft Power BI option selection

Standard Data Platform

2.4.1 Acquisition of sensor data (IoT device)

Provides an interface for capturing sensor data from IoT devices into a cloud environment.

2.4.2 Data processing


Cleansing sensor data from IoT devices and processing data for analysis and visualization are performed by batch processing. Time-Series Search is available as an option.

2.4.3 Linking data to BI tools

Links the result of data processing to BI tools (Microsoft Power BI).

2.5 Feature Details of Fujitsu Kozuchi for Vision

Figure 2.8 Feature Details of Fujitsu Kozuchi for Vision



2.5.1 Acquisition of data

Provides an interface for capturing video data captured by a camera to a cloud environment. Data is periodically ingested and accumulated by DataBricks.

2.5.2 Data processing

Cleansing data is performed by streaming processing and processing data for analysis and visualization is performed by batch processing.

Stream the acquired data up to cleansing and process the data for analysis and visualization in batch processing.

2.5.3 Linking data to BI tools

Links the result of data processing to BI tools (Microsoft Power BI).

2.5.4 Human behavior detection AI

Detects and analyzes human behavior from video data.

2.5.5 People's flow and Vehicle information analysis


Analyzes the people's flow, attribute information of people, and vehicle information from video data.

2.5.6 Self-checkout video analysis

Analyzes camera images installed at the self-checkout, and compares camera images with POS data to detect missed scans at the self-checkout.

2.6 Feature Details of Fujitsu Kozuchi XAI (Wide Learning)

Figure 2.9 Feature Details of Fujitsu Kozuchi XAI (Wide Learning)



2.6.1 API Interface (input)

Works with learning or prediction data.

2.6.2 Interpreting predictive basis with knowledge chunks


Analyze the data content, create knowledge chunks and learning models, and manage the models after the learning process takes place. The structure of the knowledge chunk is generated as a Relationship Graph in HTML.

When the API for prediction processing is used, it performs predictions using the managed model. Feature analysis uses causal inference (Bayesian Network).

2.6.3 API Interface (output)

This method returns the created result (prediction result). The output includes the DataFrame format (Pandas) and HTML in JSON.

Figure 2.10 Fujitsu Kozuchi XAI (Wide Learning) Knowledge Chunk Relationship Graph Output



2.7 Feature Details of Standard Data Platform

Custome Fujitsu Data Intelligence Basic(Azure/AWS) System Standard Data Platform Data Maintenan Device statistical Al analysis Cloud analysis Service XAI Fujitsu Kozuchi Dashboard

Figure 2.11 Feature Details of Standard Data Platform

2.7.1 Storing data

Store data from external systems using APIs, web application interfaces, and streaming integration (Apache Kafka).

Data is stored in a data lake (Data Lake Storage Gen2) and works with Databricks (Delta Lake). Access to the environment is through an Internet connection or an Internet VPN connection.

2.7.2 Data preparation

Runs a pipeline internally defined as a job on a trigger that contains data. The pipeline performs a series of ETL/ELT operations: data preparation (preprocessing/cleansing), data consolidation, and provide AI Feature Value.

In the Data Exploitation Standards platform, job (pipeline) definitions leverage Databricks.

2.7.3 Data Integration

Data processing results are integrated into DWH and data marts to make the structure easy for users.

2.7.4 Visualization and Analytics

Use BI tools (Microsoft Power BI or Tableau Server) to visualize and analyze data stored for different purposes through data integration.

2.7.5 Management function

Set security settings and parameters for using the service.

Provides the necessary authentication, network, and security settings. If you choose Microsoft Azure for your analytics environment, you can also choose a multi-tenant environment.

Chapter 3 System Requirements

This chapter provides system requirements for Fujitsu Data Intelligence Basic.

3.1 System Requirements for Fujitsu Data Intelligence Basic

This section provides the user environment for using Fujitsu Data Intelligence Basic.

3.1.1 Internet connection

This section provides the user environment for using services over an Internet connection.

■Client PC

You need a PC terminal that can use the following software.

Table 3.1 Software for Internet Connection

Category Software		Version
Web Browser	Microsoft Edge	Latest version
	Google Chrome	Latest version

3.1.2 Internet VPN connection

This section provides the user environment for using services over an Internet VPN connection.

Client PC

You need a PC terminal that can use the following software.

Table 3.2 Software for Internet VPN Connections

Category	Software	Version
VPN Client	Azure VPN Client	Latest version
	(Used when selecting Microsoft Azure)	
	OpenVPN Client	Latest version
	(Used when selecting Amazon Web Services)	
Web Browser	Microsoft Edge	Latest version
	Google Chrome	Latest version

