

Data Sheet

FUJITSU Display V24T-1R LED

Display

Value display: 59.8cm (23.6-inch) widescreen

The FUJITSU Display V24T-1R LED comes in a 16:9 format with a trendy style. There is no compromise in picture quality and energy efficiency. It is the best choice to get high pixel density with restricted desk space. It is easy-to-use and once it is installed you never have to adjust it again – proven Fujitsu quality.

Plane to Line Switching (PLS) technology with 1,920 x 1,080 pixels high resolution for pin sharp pictures.

< 1W/inch typical power consumption

Includes both Analog (VGA) or HDMI display inputs

Low blue light mode

Flicker-free backlight

Color: ☐ ☒



Technical details

Special Features	Plane to Line Switching (PLS) technology; Ultra-slim with frameless design; Low blue light mode; Flicker-free backlight
Stand details	
Stand	removable
Picture height over desk (mm)	80 mm
Tilt angle	-5° / +20°
Picture performance	
Panel and backlit	Plane to Line Switching (PLS) technology /LED
Screen Surface Treatment	Anti-glare, 3H hard coating
Contrast – typical	1000:1
Contrast – advanced	30,000,000:1
Viewing angle (h/v) - typical	178°/178°
Color performance	16.7 million colors (Hi-FRC)
Brightness – typical	250 cd/m ²
Low blue light mode	Supported
Flicker-free backlight	Supported
Size and Resolution	
Aspect ratio	16:9
Diagonal Size	59.8 cm (23.6-inch)
Resolution (native)	1920 x 1080 (recommended)
Resolution (interpolated)	1680 x 1050 pixel, 1440 x 900 pixel, 1366 x 768 pixel, 1280 x 1024 pixel, 1280 x 720 pixel, 1024 x 768 pixel, 800 x 600 pixel, 640 x 480 pixel
Picture Size	521.28 x 293.22 mm
Pixel Pitch	0.2715 mm
Connectivity	
VGA/D-SUB	1 x D-SUB
DVI	N/A
HDMI	1 x HDMI
Audio signal input	3.5 mm stereo phone jack
Audio sound output	2 x 2 W
OSD Languages and setting options	
Languages	English, French, German, Italian, Japanese, Korean, Espanola, Portuguese, Russian, Turkish, Simplified Chinese, Traditional Chinese
Brightness / Contrast / Color	Brightness, Contrast, Color Temperature
Image adjust	H-Position, V-Position, Clock, Phase
On Screen Display (OSD)	Language, H-Position, V-Position, Timer, Transparency
Setup	Picture Mode, Signal Source, Aspect Ratio, DCR
Factory Reset	Reset
Power consumption (typical)	
Soft switch off	<0.5 W
Operating maximum brightness	30W
Power supply display	External power supply
Electrical values	
Rated voltage range	100 V – 240 V
Rated frequency range	50 Hz – 60 Hz
Protection class	1
Compliance	
Global	CB
Quality and Reliability	
MTBF (demonstrated)	30,000h
Dimensions / Weight / Environmental	
Dimension without stand (W x D x H)	534.5mm x 320.7mm x 40.4mm
Dimension with stand (W x D x H)	534.5mm x 400.7mm x 197mm

Weight (packed)	4.7 kg
Weight (Monitor only)	3.4 kg
Miscellaneous	
Miscellaneous	Kensington lock
Color	Black / White
Package content	
Display delivered accessories	Power cable for wall socket (UK) 1.5m, D-SUB Data cable 1.5m, User Manual
Display delivered accessories notes	Data cables and power cable detachable on display
Order information	
Order Code	HLMNR04UKB-R1 (Black)/ HLMNR04UKB-R2 (White)
EAN Code	8888551229642 (Black)/ 8888551229659 (White)
Warranty	
Standard Warranty	3 years (depending on country)
Service level	Carry In

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu Display V19T-2 LED, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to data centre solutions, Managed Infrastructure and Infrastructure-as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing

More information

To learn more about Fujitsu Display V19T-2 LED, please contact your Fujitsu sales representative, Fujitsu Business partner, or visit our website.
<http://hk.fujitsu.com/pc>

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at <http://www.fujitsu.com/global/about/environment/>



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact Us

Head Office:

HONG KONG

Fujitsu PC Asia Pacific Ltd

Tel: (852) 3910 8282

Fax: (852) 3910 8113

hk.fujitsu.com/pc

SINGAPORE

Fujitsu PC Asia Pacific Pte Ltd

Tel: (65) 6776 0688

Fax: (65) 6395 6693

sg.fujitsu.com/pc

CHINA

Fujitsu PC China Division

Tel: (86-21) 5877 0638

Fax: (86-21) 5877 5280

cn.fujitsu.com/pc

INDONESIA

Fujitsu PC Asia Pacific Ltd

Tel: (62-21) 2956 8505

Fax: (62-21) 2956 8502

id.fujitsu.com/pc

VIETNAM

Fujitsu Vietnam Ltd

Tel: (65) 6776 0688

Fax: (65) 6395 6693

sg.fujitsu.com/pc

MALAYSIA

Fujitsu PC Asia Pacific Pte Ltd

Tel: (60-3) 7728 4868

Fax: (60-3) 7728 4830

my.fujitsu.com/pc

PHILIPPINES

Fujitsu Philippines, Inc.

Tel: (63-2) 812 4001

Fax: (63-2) 817 7576

ph.fujitsu.com/pc

TAIWAN

Fujitsu Taiwan Ltd

Tel: (886-2) 2311 2255

Fax: (886-2) 2311 2277

tw.fujitsu.com/pc

THAILAND

**Fujitsu Systems Business
(THAILAND) Ltd PC Division**

Tel: (66-2) 261 2700

Fax: (66-2) 261 2705

th.fujitsu.com/pc

Note: For countries not listed above, please contact our Hong Kong office.

All rights to the mentioned trademarks reside with their respective owners. Fujitsu endeavours to ensure that the information in this documentation is correct and fairly stated, but does not accept liability for any errors or omissions. The development of Fujitsu products and services is continuous and published information may not be up to date. It is important to check the current position with Fujitsu. The document is not part of the contract or licenses save in so far as may be expressly agreed.