Datasheet Fujitsu Business Notebook LIFEBOOK E5513



Fujitsu recommends Windows 11 Pro

All-around Business Smart Device

Fujitsu LIFEBOOK E5513 is designed for office workers who need a fully equipped notebook which is capable for all-around tasks. Thanks to the 13th generation Intel® Core™ processors, you can now work efficiently whenever and wherever you are. Advanced features like PalmSecure™ protects your business data so the notebook can be always ready for you without unexpected surprises.

Slim and lightweight design with great performance

Reliable performance with mobility and ease of use for everyday business demands

- Latest 13th Gen Intel® Core™ U-series processors with up to 10 cores, running at 5.0 GHz
- Intel vPro® Enterprise technology (depending on processor) for better manageability, security, and stability
- Lightweight Entry notebook starting at 1.65kg with Magnesium alloy cover
- Up to 64GB memory delivers superior computing experience while working on complex files
- Equipped with PCIe Gen4 SSD for swift access to your work
- 15-inch Anti-Glare FHD display with optional touch screen for faster and easier navigation
- · Anytime USB Charge functionality to charge other devices even when the system is turned off
- Keep you productive full day with long battery life
- Military standard MIL-STD-810H tested to demonstrate its unsurpassed stiffness

Reliable and secure performance

Protect your business data from unauthorized access at all times

- Integrated PalmSecure™ or Fingerprint sensor to avoid unauthorized access to your device
- HD Infrared Camera allows face recognition with Windows Hello
- Fujitsu BIOS/Hard Disk password protection
- EraseDisk ensures secure data deletion to avoid leaving sensitive data on the device when it is scrapped
- Privacy camera shutter to prevent others from illegally peeking through the lens

Excellent connectivity

Stay flexible and productive in a hyper-connected world

- Versatile Intel® Thunderbolt™ 4 connector offers laptop charging, fast data transfer and external monitors connection
- Full-sized HDMI and LAN connector without the needs of using adapters
- Support WLAN, Bluetooth, 4G LTE

Convenient serviceability and upgradeability

Easy access to key components and upgrade

 Battery, memory and internal storage can be changed easily through removing back cover

Family Concept

Shared accessories to reduce Total Cost of Ownership

 Shared accessories such as the Mechanical port replicator, USB Type-C® port replicator, AC Adapter, BIOS, and Image across the LIFEBOOK E5 family





Specification

Processor	Intel® Core™ i7-1355U processor (10 Cores, up to 5.0 GHz)	
	Intel® Core™ i5-1345U processor (10 Cores, up to 4.7 GHz), vPro Enterprise supported	
	Intel® Core™ i5-1335U processor (10 Cores, up to 4.6 GHz)	
	Intel® Core™ i3-1315U processor (6 Cores, up to 4.5 GHz)	
Operating systems ¹	Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business.	
	Windows 11 Home	
	Windows 10 Pro through Windows 11 Pro downgrade rights	
Memory	Minimum: 8GB DDR4-3200 MHz; Maximum 64GB DDR4-3200 MHz	
Internal Storage ²	2TB, Gen4 Performance PCIe-SSD M.2 2280 NVMe module, SED	
· ·	1TB, Gen4 Performance PCIe-SSD M.2 2280 NVMe module, SED	
	512GB, Gen4 Performance PCIe-SSD M.2 2280 NVMe module, SED	
	1TB, Gen4 Value PCIe-SSD M.2 2280 NVMe module, SED	
	512GB, Gen4 Value PCIe-SSD M.2 2280 NVMe module, SED	
	256GB, Gen4 Value PCIe-SSD M.2 2280 NVMe module, SED	
Display	15.6-inch (39.6 cm), 16:9, FHD 1,920 x 1,080 pixel, Anti-glare, Non-touch, 250 cd/m²	
	15.6-inch (39.6 cm), 16:9, FHD 1,920 x 1,080 pixel, Anti-glare, Touch, 250 cd/m²	
Graphics ³	Intel® Iris® X ^e Graphics / Intel® UHD Graphics (Depending on configuration)	
LAN	Intel® Ethernet Connection I219-LM	
WLAN (Optional)	Intel® Wi-Fi 6E AX211 - Bluetooth 5.2 (depends on OS support), SRD cat.2 (6E frequency only in dedicated	
	regions)	
WWAN (Optional)⁴	Quectel EM05-G (4G Cat.4, dedicated regions only)	
Camera (Optional)	Built-in HD IR camera with privacy shutter. Windows Hello supported	
Audio	Realtek® ALC257 HD Audio, Stereo Speakers	
Interfaces ⁵	1x Audio Combo	
	3x USB 3.2 (Gen1) Type-A	
	2x USB4® (Gen3) Type-C or Intel® Thunderbolt™ 4 (with DisplayPort and Power delivery function)	
	1x HDMI 2.0	
	1x Ethernet R -45	
Expansion Slots	1x microSD 3.0 card slot	
Expansion stors	1x Nano SIM card slot (available when WWAN module is configured)	
Keyboard and	US/ Taiwan/ Thai Keyboard w/backlit	
Reyboard and	03/ Talwall/ That Reyboard W/backiit	
•	•	
Pointing Device	Spill resistant Keyboard Number of keys: 105, Keyboard pitch: 18.4mm, Keyboard stroke: 1.7mm	
•	Spill resistant Keyboard	
Pointing Device	Spill resistant Keyboard Number of keys: 105, Keyboard pitch: 18.4mm, Keyboard stroke: 1.7mm Multi gesture touchpad with two mouse buttons	
•	Spill resistant Keyboard Number of keys: 105, Keyboard pitch: 18.4mm, Keyboard stroke: 1.7mm	
Pointing Device	Spill resistant Keyboard Number of keys: 105, Keyboard pitch: 18.4mm, Keyboard stroke: 1.7mm Multi gesture touchpad with two mouse buttons Integrated Fingerprint sensor (Optional) Integrated PalmSecure™ palm vein sensor (Optional)	
Pointing Device	Spill resistant Keyboard Number of keys: 105, Keyboard pitch: 18.4mm, Keyboard stroke: 1.7mm Multi gesture touchpad with two mouse buttons Integrated Fingerprint sensor (Optional)	
Pointing Device	Spill resistant Keyboard Number of keys: 105, Keyboard pitch: 18.4mm, Keyboard stroke: 1.7mm Multi gesture touchpad with two mouse buttons Integrated Fingerprint sensor (Optional) Integrated PalmSecure™ palm vein sensor (Optional) Integrated Smartcard reader (Optional)	
Pointing Device	Spill resistant Keyboard Number of keys: 105, Keyboard pitch: 18.4mm, Keyboard stroke: 1.7mm Multi gesture touchpad with two mouse buttons Integrated Fingerprint sensor (Optional) Integrated PalmSecure™ palm vein sensor (Optional) Integrated Smartcard reader (Optional) Trusted Platform Module (TPM 2.0) (Optional)	
Pointing Device	Spill resistant Keyboard Number of keys: 105, Keyboard pitch: 18.4mm, Keyboard stroke: 1.7mm Multi gesture touchpad with two mouse buttons Integrated Fingerprint sensor (Optional) Integrated PalmSecure™ palm vein sensor (Optional) Integrated Smartcard reader (Optional) Trusted Platform Module (TPM 2.0) (Optional) Fujitsu EraseDisk	
Pointing Device	Spill resistant Keyboard Number of keys: 105, Keyboard pitch: 18.4mm, Keyboard stroke: 1.7mm Multi gesture touchpad with two mouse buttons Integrated Fingerprint sensor (Optional) Integrated PalmSecure™ palm vein sensor (Optional) Integrated Smartcard reader (Optional) Trusted Platform Module (TPM 2.0) (Optional) Fujitsu EraseDisk Fujitsu AuthConductor™ Client Basic	
Pointing Device Security	Spill resistant Keyboard Number of keys: 105, Keyboard pitch: 18.4mm, Keyboard stroke: 1.7mm Multi gesture touchpad with two mouse buttons Integrated Fingerprint sensor (Optional) Integrated PalmSecure™ palm vein sensor (Optional) Integrated Smartcard reader (Optional) Trusted Platform Module (TPM 2.0) (Optional) Fujitsu EraseDisk Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/Hard Disk password protection	
Pointing Device	Spill resistant Keyboard Number of keys: 105, Keyboard pitch: 18.4mm, Keyboard stroke: 1.7mm Multi gesture touchpad with two mouse buttons Integrated Fingerprint sensor (Optional) Integrated PalmSecure™ palm vein sensor (Optional) Integrated Smartcard reader (Optional) Trusted Platform Module (TPM 2.0) (Optional) Fujitsu EraseDisk Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/Hard Disk password protection Kensington lock slot (lock to be purchased separately) WOL, WOM, PXE, WFM 2.0 Compliant DMI	
Pointing Device Security Manageability	Spill resistant Keyboard Number of keys: 105, Keyboard pitch: 18.4mm, Keyboard stroke: 1.7mm Multi gesture touchpad with two mouse buttons Integrated Fingerprint sensor (Optional) Integrated PalmSecure™ palm vein sensor (Optional) Integrated Smartcard reader (Optional) Trusted Platform Module (TPM 2.0) (Optional) Fujitsu EraseDisk Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/Hard Disk password protection Kensington lock slot (lock to be purchased separately) WOL, WOM, PXE, WFM 2.0 Compliant DMI Fujitsu USB Type-C® charge and feeding power utility	
Pointing Device Security Manageability	Spill resistant Keyboard Number of keys: 105, Keyboard pitch: 18.4mm, Keyboard stroke: 1.7mm Multi gesture touchpad with two mouse buttons Integrated Fingerprint sensor (Optional) Integrated PalmSecure™ palm vein sensor (Optional) Integrated Smartcard reader (Optional) Trusted Platform Module (TPM 2.0) (Optional) Fujitsu EraseDisk Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/Hard Disk password protection Kensington lock slot (lock to be purchased separately) WOL, WOM, PXE, WFM 2.0 Compliant DMI Fujitsu USB Type-C® charge and feeding power utility Fujitsu Battery Utility	
Pointing Device Security Manageability	Spill resistant Keyboard Number of keys: 105, Keyboard pitch: 18.4mm, Keyboard stroke: 1.7mm Multi gesture touchpad with two mouse buttons Integrated Fingerprint sensor (Optional) Integrated PalmSecure™ palm vein sensor (Optional) Integrated Smartcard reader (Optional) Trusted Platform Module (TPM 2.0) (Optional) Fujitsu EraseDisk Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/Hard Disk password protection Kensington lock slot (lock to be purchased separately) WOL, WOM, PXE, WFM 2.0 Compliant DMI Fujitsu USB Type-C® charge and feeding power utility Fujitsu Battery Utility Fujitsu Function Manager	
Pointing Device Security Manageability	Spill resistant Keyboard Number of keys: 105, Keyboard pitch: 18.4mm, Keyboard stroke: 1.7mm Multi gesture touchpad with two mouse buttons Integrated Fingerprint sensor (Optional) Integrated PalmSecure™ palm vein sensor (Optional) Integrated Smartcard reader (Optional) Trusted Platform Module (TPM 2.0) (Optional) Fujitsu EraseDisk Fujitsu BIOS/Hard Disk password protection Kensington lock slot (lock to be purchased separately) WOL, WOM, PXE, WFM 2.0 Compliant DMI Fujitsu USB Type-C® charge and feeding power utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)	
Pointing Device Security Manageability	Spill resistant Keyboard Number of keys: 105, Keyboard pitch: 18.4mm, Keyboard stroke: 1.7mm Multi gesture touchpad with two mouse buttons Integrated Fingerprint sensor (Optional) Integrated PalmSecure™ palm vein sensor (Optional) Integrated Smartcard reader (Optional) Trusted Platform Module (TPM 2.0) (Optional) Fujitsu EraseDisk Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/Hard Disk password protection Kensington lock slot (lock to be purchased separately) WOL, WOM, PXE, WFM 2.0 Compliant DMI Fujitsu USB Type-C® charge and feeding power utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool) Microsoft Office (free 30-day trial)	
Pointing Device Security Manageability	Spill resistant Keyboard Number of keys: 105, Keyboard pitch: 18.4mm, Keyboard stroke: 1.7mm Multi gesture touchpad with two mouse buttons Integrated Fingerprint sensor (Optional) Integrated PalmSecure™ palm vein sensor (Optional) Integrated Smartcard reader (Optional) Trusted Platform Module (TPM 2.0) (Optional) Fujitsu EraseDisk Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/Hard Disk password protection Kensington lock slot (lock to be purchased separately) WOL, WOM, PXE, WFM 2.0 Compliant DMI Fujitsu USB Type-C® charge and feeding power utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool) Microsoft Office (free 30-day trial) WWAN Control Utility	
Pointing Device Security Manageability	Spill resistant Keyboard Number of keys: 105, Keyboard pitch: 18.4mm, Keyboard stroke: 1.7mm Multi gesture touchpad with two mouse buttons Integrated Fingerprint sensor (Optional) Integrated PalmSecure™ palm vein sensor (Optional) Integrated Smartcard reader (Optional) Trusted Platform Module (TPM 2.0) (Optional) Fujitsu EraseDisk Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/Hard Disk password protection Kensington lock slot (lock to be purchased separately) WOL, WOM, PXE, WFM 2.0 Compliant DMI Fujitsu USB Type-C® charge and feeding power utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool) Microsoft Office (free 30-day trial)	

Datasheet Fujitsu LIFEBOOK E5513

Fuii	tsu recommends	Windows 1	11 Pro

	Fujitsu Pointing Device Utility	
AC Adapter	20V/65W (3.25A), 100V – 240V, 3-pin (grounded) Type-C AC-Adapter	
Battery ⁶	Lithium polymer battery 4-cell, 65Wh, up to 10Hr (MobileMark2018) ⁶	
	Quick Charge: Up to 80% charging in 1 hour	
Dimension (WxDxH) ⁷	357.4 x 230 x 20.1 mm	
Weight	Starting at 1.65kg	
	(Weight may vary depending on actual configuration)	
Warranty	Please visit: https://www.fujitsu.com/hk/ap/warranty	
	*Accidental damage is not covered under standard limited warranty	
Compliance	Product: LIFEBOOK E5513; Model: 5E15A3	
Certifications	CE	
	CB	
	CCC	
	BSMI	
	IMDA	
	RoHS	
	ENERGY STAR	
	MIL-STD-810H compliant*	
	*MIL-STD-810H test results are not a guarantee of future performance under identified test conditions.	
Accessories (Optional)	Port Replicator + AC Adapter (3-pin) 90W/19V grounded w/o AC Cable	
	USB Type-C® Port replicator2	
	TBT4 Port Replicator	
	TBT4 Port Replicator for Taiwan	
	4cell(15.12V/4280mAh(65Wh)) Battery	
	AC Adapter (3pin) 19V/90W	
	Type-C AC Adapter (3pin) 65W w/o AC Cable	
	AC Adapter (3pin) 20V/170W w/o AC Cable	
	Thunderbolt4 Cable 70cm	
	Thunderbolt4 Active Cable 2.0m	
	Thorider boll 4 Active Cable 2.011	
	Kensington Lock Cable (thin type)	
	Kensington Lock Cable (thin type)	
	Kensington Lock Cable (thin type) SSD 512GB Performance-PCIe G4 M.2 2280 SED (FDE/Opal2.0)	
	Kensington Lock Cable (thin type)	
	Kensington Lock Cable (thin type) SSD 512GB Performance-PCIe G4 M.2 2280 SED (FDE/Opal2.0) SSD 1TB Performance-PCIe G4 M.2 2280 SED (FDE/Opal2.0) SSD 2TB Performance-PCIe G4 M.2 2280 SED (FDE/Opal2.0)	
	Kensington Lock Cable (thin type) SSD 512GB Performance-PCle G4 M.2 2280 SED (FDE/Opal2.0) SSD 1TB Performance-PCle G4 M.2 2280 SED (FDE/Opal2.0) SSD 2TB Performance-PCle G4 M.2 2280 SED (FDE/Opal2.0) Memory Expansion (8GB DDR4)	
	Kensington Lock Cable (thin type) SSD 512GB Performance-PCle G4 M.2 2280 SED (FDE/Opal2.0) SSD 1TB Performance-PCle G4 M.2 2280 SED (FDE/Opal2.0) SSD 2TB Performance-PCle G4 M.2 2280 SED (FDE/Opal2.0) Memory Expansion (8GB DDR4) Memory Expansion (16GB DDR4)	
	Kensington Lock Cable (thin type) SSD 512GB Performance-PCle G4 M.2 2280 SED (FDE/Opal2.0) SSD 1TB Performance-PCle G4 M.2 2280 SED (FDE/Opal2.0) SSD 2TB Performance-PCle G4 M.2 2280 SED (FDE/Opal2.0) Memory Expansion (8GB DDR4)	

More information

Moving forward for a sustainable world - Fujitsu Uvance



The word "Uvance" embodies a concept of "Making all (Universal) things move forward (Advance) in a sustainable direction.

Fujitsu Uvance will leverage Fujitsu's technological capabilities and problem-solving expertise across seven key focus areas, including Sustainable Manufacturing, Consumer Experience, Healthy Living, Trusted Society, Digital Shifts, Business Applications, and Hybrid IT, to offer unprecedented value to customers, while contributing to the achievement of its ultimate purpose —"to make the

world more sustainable by building trust in society through innovation."

Through Fujitsu Uvance, we are committed to transforming the world into a place where people can live their lives, enjoying prosperity and peace of mind. Empowering each other to make the world more sustainable.

For more information of Fujitsu Uvance, please visit https://www2.fujitsu.com/global/uvance

Driving customer success with Fujitsu's complete portfolio of service offering

To grow in an uncertain world, it is imperative to stay resilient and agile to respond complex and unforeseen challenges.

Under the global business brand – Uvance, Fujitsu provides a full range of reliable and best-in-class product, service, and solution offerings with digital innovation, from sustainable manufacturing to smart city ecosystem, to create a more sustainable world and resolve social issues. This empowers customers to strengthen resilience through Fujitsu's trusted solutions using cutting-edge technologies, while increasing their business agility and improving the reliability of their IT operations.

For more information, please visit https://www.fujitsu.com/global

Contact Us

HONG KONG

Fujitsu Business Technologies Asia Pacific Ltd.

Tel: (852) 3910-8228 Email: fpca.hksales@hk.fujitsu.com hk.fujitsu.com/pc

INDONESIA

PT Fujitsu Indonesia

Tel: (62) 21-570-9330 Email: marketing@id.fujitsu.com id.fujitsu.com/pc

TAIWAN

Fujitsu Taiwan Ltd.

Tel: (886) 2-2311-2255 Email: ftl.lifebook@fujitsu.com

tw.fujitsu.com/pc

SINGAPORE Fujitsu Asia Pte Ltd.

Tel: (65) 6512-7555 Email: fapl.info@fujitsu.com sg.fujitsu.com/pc

PHILIPPINES

Fujitsu Philippines, Inc.

Tel: (63) 2-8841-8488 Email: fpi-dl-fpp.pre-sales@fujitsu.com ph.fujitsu.com/pc

THAILAND

Fujitsu (Thailand) Co., Ltd. Tel: (66) 0-2302-1500 Email: info.th@fujitsu.com

th.fujitsu.com/pc

CHINA

Fujitsu (China) Holdings Co., Ltd. – PC China Division

Tel: 86 (21) 58871000-8721 Email: fpcacn.support@cn.fujitsu.com cn.fujitsu.com/pc

MALAYSIA

Fujitsu (Malaysia) Sdn. Bhd

Tel: (60) 3-8230-4188 Email: askfujitsu.my@fujitsu.com

my.fujitsu.com/pc

VIETNAM

Fujitsu Vietnam Limited

Tel: (84-24) 2220-3113 Email: sales-vn@fujitsu.com

vn.fujitsu.com/pc

Note: For countries not listed above, please contact Hong Kong office.

Specification disclaimers

¹ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 11 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. ² GB = 1 billion bytes. TB = 1 trillion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery. ³ Shared memory depending on main memory size and operating system. ⁴ WWAN module is optional and available in specific countries only. It requires separately purchased service contract. Check with service provider for coverage and availablity in your area. Connection speeds will vary due to location, environment, network conditions, and other factors. Please contact our Fujitsu sales specialist for more information. ⁵ Interfaces depend on the configuration selected by customers. ⁶ Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime. For more detail, please contact Fujitsu sales specialist. ⁷The stated thickness does not include rubber feet.

Fujitsu shall not be liable for technical or editorial errors or omissions contained herein. Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel, Logo, Intel, Atom, Intel, Atom, Intel, Core, Intel, Intel, Intel, Logo, Intel, Atom, Intel, Atom, Intel, Core, Intel, Intel, Intel, Logo, Intel, Atom, Intel, Atom, Intel, Atom, Intel, Core, Intel, Intel, Intel, Intel, Logo, Intel, Atom, Intel, Atom, Intel, Atom, Intel, Atom, Intel, Intel, Intel, Intel, Intel, Intel, Logo, Intel, Atom, Intel, Atom, Intel, Atom, Intel, I

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/global/about/resources/terms/.

© 2023 Fujitsu Business Technologies Asia Pacific Limited

Last Update: May 31, 2023