Datasheet FUJITSU Notebook LIFEBOOK U939





Your Light and Elegant Travel Companion

Are you looking for a slim, breath-taking notebook for your frequent business trips? Available in black and red, the ultra-mobile Fujitsu Notebook LIFEBOOK U939 weighs from 795 g with an all-day battery runtime. Enterprise-grade security features such as the optional integrated PalmSecure[™] palm vein sensor keeps your business data protected from any unauthorized access. Powerful performance and the optional embedded 4G/LTE offers you the best-in-class user experience.

Windows

- Windows 10 Pro. Fujitsu recommends Windows 10 Pro.
- Easy integration into customers' existing infrastructure

Maximum security

Protect your notebook and business data from unauthorized access at all times

- Optional embedded PalmSecure[™] palm vein sensor or Fingerprint sensor, Smartcard reader, TPM 2.0
- Full HD Infrared camera allows face recognition with Windows Hello
- Kensington Lock support

Ultra-slim and lightweight design

- Extraordinarily lightweight design for business professionals who are always on the move
- A remarkably slim 15.5 mm notebook weighing from 795 g with a robust magnesium housing
- Appealing black or red colour ultra-slim notebook with backlight keyboard
- The best viewing experience is guaranteed by an anti-glare 13.3" FHD (1920 x 1080) display, with optional touch or non-touch screen

Convenient mobility on the go

Highest productivity on business trips

- All-day battery runtime offers you exceptional mobility that you need when on the move
- Anytime USB Charge functionality to charge smartphones and other media devices even when the system is powered off
- Powerful performance, thanks to integrated SSDs, helps process data faster

Excellent connectivity

Be flexible and stay productive in a hyper-connected world

- Compact and versatile Thunderbolt™ 3 connector to charge your laptop, transfer files at fast speeds, connect external monitors and other peripherals
- Full set of interfaces with a full-sized HDMI, full-sized LAN
- Embedded WLAN, Bluetooth, optional 4G/LTE

Long Battery Life

All-day battery life allows you to be productive and tackle challenges with ease

Up to 14 hrs 10 mins battery life tackles all-day workload and challenges







Specification



imet Convert 395511 Processo Data Cores, MA Carbo, 13 GEU, pin A 46 (ROP) intel® Conv ⁺ 355521 Processo Data Cores, GeN Carbo, 15 GEU, pin A 46 (ROP) intel® Convert 35552 Processo Data Cores, GeN Carbo, 15 GEU, pin A 36 (ROP) intel® Convert 35552 Processo Data Cores, GeN Carbo, 15 GEU, pin A 36 (ROP) intel® Convert 3552 Processo Data Cores, GeN Carbo, 15 GEU, pin A 36 (ROP) intel® Convert 3552 Processo Data Cores, GeN Carbo, 15 GEU, pin A 36 (ROP) intel® Convert 3552 Processo Data Cores, GeN Carbo, 15 GEU, pin A 36 (ROP) internal italy pin A 35 (ROP) 15 (RA 37 (ROP) 15 (ROP) 15 (ROP) 15 (ROP) 16 (ROP	Process family	Intel® Core™ i7-8665U Processor (Quad Cores, 8M Cache, 1.9 GHz, up to 4.80 GHz, Intel® vPro™)	
Inter Core 75 80500 Processor Dial Core, 500 Code, 1 5 CBC, pip to 3 100 CH, 1000 Proved Operating system Objects insignated with processor Operating system Operating system Operating system Operating system system Operating system Operating system system Operating system system Operating system syste	,		
Intel® Conf. 53 (2021) Processol Goad Gree, 64 Cache, 15 GHL, up to 339 GH2 Operating system Windows 10 Po. Taylics recommeds Windows 10 Po.1 Maximum AMA capacity Up to 1604 (1908-2133 (on board) Internal Storage S50 (72 Storage 712 GH2) TS 26 M2 S50 (72 Storage 712 GH2) TS 26 M2 S50 (72 Storage 712 GH2) TS 26 M2 S50 (72 Storage 712 GH2) TS 26 M2 S50 (72 Storage 712 GH2) TS 26 M2 S50 (72 Storage 712 GH2) TS 26 M2 S50 (72 Storage 712 GH2) TS 26 M2 Conflict M1 Conflict M2 M3 Storage M2 M3 (72 GH2) S50 (72 Storage 712 GH2) TS 26 M2 M3 (72 GH2) Conflict M2 M3 (Storage M2 M3 (72 GH2) M3 (72 GH2) S50 (72 Storage M2 M3 (72 GH2) M3 (72 GH2			
Object Chaptet Chaptet <thchaptet< th=""> <thchaptet< th=""> <thch< th=""><th></th><th></th><th></th></thch<></thchaptet<></thchaptet<>			
Operating system Windows 10 Phys. FigUlac recommends Windows 10 Phys. ¹ Masimum RAM capacity Up to 1000 R (2008 2233 to band) Internal storage* Sol SMA 256 03 712 08 h 12 h 12 08 h 12 h 1	Chinset		
Windows 100 Kongenetic Maximum RMM (apacity) Up to 1050 EUPOR2 233 (on board) Internal storage* S50 SNA 256 (01 / 12 (01 / 110 And / 24 SED/07AL2 SD SNA 256 (01 / 12 (01 / 110 And / 24 SED/07AL2 SD Res (NAM, 250 (01 / 120 (01 / 100 And / 24 SED/07AL2) Beplay 33.5 (01 13.7) (110 Extra/14 and / 24 SED/07AL2 Capabics* Inter BUID Capititis C20 LN Inter BUID Capititis C20 WAM (topicand) Inter BUID Stark (SEG R0 / 12 (01 / 100 And / 24 (01 / 22)) and Bueston/h* 5.0 WAM (topicand) Enter Builds*And Winelsco.47 (54 (01 / 22)) and Bueston/h* 5.0 WAM (topicand) Enternal Microphone Titler Action Microphone Titler Action Microphone Titler			
Maximum RAM Capacity Up to 1564 (PD0R 2-133 ton board) Internal storage* 500 SAV. 256 (07) 126 (6k) - 118 (kk) 25 D00 VL2 SDD PIG NUME, 256 (07) 127 (6k) - 118 (kk) 25 D00 VL2 SDD PIG NUME, 256 (05) 512 (6k, 8k, 25 D00 VL2 Biplay 33.8 on 13.37). LED backlight, Full HD, Anti-glaze display, Touch Non-touch, WA, 1520 x 1.580 poel Caphick* Intel® 100 Caphick* MAX (Optional)* HDP Touth Ram Weeks 75 SDS (SDC). Tacabadyn (222) and Bluetosth* 5.0 Camera Optional PID R Camea Camea Optional PID R Camea Camea Optional DID Camea Camea Optional PID R Camea Camea Optional DID Camea DiD Dat DiD Dat D	operating system	,	
Internal Storage ⁴ S50 SMA 256 (67 512 (67 M. 2) S50 FRE VMA, 255 (67 1512 (67 H. 3), V2, SED0PNL2 Boplay S38 (m. 103.7). LED acklight, Full RD, Arti-glare display, Touch Non-touch, WA, 1.920 x 1.880 pixel (aphilics ²) Caphilics ² Intel® Fiberes Classification (110 Arti-glare display, Touch Non-touch, WA, 1.920 x 1.880 pixel (aphilics ²) CAN Intel® Fiberes Classification (110 Arti-glare display, Touch Non-touch, WA, 1.920 x 1.880 pixel (110 Caphica) WAM (Optional) Intel® Fiberes Classification (110 Arti-glare display, Touch Non-touch, WA, 1.920 x 1.880 pixel (110 Caphica) Camera (Optional) PHO IR Comera Article Internal Microphone Lifterial Microphone (0ptional) Data digital crass microphone Internal Microphone Lifterial Microphone (110 Caphica) Data digital crass microphone Internal Microphone Lifterial Microphone (110 Caphica) Data digital crass microphone Internal Microphone Lifterial Microphone (110 Caphica) Data digital crass microphone Internal Microphone Lifterial Microphone (110 Caphica) Data digital crass microphone Internal Microphone Lifterial Microphone (110 Caphica) Data digital crass microphone Internal Microphone Lifterial Microphone (110 Caphica) Data digital crass microphone Internal Microphone			
SSD R04, X256 GR / 112, K0.2, SED(07AL2 Bigbay 333 en (113.37), LED backlight, Tull HD, Anti-glare diploy, Touch' Non-touch, WA 1,520 x 1,080 pixel Caphics' Intel® HDIA Gapics SO LAN Intel® Ethernet, Connection 1219 LAN WAKI (Optional) Intel® Ethernet, Connection 1219 LAN Camera (Optional) 47011 Servi Wilesker 560 802 1 Tacabégin (2x21 and Bluetooth*5.0 Camera (Optional) 47011 Servi Wilesker 560 802 1 Tacabégin (2x21 and Bluetooth*5.0 Camera (Optional) 100 IR Camera Camera (Optional) Deal digulal any microphone Internal Microphone (Optional) Deal digulal any microphone Internal Microphone (Optional) 10 Cinh I Combo Audo Microphone 12 Cinh 3.1 (Ypte C ^{ME} (1 with power delivery function)) I Hond 1 Ethernet (81-5 I Sin (Lappostta) S. SONE, SDNX (1 Stable) 1 Stable and with S-8550 Processol Visita Sin (Lappostta) S. SONE, SDNX (1 Stable) Sone SDNX (1 Stable) Keyboard and pointing devices Cisita Stable and With Stable) Keyboard and pointing devices Cisita Stable and With Stable and Stable			
SDP CPU NME, 25G CB / S12 CB, M2, SDD OPAL2 Diplay 33 cm (137, 17, 16. backlapfs, fm 10 fm, Anisglane diplay, Touch Non stauk, WA, 1,920 x 1.088 pixel Capitor Inself Primeer (Capitor) WAM (Optional) Inself Primeer (SS SDD 21.18 cdr/spm (2x2) and Bluetonh* 5.0 WAM (Optional) HD R Cames Andio Destret# ATC 95 HD Audo, Serve Speakers Internal Microphone (Optional) Do Cames Tomade and P1 (1) Und Audo Microphone Tomade and P1 (1) Und S1 (1) StrepC ^M (2) VIMS S1 (1) StrepC ^M (2) (1) with power delivery function) 1 (1) StrepC ^M (2) 1 (2) StrepC ^M (2) (2) (2) (2) (2) (2) (2) (2) (2) (2)	Internal storage ²		
Display 3.3.6 or 13.37, LED backlink, Full HD, Auri-glaze display, Tosch/Non-touch, WA. 1,920 x 1,989 pixel Complete' Intel® UID Conjenso 2019-140 NAN (Optional) Intel® Disma Standowski, SK 556 082 11 acrohyligin (2x2) and Blueton/h 5.0 WXAN (Optional) Entel® Disma Standowski, SK 556 082 11 acrohyligin (2x2) and Blueton/h 5.0 WXAN (Optional) Explan Markets/K 556 082 11 acrohyligin (2x2) Internal Microphone (Optional) Explan Markets/K 556 082 11 acrohyligin (2x2) Internal Microphone (Optional) Explan Markets/K 556 082 11 acrohyligin (2x2) Internal Microphone (Optional) Explain Microphone (0ptional) Internal Microphone (Optional) 1 form Internal Microphone (Potional) 2 form of wells of microphone Internal Microphone Rel-S 1 form Internal Microphone Rel-S 1 form Internal Microphone Microphone 1 form Internal Microphone Rel-S 1 form Internal Microphone Microphone USB form 1 form Mana posining devices 1 form form			
Graphics ¹ Intel ² Hume Consection 129 JA LN Intel ² Hume Consection 129 JA WAM (Optional) Intel ² Hume Consection 129 JA WAM (Optional) Intel ² Hume Consection 129 JA WAM (Optional) Intel ² Hume Consection 129 JA Addio Realite ⁴ ALC55 HD Audu, Store Speakers Internal Microphone (Optional) Datal digula ray microphone Internal Microphone (Optional) Data digula ray microphone 1 Combo Audo/ Microphone 2 1 Combo Audo/ Microphone 2 2 Thunder BOH ²⁵ J (with power delivery function) or *2 LUSB 3.1 Type-C ¹⁰⁶ (1 with power delivery function) 2 USB 3.1 Exp - C ¹⁰⁶ an only be configured with 15-8365U Processor) Expansion stots 1 Store Comparts Store Sto			
LAM Intel® Elternet Connection (219-UA WARK (Optional) Intel® Dal Bow Weeks AC 3058 02: 11ar2b/bp/in (2.22) and Bluetooth® 5.0 WWAR (Optional) Konte Society Markets AC 2055 UD Audit Society and Bluetooth® 5.0 Comese (Optional) PhD R Camead Audito ReindeX AC 255 UD Audit Society and principshome Interfaces ³ 10 Crin 1 Conto 1 Conto 2 Blunderboll W 3 (1 stdb power delivery function) or *2 USB 3.1 Tigne C ^(W) (1 with power delivery function) 2 USB 3.1 Come 1 Dotin 1 Dotin 1 Dotin 1 Dotin 1 Bio Market MC 250 Come 2 USB 3.1 Tigne C ^(W) (1 with power delivery function) 2 USB 3.1 Come 1 Stdb power delivery function) or *2 USB 3.1 Tigne C ^(W) (1 with power delivery function) 2 USB 3.1 Come 1 Stdb function USB obstance MVA 1 Stdb power delivery function) 1 DSD texports DSD DMC SDC(1 1 Stdb function USB obstance MVA 1 Stdb function USB obstance MVA VEX board and pointing devices US Stdpband WMA installed] 1 Stdb function USB obstance MVA Keyboard set to actual the whee WWA installed] 1 Stdb function USB obstance MVA 1 Stdb funcin USB obstance MVA S	Display	33.8 cm (13.3"), LED backlight, Full HD, Anti-glare display, Touch/ Non-touch, WVA, 1,920 x 1,080 pixel	
WLAN (Optional) Intel® Plaul Band Windersex 42, 9560 BRU2 11acdarbym (xzz) and Bluetonth® 5.0 WWAN (Optional) FHD IR Camera Andin Reality® ALC25 VID Audio. Status Spackars Internal Microphone (Optional) Did digital array microphone 2 Hond backbody 1 for the mode wind Wicrophone 2 Hond backbody 1 for the Audia Wicrophone 2 Hond backbody 1 for	Graphics ³	Intel® UHD Graphics 620	
WWAR (Optional)* 4011* Stern Wireleve FM2255 (cit.6) Comes (Optional) PHD R Cames Audio RealiteX*ALC25 HD Audio, Steres Speakers Interfaces* 10 Cit. 1 Comes (Optional) PLD R Cames 1 Combo Audio Microphone 12 USB 3.1 Type C ^{CM} (1 with power delivery function) 2 USB 3.1 Cen 1 (1 with Anytime USB charge function) cr *2 USB 3.1 Type C ^{CM} (1 with power delivery function) 2 USB 3.1 Cen 1 (1 with Anytime USB charge function) cr *2 USB 3.1 Type C ^{CM} (1 with power delivery function) 2 USB 3.1 Cen 1 (1 with Anytime USB charge function) cr *2 USB 3.1 Type C ^{CM} (1 with power delivery function) 2 USB 3.1 Cen 1 (1 with Anytime USB charge function) cr *2 USB 3.1 Type C ^{CM} (1 with power delivery function) 2 USB 3.1 Cen 1 (1 with Anytime USB charge function) cr *2 USB 3.1 Type C ^{CM} (1 with power delivery function) 1 BOW 1 Type C ^{CM} (2 no n)/b to configured with 5:83550 Processor) Expansion slots 1 Type C ^{CM} (2 no n)/b to configured with 5:83550 Processor) Security US Reyboard Wheekill Number of bekyclick with withold with integrated more button functionality Integrated Palmoscine Palm velocessor Palmoscine Palmoscine Palmoscine Palmoscintegrated Palmoscine Palmoscine Palmoscine Palmoscine Palmoscine	LAN	Intel® Ethernet Connection I219-LM	
WWAR (Optional)* 4011* Stern Wireleve FM2255 (cit.6) Comes (Optional) PHD R Cames Audio RealiteX*ALC25 HD Audio, Steres Speakers Interfaces* 10 Cit. 1 Comes (Optional) PLD R Cames 1 Combo Audio Microphone 12 USB 3.1 Type C ^{CM} (1 with power delivery function) 2 USB 3.1 Cen 1 (1 with Anytime USB charge function) cr *2 USB 3.1 Type C ^{CM} (1 with power delivery function) 2 USB 3.1 Cen 1 (1 with Anytime USB charge function) cr *2 USB 3.1 Type C ^{CM} (1 with power delivery function) 2 USB 3.1 Cen 1 (1 with Anytime USB charge function) cr *2 USB 3.1 Type C ^{CM} (1 with power delivery function) 2 USB 3.1 Cen 1 (1 with Anytime USB charge function) cr *2 USB 3.1 Type C ^{CM} (1 with power delivery function) 2 USB 3.1 Cen 1 (1 with Anytime USB charge function) cr *2 USB 3.1 Type C ^{CM} (1 with power delivery function) 1 BOW 1 Type C ^{CM} (2 no n)/b to configured with 5:83550 Processor) Expansion slots 1 Type C ^{CM} (2 no n)/b to configured with 5:83550 Processor) Security US Reyboard Wheekill Number of bekyclick with withold with integrated more button functionality Integrated Palmoscine Palm velocessor Palmoscine Palmoscine Palmoscine Palmoscintegrated Palmoscine Palmoscine Palmoscine Palmoscine Palmoscine	WLAN (Optional)	Intel® Dual Band Wireless-AC 9560 802.11ac/a/b/g/n (2x2) and Bluetooth® 5.0	
Comes (Optional) PHDI (Camera Audio Realite% PLC255 ID Audio. Same Spankers Internal Microphone (Optional) Dual digital array microphone Interfaces ⁵ 10 C/m 1 Critich Audio Microphone 2 USB 3.1 Type C ^{IVI} (1 with power delivery function) 2 USB 3.1 Type C ^{IVI} (1 with Anytine USB charge function) 1 How How How York (1 with Anytine USB charge function) 1 HOM 1 Hom How How York (1 with Anytine USB charge function) 1 HOM (1 between YUAS) 1 Stop (2 with Anytine USB charge function) 1 HOM (1 between YUAS) 2 How Parket (1 KSS SUK) 3 Normale Subts How Parket (1 KSS SUK) 3 Hom Parket (1 KSS SUK) Hom Parket (1 KSS SUK) 4 Hom Parket (1 KSS SUK) Hom Parket (1 KSS SUK) 5 Keyboard with adjuted maket magined mease batton lunctahally Null getaute add park hadjuted mease functionally Hom Parket (1 KSS SUK) 1 Hom Parket (1 KSS SUK) Hom Parket (1 KSS SUK) 5 Keyboard with adjuted and			
Audio Restlet* ALC25 HD Audio, Steres Speakers Internal Microphone (Optional) Dud (dpial array microphone Interfaces* 1 Comb Audio/ Microphone 2 USB 3.1 Type - ("W (1 with power delivery function) or 2 USB 3.1 Type - ("W can only be configured with IS-8365U Processor) 15000000000000000000000000000000000000			
Internal Microphone (Optional) Duil digital array microphone Interfaces ⁵ 1 C.Gmb Audio/ Microphone 2 Dimudrabolity 31 I with power delivery function) or *2 USB 3.1 Type-C ^M (1 with power delivery function) 2 USB 3.1 Gen 1 (1 with Anytime USB charge function) if With power delivery function) 2 USB 3.1 Type-C ^M (1 with power delivery function) 2 USB 3.1 Type - C ^M (2 month) if With State and St			
Interfaces ³ 10.4m ² 1 Combo Audio/ Microphone 2 hundeholik ¹⁸ 31 with power delivery function) 21058 31.1 cps (-11 with Anytime USB charge function) 1 Frame R 4-5 (*1038 31 Type-(**an only be configured with IS-8365U Processor) Expansion slots 150 fragoest 50.5947 (5304) (*104 and pointing devices Keyboard and pointing devices Visit (available when WWAN installed) Keyboard and pointing devices Security Intergrated Fragment research (Optional) Integrated Fragment research (Optional) Integrated Fragment research (Optional) Fully Work (4000 Contegration (0ptional) Fully Work (4000 Contegration (0ptional) <th></th> <th></th> <th></th>			
1 Combo Audio/ Microphone 2 Ubust 3.1 Gen 1 (1 with Anytime USB charge function) 1 Home 1 Home 1 Bit 1 Bit 1 Bit 2 USB 3.1 Gen 1 (1 with Anytime USB charge function) 1 Home 1 Bit 2 USB 3.1 Gen 1 (1 with Anytime USB charge function) 1 Bit 2 Bit <th></th> <th></th> <th></th>			
2 Thunderbolt ^m 3 (1 with power delivery function) or *2 USB 3.1 Type-C ^M (1 with power delivery function) 2 USB 3.1 Type-C ^M an only be configured with 15 8365U Processor) itement 8/45 (*USB 3.1 Type-C ^M an only be configured with 15 8365U Processor) itement 8/45 (*USB 3.1 Type-C ^M an only be configured with 15 8365U Processor) itement 8/45 (*USB 3.1 Type-C ^M an only be configured with 15 8365U Processor) itement 8/45 Keyboard and pointing devices US keyboard with integrated mouse button functionality Keyboard and pointing devices US keyboard with integrated mouse button functionality Security Integrated PainSecurit ^M [Globana]) Integrated PainSecurit ^M [Globana]) Fajissu Workplace Protect Fajissu BOK Hard DEK password protection Fajissu BOK Hard DEK password protection Fajissu BOK Hard DEK password protection Fajissu BOK Hard DEK password protection Fajissu BOK Hard DEK password protection Fajissu BOK Hard DEK password protection Fajissu BOK Hard DEK password protection Fajissu BOK Hard DEK password protection Fajissu BOK Hard DEK password protection Fajissu BOK Hard DEK password protection Fajissu BOK Hard DEK password protection Fajissu BOK Hard DEK password protection Fajissu BOK Hard DEK password protection Fajissu B	Interfaces		
2 USB 3.1 Cen 1 (1 with Anytime USB charge function) 1 HOM 1 Ebhernet RJ+A5 (*USB 3.1 Type.C**Can only be configured with I5-8365U Processor) Expansion slots 1 50 (supports 50, 50HC, 50XC) 1 SUB (available when WWAN installed) Keyboard and pointing devices US Keyboard wbbacklit Number of Keyboard keys: 84, Keyboard pitch: 19 mm, Keyboard stroke: 1.5 mm Multi gesture to cuchpad with Integrated mouse button functionality Integrated Fingerprint sensor (Optional) Integrated Fingerprint sensor (Optional) Integrated Fingerprint sensor (Optional) Figitus Insectibik (BIOS) (Optional) Figitus Insectibik (BIOS) (Optional) Figitus Motiplace Protect Figitus Motime USB			
i Howi Expansion slots 150 (supports SD, SDHC, SDKC) i SD (supports SD, SDHC, SDKC) 15M (available when WMAN Installed) Keyboard and pointing devices US Keyboard wbacklit Number of keyboard keys, SA, Keyboard pitch: 19 mm, Keyboard stroke: 1.5 mm Multi gesture touchpad with integrated mouse button functionality Security Integrated PlansEcure®' palm vein sensor (Optional) Integrated PlansEcure®' palm vein sensor (Optional) Integrated PlansEcure®' palm vein sensor (Optional) Fulls: Sametand 'teacebox' (Optional) Fulls: Sametand 'teacebox' (Optional) Fulls: Sametand 'teacebox' (Optional) Fulls: Sametand 'teacebox' (Optional) Fulls: Sametand 'teacebox' (Optional) Fulls: Sametand 'teacebox' Woult, WOU, WOW, WXE, WMA 2.0 Complexiton Woult Woult, WOW, WXE, WIM, YA A.0 Complexiton Woult <th></th> <th></th> <th></th>			
I Etherne IP,45 (FUSB 31) Type-CM*can only be configured with IS-8365U Processor) Expansion slots 1 SD (supports SD, SDMC, SDXC) I SM (available when WWAN installed) Keyboard and pointing devices US Keyboard wbackitt I SM (available when WWAN installed) Keyboard and pointing devices US Keyboard bitch: 19 mm, Keyboard stroke: 1.5 mm Multi gesture touchpad with integrated mouse button functionality Integrated Fingerprint sensor (Optional) Integrated Fingerprint sensor (Optional) Integrated Fingerprint sensor (Optional) Fujitsu EaseDisk (BIOS) (Optional) Fujitsu EaseDisk (BIOS) (Optional) Fujitsu EaseDisk (BIOS) (Optional) Fujitsu Michael (FIM 2.20) (Optional) Fujitsu Michael (FIM 2.20) (Optional) Fujitsu BiOS Hard Disk password protection Resingtion lock skol (Idk to to be purchased separately) Manageability Intel® AMI (depending on processer) Fujitsu Mitter VUtility Fujitsu Anytime USB Charge Utility Fujitsu Function Kanag Fujitsu Mitter VUtility Fujitsu Mitter VUtility Fujitsu Mitter VUtility Fujitsu Mitter VUtility Fujitsu Mitter SSN (Mitter) Tial		2 USB 3.1 Gen 1 (1 with Anytime USB charge function)	
I 'USB 3.1 Type:C'' an only be configured with 15:8365U Processor) Expansion slots 150 (supports SD, SDMC, SDXC) 1 SMI (available when WWAN installed) Keyboard and pointing devices VS Keyboard wheekilt Number of Keyboard Keys: BA, Keyboard pitch: 19 mm, Keyboard stroke: 1.5 mm Nutli gesture touchyad with integrated mouse batton functionality Security Integrated Planscure® palm vein sensor (Optional) Integrated Planscure® palm vein sensor (Optional) Integrated Planscure® palm vein sensor (Optional) Fujists AuthConductor® (Dettonal) Fujists AuthConductor® (Dettonal) Fujists AuthConductor® (Dentonal) Fujists AuthConductor® (Dentose separately) Manageability Intel® AMT (depending on processer) Wolt, WOM, PSE, WFM 2.0 Complaint DM Additional Software Fujists Austrom Key Lotk Utily Fujists Austrom Key Lotk Utily Fujists Austrom Key Lotk Utily Fujists Mobility Center Extension Utility Fujists Multi AuthConductor VIII Fujists Multi AuthUtity Fujist		1 HDMI	
Expansion slots 1 50 (supports 50, SDHC, SDXC) 1 SIM (available when WWAN installed) Keyboard and pointing devices US Keyboard wheatkit Number of keyboard keys; 84, Keyboard pitch: 19 mm, Keyboard stroke: 1.5 mm Multi gesture touchpad with integrated mouse button functionality Security Integrated Fingerprint sensor (Optional) Integrated PalmSecure* padm vein sensor (Optional) Integrated PalmSecure* padm vein sensor (Optional) Fujitsu Workplace Protect Fujitsu Workplace Protect Fujitsu Workplace Protect Fujitsu BOS' Hard Disk password protection Kensington lock slot (lock to be purchased separately) Manageability Multi Gepending on processer) WOL, WOM, PKE, WM 2.0 Compliant DM Additional Software Fujitsu Borter Utility Fujitsu Function Key Lock Utility Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu Pointing Device Utility Fujitsu System Extension Utility		1 Ethernet RJ-45	
1 SIM (available when WWAN installed) Keyboard and pointing devices US Keyboard w/backlit Number of keyboard keys: 84, Keyboard pitch: 19 mm, Keyboard stroke: 1.5 mm Multi gesture touchpad with integrated mouse button functionality Security Integrated Fingerpinits ensors (Optional) Integrated Partice Partice and the sensor (Optional) Integrated Partice Partice and the sensor (Optional) Fujitsu ExaeDisk (BIOS) (Optional) Fujitsu ExaeDisk (BIOS) (Optional) Fujitsu Unityface Protect Fujitsu Unityface Fujitsu Unityface Protect <th></th> <th>(*USB 3.1 Type-CTM can only be configured with i5-8365U Processor)</th> <th></th>		(*USB 3.1 Type-C TM can only be configured with i5-8365U Processor)	
1 SIM (available when WWAN installed) Keyboard and pointing devices US Keyboard w/backlit Number of keyboard keys: 84, Keyboard pitch: 19 mm, Keyboard stroke: 1.5 mm Multi gesture touchpad with integrated mouse button functionality Security Integrated Fingerpinits ensors (Optional) Integrated Partice Partice and the sensor (Optional) Integrated Partice Partice and the sensor (Optional) Fujitsu ExaeDisk (BIOS) (Optional) Fujitsu ExaeDisk (BIOS) (Optional) Fujitsu Unityface Protect Fujitsu Unityface Fujitsu Unityface Protect <th>Expansion slots</th> <th>1 SD (supports SD, SDHC, SDXC)</th> <th></th>	Expansion slots	1 SD (supports SD, SDHC, SDXC)	
Keyboard and pointing devices US Keyboard keys: 84, Keyboard pitch: 19 mm, Keyboard stroke: 1.5 mm Multi gesture touchpad with integrated mouse button functionality Security Integrated Fingerpint sensor (Optional) Integrated Palmsecure* palm vein sensor (Optional) Integrated Palmsecure* palm vein sensor (Optional) Integrated Smartcard reader Trusted Palmsecure* palm vein sensor (Optional) Integrated Smartcard reader Trusted Palmsecure* Trusted Palmsecure* palm vein sensor (Optional) Fujitsu Braxelisk (BIOS) (Optional) Fujitsu Braxelisk (BIOS) (Optional) Manageability Manageability Intel*Adfront Module (TPM 2.0) (Optional) Fujitsu BiOS' Hard Disk password protection Kenington lock soft (Ick to be purchased separately) Manageability Intel*AMT (depending on processer) WOL, WOM, PKK, WTM 2.0 Complaint DMI Additional Software Fujitsu Function Key Lock Utility Fujitsu Bonus Apps Fujitsu Function Key Lock Utility Fujitsu Function Key Lock Utility Fujitsu Function Key Lock Utility Fujitsu Pointing Device Utility Fujitsu Pointing Device Utility Fujitsu Pointing Device Utility Fujitsu Pointing Device Utility Kiritess Sulpitol (Ind) waliable on preconfigured devices with WWAN) Wave MaxAudio (Audio Enhancer) At Adapter 19 % 19 × 19 × 10 mins* 4 × cell, SOWh, Up to 7 his 50 mins* 4 × cell, SOWh, Up to 7 his 50 mins* 4 × cell, SOWh, Up to 7 his 50 mins* 4 × cell, SOWh, Up to 7 his 50 mins* 4 × cell, SOWh, Up to 7 his 50 mins* 4 × cell, SOWh, Up to 7 his 50 mins* 4 × cell, SOWh, Up to 7 his 50 mins* 4 × cell, SOWh, Up to 7 his 50 mins* 4 × cell, SOWh, Up to 7 his 50 mins* 4 × cell, SOWh, Up to 7 his 50 mins* 4 × cell, SOWh			
Number of keyboard keys: 84, keyboard pitch: 19 mm, Keyboard stoke: 1.5 mm Multi gesture touchpad with integrated mouse button functionality Security Integrated Fingerpint sensor (Optiona)] Integrated Planfmecure TM palm wein sensor (Optiona)] Integrated Planfmecure TM palm wein sensor (Optiona)] Fugitsu FaseDisk (BOS) (Optiona)] Fugitsu FaseDisk (BOS) (Optiona)] Fugitsu FaseDisk (BOS) (Optiona)] Fugitsu FaseDisk (BOS) (Optiona)] Fugitsu FaseDisk (BOS) (Optiona)] Fugitsu FaseDisk (BOS) (Optiona)] Manageability Fugitsu AuthConducto TM (Elent Basis Fugitsu AuthConducto TM (Elent Basis Manageability Intel TM ANT (depending on processer) WOL, WOM, PSE, WTA 20 Complaint DMI Additional Software Fugitsu Anytime USB Charge Utility Fugitsu Battery Utility Fugitsu Battery Utility Fugitsu Battery Utility Fugitsu Battery Utility Fugitsu Function Key Lock Utility Fugitsu Function Key Lock Utility Fugitsu Pointing Device Utility Fugitsu Mobility Center Extension Utility Fugitsu Mobility Center Extension Utility Kicrosoft® Office Trial McAree Multi Access Internet Security Trial Sierra Wireless Skylight (only available on preconfigured devices with WWAN) Wave MaxAudia (Audia Enhance) AC Adapter 19/45 VI 34 247. J1 00 - 2200 V 50 Hz - 60 Hz, 3-pin (grounded) stick type Battery 4 cell. 25Wh, Up to 7 hs 50 mins ⁶ 4 cell. 32Wh ang to 16 g; 4 cell	Keyboard and pointing devices		
Multi gesture i ouchpad with inegrated mouse button functionality Security Integrated Fingerprint sensor (Optional) Integrated PalmSecure [™] palm vein sensor (Optional) Integrated PalmSecure [™] palm vein sensor (Optional) Figure Protect Tusted PalmSecure [™] palm vein sensor (Optional) Fujits Unkoplate Protect Fujits Unkoplate Protect Fujits B005 Hard Disk password protection Kensington lock soft (Okt to be purchased separately) Manageability Intel [®] AMT (depending on processer) WOL WOM, PXE, WHX 20 Complaint DMI Additional Software Fujitsu Anytime USB Charge Utility Fujitsu Bouts Hard Disk password protection Kensington lock soft (Depending on processer) Fujitsu Justic Autoculture USB Charge Utility Fujitsu Bouts Hard Disk password protection Kensington Lock Soft (Depending on Processer) Manageability Fujitsu Anytime USB Charge Utility Fujitsu Bouts Apps Fujitsu Justic Anytime USB Charge Utility Fujitsu Bouts Apps Fujitsu Function Kanager Fujitsu Mit Mute Utility Fujitsu Mit Mute Utility Fujitsu Mit Mute Utility Fujitsu Pointing Device Utility <tr< th=""><th>heyboard and pointing derices</th><th></th><th></th></tr<>	heyboard and pointing derices		
Security Integrated Fingerprint sensor (Optional) Integrated PainSecure ^{IIII} pain vein sensor (Optional) Integrated Smattcard reader Trusted Platform Module (TPM 2.0) (Optional) Fujitsu Workplace Protect Fujitsu Workplace Protect Fujitsu Workplace Protect Manageability Intel [®] AMT (depending on processor) WOL, WOM, PXE, WFM 2.0 Complaint DMI Additional Software Fujitsu AuthFonductor ^{IIII} (Diruktion on processor) Fujitsu BOS Had DUR by above of protection Kensington Lock slot (Lock to be purchased separately) Manageability Intel [®] AMT (depending on processor) WOL, WOM, PXE, WFM 2.0 Complaint DMI Additional Software Fujitsu Antific Os Charge Utility Fujitsu Battery Utility Fujitsu Battery Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu Function Manager Fujitsu Function Manager Fujitsu Wolhity Center Extension Utility Fujitsu Wohlity Center Extension Utility Fujitsu Wohlity Center Extension Utility Fujitsu Softem Tital McAdee Multi Access Internet Security Trial Sierra Wireless Skylight (only available on preconfigured devices with WWAN) Wave MaxxAudio (Audio Enhancer) Ack Adapter 1974 SS W (3.42.4), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) stick type Battery 2-cell, 25Wh, Up to 7 hs 50 mins ⁶ Quick (Charge: Up to 80% charging in 1 hour 309 x 212 x 15.5 mm Dimension (W x D x H) 309 x 212 x 15.5 mm Quick Charge: Up to 80% charging in 1 hour Dimension (W x D x H) 309 x 212 x 15.5 mm Quick Charge: Up to 80% charging in 1 hour Dimension (W x D x H) 3			
Integrated Jam/Secure ^{IM} palm vein sensor (Optional) Integrated Smartcard reader Tussed Platform Module (TPM 2.0) (Optional) Fujitsu Tasebik (BIOS) (Optional) Fujitsu Workplace Potect Fujitsu BOS Hard Disk password protection Kensington Lock Stol (Lock to be purchased separately) Manageability Intel® AMT (depending on processer) WOL, WOM, PXE, WFM 2.0 Complaint DMI Additional Software Fujitsu Anytime USB Charge Utility Fujitsu Borts Apps Fujitsu Apps Fujitsu Function Key Lock Utility Fujitsu Function Key Lock Utility Fujitsu Function Key Lock Utility Fujitsu Function Key Lock Utility Fujitsu Function Key Lock Utility Fujitsu Function Key Lock Utility Fujitsu Function Key Lock Utility Fujitsu Function Key Lock Utility Fujitsu Worklity Center Extension Utility Fujitsu Syntem Extension Utility Fujitsu Syntem Extension Utility Fujitsu Syntem Extension Utility Kackee Mult Access Internet Security Trial Sierra Wireless Skylight (only available on preconfigured devices with WWAN) Warenty 2-cell. zSWN, Up to 7 hrs 50 mins ⁶ Outek Charge: Up to 80% charging in 1 hour Dimension (W x D x H) 309 x 21.2 hrs mm Cell.2 SWN, Up to 7 hrs 50 mins ⁶	Convilu		
Integrated Plasmartcard reader Trusted Plasform Module (TPM 2.0) (Optional) Fujitsu Bits EraseDisk (BIOS) (Optional) Fujitsu Workplace Protect Fujitsu BitoS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately) Manageability Intel® AMT (depending on processer) WOL, WOM, PKK, WFM 2.0 Compliant DMI Additional Software Fujitsu Battery Utility Fujitsu Battery Utility Fujitsu Battery Utility Fujitsu Battery Utility Fujitsu Bons Apps Fujitsu Unctinn Manager Fujitsu Unctinn Key Lock Utility Fujitsu Woltit (Center Extension Utility) Fujitsu Woltit (Center Extension Utility) Fujitsu Woltit (Center Extension Utility) Kadapter 19V 65 W (3.42.A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) stick type Battery 2-cell, 25Wh, Up to 7 his 50 mins ⁶ Actel Starting at 735 g; 4-cell, 5tarting at 735 g; Actality at 15. Smm 2-cell: starting at 735 g; Actality at 73 S (2) 4-ce	Security		
Furster Platform Module (TPM 2.0) (Optional) Fujitsu GraseDisk (BiOS) (Optional) Fujitsu Workplace Protect Fujitsu Michloenductor [®] (Client Basic Fujitsu BIOS/ Hard Disk password protection Kanageability Intel [®] AMT (depending on processer) WDL, WON, PKE, WFM 2.0 Complaint DMI Additional Software Fujitsu Anytime USB Charge Utility Fujitsu BioS/ Hard Disk password protection Fujitsu Bunt Appla			
Fujitsu EraseDisk (BIOS) (Optional) Fujitsu Vorkplace Protect Fujitsu Autfonductor™ (Iner Basic Fujitsu BIOS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately) Manageability Inte® AMT (depending on processer) WOL, WOM, PXE, WFM 2.0 Complaint DMI Additional Software Fujitsu Battery Utility Fujitsu Battery Utility Fujitsu Function Key Lock Utility Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu Jitsu Mich Utility Fujitsu Monager Fujitsu Motility Center Extension Utility Fujitsu Matter Utility Fujitsu Mute Utility Fujitsu Supter Stension Utility Karcosoft*® Office Trial Mackee Multi Access Internet Security Trial Karkee 19 W 65 W (3.42 A), 100 V - 240 Y, 50 Hz - 60 Hz, 3-pin (grounded) stick type Battery 2-cell, 50Wh, Up to 7 hrs 50 mins ⁶ Accell, 50Wh, Up to 7 hrs 50 mins ⁶ Ouick Charge: Up to 80% charging in 1 hour Dimension (W x D x H) 309 x 212 x 15.5 mm Weight 2-cell: starting at 916 g; Weight may wary depending on actual configuration) Waranty (depending on actual configuration)			
Fujitsu Workplace Protect Fujitsu Workplace Protect Fujitsu Workplace Protect Fujitsu MUC Mandetom ^{MC} (lient Basic Fujitsu BUCS Hard Disk password protection Kensington lock slot (lock to be purchased separately) Manageability Intel® AMIT (depending on processer) WOL, WOM, PKE, WFM 2.0 Complaint DM Additional Software Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Battery Utility Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu LIFEBOOK Application Panel Fujitsu Utility Fujitsu Utility Fujitsu Utility Fujitsu Pointing Device Utility Fujitsu Pointing Device Utility Fujitsu Vorte Utility Fujitsu Nortub Utility Fujitsu Vortub Utility Fujitsu System Extension Utility Kircosoft® Office Trial Mcrosoft® Office Trial Mcrosoft® Office Trial Mcrosoft® Office Trial Maxee Multi Access Internet Security Trial Siera Wireless Skylight (only available on preconfigured devices with WWAN) Wave MaxexAudio (Audio Enhancer) Wave MaxexAudio (Audio Enhancer) Ac Adapter 19V i 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) stick type Battery			
Fujitsu AuthConductor™ Client Basic Fujitsu BIOS' Hard Disk password protection Kensington Lock Solt (lock to be purchased separately) Manageability Intel® AMT (depending on processer) WOL, WOM, PXE, WFM. 2.0 Complaint DMI Additional Software Fujitsu Anytime USB Charge Utility Fujitsu Dattery Utility Fujitsu Battery Utility Fujitsu Function Key Lock Utility Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu Function Manager Fujitsu Jittisu Key Lock Utility Fujitsu Function Manager Fujitsu Victure VEX Fujitsu Victure Utility Fujitsu Victure Victure Extension Utility Fujitsu Victure Utility Fujitsu Victure Utility Fujitsu Victure Utility Fujitsu System Extension Utility Fujitsu System Extension Utility Fujitsu System Extension Utility Microsoft® Office Trial Microsoft® Office Trial Microsoft® Office Trial Microsoft® Office Trial Microsoft® Utility for Nor Norma AC Adapter 19 VI 65 W (3.42 A), 100 v - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) stick type Battery 2-cell, 25Wh, Up to 7 hrs 50 mins ⁶ Cuck Charge: Up to 8 WS charging in 1 hour Utils Vis Trial Dimension (W			
Fujitsu BlOS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately) Manageability Intel® AMT (depending on processer) WOL, WOM, PXE, WFM 2.0 Complaint DMI Additional Software Fujitsu Anytime USB (Charge Utility Fujitsu Battery Utility Fujitsu Battery Utility Fujitsu Buttery Utility Fujitsu Function Kep Lock Utility Fujitsu Function Kep Lock Utility Fujitsu Function Kep Lock Utility Fujitsu Winch Manager Fujitsu Function Manager Fujitsu Winch Manager Fujitsu Winch Manager Fujitsu Winch Manager Fujitsu Winch Kep Lock Utility Fujitsu Mobility Center Extension Utility Fujitsu Mobility Center Extension Utility Fujitsu Mobility Center Extension Utility Fujitsu System Extension Utility Microsoft® Office Trial Microsoft® Office Tria			
Kensington lock slot (lock to be purchased separately) Manageability Intel® AMT (depending on processer) Additional Software Fujitsv Aytime USB Charge Utility Fujitsv Battery Utility Fujitsv Battery Utility Fujitsv Battery Utility Fujitsv Battery Utility Fujitsv Utility Fujitsv Utility Fujitsv Otifice Trial Microsofto Office Trial </th <th></th> <th></th> <th></th>			
Manageability Intel® AMT (depending on processer) WOL, WOM, PXE, WFM 2.0 Complaint DMI Additional Software Fujitsu Anytime USB (Charge Utility Fujitsu Battery Utility Fujitsu Bonus Apps Fujitsu Function Manager Fujitsu Function Manager Fujitsu ULFEBOOK Application Panel Fujitsu Michility Center Extension Utility Fujitsu Pointing Device Utility Fujitsu Pointing Device Utility Fujitsu System Extension Utility Fujitsu System Extension Utility Microsoft® Office Trial McAlee Multi Access Internet Security Trial Sierra Wireless Skylight (only available on preconfigured devices with WWAN) Wave MaxxAudio (Audio Enhancer) AC Adapter 19 V 65 W (32 42), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) stick type Battery 2-cell, 25Wh, Up to 7 hrs 50 mins ⁶ Quick Charge: Up to 80% charging in 1 hour Dimension (W x D x H) 309 x 212 x 15.5 mm Weight 2-cell: starting at 795 g; 4-cell: starting at 795 g; 4-cell: starting at 916 g; (Weight may vary depending on actual configuration) Warranty 1 year warranty (depending on country); Warranty upgrades available, sold separately		Fujitsu BIOS/ Hard Disk password protection	
WOL, WOM, PXE, WFM 2.0 Complaint DMI Additional Software Fujitsu BCharge Utility Fujitsu Battery Utility Fujitsu Bonus Apps Fujitsu Function Key Lock Utility Fujitsu Function Kapage Fujitsu UIFEBOOK Application Panel Fujitsu UIFEBOOK Application Panel Fujitsu UIFEBOOK Application Panel Fujitsu Mobility Center Extension Utility Fujitsu Mobility Center Extension Utility Fujitsu Mobility Center Extension Utility Fujitsu Sustem Extension Utility Fujitsu Molitity Center Extension Utility Microsoft* Office Trial McAee Multi Access Internet Security Trial Sierra Wireless Skylight (only available on preconfigured devices with WWAN) Wave MaxxAudio (Aduio Enhancer) AC Adapter 19 V/ 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) stick type Battery 2-cell, 25Wh, Up to 7 hrs 50 mins ⁶ ucik Charge: Up to 80% charging in 1 hour Uuick Charge: Up to 80% charging in 1 hour Dimension (W x D x H) 309 x 212 x 15.5 m Weight 2-cell: starting at 795 g; 4-cell: starting at 795 g; 4-cell: starting at 795 g; 4-cell: starting at 795 g; 4-cell: starting at 916 g; (Weight may vary depending on actual configuration) Warranty (depending on country); Warranty upgrades available, s		Kensington lock slot (lock to be purchased separately)	
Additional Software Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Battery Utility Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu UFEBOOK Application Panel Fujitsu Mic Mute Utility Fujitsu System Extension Utility Fujitsu System Extension Utility Fujitsu System Extension Utility Fujitsu System Extension Utility Fujitsu System Extension Utility Fujitsu System Extension Utility Kardee Multi Access Internet Security Trial Sierra Wireless Skylight (only available on preconfigured devices with WWAN) Wave MaxAudio (Audio Enhancer) AC Adapter 19 V 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) stick type Battery 2-cell, 25Wh, Up to 7 hrs 50 mins ⁶ 4-cell, 50Wh, Up to 7 hrs 50 mins ⁶ Quick Charge: Up to 80% charging in 1 hour 309 x 212 x 15.5 mm Meditional Sierra grifting at 795 g; Weight 2-cell: starting at 916 g; (Weight may vary depending on actual configuration) Warranty Warranty 1 year warranty (depending on country); Warranty upgrades available, sold separately	Manageability	Intel® AMT (depending on processer)	
Additional Software Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Battery Utility Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu UFEBOOK Application Panel Fujitsu Mic Mute Utility Fujitsu System Extension Utility Fujitsu System Extension Utility Fujitsu System Extension Utility Fujitsu System Extension Utility Fujitsu System Extension Utility Fujitsu System Extension Utility Kardee Multi Access Internet Security Trial Sierra Wireless Skylight (only available on preconfigured devices with WWAN) Wave MaxAudio (Audio Enhancer) AC Adapter 19 V 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) stick type Battery 2-cell, 25Wh, Up to 7 hrs 50 mins ⁶ 4-cell, 50Wh, Up to 7 hrs 50 mins ⁶ Quick Charge: Up to 80% charging in 1 hour 309 x 212 x 15.5 mm Meditional Sierra grifting at 795 g; Weight 2-cell: starting at 916 g; (Weight may vary depending on actual configuration) Warranty Warranty 1 year warranty (depending on country); Warranty upgrades available, sold separately		WOL, WOM, PXE, WFM 2.0 Complaint DMI	
Fujitsu Battery UtilityFujitsu Bonus AppsFujitsu Bonus AppsFujitsu Function Key Lock UtilityFujitsu Function Key Lock UtilityFujitsu Function NanagerFujitsu LIFEBOOK Application PanelFujitsu Mic Mute UtilityFujitsu Mic Mute UtilityFujitsu Vointing Device UtilityFujitsu Vointing Device UtilityFujitsu Vointing Device UtilityFujitsu Vointing Device UtilityKoffee TrialMicrosoft® Office	Additional Software	Fuitsu Anvtime USB Charge Utility	
Fujitsu Bonus AppsFujitsu Bonus AppsFujitsu Function Key Lock UtilityFujitsu Function ManagerFujitsu Function ManagerFujitsu UFEBOOK Application PanelFujitsu Mic Mute UtilityFujitsu Mobility Center Extension UtilityFujitsu Dointing Device UtilityFujitsu System Extension UtilityFujitsu System Extension UtilityMicrosoft® Office TrialMcAfee Multi Access Internet Security TrialSierra Wireless Skylight (only available on preconfigured devices with WWAN)Wave MaxxAudio (Audio Enhancer)AC Adapter19 V/ 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) stick typeBattery2-cell, 25Wh, Up to 7 hrs 50 mins ⁶ Quick Charge: Up to 80% charging in 1 hourDimension (W x D x H)309 x 212 x 15.5 mmWeight2-cell: starting at 795 g; 4-cell: starting at 916 g; (Weight may vary depending on actual configuration)Warranty1 year warranty (depending on country); Warranty upgrades available, sold separately			
Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu Function Manager Fujitsu UIFEBOOK Application Panel Fujitsu Mic Mute Utility Fujitsu Mobility Center Extension Utility Fujitsu Pointing Device Utility Fujitsu System Extension Utility Fujitsu System Extension Utility Microsoft® Office Trial McAfee Multi Access Internet Security Trial Sierra Wireless Skylight (only available on preconfigured devices with WWAN) Wave MaxxAudio (Audio Enhancer) AC Adapter 19 V/ 65 W (3.42 A), 100 V - 240 V, 50 H z - 60 Hz, 3-pin (grounded) stick type Battery 2-cell, 25Wh, Up to 7 hirs 50 mins ⁶ Quick Charge: Up to 80% charging in 1 hour Dimension (W x D x H) 309 x 212 x 15.5 mm Weight 2-cell: starting at 795 g; -4-cell is tarting at 795 g; -4-cell is tarting at 916 g; -(Weight may vary depending on actual configuration) Warranty 1 year warranty (depending on country); Warranty upgrades available, sold separately			
Fujitsu Function ManagerFujitsu LIFEBOOK Application PanelFujitsu Mic Mute UtilityFujitsu Mobility Center Extension UtilityFujitsu Mobility Center Extension UtilityFujitsu Pointing Device UtilityFujitsu System Extension UtilityKicrosoft® Office TrialMcAfee Multi Access Internet Security TrialSierra Wireless Skylight (only available on preconfigured devices with WWAN)Wave MaxxAudio (Audio Enhancer)AC AdapterBattery2-cell, 25Wh, Up to 7 hrs 50 mins ⁶ 4-cell, 50Wh, Up to 7 hrs 50 mins ⁶ Quick Charge: Up to 80% charging in 1 hourDimension (W x D x H)309 x 212 x 15.5 mmWeight2-cell: starting at 795 g; 4-cell: starting at 916 g; (Weight may vary depending on actual configuration)Warranty1 year warranty (depending on country); Warranty upgrades available, sold separately			
Fujitsu LIFEBOOK Application PanelFujitsu Mic Mute UtilityFujitsu Mobility Center Extension UtilityFujitsu Mobility Center Extension UtilityFujitsu System Extension UtilityFujitsu System Extension UtilityMicrosoft® Office TrialMcAfee Multi Access Internet Security TrialSierra Wireless Skylight (only available on preconfigured devices with WWAN)Wave MaxxAudio (Audio Enhancer)AC Adapter19 V/ 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) stick typeBattery2-cell, 25Wh, Up to 7 hrs 50 mins ⁶ 4-cell, S0Wh, Up to 14 hrs 10 mins ⁶ Ouick Charge: Up to 80% charging in 1 hourDimension (W x D x H)309 x 212 x 15.5 mmWeight2-cell: starting at 795 g;4-cell: starting at 916 g;(Weight may vary depending on actual configuration)Warranty1 year warranty (depending on country); Warranty upgrades available, sold separately			
Fujitsu Mic Mute UtilityFujitsu Mobility Center Extension UtilityFujitsu Pointing Device UtilityFujitsu Pointing Device UtilityFujitsu System Extension UtilityFujitsu System Extension UtilityMicrosoft® Office TrialMcAfee Multi Access Internet Security TrialSierra Wireless Skylight (only available on preconfigured devices with WWAN)Wave MaxxAudio (Audio Enhancer)AC Adapter19 V/ 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) stick typeBattery2-cell, 25Wh, Up to 7 hrs 50 mins ⁶ 4-cell, 50Wh, Up to 7 hrs 50 mins ⁶ Quick Charge: Up to 80% charging in 1 hourDimension (W x D x H)309 x 212 x 15.5 mmWeight2-cell: starting at 795 g;4-cell: starting at 916 g; (Weight may vary depending on actual configuration)Warranty1 year warranty (depending on country); Warranty upgrades available, sold separately			
Fujitsu Mobility Center Extension Utility Fujitsu Pointing Device Utility Fujitsu System Extension Utility Microsoft® Office Trial McAfee Multi Access Internet Security Trial Sierra Wireless Skylight (only available on preconfigured devices with WWAN) Wave MaxxAudio (Audio Enhancer) AC Adapter 19 V/ 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) stick type Battery 2-cell, 25Wh, Up to 7 hrs 50 mins ⁶ 4-cell, 50Wh, Up to 1 hrs 10 mins ⁶ Ouick Charge: Up to 80% charging in 1 hour Dimension (W x D x H) 309 x 212 x 15.5 mm Weight 2-cell: starting at 795 g; 4-cell: starting at 916 g; (Weight may vary depending on actual configuration) Warranty 1 year warranty (depending on country); Warranty upgrades available, sold separately			
Fujitsu Pointing Device Utility Fujitsu System Extension Utility Microsoft® Office Trial McAfee Multi Access Internet Security Trial Sierra Wireless Skylight (only available on preconfigured devices with WWAN) Wave MaxxAudio (Audio Enhancer) AC Adapter 19 V/ 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) stick type Battery 2-cell, 25Wh, Up to 7 hrs 50 mins ⁶ Quick Charge: Up to 80% charging in 1 hour Dimension (W x D x H) 309 x 21 2 x 15.5 mm Weight 2-cell: starting at 795 g; 4-cell: starting at 916 g; (Weight may vary depending on actual configuration) Warranty 1 year warranty (depending on country); Warranty upgrades available, sold separately			
Fujitsu System Extension Utility Microsoft® Office Trial McAfee Multi Access Internet Security Trial Sierra Wireless Skylight (only available on preconfigured devices with WWAN) Wave MaxxAudio (Audio Enhancer)AC Adapter19 V/ 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) stick typeBattery2-cell, 25Wh, Up to 7 hrs 50 mins ⁶ 4-cell, 50Wh, Up to 14 hrs 10 mins ⁶ Quick Charge: Up to 80% charging in 1 hourDimension (W x D x H)309 x 212 x 15.5 mmWeight2-cell: starting at 795 g; 4-cell: starting at 916 g; (Weight may vary depending on actual configuration)Warranty1 year warranty (depending on country); Warranty upgrades available, sold separately			
Microsoft® Office Trial McAfee Multi Access Internet Security Trial Sierra Wireless Skylight (only available on preconfigured devices with WWAN) Wave MaxxAudio (Audio Enhancer) AC Adapter 19 V/ 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) stick type Battery 2-cell, 25Wh, Up to 7 hrs 50 mins ⁶ 4-cell, 50Wh, Up to 14 hrs 10 mins ⁶ Quick Charge: Up to 80% charging in 1 hour Dimension (W x D x H) 309 x 212 x 15.5 mm Weight 2-cell: starting at 795 g; 4-cell: starting at 916 g; (Weight may vary depending on actual configuration) Warranty 1 year warranty (depending on country); Warranty upgrades available, sold separately			
McAfee Multi Access Internet Security Trial Sierra Wireless Skylight (only available on preconfigured devices with WWAN) Wave MaxxAudio (Audio Enhancer) AC Adapter 19 V/ 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) stick type Battery 2-cell, 25Wh, Up to 7 hrs 50 mins ⁶ 4-cell, 50Wh, Up to 14 hrs 10 mins ⁶ Quick Charge: Up to 80% charging in 1 hour Dimension (W x D x H) 309 x 212 x 15.5 mm Weight 2-cell: starting at 795 g; 4-cell: starting at 916 g; (Weight may vary depending on actual configuration) Warranty 1 year warranty (depending on country); Warranty upgrades available, sold separately			
Sierra Wireless Skylight (only available on preconfigured devices with WWAN) Wave MaxxAudio (Audio Enhancer) AC Adapter 19 V/ 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) stick type Battery 2-cell, 25Wh, Up to 7 hrs 50 mins ⁶ 4-cell, 50Wh, Up to 14 hrs 10 mins ⁶ Quick Charge: Up to 80% charging in 1 hour Dimension (W x D x H) 309 x 212 x 15.5 mm Weight 2-cell: starting at 795 g; 4-cell: starting at 916 g; (Weight may vary depending on actual configuration) Warranty 1 year warranty (depending on country); Warranty upgrades available, sold separately			
Wave MaxxAudio (Audio Enhancer) AC Adapter 19 V/ 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) stick type Battery 2-cell, 25Wh, Up to 7 hrs 50 mins ⁶ 4-cell, 50Wh, Up to 14 hrs 10 mins ⁶ Quick Charge: Up to 80% charging in 1 hour Dimension (W x D x H) 309 x 212 x 15.5 mm Weight 2-cell: starting at 795 g; 4-cell: starting at 916 g; (Weight may vary depending on actual configuration) Warranty 1 year warranty (depending on country); Warranty upgrades available, sold separately			
AC Adapter 19 V/ 65 W (3.42 Å), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) stick type Battery 2-cell, 25Wh, Up to 7 hrs 50 mins ⁶ 4-cell, 50Wh, Up to 14 hrs 10 mins ⁶ Quick Charge: Up to 80% charging in 1 hour Dimension (W x D x H) 309 x 212 x 15.5 mm Weight 2-cell: starting at 795 g; 4-cell: starting at 916 g; (Weight may vary depending on actual configuration) Warranty 1 year warranty (depending on country); Warranty upgrades available, sold separately		Sierra Wireless Skylight (only available on preconfigured devices with WWAN)	
Battery 2-cell, 25Wh, Up to 7 hrs 50 mins ⁶ 4-cell, 50Wh, Up to 14 hrs 10 mins ⁶ Quick Charge: Up to 80% charging in 1 hour Dimension (W x D x H) 309 x 212 x 15.5 mm Weight 2-cell: starting at 795 g; 4-cell: starting at 916 g; (Weight may vary depending on actual configuration) Warranty 1 year warranty (depending on country); Warranty upgrades available, sold separately		Wave MaxxAudio (Audio Enhancer)	
4-cell, 50Wh, Up to 14 hrs 10 mins ⁶ Quick Charge: Up to 80% charging in 1 hour Dimension (W x D x H) 309 x 212 x 15.5 mm Weight 2-cell: starting at 795 g; 4-cell: starting at 916 g; (Weight may vary depending on actual configuration) Warranty 1 year warranty (depending on country); Warranty upgrades available, sold separately	AC Adapter	19 V/ 65 W (3.42 A), 100 V – 240 V, 50 Hz – 60 Hz, 3-pin (grounded) stick type	
4-cell, 50Wh, Up to 14 hrs 10 mins ⁶ Quick Charge: Up to 80% charging in 1 hour Dimension (W x D x H) 309 x 212 x 15.5 mm Weight 2-cell: starting at 795 g; 4-cell: starting at 916 g; (Weight may vary depending on actual configuration) Warranty 1 year warranty (depending on country); Warranty upgrades available, sold separately	Battery	2-cell, 25Wh, Up to 7 hrs 50 mins ⁶	
Quick Charge: Up to 80% charging in 1 hour Dimension (W x D x H) 309 x 212 x 15.5 mm Weight 2-cell: starting at 795 g; 4-cell: starting at 916 g; (Weight may vary depending on actual configuration) Warranty 1 year warranty (depending on country); Warranty upgrades available, sold separately			
Dimension (W x D x H) 309 x 212 x 15.5 mm Weight 2-cell: starting at 795 g; 4-cell: starting at 916 g; (Weight may vary depending on actual configuration) Warranty 1 year warranty (depending on country); Warranty upgrades available, sold separately			
Weight 2-cell: starting at 795 g; 4-cell: starting at 916 g; (Weight may vary depending on actual configuration) Warranty 1 year warranty (depending on country); Warranty upgrades available, sold separately	Dimension (W v D v H)		
4-cell: starting at 916 g; (Weight may vary depending on actual configuration) Warranty 1 year warranty (depending on country); Warranty upgrades available, sold separately			
(Weight may vary depending on actual configuration) Warranty 1 year warranty (depending on country); Warranty upgrades available, sold separately	weight		
Warranty 1 year warranty (depending on country); Warranty upgrades available, sold separately			
Environmental Compliance RoHS; ENERGY STAR® 7.1			
	Environmental Compliance	RoHS; ENERGY STAR® 7.1	

Recommended Accessories

USB Type-C[™] Port Replicator



Privacy Filter



AC Adapter LIFEBOOK



Fujitsu Prestige Case Mini 13



Fujitsu Display P27-8 TS UHD



Flexibility, expandability, desktop replacement, investment protection 3x USB 3.1 Gen 1, DisplayPort, VGA, HDMI, RJ-45

The privacy filter is exclusively designed for U939. It's using advanced optical technology that delivers visual privacy and screen protection. It protects against visual hackers, physical screen damage and screen glare.

Power your notebook at work, at home or on the road with a second power source. You can easily recharge your notebook everywhere. Depending on your notebook you can choose from various AC Adapters ranging from a stick type adapter to standard adapters, or even the innovative ECO AC Adapter.

The Fujitsu Prestige Case Mini 13 protects notebooks with up to 13.3" screens. A padded top-loading notebook compartment made of shock-absorbing foam ensures additional protection. Its front pouch is ideal for storing of power adaptors, office supplies or personal items. It is the perfect business case in a practical design.

The FUJITSU Display P27-8 TS UHD has a 3840 x 2160 Ultra HD resolution ships with a thin bezel housing ideal for multi-monitor use scenarios. The monitor has a 178°/178° wide viewing angle that delivers consistent picture quality, a 100% sRGB color space, ECO function, DisplayView[™] IT Suite manageability software and a range of connectivity options ideal for medium- and large-sized businesses.



More information

Fujitsu OPTIMIZATION solutions

In addition to Fujitsu Notebook LIFEBOOK U939, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software www.fujitsu.com/software/

Contact Us

HONG KONG

Fujitsu Business Technologies Asia Pacific Ltd. Tel: (852) 3910-8228 Email: fpca.hksales@hk.fujitsu.com hk.fujitsu.com/pc

INDONESIA PT Fujitsu Indonesia Tel: (62) 21-570-9330 Email: callcenter@id.fujitsu.com id.fujitsu.com/pc

TAIWAN Fujitsu Taiwan Ltd. Tel: (886) 02-2311-2255 Email: lifebook@tw.fujitsu.com tw.fujitsu.com/pc

More information

To learn more about Fujitsu Notebook LIFEBOOK U939, please contact your Fujitsu sales representative, Fujitsu Business partner, or visit our website.

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at http://www.fujitsu.com/global/about/environment/



SINGAPORE Fujitsu Asia Pte Ltd. Tel: (65) 6710-5403 Email: info@sg.fujitsu.com sg.fujitsu.com/pc

PHILIPPINES Fujitsu Philippines, Inc. Tel: (63) 2-841-8488 Email: info@ph.fujitsu.com ph.fujitsu.com/pc

THAILAND Fujitsu (Thailand) Co., Ltd. Tel: (66) 0-2302-1500 Email: info@th.fujitsu.com th.fujitsu.com/pc

Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms \circledast 2019 Fujitsu Business Technologies Asia Pacific Limited

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CHINA

Fujitsu (China) Holdings Co., Ltd. – PC China Division Tel: (86) 021-26079126 Email: cpcacn.support@cn.fujitsu.com cn.fujitsu.com/pc

MALAYSIA Fujitsu (Malaysia) Sdn. Bhd Tel: (60) 3-8230-4188 Email: askfujitsu@my.fujitsu.com my.fujitsu.com/pc

VIETNAM Fujitsu Vietnam Limited (Hanoi) Tel: (84) 4-2220-3113 Email: sales@vn.fujitsu.com vn.fujitsu.com/pc

Note: For countries not listed above, please contact our Hong Kong office.

Specification disclaimers

¹ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. ²GB = 1 billion bytes, TB = 1 trillion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery. ³ Shared memory depending on main memory size and operating system. ⁴ WWAN module is optional and requires separately purchased service contract. Check with service provider for coverage and availability in your area. Connection speeds will vary due to location, environment, network conditions, and other factors. ⁵Interfaces depend on the configuration selected by customers. ⁶ Battery runtime information is based on worldwide acknowledged BAPCo[®] MobileMark[®] 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo[®] MobileMark[®] Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.

FUJITSU shall not be liable for technical or editorial errors or omissions contained herein. Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Atom, Intel Atom, Intel Atom, Intel Inside, Intel Inside, Logo, Intel VPro, Itanium, Itanium, Itanium, Itanium, Itanium, Itanium, Pentium, Pentium Inside, VPro Inside, Xeon, and Xeon Inside are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. USB Type-C^M and USB-C^M are trademarks of USB Implementers Forum. All other trademarks are the property of their respective owners.

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms.

© 2019 Fujitsu Business Technologies Asia Pacific Limited

Last Update: 2nd October 2019

