

# Italy End User Reference Price List

Prices Valid From: June 2013





Content								
News and Highlights	3	LIFEBOOK Accessories	36	CELSIUS R920	107	Positioning PRIMERGY Rack	188	Ī
Positioning	4	LIFEBOOK Options	38	CELSIUS W420	108	PRIMERGY RX100 S7	189	
				CELSIUS W520	109	PRIMERGY RX200 S7	190	
Positioning Tablet PC	6	Positioning FUTRO	54	CELSIUS Accessories	111	PRIMERGY RX300 S7	191	
STYLISTIC M532	7	FUTRO S700	55	CELSIUS Options	115	PRIMERGY RX350 S7	192	
STYLISTIC M702	8	FUTRO S900	56			PRIMECENTER M1	193	
STYLISTIC Q572	9	FUTRO Accessories	57	Positioning Displays	139	Rack Servers Accessories	196	
STYLISTIC Q702	10	FUTRO Options	59	Displays	140	Rack Servers Options	207	
TABLET PC Accessories	11							
TABLET PC Options	13	Positioning ESPRIMO	66	Positioning Keyboard & Security	144	Positioning PRIMERGY Blade	230	
		ESPRIMO C	67	Keyboards	145	PRIMERGY BX400 S1	232	
Positioning Notebook	20	ESPRIMO E	68			PRIMERGY BX920 S3	233	
LIFEBOOK T902	21	ESPRIMO P	75	Positioning PRIMERGY Tower	149	PRIMERGY BX924 S3	234	
LIFEBOOK S752	22	ESPRIMO Q	83	PRIMERGY TX100 S3p	150	PRIMERGY SX910 S1	235	
LIFEBOOK S762	23	ESPRIMO X	84	PRIMERGY TX120 S3p	151	PRIMERGY SX940 S1	236	
LIFEBOOK S782	24	ESPRIMO Accessories	85	PRIMERGY TX140 S1p	152	PRIMERGY SX960 S1	237	
LIFEBOOK S792	25	ESPRIMO Options	87	PRIMERGY TX150 S7	154	PRIMERGY SX980 Sx	238	
LIFEBOOK E752	26			PRIMERGY TX150 S8	155	Blade Servers Accessories	239	
LIFEBOOK E782	28	Positioning CELSIUS	100	PRIMERGY TX200 S7	157	Blade Servers Options	247	
LIFEBOOK P772	29	CELSIUS H720	102	PRIMERGY TX300 S7	159			
LIFEBOOK P702	31	CELSIUS H910	104	Tower Servers Accessories	160			
LIFEBOOK U772	32	CELSIUS H920	105	Tower Servers Options	170			
LIFEBOOK UH552-UH572	33	CELSIUS M720	106					



#### **News and Highlights**





LIFEBOOK S Series



LIFEBOOK E Series



LIFEBOOK P Series



**LIFEBOOK NH751** 



**FUTRO** 

The Fujitsu LIFEBOOK T901 is an ultra versatile lightweight convertible notebook for the professional user. Its brilliant, bi-directional rotatable, high-bright LED display including LED rotation indicators is a pleasure to use. With the LIFEBOOK T901 you can either work with multiple finger-touch or with the multifunctional pen. Berliner Glass ensures highest reliability.

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility: the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Core 2Duo technology provide you long battery life away from the power socket.

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.7 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM and Fingerprint modules make your sensible data safe and secure – anytime, anywhere. Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.

The LIFEBOOK P Series fits in any bag - meeting the most demanding airport restrictions. At only 1.3 kg this lightweight combines superior style with exceptional performance and state-of-the-art connectivity, including embedded mobile broadband access and excellent communications ability. Thanks to video conferencing support with the integrated ConfCamera, this 12.1-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a exeptional long battery run time. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality.

The Fujitsu LIFEBOOK NH751 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 43.9 cm (17.3-inch) display with powerful NVIDIA® GeForce® GT 525M discrete graphics with NVIDIA® Optimus™ technology, whenever and wherever they want. While the spill-resistant keyboard provides extra reliability, high-gloss black finish, frameless display and outstanding slim profile make the notebook a real head-turner.

The Fujitsu Thin Clients are perfect devices for server-based computing and Virtual Workplace solutions.

High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and the lowest running costs



**ESPRIMO** 

Fujitsu presents a range of PCs characterized by high ergonomic standards, sophisticated product concepts and the best economy.

Fujitsu has the right system to suit every customer's requirements.

0-Watt PC - equipped with innovative technology from Fujitsu. Our patented 0-Watt PC technology reduces energy consumption in off-/hibernating mode to 0.0 watts, without reducing manageability.



**CELSIUS** 

Do you want to access your workstation remotely? Then the CELSIUS RemoteAccess solution is the right choice for you. It enables you to separate your hardware from data input and output while keeping at the same time the real workstation user experience and performance.

With the CELSIUS M470, CELSIUS R570 and CELSIUS R670 our offering of mid-range and high-end workstations got a refresh to meet highest demands.



PRIMERGY TX200 S7 PRIMERGY TX tower servers are ideal for use in SMEs or branch offices. They increase operational efficiency by providing rock solid, record-breaking, energy efficient performance. That performance is built on 20-years of pioneering work in Green IT. As a customer, you benefit from a reduction in your organization's environmental impact and lower running costs. The reliability is proven by testing the machines through 5000 boot cycles – far more than other vendors do. PRIMERGY TX servers are also easy to manage via the PRIMERGY ServerView Suite, reducing IT admin workload and costs. Plus, tower to rack conversion kits are available for most TX systems, ensuring investment protection.



Displays & Accessories

The new Fujitsu displays of the P Line ECO provide all the proven features superior displays can offer and additional unique energy saving solutions like 0-watt power save mode and automatic brightness control. The new 22-inch wide is the first with the new standard TCO Displays 5.0.

Always something new in the Peripherals Portfolio: e.g. keyboards and wireless sets in glossy piano black design fitting perfectly to the new lifestyle displays. Accessories and Security Devices according to latest technologies meet the latest market needs.



#### **Professional Products Positioning**



**STYLISTIC** 

The STYLISTIC ST Series is thin, approximatly A4 in size, only 1.6 kg and relpaces your need for paper and clipboard. Boasting a robust, high-tech design, it offers a 12.1-inch display making it ideal for working while standing or walking, indoors or outside. The Intel® Centrino® Core 2 Duo processor means you can work for a whole business day. And outstanding connectivity with embedded broadband access, WLAN and Bluetooth means you can get in a full day of work without having to return to the office.







**ESPRIMO** 



**CELSIUS** 

The FUTRO product line of smart, expandable thin clients is the ideal solution for server-based networks, particularly in terms of availability and data security. The user can neither access the operating system nor store data on the smart terminal.

Our PCs provide pure performance while balancing economic and environmental considerations. ESPRIMO PCs feature state-of-the-art technology from AMD and Intel® and are the perfect basis for productive working environments. They are quiet and cool with intelligent ergonomic designs, perfect manageability and security features. To make them as environmentally aware as possible, they are built with especially selected materials to minimize the impact on the environment.

Computing power, memory space, graphics systems, expansion possibilities – even the most powerful of standard PCs are quick to reach their limits outside classic office and communication applications. Application fields such as simulation, animation, construction, and digital content creation require systems that offer maximum performance on all levels: CELSIUS workstations.



Positioned in three segments the Fujitsu displays offer the right model for every desire - from multifunctional all-rounders, advanced displays, which are highly ergonomic and comfortable, also for entertainment, and the superior class for highest demands in terms of performance, graphics and multimedia.

Input devices for every desire: wired and wireless, optical and laser




PRIMERGY is based on the standard architecture for good reason. Due to their high level of standardization, x86/EM64T and Dual-Core / Quad-Core servers deliver the best price/performance ratio. The Fujitsu extensive product range, coupled with more than 20 years of experience in the IT market, means that we can build reliable and flexible IT infrastructures for our customers. PRIMERGY servers are the ideal choice for ensuring greater competitiveness and success in modern e-business environments.



#### **Positioning Tablet PC**



LIFEBOOK T901





**LIFEBOOK T730** 

The LIFEBOOK T730 is a 12.1-inch Tablet PC based on the new Intel® Core™ i7 vPro™ technology that supports the new multiple touch technology. With the dual digitizer this multifunctional device accepts input either with a pen or with your fingers, just as occasion demands. With the optional integrated GPS technology you will never get lost and be on track. With the modular bay and the port replicator this device answers all questions concerning mobile flexibility!



**LIFEBOOK T580** 

With the new LIFEBOOK T580 you can alternate between a keyboard, a stylus, or your fingers in seconds.

Featuring a rotatable 10.1-inch display it's the perfect solution for working on the move. Through

integrated GPS you'll always be able to find your way around. And there is no need to feel burdened by

your notebook any longer, at just 1.4kg it's easy to take wherever you like!



STYLISTIC Q550

As a busy mobile professional, you want a Slate PC which is as good at working as your after-hours device is at playing. The STYLISTIC Q550 is the first slate to really work for you whether you're in a large corporation, government or small businesses. It delivers an excellent usability experience, with flexible options for creating business content and collaborating with others. Being Windows® 7 Professional based, it integrates with institutional platforms and provides security for enterprises with users who work on the move.



STYLISTIC Accessories

Extend your STYLISTIC tablet PC to your needs. More convenience for your business trips and more functionality enabling easy working.

Fujitsu offers a vast range of accessories for your STYLISTIC ST Series:

docking unit, power supply devices, different storage media and special cases that provide maximum protection while transportation.



#### **STYLISTIC M532**

Fujitsu STYLISTIC M532 Media Tablet - Work and Enjoy with Confidence

Business is rarely deskbound. As a mobile professional, you need powerful, lightweight tools that let you get straight to work – wherever you happen to be. The ultraslim, ultralight Fujitsu STYLISTIC M532 media tablet is an extension of your office. It delivers a seamless working experience and secure access to your office e-mail, calendar, contacts, and applications. Moreover, with its rich multimedia features, the Fujitsu STYLISTIC M532 is perfect after-hours, too: once you've downed tools for the day, enjoy the tablet for your own choice of apps – catch up on the latest news or weather, for instance, or do some travel planning.

	Description	Details	Product Code	EUP (€)	Comments
	d products TIC M532				
STILIS	STYLISTIC M532	25.7cm (10.1") TFT high-brightness WXGA Display, capacitive multi-touch screen, Nvidia Tegra 3 Quad-Core T30s ARM Cortex A9, up to Single-Core 1.4GHz/Quad-Core 1.3GHz, 1GB memory (LPDDR2, 800MHz), 32 GB eMMC Flash memory. Bluetooth 3.0, Wireless LAN 802.11a/b/g/n, UMTS/3G with HSPA+, GPS, 2.0MP front camera, 8.0MP rear camera incl. autofocus and flash, 3.170mAh Lithium-Polymer battery for video playback 8.4 hours, digital microphone, 2 x speakers (stereo), acceleration sensor, gyro sensor, magnetic sensor, ambient light sensor, power LED, power/standby button, reset button, volume up/down button., Interfaces: 1 x Micro USB 2.0, 1 x microphone/headphone, 1 x Micro SD card, 1 x SIM card, 1 x docking connector (for charging and HDMI/USB)., Including MicroUSB-to-USB cable, cleaning cloth and AC adapter with EU and UK plugs., Dimensions: 262.6 x 175.4 x 8.6mm, 560g weight., , Product can be delivered in following countries: Abu Dhabi, Afghanistan, Albania, Andorra, Angola, Armenia, Austria, Azerbaijan, Azores, Belarus, Belgium, Bosnia-Herzegovina, Bulgaria, Canary Islands (Spain), Ceuta (Spain), Croatia, Cyprus, Czech Republic, Denmark, Dubai, Egypt, Eritrea, Estonia, Faroer Islands (Denmark), Finland,	S26391-K340-V100	442,00	
	STYLISTIC M532 WiFi	25.7cm (10.1") TFT high-brightness WXGA Display, capacitive multi-touch screen, Nvidia Tegra 3 Quad-Core T30s ARM Cortex A9, up to Single-Core 1.4GHz/Quad-Core 1.3GHz, 1GB memory (LPDDR2, 800MHz), 32 GB eMMC Flash memory. Bluetooth 3.0, Wireless LAN 802.11a/b/g/n, GPS, 2.0MP front camera, 8.0MP rear camera incl. autofocus and flash, 3.170mAh Lithium-Polymer battery for video playback 8.4 hours, digital microphone, 2 x speakers (stereo), acceleration sensor, gyro sensor, magnetic sensor, ambient light sensor, power LED, power/standby button, reset button, volume up/down button., Interfaces: 1 x Micro USB 2.0, 1 x microphone/headphone, 1 x Micro SD card, 1 x SIM card, 1 x docking connector (for charging and HDMI/USB)., Including MicroUSB-to-USB cable, cleaning cloth and AC adapter with EU and UK plugs., Dimensions: 262.6 x 175.4 x 8.6mm, 560g weight., , Product can be delivered in following countries: Abu Dhabi, Afghanistan, Albania, Andorra, Angola, Armenia, Austria, Azerbaijan, Azores, Belarus, Belgium, Bosnia-Herzegovina, Bulgaria, Canary Islands (Spain), Ceuta (Spain), Croatia, Cyprus, Czech Republic, Denmark, Dubai, Egypt,	S26391-K340-V200	394,00	
	STYLISTIC M532 64GB	25.7cm (10.1") TFT high-brightness WXGA Display, capacitive multi-touch screen, Nvidia Tegra 3 Quad-Core T30s ARM Cortex A9, up to Single-Core 1.4GHz/Quad-Core 1.3GHz, 1GB memory (LPDDR2, 800MHz), 64 GB eMMC Flash memory. Bluetooth 3.0, Wireless LAN 802.11a/b/g/n, UMTS/3G with HSPA+, GPS, 2.0MP front camera, 8.0MP rear camera incl. autofocus and flash, 3.170mAh Lithium-Polymer battery for video playback 8.4 hours, digital microphone, 2 x speakers (stereo), acceleration sensor, gyro sensor, magnetic sensor, ambient light sensor, power LED, power/standby button, reset button, volume up/down button., Interfaces: 1 x Micro USB 2.0, 1 x microphone/headphone, 1 x Micro SD card, 1 x SIM card, 1 x docking connector (for charging and HDMI/USB)., Including MicroUSB-to-USB cable, cleaning cloth and AC adapter with EU and UK plugs., Dimensions: 262.6 x 175.4 x 8.6mm, 560g weight., Product can be delivered in following countries: Abu Dhabi, Afghanistan, Albania, Andorra, Angola, Armenia, Austria, Azerbaijan, Azores, Belarus, Belgium, Bosnia-Herzegovina, Bulgaria, Canary Islands (Spain), Ceuta (Spain), Croatia, Cyprus, Czech Republic, Denmark, Dubai, Egypt, Eritrea, Estonia, Faroer Islands (Denmark), Finland,	S26391-K340-V500	555,00	
	STYLISTIC M532 IN (Promo)	STYLISTIC M532 IN Nvidia Tegra3 1.4GHz Quadcore 10.1" WXGA Display 32GB, 3G, Android, 25.7cm (10.1") TFT high-brightness WXGA Display, capacitive multi-touch screen, Nvidia Tegra 3 Quad-Core T30s ARM Cortex A9, up to Single-Core 1.4GHz/Quad-Core 1.3GHz, 1GB memory (LPDDR2, 800MHz), 32 GB eMMC Flash memory. Bluetooth 3.0, Wireless LAN 802.11a/b/g/n, UMTS/3G with HSPA+, GPS, 2.0MP front camera, 8.0MP rear camera incl. autofocus and flash, 3.170mAh Lithium-Polymer battery for video playback > 9 hours, digital microphone, 2 x speakers (stereo), acceleration sensor, gyro sensor, magnetic sensor, ambient light sensor, power LED, power/standby button, reset button, volume up/down button., Interfaces: 1 x Micro USB 2.0, 1 x microphone/headphone, 1 x Micro SD card, 1 x SIM card, 1 x docking connector (for charging and HDMI/USB)., Including MicroUSB-to-USB cable, cleaning cloth and AC adapter with EU and UK plugs., Dimensions: 262.6 x 175.4 x 8.6mm, 560g weight., , Product can be delivered in following countries: Abu Dhabi, Afghanistan, Albania, Andorra, Angola, Armenia, Austria, Azerbaijan, Azores, Belarus, Belgium, Bosnia-	VFY:M53200MPAD1IN		



#### STYLISTIC M702

The Fujitsu STYLISTIC M702 is the ideal choice if you are looking for a robust yet lightweight highperformance tablet PC to support you in the field and to increase business continuity. Being water- and dustproof, it protects components most frequently damaged, making it perfect for semi-ruggedized applications. The 25.7 cm (10.1-inch) STYLISTIC M702 provides protection against environmental conditions, ensuring uncompromising productivity whether exposed to rain, humidity or dust. Moreover, it can easily be integrated into your company's Virtual Desktop Infrastructure (VDI), thus ensuring protected anytime access to your company data while its business software lets you securely manage your contacts and emails. Embedded 4G/LTE delivers latest high-speed connectivity for end-to-end performance in the most challenging situations and the Android operating system's rich multimedia features also make it perfect for private use.

	Description	Details	Product Code	EUP (€)	Comments
	d products				
STYLIS	TIC M702 STYLISTIC M702	25.7cm (10.1") TFT high-brightness WUXGA Display, capacitive multi-touch screen, Nvidia Tegra 3 Quad-Core AP37 ARM Cortex A9, up to Single-Core 1.7GHz/Quad-Core 1.6GHz, 2GB memory (LPDDR2, 533MHz), 32 GB eMMC Flash memory. Bluetooth 4.0 (Smart Ready), Wireless LAN 802.11a/b/g/n, LTE, UMTS/3G with HSPA+, GPS, NFC, MHL,1.2MP front camera, 8.1MP rear camera incl. autofocus, 10.080mAh Lithium-Polymer battery for video playback 10 hours (tbc), digital microphone, 2 x speakers (stereo), acceleration sensor, gyro sensor, magnetic sensor, ambient light sensor, power LED, power/standby button, fingerprint reader, volume up/down button., Interfaces: 1 x Micro USB 2.0, 1 x microphone/headphone, 1 x Micro SD card slot, 1 x Micro SIM card slot, 1 x docking connector (for charging)., Including MicroUSB-to-USB cable, cleaning cloth, cradle and AC adapter with EU and UK power cables., Dimensions: 259 x 169 x 9.9mm, 590g weight., , Product can be delivered in following countries: Abu Dhabi, Afghanistan, Albania, Andorra, Angola, Armenia, Austria, Azerbaijan, Azores, Belarus, Belgium, Bosnia-Herzegovina, Bulgaria, Canary Islands (Spain), Ceuta	S26391-K369-V100	#####	



#### STYLISTIC Q572

The Fujitsu STYLISTIC Q572 is the ideal lightweight 25.7 cm (10.1-inch) tablet PC for mobile professionals in business, government and SME. With pen and finger support, the slim 732 g device provides perfect flexibility to accomplish your daily tasks. Its swappable battery lets you deliver from start to finish and numerous interfaces as well as a docking option bring full convenience to your desk. 4G/LTE ensures ultimate connectivity anywhere and enterprise-class security features enhance data protection in sensitive environments.

	Description	Details	Product Code	EUP (€)	Comments
	d products				
STYLIS	TIC Q572 ST Q572 /WIN8 READY/SSD 128GB/ (Promo)	ST Q572 /WIN8 READY/SSD 128GB/ No UMTS/LTE/CAM/CK	LKN:Q5720M0001IT		Phased out
	OT Q072/WING NEAD 1/00D 1200D/ (110Hb)	INT/AC/CBL EU/ LIC WIN8 PRO/WIN8 PRO64 MAIN/ RDVD WIN8 PRO64/,	LINI.Q3/20M000111		i naseu out
	ST Q572 /WIN8 READY/SSD 128GB/ (Promo)	ST Q572 /WIN8 READY/SSD 128GB/ UMTS Gobi 3000/CAM/TPM/CK INT/AC/BATT/ CBL EU/Cradle/LIC WIN8 PRO/ WIN8 PRO64 MAIN/RDVD WIN8 PRO64/,	LKN:Q5720M0002IT		Phased out
	ST Q572 /WIN8 READY/SSD 128GB/	ST Q572 /WIN8 READY/SSD 128GB/ No UMTS/LTE/CAM/CK INT/AC/CBL EU/ LIC WIN8 PRO/WIN8 PRO64 MAIN/ RDVD WIN8 PRO64/,	PRJ:Q5720M0001IT	1.193,00	Phased out
Model	Description	Details	Product Code	EUP (€)	Comments
	it configurations	Johano		ш	
	TIC Q572				
	STYLISTIC Q572	Base unit with 25,7cm (10,1") TFT wide-view high-bright WXGA/HD LED Display with hardened glass and magnesium cover, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), AMD A68M FCH Chipset, 4 GB Dual Channel DDR3 1600MHz PC12800 RAM fix integrated (soldered). AMD Radeon(TM) HD 6250 integrated graphics, S-ATA III Interface for internal HDD, 10/100 MBit LAN (LAN connector in the cradle only), Realtek HD Audio, 2 digital microphones and 2 loudspeakers integrated, ambient-light sensor, G-Sensor, fingerprint sensor (SmartAccess Fingerprint & Security Software), LED status indicators, LED hinge rotation indicators, application buttons., Interfaces: SmartCard Reader, SD Card reader, HDMI, 1x bootable USB 2.0, optional SIM-Card Reader for UMTS/LTE, audio out (line-out, headphones), cradle connector., Tablet pen, pen tether and cleaning cloth.	S26391-K373-V100	733,00	



#### STYLISTIC Q702

The Fujitsu STYLISTIC Q702 is the perfect choice for mobile professionals looking for high-performance without compromising on versatility. With its attachable keyboard option, this lightweight hybrid tablet PC enables easy content creation and consumption. Either use it as a tablet when traveling or attach the keyboard and convert the STYLISTIC Q702 into a traditional notebook for additional usability in the office. The 29.5 cm (11.6-inch) display with pen and finger input support offers you excellent flexibility while optional 4G/LTE completes the picture of a professional tablet.

	Description	Details	Product Code	EUP (€)	Comments
	d products				
STYLIS	,	ST Q702 /WIN8 KIT/I3-3227U/SSD 128GB/ Atheros HB116/BT 4.0/No WWAN / No GPS/ HD Cam front/5MP CAM BACK/No TPM/CK INT/ AC/CBL EU/LIC WIN8 PRO/WIN8 PRO64 MAIN/,	LKN:Q7020M0001IT		Phased out
	ST Q702 /WIN8 KIT/I5-3437U/SSD 128GB/ (Promo	ST Q702 /WIN8 KIT/I5-3437U/SSD 128GB/ CENTR. 6205/BT 4.0/UMTS/HD Cam front/ 5MP CAM BACK/TPM/CK INT/AC/CBL EU/ LIC WIN8 PRO/WIN8 PRO64 MAIN/,	LKN:Q7020M0002IT		Phased out
Model	Description	Details	Product Code	EUP (€)	Comments
	it configurations	-			-
STYLIS	STYLISTIC Q702	Base unit with 29,5cm (11.6") TFT wide-view high-bright WXGA/HD LED Display with hardened glass and magnesium cover, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), Intel Chipset QM77 with Intel AMT 8.0 functionality (vPro requires Core i5 processor plus Intel W-LAN plus TPM module),4 GB Dual Channel DDR3 1600MHz PC12800 RAM fix integrated (soldered). Mobile Intel HD 4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel LAN, Intel HD Audio, 2 digital microphones and 2 loudspeakers integrated, ambientlight sensor, G-Sensor, fingerprint sensor (SmartAccess Fingerprint & Security Software), LED status indicators, LED hinge rotation indicators, application buttons. Interfaces: SD Card reader, HDMI, 1x bootable USB 3.0, 1x bootable USB 2.0, optional SIM-Card Reader for UMTS/LTE, audio in (line-in, microphone), audio out (line-out, headphones), keyboard docking connector., Tablet pen pen tether and cleaning cloth.		#####	



<b>Tablet</b>	PC Accessories										
			32	0,0	Q550	72	05	ST6012			
			STYLISTIC M532	STYLISTIC M702	C Q5	C Q572	3 Q702	ST	e po		v
			ISTI(	IST(	STYLISTIC	STYLISTIC	STYLISTIC	STYLISTIC	Product Code	€	Comments
Category	Description	Details	ĬΖ	ĬΪ	Σĭ	ΣŢ	ĬΖ	ĬΪ	rodi	EUP (	Somr
	s & services matrix	Details	(V)	(0)	(O)	0)	(0)	(0)	ш.	ш	
OS/Applica	ntion-SW Drivers&Utility (Win7) LIFEBOOK	incl. Nero 7 Essentials S						х	S26361-F2007-L903	17,00	
	Drivers&Utility DVD (Win7) LIFEBOOK DU-DVD (Win8) LIFEBOOK/STYLISTIC 2012				Х	v	х		S26361-F2010-L201 S26361-F2012-L104	22,00 28,00	
UPS/Power	rsupply					X	X				
	Battery PortRep 4cell 45Wh (3150mAh)	only usable in the Portreplikator with integrated Keyboard					Х		S26391-F1206-L100	82,00	
	3pin Slim AC Adapter 19V/65W						Х		S26391-F1206-L500	38,00	
	Additional battery 2cell 36Wh (50000mAh) Slim AC Adapter 19V/60W (w/o cable)					X			S26391-F1216-L100 S26391-F1216-L510	77,00 38,00	
	AC Adapter (including DC plug EU/UK/US)		Х	х					S26391-F338-L100 S26391-F339-L100	44,00 38,00	
	AC Adapter (w/o cable)  External battery charger, incl. 16V AC	External battery charger, incl. 16V AC w/o AC		^	Х	Х			S26391-F778-L400	189,00	
	Battery 4cell 38Wh (5.240mAh)	Cable		┝	Х				S26391-F916-L200	134 00	Phased out
Security											T Hadda dat
	Absolute Track, Abo. 1Y.	Single key licence, for more info please check hint box / product description			X	Х	Х	Х	S26361-F2009-L101	19,00	
	Absolute Track, Abo. 2Y.	Single key licence, for more info please check			Х	Х	х	х	S26361-F2009-L102	29,00	
	Absolute Track, Abo. 3Y.	hint box / product description Single key licence, for more info please check			Х	х	Х	Х	S26361-F2009-L103	37,00	
	Data Protection, Abo. 1Y.	hint box / product description Single key licence, for more info please check			v	v	v	v	S26361-F2009-L104	30,00	
	Data Protection, Abo. 11.	hint box / product description			Х	Х	Х	X	320301-F2009-L104	30,00	
	Data Protection, Abo. 2Y.	Single key licence, for more info please check hint box / product description			Х	Х	Х	х	S26361-F2009-L105	46,00	
	Data Protection, Abo. 3Y.	Single key licence, for more info please check			х	х	х	х	S26361-F2009-L106	57,00	
	ComputraceOne, Abo. 1Y.	hint box / product description Single key licence, for more info please check		┝	Х	Х	Х	Х	S26361-F2009-L107	35,00	
		hint box / product description									
	ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description			Х	Х	Х	Х	S26361-F2009-L108	56,00	
	ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description			Х	Х	х	х	S26361-F2009-L109	78,00	
	ATP, Data Protection, PE, Abo. 1Y.	Single key licence, for more info please check				х	х		S26361-F2009-L113	48,00	
	ATP, Data Protection, PE, Abo. 2Y.	hint box / product description  Single key licence, for more info please check				х	Х		S26361-F2009-L114	77,00	
		hint box / product description		L							
	ATP, Data Protection, PE, Abo. 3Y.	Single key licence, for more info please check hint box / product description				Х	Х		S26361-F2009-L115	94,00	
	ATP, ComputraceOne, Abo. 1Y.	Single key licence, for more info please check				Х	х		S26361-F2009-L116	54,00	
	ATP, ComputraceOne, Abo. 2Y.	hint box / product description Single key licence, for more info please check		H		Х	Х		S26361-F2009-L117	88,00	
	ATP, ComputraceOne, Abo. 3Y.	hint box / product description Single key licence, for more info please check		H		х	Х		S26361-F2009-L118	116,00	
	<u>'</u>	hint box / product description					^		02030112003-2110		
	ATP, ComputraceOne, Abo. 5J. Absolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info		H	Х	X	X	X	S26361-F2009-L119 S26361-F2009-L201	166,00 19,00	
		please check hint box / product description									
	Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description			Х	Х	Х	Х	S26361-F2009-L202	29,00	
	Absolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info			Х	х	Х	х	S26361-F2009-L203	37,00	
	Data Protection, Abo. 1Y. Master	please check hint box / product description  Master key for multiple licences, for more info		H	Х	Х	Х	Х	S26361-F2009-L204	30,00	
	Data Distriction, Also 2V Montes	please check hint box / product description		L	.,	.,	.,		C26264 F2000 L205	46.00	
	Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description			Х	Х	Х	X	S26361-F2009-L205	46,00	
	Data Protection, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description			Х	х	х	Х	S26361-F2009-L206	57,00	
	ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info			Х	х	х	х	S26361-F2009-L207	35,00	
	ComputraceOne, Abo. 2Y. Master	please check hint box / product description  Master key for multiple licences, for more info			х	х	Х	¥	S26361-F2009-L208	56,00	
		please check hint box / product description		L	Ĺ	Ĺ					
	ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description			Х	Х	Х	X	S26361-F2009-L209	78,00	
	ATP, Data Protection,PE, Abo. 1Y. Master	Master key for multiple licences, for more info				х	х		S26361-F2009-L213	48,00	
	ATP, Data Protection,PE, Abo. 2Y. Master	please check hint box / product description  Master key for multiple licences, for more info		$\vdash$		х	х		S26361-F2009-L214	77,00	
		please check hint box / product description									



		Date its	STYLISTIC M532	STYLISTIC M702		STYLISTIC Q572	STYLISTIC Q702	STYLISTIC ST6012	Product Code	EUP (€)	Comments
	Description s & services matrix	Details	S	S	S	S	S	S	<u> </u>	Ш	O
	Continued)										
oounity (o	ATP, Data Protection, PE, Abo. 3Y. Master	Master key for multiple licences, for more info		П	T	Х	Х		S26361-F2009-L215	94,00	
	, , ,	please check hint box / product description								,	
	ATP, ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info		П		Х	Х		S26361-F2009-L216	54,00	
	·	please check hint box / product description									
	ATP, ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description				х	х		S26361-F2009-L217	88,00	
	ATP, ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				Х	Х		S26361-F2009-L218	116,00	
	Computrace Mobile Basic, Abo 1 Y.		Х	Х					S26361-F2009-L300	14,00	
	Computrace Mobile Basic, Abo 3 Y.		Х	Х					S26361-F2009-L301	33,00	
	Computrace Mobile Standard, Abo 1 Y.		Х	Х					S26361-F2009-L302	24,00	
	Computrace Mobile Standard, Abo 3 Y.		Х						S26361-F2009-L303	48,00	
	Computrace Mobile Basic, Abo 1 Y. Master		Х	_	_				S26361-F2009-L400	14,00	
	Computrace Mobile Basic, Abo 3 Y. Master		Х	_	_				S26361-F2009-L401	33,00	
	Computrace Mobile Std, Abo 1 Y. Master		X	_					S26361-F2009-L402	24,00	
	Computrace Mobile Std, Abo 3 Y. Master			X					S26361-F2009-L403	48,00	
	ATP, Data Protection, PE, Abo. 5Y.		^	<b>_^</b>		х	Х		S26361-F2011-L10	133,00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,,				X	X	3,0	S26361-F2727-L100	20,00	
	RFID SmartCardReader USB SCL011	no software, no data medium  RFID SmartCardReader USB SCL011 with							S26381-F2727-L100		
	Smartcardreader USB Solo 3 extern 3310V2	stand in white box packing PC/SC and XP / Vista /Win7compatible, USB			X					38,00	
	PalmSecure Sensor STD FAT13M3S1	interface PalmSecure Sensor STD FAT13M3S1 palmvein		L	X				S26381-F331-L220 S26381-K434-L100	25,00	
	rainisecure sensor STD PATTSWSST	sensor for biometric authentication. Component for integration without cable, manual and software			^			^	320301-R434-L100	239,00	
	PalmSecure SDK	PalmSecure SDK Software Development Kit for PalmSecure PSSDK_FAT13S1A04		Г	х			Х	S26381-K434-L201	4.444,00	
	PalmSecure U Guide FAT13G2A2L	PalmSecure U Guide FAT13G2A2L specila handguide for palmvein sensor			Х			Х	S26381-K434-L500	52,00	
	PalmSecure Sensor Guide Kit STD	PalmSecure Sensor Guide Kit STD contains an external USB vein sensor for biometric authentication. USB 2.0 bus powered. Set contains:, Sensor, holder, Handguide and USB cable in Brown box.			х			x	S26381-K436-L100	256,00	
iscellane	ous										
	Screen Protector (2pcs)						Х		S26391-F1209-L400	39,00	
	Pen and Tether set					Х	Х		S26391-F1219-L200	37,00	
	Pen attachment (2pcs)					Х			S26391-F1219-L300	14,00	
	Screen Protector (2pcs)					Х			S26391-F1219-L400	39,00	
	USB/HDMI Adapter		Х						S26391-F338-L300	55,00	
	Pen & tether set				Х				S26391-F796-L810	55,00	Phased or
	Screen protection foil (2 pieces)				Х				S26391-F917-L300	39,00	Phased or
ables	Power cord three-wire CHN	Power cord three-wire CHN; Mickey Mouse C5					х		S26361-F2581-L350	33,00	
	power cable EU	connector black, 2-pole, 1.8 m	_	Х		Х	-	У	T26139-Y2540-V113	9.00	
	power cable LG	black, 2-pole, 1.8 m		X		X		_	T26139-Y2540-V213	9,00	
	power cable US	black, 2-pole, 1,8 m		X	_	X		_	T26139-Y2540-V313	9,00	
	Power cable US Power cord three-wire DK	Power cord three-wire EU		X		X	1/	X	S26361-F2581-L328		
					+	1	X			17,00	
	Power cord three-wire US	Power cord three-wire US; Mickey Mouse C5 connector			1		X		S26361-F2581-L300	17,00	
	Power cord three-wire EU	Power cord three-wire EU; Mickey Mouse C5 connector			_		X		S26361-F2581-L310	17,00	
	Power cord three-wire GB	Power cord three-wire GB; Mickey Mouse C5 connector					Х		S26361-F2581-L320	17,00	
	Power cord three-wire I Power cord three-wire CH	Power cord three-wire I Power cord three-wire CH; Mickey Mouse C5			+		X		S26361-F2581-L330 S26361-F2581-L340	17,00 17,00	
dditional	Software	connector									
uditional		License openET (MINIDOMS) V42 Or for units = in			١,,				U11081-C401	1 2/10 00	
	OPENFT-1 (WINDOWS) V12.0	License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs			X				011001-0401	1.348,00	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to		T	х				U11081-C301	1.225,00	



## **Tablet PC Options**

			STYLISTIC Q572	STYLISTIC Q702	Product Code	P (€)	Comments
Category	Description	Details	ST	S	Prc	EUP	္တိ
Options ma							
Approvais	dependencies China Energy Label (CEL) Q702			\ <u>'</u>	S26391-F1100-E930	4,00	
_CD-Displ				^	320391-11100-1930	4,00	
-CD-Dispi	Win7 Ready Kit		Т	x	S26391-F1200-E100	2,00	
	Win8 Ready Kit				S26391-F1200-E200	2,00	
	Win7 Ready Kit		х	^	S26391-F1210-E100	2,00	
	Win8 Ready Kit		X		S26391-F1210-E200	2,00	
rocessor					02000111210 2200	2,00	
10003301	Intel Core i3-3227U 1.9 GHz 3MB			х	S26391-F1201-E322	158.00	
	Intel Core i5-3437U up to 2.9 GHz 3MB				S26391-F1201-E343		
lard Disk		,.			020001112012010	202,00	
iai a Dioit	SSD mSATA 64 GB		Т	х	S26391-F1203-E820	177.00	
	SSD mSATA 64 GB FDE		x	_	S26391-F1203-E920		
	SSD mSATA 64 GB OPAL TCG				S26391-F1203-E830		
	SSD mSATA 128 GB		<b>+^</b>		S26391-F1203-E821		
	SSD mSATA 128 GB FDE		х		S26391-F1203-E921		
	SSD mSATA 128 GB OPAL TCG		X		S26391-F1203-E831		
	SSD mSATA 256 GB		X	_	S26391-F1203-E822		
ommunic	cation/Network	<u> </u>	_^	^	02000111200-2022	200,00	
J	No WLAN		T	Y	S26391-F1205-E200	2,00	
	Intel Centrino 6205 802.11a\b\g\n (WW)	+	+	_	S26391-F1205-E210	22,00	
	Atheros HB116 WLAN 11a\b\g\n (WW)	+	+		S26391-F1205-E210	10,00	
	No Bluetooth		+		S26391-F1205-E220 S26391-F1205-E300	2,00	
	Bluetooth Module V4.0				S26391-F1205-E310	23,00	
	No WWAN / No GPS				S26391-F1205-E500	2,00	
	No UMTS/LTE		. v	X	S26391-F1205-E500	2,00	
	UMTS module Sierra Wireless Gobi 3000		X			89.00	
			X		S26391-F1215-E525	89,00	
	UMTS Sierra Wireless Gobi 3000 WIN7/WIN8		-	X	S26391-F1205-E528		
	LTE module Sierra Wireless MC7710		Х		S26391-F1215-E535		
	LTE Sierra Wireless MC7710 WIN7/WIN8			Х	S26391-F1205-E538	145,00	
/lultimedia					000004 54040 5540	10.00	
	HD front Camera front & 5 MP rear Camera		Х	_	S26391-F1210-E510	42,00	
	HD front Camera		_		S26391-F1200-E510	17,00	
	5 MP rear Camera			Х	S26391-F1200-E610	32,00	
lobile Se	TPM Module				S26391-F1219-E110	8.00	
			Х	\ \		-,	
	No TPM TPM Module				S26391-F1209-E100	3,00	
	SystemLock3	System Look 2 Smorteard BIOS Bro Boot Authoritisation	_		S26391-F1209-E110	8,00	
	SystemLocks	SystemLock3 Smartcard BIOS Pre-Boot Authentification		Х	S26391-F993-E200	18,00	
	SmartCase Logon+ 3.2.2	Does not support Windows 8; supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics		х	S26361-F2011-E740	14,00	
ountry ki					000004 54005 545	0.00	
	Country Kit DE		+		S26391-F1208-E100	6,00	
	Country Kit INT		+		S26391-F1208-E200	6,00	
	Country Kit GB		-	Х	S26391-F1208-E300	6,00	
	Country Kit DE	1	Х	-	S26391-F1218-E100	6,00	
	Country Kit INT		Х	-	S26391-F1218-E200	6,00	
	Country Kit GB		Х	-	S26391-F1218-E300	6,00	
	Warranty Card Poland			Х	S26391-F781-E500	2,00	
ower sup	•						
	3pin AC Adapter 19V/65W slim and light		-	Х	S26391-F1206-E500	15,00	
	Additional battery 2cell 36Wh (5000mAh)		X	<u> </u>	S26391-F1216-E100	38,00	
	AC Adapter 19V/60W		_		S26391-F1216-E510	15,00	
	Power cable EU				S26391-F878-E210	5,00	
	Power cable US		_		S26391-F878-E220	5,00	
	Power cable GB		Х		S26391-F878-E230	5,00	
	3-pin Power cable EU	3pin power cable for EU, Mickey Mouse (MM) connector type (for H720),			S26391-F878-E310	4,00	
	3-pin Power Cable US	3pin power cable for US, Mickey Mouse (MM) connector type (for H720)			S26391-F878-E320	4,00	
	3-pin Power Cable GB	3pin power cable for GB, Mickey Mouse (MM) connector type (for H720)		Х	S26391-F878-E330	5,00	
	3-pin Power Cable IT			Х	S26391-F878-E350	4,00	
	3-pin Power Cable CH	3pin power cable for Switzerland, Mickey Mouse (MM)		Х	S26391-F878-E360	4,00	
		connector type (for H720),					



Tablet	PC Options						
	Description	Details	STYLISTIC Q572	STYLISTIC Q702	Product Code	EUP (€)	Comments
Options ma	•	Details	(O)	()	<u>.                                    </u>	ш	O
	ply (Continued)						
Port Replic							
	Portreplicator with Keyboard DE		_		S26391-F1207-E221		
	Portreplicator with Keyboard FR Portreplicator with Keyboard IT				S26391-F1207-E222 S26391-F1207-E223	-,	
	Portreplicator with Keyboard GB		_		S26391-F1207-E225		
	Portreplicator with Keyboard SE/FI			_	S26391-F1207-E226		
	Portreplicator with Keyboard NO			Х	S26391-F1207-E227	279,00	
	Portreplicator with Keyboard DK				S26391-F1207-E228		
	Portreplicator with Keyboard ES		_		S26391-F1207-E230		
	Portreplicator with Keyboard PT Portreplicator with Keyboard CH				S26391-F1207-E231 S26391-F1207-E232		
	Portreplicator with Keyboard US				S26391-F1207-E234		
	Portreplicator with Keyboard BE				S26391-F1207-E236		
	Portreplicator with Keyboard RU/GB			Х	S26391-F1207-E242	279,00	
	Portreplicator with Keyboard HU				S26391-F1207-E245		
	Portreplicator with Keyboard NORD		_		S26391-F1207-E246		
	Portreplicator with Keyboard TR Portreplicator with Keyboard GR				S26391-F1207-E250 S26391-F1207-E251		
	Portreplicator with Keyboard GR				S26391-F1207-E251		
	Portreplicator with Keyboard AR/GB			_	S26391-F1207-E255		
	Portreplicator with Keyboard IL				S26391-F1207-E257		
	Portreplicator with Keyboard CZ/SK/US			Х	S26391-F1207-E266	279,00	
	Portreplicator with Keyboard IS			_	S26391-F1207-E270		
00/4	Cradle		Х		S26391-F1217-E500	46,00	
OS/Applica	No Operating System			v	S26361-F2008-E100	4,00	
	License - Windows 8 Pro		x		S26361-F2218-E100		
	License - Windows 8			_	S26361-F2218-E103	79,00	
	License - Windows 8 SST		Х		S26361-F2218-E113	35,00	New product
	License EM - Windows 8				S26361-F2218-E106	60,00	
	Load Win8 Pro (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.	X	X	\$26361-F2218-E200	4,00	Phased out
	Load Win8 Pro (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.	x	x	S26361-F2218-E201	4,00	Phased out
	Load Win8 (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),	х	х	S26361-F2218-E207	4,00	Phased out
	Load Win8 Pro (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.	x	X	S26361-F2218-E202	4,00	Phased out
	Load Win8 (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,	х	X	S26361-F2218-E208	4,00	Phased out



	PC Options		STYLISTIC Q572	STYLISTIC Q702	Product Code	(€)	nents
ory	Description	Details	STYL	STYL	Produ	EUP (	Comments
s ma olica	trix ition-SW (Continued)						
	Load Win8 (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,	х	х	S26361-F2218-E209	4,00	Phased
	Load Win8 (64) EM+Office2010t	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian,	Х	Х	S26361-F2218-E213	4,00	Phased
	Load Win8 Pro (64) MAIN+Office2013	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),	х	х	S26361-F2238-E200	4,00	
	Load Win8 Pro (64) NEE+Office2013	North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,	х	х	S26361-F2238-E201	4,00	
	Load Win8 Pro (64) SEE+Office2013	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,	Х	Х	S26361-F2238-E202	4,00	
	Load Win8 (64) MAIN+Office2013	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),	х	х	S26361-F2238-E207	4,00	
	Load Win8 (64) NEE+Office2013	North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,	х	х	S26361-F2238-E208	4,00	
	Load Win8 (64) SEE+Office2013	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,	х	х	S26361-F2238-E209	4,00	
	Load Win8 (64) EM+Office2013	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian,	Х	Х	S26361-F2238-E213	4,00	
	OS RDVD Windows 8 Pro (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	х	x	S26361-F2218-E300	3,00	
	OS RDVD Windows 8 Pro (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	х	х	S26361-F2218-E302	3,00	
	OS RDVD Windows 8 (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	Х	X	S26361-F2218-E304	3,00	
	OS RDVD Windows 8 (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	х	х	S26361-F2218-E306	3,00	
	OS RDVD Windows 8 (32) EM	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian	х	х	S26361-F2218-E308	3,00	
	OS RDVD Windows 8 (64) EM	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian	х	х	S26361-F2218-E310	3,00	
	OFM Office Home and Student 2013 MPI MM				\$26261 E2010 E201	100.00	

OEM Office Home and Student 2013 MPI MM

x x S26361-F2010-E291 100,00



T	PC Options		ņ	Ğ		
			STYLISTIC Q572	STYLISTIC Q702	Product Code	P (€)
	Description	Details	ST	S	Pro	EUP
at	rix					
	tion-SW (Continued)					
- 1	OEM Office Home and Business 2013 MPI MM		Х		S26361-F2010-E292	,
	OEM Office Professional 2013 MPI MM		Х		S26361-F2010-E293	355,00
- 1	DU-DVD (Win7) LIFEBOOK			Х	S26361-F2012-E101	3,00
	DU-DVD (Win7) LIFEBOOK		Х		S26361-F2010-E211	3,00
- 1	DU-DVD (Win8) LIFEBOOK		Х		S26361-F2012-E105	3,00
	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	Х	X	S26361-F2010-E243	85,00
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	Х	Х	S26361-F2010-E253	122,00
	License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)	х	Х	S26361-F2010-E242	85,00
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)	х	X	S26361-F2010-E252	122,00
	License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	х	х	S26361-F2010-E244	85,00
	License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	х	Х	S26361-F2010-E254	122,00
	License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, , Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	X	х	S26361-F2010-E245	85,00
	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, , Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x	x	S26361-F2010-E255	122,00
	Licenses EM INIDIA MUSELLA 2711	EM INDIA Coloration of the Col		_	000004 50040 5040	05.00
	License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India			S26361-F2010-E248	85,00



t F	PC Options						
	Description	Deteile	STYLISTIC Q572	STYLISTIC Q702	Product Code	EUP (€)	
	<b>Description</b> trix	Details	S	S	Δ.	Ш	
_	tion-SW (Continued)						
	Win7 HomePremium64 MAIN+Office2010t	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	Х	Х	S26361-F2110-E441	4,00	
	Win7 HomePremium64 NORDIC+Office2010t	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	х	x	S26361-F2110-E442	4,00	
	Win7 HomePremium64 EM-SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	X	X	S26361-F2110-E443	4,00	
	Win7 HomePremium64 IBER-NE+Office2010t	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	X	Х	S26361-F2110-E444	4,00	
	Win7 HomePremium64 SEE+Office2010t	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	х	Х	S26361-F2110-E445	4,00	
	Win7 HomePremium64 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	Х	Х	S26361-F2110-E446	4,00	
	Win7 Pro64 MAIN+Office2010t	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	х	х	S26361-F2110-E451	4,00	
	Win7 Pro64 NORDIC+Office2010t	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	х	х	S26361-F2110-E452	4,00	

from channel.



	PC Options		STYLISTIC Q572	STYLISTIC Q702	Product Code	EUP (€)	
	Description	Details	ပ	ပ	<u>r</u>	ш	
_	rix						
	tion-SW (Continued)	Designed, Mari i EM CE /Emparation Manhata and Courth and			000004 F0440 F450	4.00	
	Win7 Pro64 EM-SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	X	X	S26361-F2110-E453	4,00	
	Win7 Pro64 IBER-NE+Office2010t	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	S26361-F2110-E454	4,00	
	Win7 Pro64 SEE+Office2010t	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	X	Х	S26361-F2110-E455	4,00	
	Win7 Pro64 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	х	х	S26361-F2110-E456	4,00	
	Win7 Pro64 MAIN+Office2013	Languages: DE, EN, ES, FR, IT, NL,	v	v	S26361-F2237-E451	4,00	
	Win7 Pro64 NORDIC+Office2013	Languages: DE, EN, EO, FN, NE, NE, SV,			S26361-F2237-E452	4,00	
- 1	Win7 Pro64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR,			S26361-F2237-E453	4,00	
- 1	Win7 Pro64 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK,			S26361-F2237-E454	4,00	
	Win7 Pro64 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR,	Х	Х	S26361-F2237-E455	4,00	
- 1	Win7 Pro64 RU+Office2013	Languages: RU,	Х		S26361-F2237-E456	4,00	
- 1	REC-DVD Win7 Home Premium 64 All MuLi				S26361-F2010-E643	3,00	
- 12	REC-DVD Win7 Home Premium 64 RUS	RU			S26361-F2010-E642	3,00	_
	REC-DVD Win7 Professional 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish			S26361-F2010-E653	3,00	
- 1	REC-DVD Win7 Professional 64 RUS REC-DVD Win7 Prof. 32+64bit All MuLi	RU Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish			\$26361-F2010-E652 \$26361-F2010-E753	3,00	
- 1	REC-DVD Win7 Home Premium 32 RU REC-DVD Win7 Home Premium 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	X		S26361-F2010-E544 S26361-F2010-E545	3,00	
- 1	REC-DVD Win7 Professional 32 RU		х		S26361-F2010-E554	3,00	
- 1	REC-DVD Win7 Professional 32 All MuLi		х		S26361-F2010-E555	3,00	
- 1	REC-DVD Win7 Home Premium 64 RU		Х		S26361-F2010-E644	3,00	
- 1	REC-DVD Win7 Home Premium 64 All MuLi		X	-	S26361-F2010-E645	3,00	
	REC-DVD Win7 Professional 64 RU REC-DVD Win7 Professional 64 All MuLi		X		S26361-F2010-E654 S26361-F2010-E655	3,00	
-	Win7 HomePremium64 MAIN+Office2013	Languages: DE, EN, ES, FR, IT, NL,	X	_	S26361-F2010-E655 S26361-F2237-E441	4,00	
-	Win7 HomePremium64 NORDIC+Office2013	Languages: DE, EN, ES, FK, II, NE, Languages: DK, EN, FI, NO, RU, SV,			S26361-F2237-E442	4,00	
	Win7 HomePremium64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR,			S26361-F2237-E443	4,00	



0-4	December	Deteile	STYLISTIC Q572	STYLISTIC Q702	Product Code	UP (€)	omments
Category Options ma	Description	Details	S	S	<u>C</u>	Ш	Ö
•	ation-SW (Continued)						
JOIAPPIIC	Win7 HomePremium64 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK,	х	х	S26361-F2237-E444	4,00	
	Win7 HomePremium64 SEE+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR,	X		S26361-F2237-E445	4,00	
	Win7 HomePremium64 RU+Office2013	Languages: RU,	X		S26361-F2237-E446	4,00	
Mouse		,				,	
	Mouse 400NB Black		х	Х	S26391-F428-E100	17,00	
	MOUSE M410NB BLACK		х	Х	S26391-F453-E100	17,00	
Miscellane	eous						
	MAC Address WLAN on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	Х	Х	S26391-F782-E200	2,00	

#### **Positioning Notebooks**



LIFEBOOK S Series



LIFEBOOK E Series

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility: the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Core 2Duo technology provide you long battery life away from the power socket.

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.7 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM and Fingerprint modules make your sensible data safe and secure – anytime, anywhere.

Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.



LIFEBOOK P Series

The LIFEBOOK P Series fits in any bag - meeting the most demanding airport restrictions. At only 1.3 kg this lightweight combines superior style with exceptional performance and state-of-the-art connectivity, including embedded mobile broadband access and excellent communications ability. Thanks to video conferencing support with the integrated ConfCamera, this 12.1-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a exeptional long battery run time. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality.



LIFEBOOK NH751

The The Fujitsu LIFEBOOK NH751 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 43.9 cm (17.3-inch) display with powerful NVIDIA® GeForce® GT 525M discrete graphics with NVIDIA® Optimus™ technology, whenever and wherever they want. While the spill-resistant keyboard provides extra reliability, high-gloss black finish, frameless display and outstanding slim profile make the notebook a real head-turner.



#### **LIFEBOOK T902**

As a mobile professional, the Fujitsu LIFEBOOK T902 offers you the perfect versatile and flexible Tablet PC. The 33.8 cm (13.3-inch) convertible notebook enables maximum convenience and flexibility with a modular bay for additional battery runtime or storage as well as pen and finger input. In addition, the latest connectivity standard 4G/LTE provides ultimate connectivity, facilitating work and business trips.

	Description	Details	Product Code	EUP (€)	Comments
	d products				
LIFEBU	OK T902 LB T902 /WIN8 READY/i5-3320M/2x4 GB/DVD/ (Promo)	LB T902 /WIN8 READY/i5-3320M/2x4 GB/DVD/ 500GB 7.2k/CENTR. 6205/BT 4.0/ UMTS ready/2 Mic&FHDCam/TPM/ERASEDISK/ CK Int/3PIN AC 100W/BATT/,	LKN:T9020M0003IT		Phased out
	LB T902 /WIN8 READY/I5-3340M/2x4 GB/DVD/ (Promo)	LB T902 /WIN8 READY/I5-3340M/2x4 GB/DVD/ 500GB 7.2k/CENTR. 6205/BT 4.0/ UMTS ready/2 Mic&FHDCam/TPM/ERASEDISK/ CK Int/3PIN AC 100W/BATT/,	LKN:T9020M0004IT		Phased out
Model	Description	Details	Product Code	EUP (€)	Comments
	it configurations	- Document	ш		
	OK T902				
	LIFEBOOK T902 WIN7/WIN8	Base unit with 33.8cm (13.3") TFT wide-view high-bright WSXGA/HD+ LED Display with hardened glass and magnesium cover, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), Intel Chipset QM77 with Intel AMT 8.0 functionality (vPro requires Core i5/ i7 processor plus Intel W-LAN plus TPM module), supports maximum 16 GB Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD (SATA-II) or weight-saver. Mobile Intel HD 4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel LAN, Intel HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, ambient-light sensor, G-Sensor, fingerprint sensor (SmartAccess Fingerprint & Security Software), LED status indicators, LED hinge rotation indicators, application buttons, Kensington Lock., Interfaces: Smart Card reader slot, SD Card reader, VGA, HDMI, 2x bootable USB 3.0, 2x bootable USB 2.0 (1x with off-charge function), RJ45 for LAN, optional SIM-Card Reader for UMTS, audio in (line-in, microphone), audio out (line-out, headphones), port	S26391-K363-V200	1.210,00	



#### **LIFEBOOK S752**

If you need a reliable notebook for everyday business use, choose the Fujitsu LIFEBOOK S752. Its 35.6 cm (14-inch) display and useful interfaces offer you convenience in the office. The extendable modular bay for a second battery or hard disk drive lets you increase storage or battery runtime, providing enhanced flexibility. Multiple connectivity options and excellent energy efficiency complete the package.

Model	Description	Details	Product Code	EUP (€)	Comments
	d products				
LIFEBO	OK \$752				
	LB S752 /14.0" HD+/i5-3320M/2x4 GB/ (Promo)	LB S752 /14.0" HD+/i5-3320M/2x4 GB/ DVD Super Multi/500GB 7.2k/No Modem/ BT V4.0/UMTS/LTE ready/WLAN INTEL 6205/ mic&FHD cam/Fingerprint/TPM Module/,	LKN:S7520M0002IT		
Model	Description	Details	Product Code	EUP (€)	Comments
	it configurations	Details	ш.	ш	U
	OK S752				
	LIFEBOOK S752 HM76 Chipset	Base unit, Chipset Intel HM76, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0, thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , global model, , Please do not forget to configure the AC adapter, AC cable & 1st battery extra. We recommend to use 65W AC adapter for the system. For the usage with Port replicator 80W AC Adapter is required.	S26391-K351-V100	423,00	



#### **LIFEBOOK S762**

If you need a lightweight but fully-equipped notebook for office-based or mobile working, choose the Fujitsu LIFEBOOK S762. This 1.8 kg notebook offers excellent mobility through its small form factor and 33.8 cm (13.3-inch) display. Its modular bay for increased battery runtime, a second hard disk drive or Fujitsu's optional patented bay projector guarantee you maximum flexibility on a business trip.

	Description	Details	Product Code	EUP (€)	Comments
	d products OK S762				
LII LBO	LB S762 /13.3" HD/3360M/2x4 GB/ (Promo)	LB S762 /13.3" HD/3360M/2x4 GB/ DVD Super Multi/500GB 7.2k/EC slot/ BT V4.0/UMTS/LTE ready/WLAN INTEL 6205/ mic&FHD cam/Fingerprint/TPM/ERASEDISK/,	LKN:S7620M0002IT		
Model	Description	Details	Product Code	EUP (€)	Comments
	it configurations				
LIFEBO	LIFEBOOK S762 HM76	Base unit, Intel HM76 Chipset, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd battery, 2nd hard disk (S-ATA-II) or bay projector. Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 V, Intel High Definition Audio, integrated Touchpad with Gesture support, ScrollWheel, G-sensor, LED Status display,application buttons, Kensington Lock connector., Interfaces: 1x ExpressCard (optional), 1x Smart Card Reader (optional), 1x SD Card reader, 1x VGA, 1x Displayport, 2x USB 3.0 (thereof 1x E-SATA/USB combo, 1 with anytime charging functionality), 1x USB 2.0, 1x RJ45 for LAN, 1x RJ11 optional, 1x audio in, 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Global model, , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately., Info: vPro logo requires Intel Core i5-33xx or Core i7-35xx CPU, Intel 6205 W-LAN & TPM module.	S26391-K360-V100	599,00	



#### LIFEBOOK S782

If you need a solid and reliable notebook for everyday business use, choose the Fujitsu LIFEBOOK S782. The 35.6 cm (14-inch) display and useful interfaces offer you enhanced convenience in the office. The modular bay for a second battery or hard disk drive to extend battery runtime or storage provides you with increased flexibility. Moreover, the solid magnesium display lid gives you enhanced stability.

Model	Description	Details	Product Code	EUP (€)	Comments
	d products	1-2-3-3-3	_		
<b>LIFEBO</b>	OK S782				
	LB S782 /14.0" HD+/3360M/2x4 GB/ (Promo)	LB S782 /14.0" HD+/3360M/2x4 GB/ DVD Super Multi/500GB 7.2k/No Modem/ BT V4.0/UMTS/LTE ready/WLAN INTEL 6205/ mic&FHD cam/Fingerprint/TPM Module/,	LKN:S7820M0002IT		
	LB S782 /14.0" HD/l5-3230M/4 GB/DVD/	LB S782 /14.0" HD/I5-3230M/4 GB/DVD/ 320GB/CENTR. 2200/BT V4.0/MIC&CAM/ Fingerprint/TPM/LOCK CABLE/CK Int/ AC 19V/80W/BATT/CBL EU/PortRep/,	PRJ:S7820M0001IT	1.443,00	
Model	Description	Details	Product Code	EUP (€)	Comments
	it configurations	- State			
<b>LIFEBO</b>	OK S782				
	LIFEBOOK S782 QM77 Chipset	Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0, thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC adapter, AC cable & 1st battery extra. We recommend to use 65W AC adapter for the system. For the usage with Port replicator 80W AC Adapter is required., Info: vPro logo requires Intel Core i5-33xx or Core i7-35xx CPU, Intel 6205 W-LAN & TPM module.	S26391-K358-V300	437,00	



#### **LIFEBOOK S792**

If a solid, lightweight and fully-equipped notebook for mobile or office-based working is what you require, Fujitsu LIFEBOOK S792 should be your first choice. This 1.6 kg notebook provides the right balance between mobility and ease of use with its small form factor, 33.8 cm (13.3-inch) display and robust magnesium lid. Its modular bay for increased battery runtime, a second hard disk drive and Fujitsu's optional patented bay projector guarantee you maximum flexibility on business trips.

<b>Model</b> Base ur	<b>Description</b> it configurations	Details	Product Code	EUP (€)	Comments
	OK S792				
	LIFEBOOK S792 QM77	Base unit, Intel QM77 Chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd battery, 2nd hard disk (S-ATA-II) or bay projector. Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 LM, Intel High Definition Audio, integrated Touchpad with Gesture support, ScrollWheel, G-sensor, LED Status display,application buttons, Kensington Lock connector, Sleeve Case., Interfaces: 1x ExpressCard (optional), 1x Smart Card Reader (optional), 1x SD Card reader, 1x VGA, 1x Displayport, 2x USB 3.0 (thereof 1x E-SATA/USB combo, 1 with anytime charging functionality), 1x USB 2.0, 1x RJ45 for LAN, 1x RJ11 optional, 1x audio in, 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery),, Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately Info: vPro logo requires Intel Core i5-33xx or Core i7-	S26391-K367-V300	#####	



#### **LIFEBOOK E752**

Your Professional Desktop Replacement

If you need a reliable and energy-efficient notebook for daily business use, select the Fujitsu LIFEBOOK E752. The 39.6 cm (15.6-inch) display and useful interfaces offer you enhanced convenience. The modular bay lets you add extra memory or a second battery to increase your flexibility. Moreover, advanced security features protect your valuable company data.

			Product Code	EUP (€)	Comments
	Description   d products	Details	<u> </u>	Ш	O
	OOK E752				
	LB E752 /15.6" HD+/i5-3320M/2x4 GB/ (Promo)	LB E752 /15.6" HD+/i5-3320M/2x4 GB/ DVD Super Multi/500GB 7.2k/BT V4.0/ UMTS/LTE ready/WLAN INTEL 6205/ mic&FHD cam/Fingerprint/TPM Module/,	LKN:E7520M0002IT		
	Description	Details	Product Code	EUP (€)	Comments
Base un	it configurations				
LIFEBO	LIFEBOOK E752 HM76 Chipset	Base unit, Chipset Intel HM76, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , global model, , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V100	450,00	
	LIFEBOOK E752 HM76 Chipset 10-key	Base unit, Chipset Intel HM76, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V110	460,00	



LIFE	BOOK E752				
	Description	Details	Product Code	EUP (€)	Comments
	it configurations	Details	ш.		
	OOK E752 (Continued)				
	LIFEBOOK E752 QM77 Chipset	Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V200	479,00	
	LIFEBOOK E752 QM77 Chipset 10-key	Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V210	489,00	



#### **LIFEBOOK E782**

If you need a solid, reliable notebook to support you in your daily work, choose the Fujitsu LIFEBOOK E782. Its 39.6 cm (15.6-inch) display and useful interfaces offer you convenience in the office. The modular bay for a second battery or hard disk drive lets you extend battery runtime or storage, enhancing your flexibility. In addition, the solid magnesium lid enables increased stability wherever you're working.

Model	Description	Details	Product Code	EUP (€)	Comments
Standar	d products				
<b>LIFEBO</b>	OK E782				
	LB E782 /15.6" FHD/3360M/2x4 GB/ (Promo)	LB E782 /15.6" FHD/3360M/2x4 GB/ DVD Super Multi/500GB 7.2k/BT V4.0/ UMTS/LTE ready/WLAN INTEL 6205/ mic&FHD cam/Fingerprint/TPM Module/,	LKN:E7820M0001IT		
	LB E782 /15.6" HD/i7-3632QM/4 GB/DVD/ (Promo)	LB E782 /15.6" HD/i7-3632QM/4 GB/DVD/ 500GB 7.2k/WLAN 6205/BT V4.0/ UMTS GOBI 3000/MIC&CAM/Fingerprint/TPM/ ERASEDISK/CK Int/AC/BATT/CBL EU/KB IT/,	LKN:E7820M0003IT		Phased out
	LB E782 /15.6" HD+/I5-3230M/4 GB/DVD/	LB E782 /15.6" HD+/I5-3230M/4 GB/DVD/ 500GB 7.2k/WLAN 6205/BT V4.0/ UMTS GOBI 3000/DUMMY/CK Int/AC 19V/80W/ 1ST BATT/CBL EU/KB IT/DU-DVD (WinXP) LB/,	PRJ:E7820M0001IT	1.553,00	New product
Model	Description	Details	Product Code	EUP (€)	Comments
Base un	it configurations		_		
<b>LIFEBO</b>	OK E782				
	LIFEBOOK E782 QM77 Chipset 10-key	Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and/or Full-HD displays and for usage with port replicator a 80W AC Adapter is required., Info: vPro logo requires Intel Core i5-33xx or Core i7-35xx CPU, Intel 6205 W-LAN & TPM module.		486,00	



## LIFEBOOK E782



#### **LIFEBOOK P772**

The Small Companion to Go

As a frequent traveler, the lightweight but fully-featured Fujitsu LIFEBOOK P772 provides you with the right balance of flexibility and mobility for working on the move. The LIFEBOOK P772 is unique in offering an integrated modular bay in a 30.7 cm (12.1-inch) notebook. The patented bay projector option guarantees you additional presentation convenience on business trips.

Model	Description	Details	Product Code	EUP (€)	Comments
	d products	Details	ш.	ш	U
<b>LIFEBO</b>	OK P772				
	LB P772 SC /12.1" WXGA/i5-3320M/2x4 GB/ (Promo)	LB P772 SC /12.1" WXGA/i5-3320M/2x4 GB/ DVD Super Multi/500GB 7.2k/BT V4.0/ UMTS/LTE ready/WLAN 6205/mic&FHD cam/ Fingerprint/TPM/ERASEDISK/CK Int/BATT/,	LKN:P7720M0002IT		
	LB P772 SC /12.1" WXGA/I5-3340M/2x4 GB/ (Promo)	LB P772 SC /12.1" WXGA/I5-3340M/2x4 GB/ DVD Super Multi/500GB 7.2k/WLAN 6205/ BT V4.0/UMTS/LTE ready/mic&FHD cam/ Fingerprint/TPM/ERASEDISK/CK Int/,	LKN:P7720M0008IT		
Model	Description	Details	Product Code	EUP (€)	Comments
	t configurations				
LIFEBO	OK P772				
	LIFEBOOK P772 SC matt	Base unit matt black, Intel QM77 chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots), Modular bay concept for optical drive, 2nd battery, 2nd HDD (S-ATA II) or bay projector, Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD,10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, integrated Touchpad with Gesture support, ScrollWheel, G-Sensor, LED status display, application buttons, Kensington Lock, cleaning-cloth, sleeve case, Interfaces: 1x Smartcard Reader, 1x SD Card reader, 1x VGA, 1x DP, 2x USB 3.0 thereof 1 (all with anytime charging functionality), 1x USB 2.0, 1x RJ45 for LAN, 1x audio in, 1xaudio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra., Info: vPro logo requires Intel Core i5-33xx/i7 CPU, Intel 6205 W-LAN & TPM module.		625,00	
	LIFEBOOK P772 EC glossy black	Base unit glossy black, Intel QM77 chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots), Modular bay concept for optical drive, 2nd battery, 2nd HDD (S-ATA II) or bay projector, Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD,10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, integrated Touchpad with Gesture support, ScrollWheel, G-Sensor, LED status display, application buttons, Kensington Lock, cleaning-cloth, sleeve case, Interfaces:1x Express Card, 1x SD Card reader, 1x VGA, 1x DP, 2x USB 3.0 thereof 1 (all with anytime charging functionality), 1x USB 2.0, 1x RJ45 for LAN, 1x audio in, 1xaudio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra., Info: vPro logo requires Intel Core i5-33xx/i7 CPU, Intel 6205 W-LAN & TPM module.		625,00	



IFEBOOK P772		
LIFEBOOK P772 SC glossy black	Base unit glossy black, Intel QM77 chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots), Modular bay concept for optical drive, 2nd battery, 2nd HDD (S-ATA II) or bay projector, Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD,10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, integrated Touchpad with Gesture support, ScrollWheel, G-Sensor, LED status display, application buttons, Kensington Lock, cleaning-cloth, sleeve case, Interfaces: 1x Smartcard Reader, 1x SD Card reader, 1x VGA, 1x DP, 2x USB 3.0 thereof 1 (all with anytime charging functionality), 1x USB 2.0, 1x RJ45 for LAN, 1x audio in, 1xaudio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra., Info: vPro logo requires Intel Core i5-33xx/i7 CPU, Intel 6205 W-LAN & TPM module.	625,00



#### **LIFEBOOK P702**

Ultra-Mobile Performance to Go

If you need a versatile and lightweight notebook for your everyday business tasks, the Fujitsu LIFEBOOK P702 should be your first choice. Its small form factor, 30.7 cm (12.1-inch) display and long battery runtime ensure enhanced mobile productivity. The ShockSensor protects your hard disk drive against physical impacts while its robust magnesium lid and various security features guarantee that the notebook is secure both on the move and in the office.

	Description	Details	Product Code	EUP (€)	Comments
	it configurations				
LIFEBC	OK P702				
	LIFEBOOK P702 HM76	Base unit, Chipset Intel i76HM, supports Dual Channel DDR3 1333MHz PC12800 RAM (2 DIMM slots). Mobile Intel HD4000 integrated graphics, S-ATA III HDD interface, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1, integrated Touchpad with Gesture support, LED-Status display, ScrollWheel, G-sensor, application buttons, connector for Kensington Lock, Interfaces: Express Card slot type 34, 1xSmart Card reader: 1x VGA, 1x Displayport, SD Card reader, 2x USB 2.0, 1xUSB 3.0 with Anytime USB Charge, RJ45, 1x audio in, 1x audio out, 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Global model, , Please do not forget to configure the AC Adapter (65W for notebook; 80W for Portrep), AC cable and 1st Battery extra	S26391-K350-V100	#####	



#### **LIFEBOOK U772**

Business Elegance in Style

The Fujitsu LIFEBOOK U772 Ultrabook™ is the perfect choice for demanding business professionals on business trips and in the office. The stylish and fully-featured notebook offers a unique combination of an outstanding small form factor with a 35.6 cm (14-inch) frameless display at only 1.4 kg, making you a real eye-catcher. Its extended battery runtime, high responsiveness, ultimate security features and optional embedded 4G/LTE or 3G/UMTS offer you the slim mobility you need when on the move. Moreover, the solid magnesium housing provides additional reliability, anywhere..

Standar	Description d products DOK U772 LB U772 SILVER /14.0" HD/I5-3337U/4 GB/	Details  LB U772 SILVER /14.0" HD/I5-3337U/4 GB/ 320GB/SSD Cache 32GB/BT/CENTR. 6205/ MIC&CAM/FP/CK Int/AC/BATT.45WH/	PRJ:U7720M0001IT	( <b>y</b> ) End ( <b>y</b> )	O Comments
	Description	AC CABLE IT 3-PIN/KB b w/o IT/,  Details	Product Code	EUP (€)	Comments
	uit configurations OOK U772				
	LIFEBOOK U772 silver	Base unit, Intel QM77 Chipset, prepared for vPro technology and iAMT 8.0, supports DDR3 1600MHz PC12800 RAM (1 DIMM slot). Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 LM, Intel High Definition Audio, integrated Touchpad with Gesture support, Gsensor, LED Status display, Eco button, Kensington Lock connector, Interfaces: 1x SD Card reader, 1x HDMI, 2x USB 3.0 (1 with anytime charging functionality), 1x USB 2.0, 1x RJ45 for LAN (mini LAN connector incl. Adapter), 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), Please do not forget to configure the AC Adapter and AC Cable extra., Info: vPro logo requires Intel Core i5-34xx/i7 CPU, Intel 6205 W-LAN & TPM module.		737,00	
	LIFEBOOK U772 red	Base unit, Intel QM77 Chipset, prepared for vPro technology and iAMT 8.0, supports DDR3 1600MHz PC12800 RAM (1 DIMM slot). Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 LM, Intel High Definition Audio, integrated Touchpad with Gesture support, Gsensor, LED Status display, Eco button, Kensington Lock connector, Interfaces: 1x SD Card reader, 1x HDMI, 2x USB 3.0 (1 with anytime charging functionality), 1x USB 2.0, 1x RJ45 for LAN (mini LAN connector incl. Adapter), 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery),, Please do not forget to configure the AC Adapter and AC Cable extra., Info: vPro logo requires Intel Core i5-34xx/i7 CPU, Intel 6205 W-LAN & TPM module.		737,00	



#### LIFEBOOK UH552/UH572

#### **UH552: Your Slim and Stylish Partner**

For everyday business, the slim and attractive Fujitsu LIFEBOOK UH552 is the ideal device. Its light weight of 1.6 kg, small form factor and 33.8 cm (13.3-inch) anti-glare display offer you the mobility you desire. Its combination of good looks and thin design lets you arouse attention in all situations. Moreover, the notebook provides effective working with optional embedded 3G/UMTS and Computrace® enabled BIOS to keep your data safe.

#### **UH572Business in a Briefcase**

The stylish and ultra-slim Fujitsu LIFEBOOK UH572 Ultrabook™ is the perfect choice for everyday requirements. Its small form factor, 33.8 cm (13.3-inch) display and light weight of only 1.6 kg offer enhanced mobility. An attractive combination of thin design and sleek look with two color options makes the LIFEBOOK UH572 turn heads anywhere. Elaborate security features, optional embedded 3G/UMTS and high responsiveness provide you with enhanced convenience for effective working in all situations.

Model	Description	Details		EUP (€)	Comments
	Parastation .		Product Code	EUP (€)	Comments
	Description d products	Details	<u> </u>	Ш	ပ
	OK UH552				
	LB UH552 silver i5 /4 GB/500GB/ (Promo)	LB UH552 silver i5 /4 GB/500GB/ Intel Centr N2230/CK INT/ AC 19V/65W+EU CBL/KB ISO BL IT/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/,	LKN:UH552M0001IT		
Model	Description	Details	Product Code	EUP (€)	Comments
	it configurations		_		
<b>LIFEBO</b>	OK UH552				
	LIFEBOOK UH552 silver i3	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i3-3217U (1.8 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD), incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W slimm stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K348-V130	624,00	
	LIFEBOOK UH552 silver i5	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i5-3317U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD), incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K348-V150	680,00	
	LIFEBOOK UH552 silver i3 Win8	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i3-3217U (1.8 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD), incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W slimm stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win8, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K348-V138	617,00	



LIFEBOOK UH552/UH572						
	Description	Details	Product Code	EUP (€)	Comments	
	it configurations					
	OK UH552 (Continued) LIFEBOOK UH552 silver i5 Win8	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i5-3317U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD), incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win8, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K348-V158	674,00		
LIFEBO	OK UH552/UB					
	LIFEBOOK UH552/UB silver i3-3217U	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i3-3217U (1.8 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD), incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W slimm stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win8, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K348-V140	624,00		
	LIFEBOOK UH552/UB silver i5-3317U	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i5-3317U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD), incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win8, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K348-V160	680,00		
LIFFRO	OOK UH572					
	LIFEBOOK UH572 silver i7	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i7-3517U (1.9 GHz, 4 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD), incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V170	836,00		
	LIFEBOOK UH572 red i7-3517U	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i7-3517U (1.9 GHz, 4 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD), incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V270	836,00		
	LIFEBOOK UH572 silver i5-3337U	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i5-3337U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD), incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V350	765,00		



LIFE	BOOK UH552/UH572				
	Description	Details	Product Code	EUP (€)	Comments
	it configurations	Details	ш.	Ш	
LIFEBO	OOK UH572 (Continued)				
	LIFEBOOK UH572 red i5-3337U	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i5-3337U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD), incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V450	765,00	
	LIFEBOOK UH572 silver i7 Win8	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i7-3517U (1.9 GHz, 4 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD), incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win8, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V178	825,00	
	LIFEBOOK UH572 red i7 Win8	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i7-3517U (1.9 GHz, 4 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD), incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win8, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V278	825,00	



Description	Details	LIFEBOOK A512/AH512 LIFEBOOK A530 -IFEBOOK A531/AH531 -IFEBOOK A532/AH532 -IFEBOOK AH502	LIFEBOOK AH530/GFX LIFEBOOK AH530/HD6 LIFEBOOK AH532/GFX LIFEBOOK AH532/GFX	LIFEBOOK AH550/GFX LIFEBOOK AH552/SL LIFEBOOK AH562	LIFEBOOK E733 LIFEBOOK E743 IFEBOOK E751	LIFEBOOK E752 LIFEBOOK E753 LIFEBOOK E780	LIFEBOOK E782	LIFEBOOK E8410 -IFEBOOK LH531	LIFEBOOK LH532 LIFEBOOK N532 LIFEBOOK NH532	LIFEBOOK NH570 .IFEBOOK NH751	LIFEBOOK P701 LIFEBOOK P702 .IFEBOOK P770	LIFEBOOK P771 LIFEBOOK P772 .IFEBOOK P8010	LIFEBOOK P8020 LIFEBOOK P8110 .IFEBOOK PH530	LIFEBOOK S6420 LIFEBOOK S710 LIFEBOOK S710	LIFEBOOK S7110 Value IFEBOOK S7110 Value FP	LIFEBOOK S7210	LIFEBOOK S760 LIFEBOOK S761	LIFEBOOK S781 LIFEBOOK S782	LIFEBOOK ST92 LIFEBOOK SH531 LIFEBOOK T1010 LIFEBOOK T5010	LIFEBOOK T580 LIFEBOOK T730 IFEBOOK T731	LIFEBOOK T732 LIFEBOOK T900 LIFEBOOK T901	LIFEBOOK T902 IFEBOOK TH700	LIFEBOOK U772 IFEBOOK UH552	LIFEBOOK UH552/UB LIFEBOOK UH572		EUP (€)
s & services matrix 4 GB DDR3 1600 MHz PC3-12800	4 GB DDR3 1600 MHz PC3-12800 1 module(s) with 4 GB SO DIMM , 8 GB DDR3 1600 MHz PC3-12800 1					X X	, = , =	, , , , , ,	, _ , _ ,		X	, -, -				X   X	)	x	, _ , _ , _					BDL:TOP-L		
	module(s) with 8 GB SO DIMM,					X X X	X X X				X X X	x x x				x x x x x		x x x x x x x x				X X X		S26391-F1 S26391-F1		67,00 112,00
4 GB DDR3 1600 MHz PC3-12800 8 GB DDR3 1600 MHz PC3-12800 2 GB DDR3 1600 MHz PC3-12800 4 GB DDR3 1600 MHz PC3-12800					X X X	X			x x x x x															\$26391-F1: \$26391-F1: \$26391-F6: \$26391-F6:	242-L400 242-L800 03-L200 03-L400	112,00 127,00 67,00 112,00
3 GB DDR3 1600 MHz PC3-12800 2 GB DDR3 1333 MHz PC3-10600 4 GB DDR3 1333 MHz PC3-10600 2 GB DDR3 1333 MHz PC3-10600 4 GB DDR3 1333 MHz PC3-10600					X X	)	(		X X		X X	X X				X X	X X	X X		X X	X X	K K		\$26391-F6 \$26391-F9 \$26391-F9 \$26391-F9 \$26391-F9	22-L200 22-L400 82-L200 82-L400	127,00 67,00 Phased out 112,00 Phased out 67,00 Phased out 112,00 Phased out
2 GB DDR3 1600 MHz PC3-12800 2 GB DDR3 1600 MHz PC3-12800 2 GB DDR3 1600 MHz PC3-12800 2 GB DDR3 1600 MHz PC3-12800		x x	X	X X					x															\$26391-F8 \$26391-F8 \$26391-F8 \$26391-F9	13-L200 53-L200 63-L200 03-L200	67,00 67,00 67,00 67,00
2 GB DDR3 1600 MHz PC3-12800 4 GB DDR3 1600 MHz PC3-12800		X X	X	X					x														X	S26391-F8 S26391-F8	13-L400	112,00 112,00
4 GB DDR3 1600 MHz PC3-12800 8 GB DDR3 1600 MHz PC3-12800 Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor	x	x			x x x	x				x x	x x		X		x x		x x x	x					x x S26391-F9 S26391-F8	33-L400 53-L800	112,00 127,00
	Blu-ray read/write + DVD read/write + CD read/write											x													104-L300	303,00
· ·	Blu-ray read/write + DVD read/write + CD read/write											X					)	x x	x x						124-L200 124-L300	78,00 303,00
	Blu-ray read/write + DVD read/write + CD read/write					x x	x x									x x	)	X X X	X					S26391-F1 S26391-F1		78,00 134,00
	Blu-ray read/write + DVD read/write + CD read/write																					X X X		S26391-F1 S26391-F1	184-L100 184-L200 184-L300	78,00 303,00
2nd HDD bay module (without HDD) DVD Super Multi (reader/writer) Blu-ray Triple Writer incl. Power DVD 10 Weight saver for modular bay	Blu-ray read/write + DVD read/write + CD read/write				x x x x	X X																X		S26391-F1:	184-L600 244-L200 244-L300 244-L400	78,00 303,00
Bay Projector 1.5 LED 2nd HDD bay module (without HDD) Weight saver for modular bay DVD Super multi (read/write)					X X X X X	X X X	X									X X		x x		x x x	x x	x x			244-L600 244-L700 77-L300	368,00 Orderable from: 05/06/20
Blu-ray Triple Writer incl. Power DVD 10 Weight saver for modular bay Bay projector Weight saver for modular bay												x x					X X	x x	x x	X				\$26391-F9 \$26391-F9 \$26391-F9 \$26391-F9	54-L400 54-L600 74-L400	134,00 Phased out 17,00 Phased out 555,00 Phased out 17,00 Phased out
Bay projector DVD Super multi (reader/writer) Blu-ray Triple Writer incl. Power DVD 10 2nd HDD bay module (without HDD) 2nd HDD bay module (without HDD)					X X X	x 2	t x					X X				x x x x		x x x x x	X	x	X X	X X		\$26391-F9 \$26391-F9 \$26391-F9 \$26391-F9 \$26391-F9	84-L100 84-L200 84-L600	555,00 Phased out 78,00 Phased out 134,00 Phased out 33,00 33,00
2nd HDD bay module (without HDD) ation-SW Drivers&Utility (Win7) LIFEBOOK Drivers&Utility DVD (Win7) LIFEBOOK	incl. Nero 7 Essentials S						х	x x x				x x x x	x	x x x	x x	x x	X X	x x x			х	x x		\$26391-F9 \$26361-F2 \$26361-F2	84-L620 007-L903 010-L201	33,00 17,00 22,00
DU-DVD (WinXP) LIFEBOOK DU-DVD (Win8) LIFEBOOK/STYLISTIC 2012 DU-DVD (XP) LIFEBOOK 2013 DU_DVD (Win7) LIFEBOOK/STYLISTIC 2013 DU-DVD (Win8) LIFEBOOK/STYLISTIC 2013					x x x x x x x	X X X X X	X				X X	X X				X X		x x x x				x	X	\$26361-F2 \$26361-F2 \$26361-F2	012-L106	28,00 28,00 28,00
Subscription Key eLux/WES/Scout	Subscription Key for SCOUT Enterprise in combination with eLux and Windows Embedded Standard 7 (WS7P) to prolong the software support for 12 months.					X										X									727-L703	
License for SCOUT 13+	License for SCOUT Enterprise 13 or higher including 1 year of software support. (Licenses for eLux are not included.), , Up					x										x								S26361-F2	727-L705	48,00
	to 5 Thin Clients can be managed for free. A license for SCOUT Enterprise 13 or higher is required for all Thin Clients as soon as more than 5 Thin Clients shall be																									
1st Battery 6cell 72Wh (6,700mAh) AC Adapter 19V/65W slim and light AC Adapter 19V/65W w/o cable 3 pin AC Adapter 19V/100W w/o cable					хх	X X X X X X X X X X X X X X X X X X X	X X X				X X X X	X X X				X X X X X	,	x x x x x x x x x x x	X X			X		S26391-F1 S26391-F1 S26391-F1	106-L100 106-L500 106-L510 106-L520	38,00 38,00 67,00
AC Adapter 19V/80W w/o cable 2nd Battery 6cell 28Wh (2,600mAh) 3 pin AC Adapter 19V/65W w/o cable 1st Battery 6cell 72Wh (6,700mAh)					x x	X	X				X	X X				X		x x	X			X	X	\$26391-F1 \$26391-F1 \$26391-F1 \$26391-F1	106-L530 124-L500 136-L520 186-L100	38,00 145,00 38,00 134,00
2nd Battery 6cell 28Wh (2,600mAh) 2nd Battery 6cell 28Wh (2,600mAh) AC Adapter 19V/120W w/o cable Battery 6cell 4400mAh		x x x	X	x	x x	x			x x	X												x		\$26391-F1 \$26391-F1 \$26391-F4 \$26391-F4	186-L110 244-L500 78-L100 95-L200	145,00 145,00 67,00 107,00
Battery 6-cells 4400mAh (48Wh) Battery 6cell 5800mAh AC Adapter 19V (60W) w/o Cable Battery 8-cells, 5200mAh (75Wh) Battery 8cell 5800mAh								X	X	x									X					\$26391-F5 \$26391-F5 \$26391-F5	46-L100	123,00 44,00 123,00
AC Adapter 20V/65W + IN cable 2nd battery External battery charger, incl. 16V AC	External battery charger, incl. 16V AC w/o AC Cable	X X			x x x		x x		, X		x x x	x x	x			x x x	x x 3	x x x x	x	x x x x x	- 11	x x x x x		S26391-F6 S26391-F7	18-L640 77-L200 78-L400	33,00 New product, Orderable from 145,00 189,00
1st Battery 6cells, 5800 mAH 1st Battery 6cells, 5800 mAH AC Adapter 19V (80W) w/o cable AC Adapter 20V/65W + IN cable		x x	x x	x							X		X				X			X X X	x x	K		\$26391-F7 \$26391-F8 \$26391-F8 \$26391-F8	95-L600 41-L100 58-L640	123,00 Phased out 123,00 Phased out 55,00 33,00 New product,Orderable from
AC Adapter 20V (65W) w/o cable 1st Battery 6cell 67Wh (6,200mAh) AC Adapter 19V/80W (0-Watt technology) Battery 8cell 5800mAh AC Adapter 19V (80W) w/o cable		X X X		X	X	X X	X		X		x x	x x				x x	X )	x x x	x	X X	x x	K .		S26391-F8	86-L100 86-L200 96-L700	29,00 123,00 Phased out 55,00 134,00 33,00
AC Adapter 19V (65W) w/o cable 2nd Battery 3cell 27Wh (2,500mAh) 1st Battery 6cell 63Wh (5,800mAh) 1st Battery 6cell 67Wh (6,200mAh)					X X		x x					x x x				x x x x	X X X	x x x x	x				X	x x S26391-F9 S26391-F9 S26391-F9 S26391-F9	38-L630 54-L500 56-L100 56-L200	38,00 156,00 Phased out 112,00 123,00 Phased out
2nd Battery 3cell 27Wh (2,500mAh) 1st Battery 6cell 72Wh (6,700mAh) 3pin AC Adapter 19V/65W slim and light 2nd Battery 6cell 28Wh (2,600mAh) 3pin AC Adapter 19V/80W					x x x x x x x	X X						^					)	x	x					S26391-F1: S26391-F1: S26391-F1	246-L200 246-L500 124-L510	38,00 Orderable from: 28/06/20
3pin AC Adapter 19V/80W (0-Watt) AC Adapter 19V/80W + IN cable  SmartCase SmartCard (qty . 1)	1 SmartCard CardOS 4.3b,64 KByte				X X	X	X	x x x	X	x	x	X	x x	x x x x	x x	x x	x		X	x x	x	x		S26391-F1	246-L540 08-L840	55,00 Orderable from: 12/07/20 36,00 New product,Orderable from: 18,00 Phased out
SmartCase SmartCard (qty . 10)  Absolute Track, Abo. 1Y.	EEPROM  10 SmartCard CardOS 4.3b,64 KByte EEPROM Single key licence, for more info please	x x x x	x x	x x	x x x	x x x x		x x x x x	x x x	x x	x x x			x x x x x x			x x x	x x x		x x x	x x x	x x x		S26361-F1:		122,00 Phased out 19,00
Absolute Track, Abo. 2Y.  Absolute Track, Abo. 3Y.	check hint box / product description Single key licence, for more info please check hint box / product description Single key licence, for more info please	x x x x x x x				x x x x								x x x x x										x x S26361-F2		
Data Protection, Abo. 1Y.	check hint box / product description Single key licence, for more info please check hint box / product description Single key licence, for more info please	x x x x x	x x	x x	x x x	x x x x	x	x x x x	x x x	x x	x x x	x x x	x x	x x x x		x x x x	x x x	x x x	x x x x	x x x	x x x	x x x	хх	x x S26361-F20 x x S26361-F20	009-L104	30,00
Data Protection, Abo. 3Y.	check hint box / product description Single key licence, for more info please check hint box / product description Single key licence, for more info please	x x x x x x	x x	x x	x x x	x x x x x	x	x x x x	x x x	x x	x x x	x x x	x x	x x x x		x x x x	x x x	x x x	x x x x	x x x	x x x	x x x	x x	x x S26361-F2 x x S26361-F2	009-L106	57,00
ComputraceOne, Abo. 2Y.	check hint box / product description Single key licence, for more info please check hint box / product description Single key licence, for more info please	x x x x x x	x x	x x	x x x	x x x x x	x	x x x x	x x x	x x	x x x	x x x	x x	x x x x		x x x x	x x	x x x	x x x x	x x x	x x x	x x x	x x	x x S26361-F20 x x S26361-F20	009-L108	56,00
ATP, Data Protection, PE, Abo. 1Y.	check hint box / product description Single key licence, for more info please check hint box / product description	^ ^ X	, X		x x x	x x x x	x	x x x x	^ X		x x x	x x	^	x x x x		x x	x x x	x x x x x x x x x x x x x x x x x x x	x x	x x x	x x x	x x x	х	\$26361-F2	009-L113	48,00
ATP, Data Protection, PE, Abo. 3Y.	Single key licence, for more info please check hint box / product description  Single key licence, for more info please check hint box / product description  Single key licence, for more info please				x x x	x x x x	x	x			x x x	x x		X		x x	x x x	x x x	x x	x x x	x x x	x x x	х	\$26361-F2	009-L115	94,00
ATP, ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description  Single key licence, for more info please check hint box / product description				x x x	x x x x	x	X			x x x	x x		X		x x	x x x	x x x	x x	x x x	x x x	x x x	х	S26361-F2	009-L117	88,00
ATP, ComputraceOne, Abo. 5J. Absolute Track, Abo. 1Y. Master	Single key licence, for more info please check hint box / product description  Master key for multiple licences, for more info please check hint box / product	x x x x	x x		x x x	x x x x x x x x x x x x x x x x x x x	x	x x x x x	x x x		x x x x x x x x x x x x x x x x x x x	x x	x x	x x x x		x x	x x x	x x x x x x x x x x x x x x x x x x x	x x	x x x	x x x x x x x x x x x x x x x x x x x	x x x	X	S26361-F2 S26361-F2 x x S26361-F2	009-L119	166,00
Absolute Track, Abo. 2Y. Master Absolute Track, Abo. 3Y. Master	info please check hint box / product Master key for multiple licences, for more info please check hint box / product Master key for multiple licences, for more		x x			x x x x		x x x x						x x x x										x x S26361-F2		
Data Protection, Abo. 1Y. Master  Data Protection, Abo. 2Y. Master	info please check hint box / product Master key for multiple licences, for more info please check hint box / product Master key for multiple licences, for more		x x			x x x x								x x x x										x x S26361-F20 x x S26361-F20		
Data Protection, Abo. 3Y. Master  ComputraceOne, Abo. 1Y. Master	info please check hint box / product Master key for multiple licences, for more info please check hint box / product Master key for multiple licences, for more					x x x x		x x x x						x x x x		x x x x	x x	x x x	x x x x	x x x	x x x	x x x	x x	x x S26361-F2	009-L206	57,00
ComputraceOne, Abo. 2Y. Master	info please check hint box / product  Master key for multiple licences, for more info please check hint box / product  Master key for multiple licences, for more	x x x x	x x	x x	x x x	x x x x x	x		x x x	x x	x x x	x x x	x x	x x x x		x x x x	x x x	x x x	x x x x	x x x	x x x	x x x	x x	x x S26361-F2	009-L208	
ATP, Data Protection, PE, Abo. 1Y. Master	info please check hint box / product  Master key for multiple licences, for more info please check hint box / product  Master key for multiple licences, for more				x x x	x x x x x	x x	X	^		x x x x	x x		X		x x	x x x	x x x x	x x	x x x	x x x	x x x	х	\$26361-F2	009-L213	48,00
ATP, Data Protection, PE, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product  Master key for multiple licences, for more info please check hint box / product  Master key for multiple licences, for more				x x x	x x x x	x	x			x x x	x x		x		x x	x x x	x x x	x x	x x x	x x x	x x x	х	S26361-F2	009-L215	94,00
ATP, ComputraceOne, Abo. 2Y. Master	info please check hint box / product Master key for multiple licences, for more info please check hint box / product				x x x	x x x x	x	X			x x x	x x		x		x x	x x x	x x x x	x x	x x x	x x x	x x x	х	\$26361-F2	009-L217	88,00
ATP, Data Protection,PE, Abo. 5Y. SCA Express	Master key for multiple licences, for more info please check hint box / product  ExpressCard SmartCard adapter, Model	x x x x	x			x x x x x x x x x x x x x x x x x x x		X	x x		x x x x x x x x x	x		X		хх	x x >	x x x x x x x x x x x x x x x x x x x	x x	x x x	x x x x x x x x x	x x x	х	\$26361-F2 \$26361-F2 \$26361-F2	011-L10	133,00
SmartCase Logon+ license (1-99 licenses)	Fujitsu, Bios support; SmartLogon plus support includes 1 license,, for orders up to 99 licenses,, no software, no data medium					x		x		x	х			x			X			х	х	х		S26361-F2		
Advanced Face Recognition, Single License	Does not support Windows 8; supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics				X	x	x x					x x				x x	X X	x x x x	x	х х	x x	x x		S26361-F2 S26361-F2	727-L760	17,00
Advanced Face Recognition, Multi License RFID SmartCardReader USB SCL011 SmartCard CARDOS V4.4. 1PCS	RFID SmartCardReader USB SCL011 with stand in white box packing 1 SmartCard CardOS 4.4, 68 KByte	x x x	x x x x x		X X	X X X	x		x x x	x x		x x x x	x	X		x x	x x x	x x x x x x x x x x x x x x x x x x x	x x	x x x	x x	x x x		S26361-F2 x x S26381-F1 x x S26381-F3	727-L761 1-L100	17,00 38,00 25,00
SmartCard CARDOS V4.4. 2PCS	EEPROM 2 SmartCard CardOS 4.4, 68 KByte EEPROM 10 SmartCard CardOS 4.4, 68 KByte	x				x	х	x x x x	x x	х	x	х		x x x x x x		x x	x		х	x x		x x		S26381-F3	05-L102	45,00
Smartcardreader USB Solo 3 extern 3310V2	EEPROM	x x x x x x		x x		x x		x x x x		x x						x x x x x	x x	x x	x x	x x x	x x	x x	x x	x x S26381-F3 x x S26381-F3	31-L220	25,00
	folderable., Reads and write on all ISO 7816, 1-4 compliant SmartCards., CCID compliant, USB Bus powered.		X	^ *			, ,				Y					X										
	PalmSecure Sensor STD FAT13M3S1 palmvein sensor for biometric authentication. Component for integration without cable, manual and software	x x	x		X	X		х		X X	X X	X	X	x		X	хх	X		x x x	x	X		S26381-K4		
	PalmSecure SDK Software Development	x x	х		х	x >		х		хх	х х	x	х	х		х	хх	х		x x x	x x	x x		S26381-K4	34-L201	######

Fujitsu Technology Solutions

Listino Prezzi Giugno 2013



		EBOOK A512/AH512  EBOOK A531/AH531  EBOOK A532/AH532  EBOOK AH502	EBOOK AH530/GFX EBOOK AH530/HD6	EBOOK AH531/GFO EBOOK AH532/GFX	EBOOK AH552/SL EBOOK AH562 EBOOK ET33	EBOOK E743 EBOOK E751	EBOOK E783	EBOOK E781 EBOOK E782 EBOOK E8010	EBOOK E8410 EBOOK E8420 EBOOK I H531	EBOOK LH532 EBOOK N532 EBOOK NH532	EBOOK NH751 EBOOK P701	EBOOK P702 EBOOK P770	EBOOK P772 EBOOK P8010 EBOOK P8020	EBOOK P8110 EBOOK PH530	EBOOK S6410	EBOOK S7110 Supre EBOOK S7110 Value EBOOK S7110 Value	EBOOK S7210 EBOOK S7220 EBOOK S751	EBOOK S752 EBOOK S760 EBOOK S761	EBOOK S762 EBOOK S781 EBOOK S782	EBOOK S792 EBOOK T1010	EBOOK T5010 EBOOK T580	EBOOK T731	EBOOK T900 EBOOK T901 EBOOK T902	EBOOK UH552 EBOOK UH552	EBOOK UH572 duct Code	P (€)
Description s & services matrix Continued)	Details	5 5 5 5 5	= = = =		5 5 5 5		= = = = = = = = = = = = = = = = = = = =		5 5 5	:   5   5   5	5 5 5		5   5   5   5			5   5   5   5				5 5			5 5 5	5   5   5   5		S S
PalmSecure Sensor Guide Kit STD	PalmSecure Sensor Guide Kit STD contains an external USB vein sensor for biometric authentication. USB 2.0 bus powered. Set contains:, Sensor, holder, Handguide and USB cable in Brown box.	x x x x		x	x x	x x x	x x x	x x	x	x x x	x x x	x	x x	X			x	x x x	x x x	х	x x	x x	x x x z	x	S26381-K436-L100	256,00
ous LTE upgrade kit LAN Adapter	Handguide and USB cable in Brown box.						C	х				X	X					х	x x	x			х	X	S26391-F1105-L530 S26391-F1139-L200	0 202,00 0 35,00
2x digital array mic & FHD cam 2x digital array mic & FHD cam Pen & tether set (2 pieces each)						)	C	Х										X	X		X	x	x x x x	X	\$26391-F1140-L640 \$26391-F1140-L640 \$26391-F796-L800	0 49,00 55,00
Pen & tether set  Dummy module  2x digital array microphones						X X	-											X X			X				\$26391-F796-L810 \$26391-F980-L700 \$26391-F980-L710	17,00 28,00
2x digital array mics & 1.3Mpix Webcam  Dummy module  2x digital array microphones  2x digital array mics & 2.0Mpix Webcam						X		X X X X X X									X		X X X X X						\$26391-F980-L720 \$26391-F980-L800 \$26391-F980-L810	17,00 28,00
UMTS upgrade kit	only usable if system was ordered with UMTS Ready Kit					X X	(	X X			х	x	х х				х	x x	x x x	х		х	х		\$26391-F980-L820 \$26391-F985-L120	112,00
Additional LAN Adapter cable type Feet for vertical position (set)  Power cord three-wire CHN	Power cord three-wire CHN; Mickey Mouse					v															X			X	\$26391-F991-L130 \$26361-F2542-L200 \$26361-F2581-L350	0 16,00
power cable EU	C5 connector black, 2-pole, 1.8 m		x x x		x x	X			x x x x				x x x x	- 11		x x x x			x x x				X		x T26139-Y2540-V113	3 9,00
power cable UK power cable US Power cord three-wire DK Power cord three-wire US		x x x x x x x			X X X X X				x x x x x x x x x x x x x x x x x x x				x x x x x x			X X X X			X X X X				X	X X X X	x T26139-Y2540-V213 x T26139-Y2540-V313 S26361-F2581-L328 S26361-F2581-L300	3 9,00 8 17,00
Power cord three-wire EU	C5 connector Power cord three-wire EU; Mickey Mouse	X				x x x		x x			x	x :	x x		)	κ	х	x x	x x x	x		х	x x	X	S26361-F2581-L310	
Power cord three-wire GB	C5 connector  Power cord three-wire GB; Mickey Mouse C5 connector				X	х	х																X	X	S26361-F2581-L320	0 17,00
Power cord three-wire I Power cord three-wire CH	Power cord three-wire I Power cord three-wire CH; Mickey Mouse C5 connector				X X		X																X X	X X	S26361-F2581-L330 S26361-F2581-L340	
Software OPENFT-2 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode;							x																	U10987-C602	######
OPENFT-3 (Unix systems) V12.0	system extendable up to 8 CPU License openFT (UNIX systems) V12.0;							x																	U10987-C603	######
OPENFT-4 (Unix systems) V12.0	for using in automated, unattended mode; system extendable up to 24 CPU License openFT (UNIX systems) V12.0;							x																	U10987-C604	######
	for using in automated, unattended mode; system extendable up to 32 CPU																									######
OPENFT-5 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU							X																	U10987-C605	
OPENFT-FTAM-2 (Unix systems) V12.0	License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU							x																	U10987-C614	######
OPENFT-FTAM-3 (Unix systems) V12.0	License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended							x																	U10987-C615	######
OPENFT-FTAM-5 (Unix systems) V12.0	mode; system extendable up to 24 CPU License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended				+++			x																	U10987-C617	######
OPENFT-FTP-2 (Unix systems) V12.0	mode; system extendable up to 64 CPU License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended				+++			x																	U10987-C626	895,00
OPENFT-FTP-3 (Unix systems) V12.0	mode; system extendable up to 8 CPU License openFT-FTP (UNIX systems)							x																	U10987-C627	######
OPENFT-FTP-4 (Unix systems) V12.0	V12.0; for using in automated, unattended mode; system extendable up to 24 CPU License openFT-FTP (UNIX systems)							x																	U10987-C628	######
OPENFT-FTP-5 (Unix systems) V12.0	V12.0; for using in automated, unattended mode; system extendable up to 32 CPU License openFT-FTP (UNIX systems)							v																	U10987-C629	######
	V12.0; for using in automated, unattended mode; system extendable up to 64 CPU							^																		
OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1							X																	U11081-C157	15,00
OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode,							x																	U11081-C171	######
OPENFT-FTAM-2-U (WINDOWS) V8.0	für 1 system with 1 to 4 CPUs openFT-FTAM; Update Right to Use for usage in automated unattended mode, für							х																	U11081-C177	562,00
OPENFT-SW-CD (WINDOWS) V8.1	1 system with 1 to 4 CPUs openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000,							х																	U11081-C183	30,00
OPENFT-2 (WINDOWS) V8.1	XP, NT4, 98 / ME openFT - openFileTransfer; Right to Use							x																	U11081-C186	######
OPENFT-2-U (WINDOWS) V8.1	for usage in automated unattended mode, für 1 system with 1 to 4 CPUs openFT - openFileTransfer; Update Right							x																	U11081-C192	451,00
OPENFT-CR (WINDOWS) V10.0	to Use from V8.0 to V8.1 for usage in automated unattended mode, system with CD-ROM openFT-CR V10.0;							Y X																	U11081-C199	15,00
, , , , , , , , , , , , , , , , , , ,	Cry ptographic Module; to openFT V10.0; Attention export restrictions							^																		
OPENFT-SW-CD (WINDOWS) V10.0  OPENFT-1 (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0 License openFT (WINDOWS) V10.0; for							x																	U11081-C201	30,00
OPENFT-2 (WINDOWS) V10.0	using in automated, unattended mode; system with 1 to 4 CPUs; required: License openFT (WINDOWS) V10.0; for							Y																	U11081-C203	######
OPENF1-2 (WINDOWS) VIO.0	using in automated, unattended mode; system extendable up to 8 CPUs;																								011061-0203	***************************************
OPENFT-3 (WINDOWS) V10.0	required: U11081-C201  License openFT (WINDOWS) V10.0; for using in automated, unattended mode;							x																	U11081-C204	######
OPENFT-1-U (WINDOWS) V10.0	system extendable up to 24 CPUs; required: U11081-C201 Update license openFT (WINDOWS)																								1144094 6207	710,00
OPENF1-1-0 (WINDOWS) V10.0	V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required:							X																	U11081-C207	710,00
OPENFT-FTAM-1 (WINDOWS) V10.0	U11081-C201  License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode;							x																	U11081-C212	######
	system with 1 to 4 CPUs; required: U11081-C202																									
OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs;							X																	U11081-C213	######
OPENFT-FTAM-3 (WINDOWS) V10.0	required: U11081-C203 License openFT-FTAM (WINDOWS) V10.0;							х																	U11081-C214	######
	for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204																									
OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required:							X																	U11081-C217	710,00
OPENFT-CR (WINDOWS) V12.0	U11081-C207 CD-ROM openFT-CR V12.0,	x			x		х	x	x x x		X	X	x x	x x	x x 2	x x x x	x x	X		x	x x	 	x :	x	U11081-C399	15,00
OPENET 4 (WINDOWS) V12.0	Cry ptographic module, Attention export Medium for Windows systems, CD-ROM openFT-SW V12.0	x			х		X		x x x		X	X				x x x x		X			x x			×	U11081-C400	30,00
OPENFT-1 (WINDOWS) V12.0	License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	X			X	x	x	X	x x x x		x x x	x   :	x x x	X X	x x	x x x	X X X	x x	X	x x	X	X	x x	X	U11081-C401	######
OPENFT-2 (WINDOWS) V12.0	License openFT (WINDOWS) V12.0; for using in automated, unattended mode;							х																	U11081-C402	######
OPENFT-3 (WINDOWS) V12.0	system extendable up to 8 CPU License openFT (WINDOWS) V12.0; for using in automated, unattended mode;							х																	U11081-C403	######
OPENFT-FTAM-1 (WINDOWS) V12.0	system extendable up to 24 CPU License openFT-FTAM (WINDOWS) V12.0; for using in automated, unattended mode;	x			х		x	x	x x x		х	x	x x	x x	x x	x x x x	x x	x		x	x x		x :	x	U11081-C411	######
OPENFT-FTAM-2 (WINDOWS) V12.0	system with 1 to 4 CPUs License openFT-FTAM (WINDOWS) V12.0;							x																	U11081-C412	######
OPENFT-FTAM-3 (WINDOWS) V12.0	for using in automated, unattended mode; system extendable up to 8 CPU License openFT-FTAM (WINDOWS) V12.0;							x																	U11081-C413	######
OPENFT-FTP-1 (WINDOWS) V12.0	for using in automated, unattended mode; system extendable up to 24 CPU License openFT-FTP (WINDOWS) V12.0;	x			x		x	x	x x x		x	x	X Y	ХУ	x x	(	x x	x		x	x x		x :	x	U11081-C421	550,00
OPENFT-FTP-2 (WINDOWS) V12.0	for using in automated, unattended mode; system with 1 to 4 CPUs License openFT-FTP (WINDOWS) V12.0;																								U11081-C422	895,00
	for using in automated, unattended mode; system extendable up to 8 CPU							X																		
OPENFT-FTP-3 (WINDOWS) V12.0	License openFT-FTP (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU							X																	U11081-C423	######
OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode;	x			х	X	X	x x	x x x x		x x x	x 2	x x x	хх	X X	x x x x	x x x	x x	x	x x	x x x	x	x x	x	U11081-C301	######
OPENFT-FTAM-1 (WINDOWS) V11.0	system with 1 to 4 CPUs License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode;	x			x		х	x	x x x		х	x	x x	x x	x x	x x x x	x x	x		x	x x		x :	x	U11081-C311	######
OPENFT-2 (WINDOWS) V11.0	system with 1 to 4 CPUs License openFT (WINDOWS) V11.0; for							x																	U11081-C302	######
OPENFT-FTAM-2 (WINDOWS) V11.0	using in automated, unattended mode; system extendable up to 8 CPU License openFT-FTAM (WINDOWS) V11.0;							x																	U11081-C312	######
OPENFT-3 (WINDOWS) V11.0	for using in automated, unattended mode; system extendable up to 8 CPU  License openFT (WINDOWS) V11.0; for							x																	U11081-C303	######
	using in automated, unattended mode; system extendable up to 24 CPU							^																		
OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU							X																	U11081-C313	######
OPENET-CR (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x			X		X		x x x		X	X				x x x x		X			x x			X	U11081-C300	30,00
OPENFT-CR (WINDOWS) V11.0  OPENFT-2 (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export License openFT (UNIX systems) V11.0;	x			^		X	x	x x x		x	X	x x	X X	X X X	x x x	x X	x		X	х х		x   1	<u> </u>	U11081-C299 U10987-C502	15,00 ###### Phased out
	for using in automated, unattended mode; system extendable up to 8 CPU																									

Fujitsu Technology Solutions



		101	Ŋ١																		
		∢	BOOK A532/AH532		OOK AH552/SL OOK AH562	OOK E733	OOK E743		OOK E782 OOK LH532	OOK N532	OOK NH532	OOK P772		OOK S762 OOK S782		OOK T902		OOK UH552/UB	Product Code	( <del>€</del> )	ents
ory Description	Details	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	Produ	EUP (	Comments
ient Kit	Later transfer and the contract of the contrac																		200004 5004 5400	0.00	
Thin Client Upgrade Kit LIFEBOOK  vals/dependencies	administrative component to avoid non- functional configurations,			Ш				<b>K</b>		Ш			X						S26391-F994-E100	3,00	
US (FCC) approval China Energy Label (CEL) S752				$\blacksquare$			×	(			х	(	X X	х	Х				S26391-F1100-E910 S26391-F1100-E920	3,00	
China Energy Label (CEL) S762 China Energy Label (CEL) P702											X	(		Х	$\blacksquare$				S26391-F1100-E922 S26391-F1100-E923	4,00 4,00	
China Energy Label (CEL) U772 China Energy Label (CEL) E752							X	ĸ								Х			S26391-F1100-E924 S26391-F1100-E925		)
China Energy Label (CEL) T902 China Energy Label (CEL) E743			#	$\Box$	+		х									X		+	\$26391-F1100-E929 \$26391-F1100-E931	_	Orderable from: 14/06/2013
India BIS Certificate LH532	not for Corporate Projects (only for Retail, SMB, education and government)			Ш					Х										S26391-F800-E100	2,00	New product,Orderable from: 24/0
30,7 cm (12.1") WXGA magnesium LED	30,7 cm (12.1-inch), LED backlight, (WXGA), anti-glare display, magnesium lid, 1280x800								Т		X	x				T			S26391-F1100-E100	157,00	
30,7 cm (12.1") WXGA magnesium LED	pixel, 200 cd/m 30,7 cm (12.1-inch), LED backlight, (WXGA),	Н	+	$\square$	+		+			$\square$		х		+		+		+	S26391-F1100-E200	157,00	
	anti-glare display, compound lid, 1280x800 pixel, 200 cd/m			Ш				Ш		Ш											
33,8 cm (13.3") HD compound LED	33.8 cm (13.3-inch), LED backlight, (HD), anti- glare display, compound lid, 1366 x 768 pixel,													х					S26391-F1120-E100	79,00	
33,8 cm (13.3") HD T&L Magnesium LED	200 cd/m, EPEAT Silver certification  33.8 cm (13.3-inch), LED backlight, (HD), anti-	Н	+	$\forall \exists$	+		+	+		$\forall$				+	Х	+	+	+	S26391-F1120-E200	203,00	)
	glare display, Magnesium lid, 1366 x 768 pixel, 300 cd/m, EPEAT Gold certification			Ш				Ш		Ш					Ш						
35.6 cm (14.0") HD compound LED	35.6 cm (14.0-inch), LED backlight, (HD), anti- glare display, compound lid, 1366 x 768 pixel,												х						S26391-F1140-E100	100,00	
35.6 cm (14.0") HD+ compound LED	220 cd/m  35.6 cm (14.0-inch), LED backlight, (HD+), anti-	H	+	+	+	$\dashv \dashv$	+	+		$\dashv$		+	х	+	$\dashv$	+	+	+	S26391-F1140-E110	134,00	
	glare display, compound lid, 1600x900 pixel, 220 cd/m	Ш		Щ		Щ		Ш		Щ			Щ	$\perp$	Ш		Щ				
39.6 cm (15.6") HD compound LED	39.6 cm (15.6-inch), LED backlight, (HD), anti- glare display, compound lid, 1366 x 768 pixel,						×	K											S26391-F1150-E100	78,00	0
39.6 cm (15.6") HD+ compound LED	220 cd/m  39.6 cm (15.6-inch), LED backlight, (HD+), anti-	$\forall$	+	+	+	+	×	K		H			$\dashv$	+	H	+	+	+	S26391-F1150-E110	112,00	)
Waz Des July	glare display, compound lid, 1600x900 pixel, 220 cd/m	Ш	_	$\coprod$		Ш	_	Ш		Ш							$\perp \mid$		000004 51155 5		
Win7 Ready Kit Win8 Ready Kit	22.0 cm /42.2 inch) LED hooklight /LID\ cati					1										X			\$26391-F1180-E100 \$26391-F1180-E200	2,00	)
33,8 cm (13.3') HD Magnesium LED	33.8 cm (13.3-inch), LED backlight, (HD), anti- glare display, Magnesium lid, 1366 x 768 pixel, 200 cd/m					X													S26391-F1240-E100	133,00	
35.6 cm (14.0') HD+ magnesium LED	35.6 cm (14.0-inch), LED backlight, (HD+), anti- glare display, magnesium lid, 1600x900 pixel,	Н		$\Box$			х												S26391-F1250-E100	140,00	0
39.6 cm (15.6') HD magnesium LED	250 cd/m  39.6 cm (15.6-inch), LED backlight, (HD), anti-		_	$\square$	_			х		Ш						_			S26391-F1260-E100	117.00	
39.0 GHI (13.0 ) TID Hagnesium EED	glare display, magnesium lid, 1366 x 768 pixel, 200 cd/m							^											320391-1 1200-2 100	117,00	,
39.6 cm (15.6') FHD magnesium LED	39.6 cm (15.6-inch), LED backlight, (FHD), anti- glare display, magnesium lid, 1920x1080 pixel,		$\top$	$\forall$	$\top$		$\top$	х		П					Ħ	$\dagger$		$\top$	S26391-F1260-E200	277,00	
35.6 cm (14.0") HD magnesium LED	300 cd/m  35.6 cm (14.0-inch), LED backlight, (HD), anti-			$\square$												x	,		S26391-F1130-E100	113.00	
55.5 GHT (14.5 ) FID Hidgitesium EED	glare display, magnesium lid, 1366 x 768 pixel, 220 cd/m															1	`		0203314 1100 2100	110,00	,
35.6 cm (14.0") HD magnesium LED	35.6 cm (14.0-inch), LED backlight, (HD), anti- glare display, magnesium lid, 1366 x 768 pixel,	П		П						П				х					S26391-F1140-E200	113,00	
39.6 cm (15.6") HD magnesium LED	220 cd/m  39.6 cm (15.6-inch), LED backlight, (HD), anti-	Н	+	$\square$	+		+		x	$\square$				+		+		+	S26391-F1150-E200	112.00	
	glare display, magnesium lid, 1366 x 768 pixel, 220 cd/m																			, , , , ,	
35.6 cm (14.0") HD+ magnesium LED	35.6 cm (14.0-inch), LED backlight, (HD+), anti- glare display, magnesium lid, 1600x900 pixel,									П				х	П				S26391-F1140-E210	140,00	
39.6 cm (15.6") HD+ magnesium LED	220 cd/m  39.6 cm (15.6-inch), LED backlight, (HD+), anti-	Н	+	+	+				x	$\square$				+				-	S26391-F1150-E210	138,00	
	glare display, magnesium lid, 1600x900 pixel, 220 cd/m																			,.	
39.6 cm (15.6") FHD magnesium LED	39.6 cm (15.6-inch), LED backlight, (FHD), anti- glare display, magnesium lid, 1920x1080 pixel,								х	П									S26391-F1150-E300	179,00	
sor	300 cd/m																				
Intel Core i5-3320M up to 3.3GHz 3MB	Intel Core i5-3320M processor (, 2.6 GHz, SLC: 3 MB)															х			S26391-F1181-E332	264,00	)
Intel Core i5-3340M up to 3.4GHz 3MB	Intel Core i5-3340M processor (, 2.7 GHz, SLC: 3 MB)	Ш														х			S26391-F1181-E334		
Intel Core i7-3540M up to 3.7GHz 4MB	Intel Core i7-3540M processor (, 3.0 GHz, SLC: 4 MB)			Щ		Ш		Ш		Ш						х	Ш		S26391-F1181-E354		
Intel Core i7-3632QM up to 3.2GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government)			$\perp \perp$		Ш	_	Ш	х	Ш				_		_	Ш			277,00	
Intel Core i5-3320M up to 3.3GHz 3MB	Intel Core i5-3320M processor (, 2.6 GHz, SLC: 3 MB)									Ш	X	(							S26391-F1111-E332		
Intel Core i7-3632QM up to 3.2GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government)						) 	(	X	Ш			Х	Х					S26391-F1141-E363		
Intel Core i7-3632QM up to 3.2GHz 6MB Intel Core i5-3320M up to 3.3GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)  Intel Core i5-3320M processor (, 2.6 GHz, SLC:		_	$\square$	_	$\square$	_	$\square$		$\square$		ļ.,		X	X	_	$\parallel$	_	S26391-F1121-E363 S26391-F1101-E333		
Intel Core i5-3320M up to 3.3GHz 3MB	ntel Core is-3320M processor (, 2.6 GHz, SLC: 3 MB)  not for Corporate Projects (only for Retail, SMB,		_	$\square$	_	$\square$	_	+	X	$\square$		X	$\sqcup$	+		+	$\parallel$		S26391-F1101-E333 S26391-F902-E361	264,00	
Intel Core i7-3512QiVi up to 3.1GHz 6IVIB	education and government)  3.00 GHz, up to 3.70 GHz, 4 MB total cache,	H	+	$\dashv$	+	$\square$	x	(	X	$\square$		+	x	x x	x	+	+	+	S26391-F902-E361 S26391-F1121-E354		
35 (5.1. ap to 5.00) 12-11110	dual core/4 threads, technologies: VT-x, VT-d, TXT													^					23327 2004		
Intel Core i7-3520M up to 3.6GHz 4MB	2.90 GHz, up to 3.60 GHz, 4 MB total cache, dual core/4 threads, technologies: VT-x, VT-d,	П	$\top$	$\dagger \dagger$	$\top$	$\parallel \parallel$	×	K	х	$\parallel$			x	х х	х	$\dagger$	$\dagger \dagger$		S26391-F1121-E352	405,00	
Intel Core i5-3360M up to 3.5GHz 3MB	TXT,  2.80 GHz, up to 3.50 GHz, 3 MB total cache,	H	+	+	+	H	<b>X</b>	ζ .	Х	H		+	X	x x	X	+	+	+	S26391-F1121-E336	290.00	
Intel Core i3-3110M 2.4GHz 3MB	dual core/4 threads, technologies: VT-x, TXT, not for Corporate Projects (only for Retail, SMB,	H	+	$\dashv$	+	$\dashv$	+	+		$\dashv$		х	-	+	H	+	+	+	S26391-F1101-E312		
Intel Core i5-3340M up to 3.4GHz 3MB	education and government) 2.70 GHz, up to 3.40 GHz, 3 MB total cache,	H	+	$\dashv$	+	H	<b>x</b>	K	х	$\dashv$		+	X	x x	x	+	+	_	S26391-F1121-E334		
	dual core/4 threads, technologies: VT-x, VT-d, TXT,																				
Intel Core i5-3320M up to 3.3GHz 3MB	2.60 GHz, up to 3.30 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT,						X	(	х					хх	Ш				S26391-F1121-E332		
Intel Core i5-3230M up to 3.2GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)						Х	K	Х				х	х	Х	$\perp$			S26391-F1121-E323		
Intel Core i7-3687U up to 3.3GHz 4MB	Intel Core i7-3687U processor (, 2.1 GHz, SLC: 4 MB)															×	1		S26391-F1131-E368		
Intel Core i7-3520M up to 3.6GHz 4MB	Intel Core i7-3520M processor (, 2.9 GHz, SLC: 4 MB)								х										S26391-F902-E352		
Intel Core i7-3687U up to 3.3GHz 4MB	Intel Core i7-3687U processor (, 2.1 GHz, SLC: 4 MB)	П		$\Box$		$\Box$				$\Box$		х					$\Box$		S26391-F1101-E368	405,00	



Т	OK Options								$\top$														
			LIFEBOOK A512/AH512	LIFEBOOK A532/AH532	LIFEBOOK AH502 LIFEBOOK AH532/GFX		LIFEBOOK AH562 LIFEBOOK E733	LIFEBOOK E743	LIFEBOOK E752	LIFEBOOK E753	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S752 LIFEBOOK S762		LIFEBOOK 5/92 LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552 LIFEBOOK UH552/UB		Product Code	(€)	Comments
D atri:	Description	Details	뿔	뿔		빌						<u> </u>						뿔		뿔	Proc	EU	Сод
r (C	Continued) ntel Core i3-3110M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB,											Х								S26391-F1111-E311	158.00	
Ir	ntel Core i5-3437U up to 2.9GHz 3MB	education and government)		H	+	Н	+	+	++	+	+		+		+	$\vdash$		x			S26391-F1131-E343		
	ntel Core i7-3632QM up to 3.2GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government)		х	х	П		T	П												S26391-F852-E363	277,00	
lr	ntel Core i5-3210M up to 3.1GHz 3MB	not for Corporate Projects (only for Retail, SMB,		П		$\Box$		T	$\Box$		х									П	S26391-F902-E321	210,00	
Ir	ntel Core i5-3340M up to 3.4GHz 3MB	education and government) Intel Core i5-3340M processor (, 2.7 GHz, SLC:			+	$\Box$	+		+	+	+		+	х	+	$\vdash$					S26391-F1101-E334	264,00	
Ir	ntel Core i5-3340M up to 3.4GHz 3MB	3 MB) Intel Core i5-3340M processor (, 2.7 GHz, SLC:		Н	+	$\vdash$	+		++	+	+		x	$\vdash$	+	$\vdash$	+	Н			S26391-F1111-E334	264,00	
Ir	ntel Core i5-3337U up to 2.7GHz 3MB	3 MB) not for Corporate Projects (only for Retail, SMB,		Н	+	$\vdash$	+	+	++	+	+	+	+		+	$\vdash$		х		H	S26391-F1131-E333	210,00	
Ir	ntel Core i3-3110M 2.4GHz 3MB	education and government) not for Corporate Projects (only for Retail, SMB,		Н	+	$\vdash$	+	+	++	+	x		-	$\vdash$	+	$\vdash$	+	Н			S26391-F902-E311	158,00	
lr	ntel Core i5-3230M up to 3.2GHz 3MB	education and government) not for Corporate Projects (only for Retail, SMB,		Н	+	$\vdash$	-	+	++	+	+		x		+			Н			S26391-F1111-E323	210.00	
	ntel Core i7-3612QM up to 3.1GHz 6MB	education and government)  not for Corporate Projects (only for Retail, SMB,		Х	+	Н	_	-	++	_	$\perp$		ļ^		_							267,00	
L	·	education and government)		^	_	Ш		1	$\perp \! \! \perp$						_					Ш		,	
L	ntel Core i3-2370M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)		Ш		Ш		L	Ш		Х			Ш							S26391-F902-E237	158,00	
lr	ntel Core i3-3120M 2.5GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)											X								S26391-F1111-E312	158,00	
lr	ntel Core i3-2350M 2.3GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)									х										S26391-F902-E235	163,00	
Ir	ntel Core i7-3632QM up to 3.2GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government)					Х	x		х											S26391-F1241-E363	277,00	
Ir	ntel Core i3-3110M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)		х	х	$\prod$		1	$\prod$					$\sqcap$			$\sqcap$				S26391-F852-E311	158,00	
Ir	ntel Core i7-3612QM up to 3.1GHz 6MB,	not for Corporate Projects (only for Retail, SMB,		$\sqcap$	+	х	+	+	$\forall$	+	$\top$			$\Box$		$\Box$	$\dagger \dagger$	H	$\vdash$		S26391-F862-E361	267,00	
Ir	ntel Core i5-3230M up to 3.2GHz 3MB	education and government) not for Corporate Projects (only for Retail, SMB,		$\forall$	+	$\forall$	+	+	+	+	х		+	$\vdash$	+	H	$\dashv \dashv$	H	$\vdash$	$\vdash$	S26391-F902-E323	210,00	
Ir	ntel Core i5-3320M up to 3.3GHz 3MB	education and government) Intel Core i5-3320M processor (, 2.6 GHz, SLC:		$\vdash$	+	H	+	+	++	+	+		+	Х	+		+	H	$\vdash$	+	S26391-F1101-E332	264,00	
Ir	ntel Core i7-3540M up to 3.6GHz 4MB	3 MB) 2.90 GHz, up to 3.60 GHz, 4 MB total cache,		Н	+	$\vdash$	x	x x	+	х	+		+		+	$\vdash$	+	Н		H	S26391-F1241-E354	405,00	
		dual core/4 threads, technologies: VT-x, VT-d, TXT,																					
Ir	ntel Core i3-3120M 2.5GHz 3MB	not for Corporate Projects (only for Retail, SMB,		П		$\Box$		$^{\dagger}$	$\forall$		х					$\Box$					S26391-F902-E312	158,00	
Ir	ntel Core i3-3110M 2.4GHz 3MB	education and government) not for Corporate Projects (only for Retail, SMB,		Н		$\Box$		+	++					х							S26391-F1101-E311	158,00	
Ir	ntel Core i5-3340M up to 3.4GHz 3MB	education and government) Intel Core i5-3340M processor (, 2.7 GHz, SLC:		Н	+	$\vdash$	x	x x	+	х	+		+	$\vdash$	+	$\vdash$	+	Н			S26391-F1241-E334	264,00	
Ir	ntel Core i3-2348M 2.3GHz 3MB	3 MB) not for Corporate Projects (only for Retail, SMB,		Н	+	Н	+	+	++	+	X	_	+	H	+	$\vdash$		Н			S26391-F902-E234	118,00	
lr	ntel Core i5-3230M up to 3.2GHz 3MB	education and government) not for Corporate Projects (only for Retail, SMB,		H	+	Н	×	x x	+	X	+		+		+	$\vdash$		Н			S26391-F1241-E323	210.00	
L	ntel Core i3-2328M 2.2GHz 3MB	education and government) not for Corporate Projects (only for Retail, SMB,		Ш	v	Ш	^		$\perp \perp$		$\perp$	_	_										
L		education and government)		Ш	Х	Ш		_	Ш		Ш			Ш		Ш					S26391-F852-E232	118,00	
	ntel Pentium 2020M 2.4GHz 2MB ntel Core i7-3687U up to 3.3GHz 4MB	only for shipments to retail customers Intel Core i7-3687U processor (, 2.1 GHz, SLC:			+	$\Box$	+		+	+	X		+	х	+	$\vdash$				$\overline{}$	S26391-F902-E202 S26391-F1101-E369	59,00 405,00	
Ir	ntel Core i3-3120M 2.5GHz 3MB	4 MB) not for Corporate Projects (only for Retail, SMB,		Н	+	$\vdash$	x	x x	+	x	+	+	+		+	$\vdash$		Н		H	S26391-F1241-E312	158,00	
lr	ntel Pentium B970 2.3GHz 2MB	education and government) only for shipments to retail customers		H	+	$\vdash$	+	+	++	-	x		+	$\vdash$	+	$\vdash$	+	Н			S26391-F902-E970	78.00	
lr	ntel Core i3-3110M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)					х	Х		x											S26391-F1241-E311	158,00	New product,Orderable from: 0
Ir	ntel Core i5-3340M up to 3.4GHz 3MB	Intel Core i5-3340M processor (, 2.7 GHz, SLC: 3 MB)		П				T	$\Box$					х							S26391-F1101-E335	264,00	
lr	ntel Core i3-2348M 2.3GHz 3MB	not for Corporate Projects (only for Retail, SMB,		П		$\Box$	х	Х		х										П	S26391-F1241-E234	118,00	
Ir	ntel Core i5-3230M up to 3.2GHz 3MB	education and government) not for Corporate Projects (only for Retail, SMB,		Н		х		+	++												S26391-F862-E323	210,00	
lr	ntel Celeron B830 1.8GHz 2MB	education and government) Intel Celeron processor B830 (, 1.8 GHz, SLC: 2		Н	х	$\vdash$	+	+	++	+	+		+	H	+	$\vdash$	+				S26391-F612-E830	44,00	
Ir	ntel Core i5-3230M up to 3.2GHz 3MB	MB) not for Corporate Projects (only for Retail, SMB,		Х	X	Н	x	+	++	+	+	_	+	H	+	$\vdash$		Н			S26391-F852-E323	210,00	
L	ntel Core i3-3120M 2.5GHz 3MB	education and government) not for Corporate Projects (only for Retail, SMB,		H	+	X	+	+	++	+	+		+		+	$\vdash$		Н		H	S26391-F862-E312	158,00	
L	ntel Core i3-2348M 2.3GHz 3MB	education and government)  not for Corporate Projects (only for Retail, SMB,	v		_		_	-	+	_			_		_						S26391-F612-E234	118,00	
L		education and government)	X	Ш		Ш		_	Ш		$\perp$												
L	ntel Core i3-3120M 2.5GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)		Х		Ш			Ш		Ш										S26391-F852-E312	158,00	
	ntel Pentium 2020M 2.4GHz 2MB ntel Core i3-2348M 2.3GHz 3MB	only for shipments to retail customers not for Corporate Projects (only for Retail, SMB,		Х	Х	$\vdash$	+	+	++	+	+		+	$\vdash$	+	$\vdash$	+	Н		_	S26391-F612-E202 S26391-F852-E234	59,00 118,00	
lr.	ntel Core i3-2328M 2.2GHz 3MB	education and government) not for Corporate Projects (only for Retail, SMB,	_	H	+	H	+	+	++	+	+	х	x	$\vdash$	+	$\vdash$	+	$\dashv$	$\vdash$	$\vdash$	S26391-F602-E232	118,00	
	ntel Core i3-2348M 2.3GHz 3MB	education and government)  not for Corporate Projects (only for Retail, SMB,		$\vdash$	+	H	+	+	+	+	+	х		$\vdash$	+	$\vdash$	+	Н	$\vdash$		S26391-F602-E234	118,00	
L	ntel Core i3-3120M 2.5GHz 3MB	education and government)  not for Corporate Projects (only for Retail, SMB,			_	H	_	-	X	,		**	-		x x	v	×	Ц	$\vdash$	Ш	S26391-F1121-E312		
L		education and government)			_	$\square$	_											Ц					
Ĺ	ntel Core i3-3110M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)		Ш	$\perp$	Ш		$\perp$	X	,	(				хх	X	×	Ш		Ш	S26391-F1121-E311		
L	ntel Core i3-2328M 2.2GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)							X						х					Ш	S26391-F1121-E232		
Ir	ntel Core i3-2348M 2.3GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)							х						х		х				S26391-F1121-E234	118,00	
Ir	ntel Core i3-3110M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)				П			П			Х	х			П					S26391-F602-E311	158,00	
Ir	ntel Core i3-3120M 2.5GHz 3MB	not for Corporate Projects (only for Retail, SMB,		П		П			$\Box$			Х	х			$\Box$					S26391-F602-E312	158,00	
Ir	ntel Core i5-3230M up to 3.2GHz 3MB	education and government) not for Corporate Projects (only for Retail, SMB,		$\forall$	+	H	+	+	+	+	+	х	х	$\vdash$	+	+	$\dashv \dashv$	H	$\vdash$	$\dagger$	S26391-F602-E323	210,00	
Ir	ntel Core i7-3520M up to 3.6GHz 4MB	education and government) Intel Core i7-3520M processor (, 2.9 GHz, SLC:		H	+	$\forall$	+	+	+	+	+	х	x	$\vdash$	+	$\vdash$	+	H	$\vdash$	$\vdash$	S26391-F602-E352	405,00	
Ir	ntel Core I7 3610QM up to 3.3GHz 6MB	4 MB) not for Corporate Projects (only for Retail, SMB,		$\vdash$	+	H	+	+	++	+	+	Х	x	$\vdash$	+	H	+	$\dashv$	$\vdash$	$\vdash$	S26391-F602-E361	279,00	
lr	ntel Core I7 3630QM up to 3.4GHz 6MB	education and government) not for Corporate Projects (only for Retail, SMB, education and government)							$\pm$			X	х								S26391-F602-E363	277,00	
	2 GB DDR3 1600 MHz PC3-12800														х	_	х			-	S26391-F1122-E200		
8	GB DDR3 1600 MHz PC3-12800 GB DDR3 1600 MHz PC3-12800					$\boxminus$			廿				+		X		x x		+		S26391-F1122-E400 S26391-F1122-E800	106,00	
4	2 GB DDR3 1600 MHz PC3-12800 3 GB DDR3 1600 MHz PC3-12800			$\square$		$\exists$		+	X X	_	(		+		X X	X	$\pm$				S26391-F1142-E200 S26391-F1142-E400	46,00	
2	3 GB DDR3 1600 MHz PC3-12800 2 GB DDR3 1600 MHz PC3-12800								Х	)	(				Х	X	х	-			S26391-F1142-E800 S26391-F1182-E200	30,00	
	GB DDR3 1600 MHz PC3-12800 GB DDR3 1600 MHz PC3-12800					H		$\pm$	毌								X				S26391-F1182-E400 S26391-F1182-E800		
2	2 GB DDR3 1600 MHz PC3-12800 3 GB DDR3 1600 MHz PC3-12800					$oxed{\Box}$			oxdot			X X		H		H		H			S26391-F603-E200 S26391-F603-E400	30,00 46,00	
8	3 GB DDR3 1600 MHz PC3-12800 2 GB DDR3 1600 MHz PC3-12800			H		H	F		+	Ŧ	х	х		H		H	$\blacksquare$	H				106,00	
_	GB DDR3 1600 MHz PC3-12800					$\Box$					X									-	S26391-F903-E400	46,00	



<b>gory</b> ons ma	<b>Description</b>	Details	LIFEBOOK A512/AH512	LIFEBOOK A532/AH532	LIFEBOOK AH502				LIFEBOOK E743	LIFEBOOK E752	LIFEBOOK E782	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S752					LIFEBOOK UH552		Product Code	EUP (€)	Comments
	2 GB DDR3 1600 MHz PC3-12800 2 GB DDR3 1600 MHz PC3-12800							7	$\blacksquare$	Ţ			Ţ	X	х								S26391-F1102-E200 S26391-F1112-E200		
	2 GB DDR3 1600 MHz PC3-12800 4 GB DDR3 1600 MHz PC3-12800							х	Х	х				^	х					Ŧ			S26391-F1242-E200 S26391-F1102-E400	30,0	0
	4 GB DDR3 1600 MHz PC3-12800 4 GB DDR3 1600 MHz PC3-12800							х	х	х				х									S26391-F1112-E400 S26391-F1242-E400	46,0	0
	8 GB DDR3 1600 MHz PC3-12800 8 GB DDR3 1600 MHz PC3-12800							$\exists$	$\pm$					х	Х								S26391-F1102-E800 S26391-F1112-E800	106,0	0
	8 GB DDR3 1600 MHz PC3-12800 2 GB DDR3 1600 MHz PC3-12800							х	Х	Х										х			S26391-F1242-E800 S26391-F1132-E200	30,0	0
	2 GB DDR3 1600 MHz PC3-12800 2 GB DDR3 1600 MHz PC3-12800				Х	х		$\pm$	#											#			S26391-F613-E200 S26391-F863-E200	30,0	0
	2 GB DDR3 1600 MHz PC3-12800 2 GB DDR3 1600 MHz PC3-12800 4 GB DDR3 1600 MHz PC3-12800						х	#	#											4	ХХ	( X	S26391-F933-E200 S26391-F853-E201 S26391-F1132-E400	30,0 30,0 46,0	0
	4 GB DDR3 1600 MHz PC3-12800 4 GB DDR3 1600 MHz PC3-12800 4 GB DDR3 1600 MHz PC3-12800		х	x	х			#	#				+							Х			S26391-F613-E400 S26391-F653-E400	46,0 46,0 46,0	0
	4 GB DDR3 1600 MHz PC3-12800 4 GB DDR3 1600 MHz PC3-12800		H	^		х	H	7	$\mp$				+	Ŧ		+	Ŧ	H		7	x x	( X	S26391-F863-E400 S26391-F933-E400	46,0 46,0	0
	4 GB DDR3 1600 MHz PC3-12800 8 GB DDR3 1600 MHz PC3-12800						Х	$\exists$	$\pm$											х			S26391-F853-E401 S26391-F1132-E800	46,0	0
ovabl	e Media Drives Bay Projector 1.5 LED																ĸ	х					S26391-F1124-E600		
	DVD Super Multi (reader/writer) Blu-ray Triple Writer incl. Power DVD 10	Blu-ray read/write + DVD read/write + CD	$\vdash$	H	+		Н	+	+	+			+	+		+	+		X	+	+	+	S26391-F1184-E200 S26391-F1184-E300		
	Weight saver	read/write						#	$\pm$										Х	+			S26391-F1184-E400	4,0	
	2nd Battery 6cell 28Wh (2,600mAh)  DVD Super Multi (reader/writer)							$\pm$	#				X X	(					X	+			S26391-F1184-E500 S26391-F607-E100	39,0	0
	Blu-ray Triple Writer incl. Power DVD 10	Blu-ray read/write + DVD read/write + CD read/write			_		Ц	$\downarrow$	$\perp$	_	Щ		x >		Ш	$\perp$	_		Щ	_	$\perp$	_		219,0	
	DVD Super Multi (reader/writer)  DVD SUPER MULTI  DVD Super Multi (reader/writer)			X	X	X		#	#	+	ļ.,		+	+					Ħ	+	+		S26391-F857-E100 S26391-F867-E100 S26391-F1144-E200	39,0	0
	DVD Super Multi (reader/writer) Blu-ray Triple Writer incl. Power DVD 10 Weight saver for modular bay				+			#		X X	X		+	+	H	X	X			#	+	+	\$26391-F1144-E200 \$26391-F1144-E300 \$26391-F954-E400		0
	Weight saver for modular bay Weight saver for modular bay Weight saver for modular bay		H	Ħ	+		H	#	#.	x	Х	$\dashv$	$\mp$	+	х	X	X		H	#	+	+	S26391-F954-E400 S26391-F974-E400 S26391-F984-E400	4,0 4,0 4,0	0
	2nd Battery 6cell 41Wh (3,800mAh) Bay projector				+			$\dashv$		X	X			-	H	Х	Х	_	Ħ	#	+	Ŧ	S26391-F984-E500	123,0 444,0	0
	Bay projector Bay Projector 1.5 LED							$\exists$	$\pm$						X									444,0	0
	Weight saver for modular bay DVD SUPER MULTI		Х		Х			х	х	х													S26391-F1244-E400 S26391-F617-E100	4,0 39,0	
	DVD Super Multi (reader/writer) DVD Super Multi (reader/writer)						х	$\exists$				Х											S26391-F907-E100 S26391-F857-E101	39,0 39,0	0
	DVD Super Multi (reader/writer) Blu-ray Triple Writer incl. Power DVD 10	Blu-ray read/write + DVD read/write + CD		$\vdash$	+		Н	X		X			+			+	+			+		+	S26391-F1244-E200 S26391-F1244-E300		
	2nd Battery 6cell 28Wh (2,600mAh)	read/write			$\pm$			х	х	х			$\pm$			$\pm$	$\pm$			+	$\pm$		S26391-F1244-E500		
	Bay Projector 1.5 LED  DVD Super Multi (reader/writer)							X	Х	Х			+		х	+				+			S26391-F1104-E200	39,0	
	DVD Super Multi (reader/writer) Blu-ray Triple Writer incl. Power DVD 10	Blu-ray read/write + DVD read/write + CD			$^{+}$		Н	+	$\perp$				$^{+}$	+	х		K	Х		$^{+}$		+	S26391-F1124-E200 S26391-F1104-E300		
	Blu-ray Triple Writer incl. Power DVD 10	read/write Blu-ray read/write + DVD read/write + CD		H	$^{+}$		Н	+	$\perp$				$^{+}$			2	ĸ	х		$^{+}$		+	S26391-F1124-E300	257,0	0
	Blu-ray Triple Writer incl. Power DVD 10	read/write Blu-ray read/write + DVD read/write + CD	$\vdash$	$\Box$	$^{+}$		Н	+	+	$\dagger$		х	$^{+}$	+	Н	$^{+}$	$\dagger$	$\vdash$		+	$\dagger$	$^{+}$	S26391-F907-E300	219,0	0
	2nd Battery 6cell 27Wh (2,600mAh) 2nd Battery 6cell 28Wh (2,600mAh)	read/write						#	$\pm$						х					+			S26391-F1104-E500 S26391-F1124-E500		
Disk															х			X					S26391-F1103-E828		
	SSD SATA III 128 GB HS WIN7/WIN8 SSD SATA III 256 GB HS WIN7/WIN8							干	#						X	+				7			S26391-F1103-E829 S26391-F1103-E839	217,0	0
	HDD SATA 320 GB HDD SATA 320 GB 5.4k FDE							$\exists$	$\pm$										X				S26391-F1183-E320 S26391-F1183-E325		
	HDD SATA 320 GB 7.2k HDD SATA 500 GB 7.2K				$\pm$			$\pm$	$\pm$				$\pm$			$\pm$	$\pm$		X	+			\$26391-F1183-E327 \$26391-F1183-E507	224,0	0
	SSHD 500 GB / 8 GB SSD Cache 5.4k SSD SATA III 128 GB Opal HS WIN7/WIN8				+			#	$\pm$				+	t		#			X	+			S26391-F1183-E828	265,0	
	SSD SATA III 128 GB HS WIN7/WIN8 SSD SATA III 256 GB Opal HS WIN7/WIN8							#	#							+			X				S26391-F1183-E829 S26391-F1183-E838	384,0	0
	SSD SATA III 256 GB HS WIN7/WIN8 SSD cache 32GB for IRST & Express Cache HDD SATA 320 GB 5.4k							#	#				+				K	X	X	#			S26391-F1183-E839 S26391-F1183-E900 S26391-F1123-E320	85,0	0
	HDD SATA 320 GB 5.4k HDD SATA 320 GB 7.2k HDD SATA 320 GB 5.4k FDE			H				#	#				+				χ (	X					S26391-F1123-E320 S26391-F1123-E257 S26391-F1123-E325	199,0	0
	HDD SATA 500 GB 7.2k SSD SATA III 128 GB FDE HS WIN7/WIN8							寸	#				+				K K	X		+			S26391-F1123-E507 S26391-F1123-E828	224,0	0
	SSD SATA III 128 GB HS WIN7/WIN8 SSD SATA III 256 GB HS WIN7/WIN8				+		Н	$\exists$	$\mp$				+				K	X		7			S26391-F1123-E829 S26391-F1123-E839	217,0	0
	SSD cache 32GB for IRST & Express Cache HDD SATA 320 GB 5.4k							х	х	Х						,	K	Х					S26391-F1129-E320 S26391-F1243-E320		
	HDD SATA 500 GB 5.4k SSHD 500 GB / 8 GB SSD Cache 5.4k							X X		X													S26391-F1243-E500 S26391-F1243-E508	228,0	0
	SSD SATA III 128 GB high speed SSD SATA III 256 GB high speed							X	х	X										+			S26391-F1243-E820 S26391-F1243-E830	268,0	0
	SSD SATA III 256 GB FDE high speed SSD SATA III 512 GB high speed							X		X	_		$\pm$			#							S26391-F1243-E835 S26391-F1243-E840	577,0	0
	HDD SATA 320 GB 7.2k HDD SATA 320 GB 7.2k							#	#				+	Х	X								S26391-F1103-E257 S26391-F1113-E257	199,0	0
	HDD SATA 320 GB 7.2k HDD SATA 320 GB 5.4k HDD SATA 320 GB 5.4k							#	#				+	X	х	Х	X			#			S26391-F1143-E257 S26391-F1103-E320 S26391-F1113-E320	137,0	0
	HDD SATA 320 GB 5.4k HDD SATA 320 GB 5.4k HDD SATA 320 GB 5.4k							#	#					X		X	X			х			S26391-F1113-E320 S26391-F1133-E320 S26391-F1143-E320	137,0	0
	HDD SATA 320 GB 5.4k HDD SATA 320 GB 5.4k			H	+		Н	7	)	х	Х		x >	(	Н	^	^		H	7			S26391-F1153-E320 S26391-F604-E320	137,0	0
	HDD SATA 320 GB 5.4k HDD SATA 320 GB 5.4k			Ħ	х	х	H	7	于				Ŧ	$\pm$		7			H	7	-	F	S26391-F614-E320 S26391-F864-E320	137,0 137,0	0
	HDD SATA 320 GB 5.4k HDD SATA 320 GB 5.4k				1			$\exists$	$\pm$			х	$\pm$	E		$\pm$				1	х	х	S26391-F904-E320 S26391-F934-E320	137,0 137,0	0
	HDD SATA 320 GB 5.4k FDE HDD SATA 320 GB 5.4k FDE							=	$\pm$	$\pm$				х	Х	#	$\pm$			#	$\pm$	+	S26391-F1103-E325 S26391-F1113-E325	144,0	0
	HDD SATA 320 GB 5.4k FDE HDD SATA 320 GB 5.4k FDE				+		H	$\pm$		X	X		+	+	H	х	X		H	+	+	+	S26391-F1143-E325 S26391-F1153-E325	144,0	0
	HDD SATA 320 GB 7.2k HDD SATA 320 GB 7.2k				+		H	$\pm$	-	X	X		x >	(		$\pm$	+		H	+	$\downarrow$	+	S26391-F1153-E257 S26391-F604-E327	199,0	0
	HDD SATA 320 GB 7.2k HDD SATA 320 GB 7.2k		=		+	X		#	#	+		х	+	+	H	#	+		Ħ	#	+		S26391-F904-E327	199,0 199,0	0
	HDD SATA 320 GB 7.2k HDD SATA 500 GB 5.4k HDD SATA 500 GB 7.2k		-		+			$\Rightarrow$	#	x	X		+	+	H	+	+		H	Х	X	X	S26391-F934-E327 S26391-F1133-E500 S26391-F1153-E507		0
	HDD SATA 500 GB 7.2k HDD SATA 500 GB 5.4k HDD SATA 500 GB 5.4k		X		X		Ħ	#	+		X		x >	(		+	+		Ħ	#	+	+	S26391-F604-E500		0
	HDD SATA 500 GB 5.4k HDD SATA 500 GB 7.2k HDD SATA 500 GB 7.2k		_	Х	X	X	H	$\dashv$	#	+			+	+	H		+		H	+	+			224,0	0
	HDD SATA 500 GB 5.4k HDD SATA 500 GB 5.4k							$\dashv$	丰	-		х	+			$\perp$				#	x	X	S26391-F904-E500 S26391-F934-E500	206,0	0
	HDD SATA 500 GB 5.4k 2x HDD SATA 500 GB 5.4k		F	$\dashv$			х	$\dashv$	7	$\overline{\mathbf{F}}$	H		x >	(		7		F	H	7	-	F	S26391-F854-E501 S26391-F604-E502	206,0	0
	2X11DD 3A1A 300 GB 3:4k			-		_					_						_	_	. —				S26391-F854-E500		



	Description	Details	LIFEBOOK A512/AH512	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX		LIFEBOOK AH562					LIFEBOOK LH532	LIFEBOOK NH532	LIFEBOOK P702		LIFEBOOK S752			LIFEBOOK U772				Product Code	EUP (€)	Comments
atri: ks (	x Continued)	Details	_																				_		
	HDD SATA 500 GB 7.2k HDD SATA 500 GB 7.2k													Х		Х	Х						S26391-F1113-E507 S26391-F1143-E507	224,0	00
S	SSHD 500 GB / 8 GB SSD Cache 5.4k SSHD 500 GB / 8 GB SSD Cache 5.4k			$\pm$			$\pm$	$\pm$	Х		х	$\pm$				Х	X		$\pm$	$\pm$	$\pm$		S26391-F1153-E508	228,0	New product, Orderable from: 02/07/ New product, Orderable from: 02/07/
Н	HDD SATA 750 GB 5.4k HDD SATA 750 GB 5.4k			Х	х							>	( X										S26391-F604-E750 S26391-F854-E750	236,0	00
Н	HDD SATA 750 GB 5.4k HDD SATA 750 GB 5.4k					Х		$\pm$				Х								t			S26391-F864-E750 S26391-F904-E750	236,0	00
2	HDD SATA 750 GB 5.4k x HDD SATA 750 GB 5.4k						Х					)	( X											236,0	00
S	SSD SATA III 128 GB FDE HS WIN7/WIN8 SSD SATA III 128 GB FDE HS WIN7/WIN8															х	Х			(			S26391-F1133-E828 S26391-F1143-E828	265,0	00
S	SSD SATA III 128 GB HS WIN7/WIN8 SSD SATA III 128GB FDE WIN7/WIN8			#				+	+			+		х					X	(			S26391-F1133-E829 S26391-F1113-E828	265,0	00
S	SSD SATA III 128 GB FDE HS WIN7/WIN8 SSD SATA III 128 GB HS WIN7/WIN8 SSD SATA III 128 GB HS WIN7/WIN8								X		Х			х		Х	X		+	ŧ			S26391-F1153-E828 S26391-F1113-E829 S26391-F1143-E829	217,0	00
S	SSD SATA III 128 GB HS WIN7/WIN8 SSD SATA III 128 GB HS WIN7/WIN8 SSD SATA III 128 GB HS WIN7 only								х		х					X	X		+	+		v	S26391-F1153-E829		00
S	SSD SATA III 128 GB HS WIN7/WIN8 SSD SATA III 128 GB HS WIN7/WIN8 SSD SATA III 256 GB HS WIN7/WIN8							+						x						х	X		S26391-F934-E838 S26391-F1113-E839	217,0	00
S	SSD SATA III 250 GB HS WIN7/WIN8 SSD SATA III 256 GB HS WIN7/WIN8 SSD SATA III 256 GB HS WIN7/WIN8													^		Х	X		Х	(		F	S26391-F1133-E839 S26391-F1143-E839	268,0	00
S	SSD SATA III 256 GB HS WIN7/WIN8 SSD SATA III 256 GB HS WIN7/WIN8 SSD SATA III 256 GB HS WIN7 only			$\dashv$			+	+	х		х	+	Ŧ			^	^		+	Ŧ	F	x	S26391-F1153-E839 S26391-F934-E840		00
S	SSD SATA III 256 GB HS WIN7/WIN8 SSD cache 32GB for IRST & Express Cache			7			+	+	Ŧ			+	F	F			F		×	(	х		S26391-F934-E848 S26391-F1132-E320	268,0	00
-	SSD SATA II 8 GB	only allowed to configure in combination with Thin Client SW								П					П	Х							S26391-F1143-E950		
S	SSD SATA II 8 GB	only allowed to configure in combination with Thin Client SW			$\top$	П		$\top$	х	П		$\top$				$\top$			$\top$	T			S26391-F1153-E950	67,0	00
	HDD SATA 1 TB 5.4k HDD SATA 1 TB 5.4k	THIT OROTE OTF		$\downarrow$	+	Ħ	#	+	+	Ħ	$  \pm  $	X	( X			+	+	Ħ	+	+	+		S26391-F604-E100 S26391-F904-E100	255,0 255,0	
2	x HDD SATA 1 TB 5.4k					H		+				-	( X			X	X	$\parallel$	+	+	+		S26391-F904-E100 S26391-F604-E102 S26391-F1142-E320	567,0	00
S	SSD cache 32GB for IRST & Express Cache SSD SATA III 128 GB HS WIN7 only SSD SATA III 128 GB HS WIN7/WIN8			$\downarrow$		H	+	+	X		X		( X	_		X	X	$\parallel$	+	+	+		S26391-F604-E830	217,0 217,0	00
S	SSD SATA III 126 GB HS WIN7/WIN6 SSD SATA III 256 GB HS WIN7 only SSD SATA III 256 GB HS WIN7/WIN8							+				)	C X							Ŧ		F	S26391-F604-E840	268,0 268,0	00
	ExpressCard slot															×		Y					S26391-F1129-E300		
S	SmartCard slot tion/Network															X		X					S26391-F1129-E310		
L	TE module Sierra Wireless MC7710  JMTS Sierra Wireless Gobi 3000 WIN7/WIN8			X	$\mp$		Ŧ	Ŧ	Ŧ	Н	П	Ŧ			Х	$\mp$	F	$\blacksquare$	Ŧ	Ŧ	F		S26391-F1105-E538 S26391-F856-E128	145,0	
U	JMTS Sierra Wireless Gobi 3000 Win7 only JMTS Sierra Wireless Gobi 3000 WIN7/WIN8			X		Н		+	+	Н	-	X X			Н			H		Ŧ			S26391-F906-E120 S26391-F906-E128	89,0 89,0	00
Ν	lo UMTS/LTE JMTS/LTE ready kit (only antennas incl.)	necessary to be able to upgrade later with		$\dashv$		Н	+	+	+	Н					Н	X		X X	+	Ŧ	F		S26391-F1125-E500 S26391-F1125-E510	2,0	00
L	JMTS module Sierra Wireless Gobi 3000	UMTS Upgrade Kit ( S26391-F985-L120)		+	+	Н	+	+	+	$\vdash$		+	+	+		X		х	+	+	+	H	S26391-F1125-E528		
L	TE module Sierra Wireless MC7710  No UMTS/LTE				+		,	x >	x	X	H				П	X	_	Х		Ŧ			S26391-F1125-E538 S26391-F1245-E500	145,0	00
Ν	No UMTS  JMTS Sierra Wireless Gobi 3000 Win7 only			Х	+	П				, A	H	хх	( X					H		X	_		S26391-F798-E600 S26391-F936-E120	2,0	00
U	JMTS Module Sierra Wireless Gobi 3000 ntel Wireless-N2230 b/g/n incl. BT			$\dashv$			+		+	$\blacksquare$		+							+	Х	X	Х	S26391-F936-E128 S26391-F936-E200	89,0 17,0	00
Α	Atheros WLAN WB222 a/b/g/n incl. BT Antennas for UMTS/LTE	necessary to be able to upgrade later with			-		)	x															S26391-F936-E230 S26391-F1245-E510	10,0	
Α	Antennas for UMTS/LTE	UMTS Upgrade Kit ( S26391-F985-L120) necessary to be able to upgrade later with		_	+	Н	+	,	x	$\vdash$	H	+	+	+		+	+		+	+	+		S26391-F1255-E510		
L	Antennas for UMTS/LTE	UMTS Upgrade Kit ( S26391-F985-L120) necessary to be able to upgrade later with						+	+	X		-					-		+	+	-		S26391-F1265-E510		
	JMTS module Sierra Wireless Gobi 3000	UMTS Upgrade Kit ( S26391-F985-L120)		+	-	Н		x >	x	X	H	+	+	+	Н	+	+	H	+	+	+		S26391-F1245-E520		
U	JMTS Sierra Wireless Gobi 3000 Win7 only /GA Conversion Cable			7	+	П	+					>	( X			+			×	,	+		S26391-F606-E120 S26391-F991-E120	89,0	00
_	JMTS Module Sierra Wireless Gobi 3000 lo Modem				-							)	( X			Х	Х			+			S26391-F606-E128 S26391-F1145-E135	89,0	
	TE module Sierra Wireless MC7710  No Modem						)	X >	X	Х						Х	1	Х					S26391-F1245-E530 S26391-F955-E135	145,0 2,0	
_	No Modem Additional LAN adapter cable type			+			+	$\pm$	Х		Х	$\pm$							×	(			S26391-F985-E135 S26391-F991-E130	2,0 37,0	
Ν	Modem Modem								Х		х					Х	Х			$\pm$			S26391-F1145-E130 S26391-F1155-E130	10,0	00
Ir	Modem ntel Centrino 6205 802.11a\b\g\n (WW)															Х		Х	х				S26391-F955-E130 S26391-F1185-E200		00
lr	No WLAN ntel Centrino 2200 802.11b\q\n							X >		X									х				S26391-F1245-E200 S26391-F1185-E210	17,0	00
Ν	ntel Wireless-N2230 b/g/n incl. BT							x >	х	$\overline{}$	Х			Х	Х	ХХ	X	Х		+			S26391-F1245-E220 S26391-F955-E210	2,0	00
lr	ntel Advanced-N 6235 a/b/g/n+BT ntel Centrino N 6205 802.11a\b\g\n (WW)						)	X >	X	X		х								+			S26391-F1245-E210 S26391-F606-E220	22,0	00
lr	ntel Centrino Wireless-N2200 b/g/n ntel Centrino 2200 802.11b\g\n ntel Centrino 6205 802.11a\b\g\n (WW)			#	+	Ħ	#	+	X	_	X	X X	X	х		x x			#	+	+		S26391-F606-E230 S26391-F1105-E240 S26391-F955-E240	17,0 17,0 22,0	00
Ν	ntel Centrino 6205 802.11a\b\q\n (\text{VVV})  No Bluetooth  Sluetooth Module V4.0						#	+	X	_	X	+	+			X X			х	+	+		S26391-F955-E240 S26391-F955-E310 S26391-F1105-E320	2,0	00
В	Bluetooth Module V4.0 Bluetooth Module V4.0 Bluetooth Module V4.0			$\dashv$	+	H	$\mp$	+	+	Ħ	Ħ	+	+	х	_	X		х	$\mp$	Ŧ	+	F	S26391-F1105-E320 S26391-F1115-E320 S26391-F1125-E320	23,0	00
В	Bluetooth Module V4.0 Bluetooth Module V4.0			7				$\mp$	X		х					X	X	A	×	(		F	S26391-F1135-E320 S26391-F1145-E320	23,0	00
В	Bluetooth Module V4.0 No UMTS / LTE				+				,		Ä			X	х	A	, A		х	Ŧ			S26391-F1185-E320 S26391-F1105-E500	23,0	00
Ν	No UMTS/LTE			7			-		Х	Н	х					х	Х		X	(			S26391-F1135-E500 S26391-F1145-E500	2,0	00
Ν	No UMTS/LTE JMTS/LTE ready kit (only antennas incl.)	necessary to be able to upgrade later with	F	$\mp$		П	Ŧ	Ŧ	F	H	H	+	F	F	х	+	F	Ŧ	х	F	F	F	S26391-F1185-E500 S26391-F1105-E510	2,0	00
L	JMTS/LTE ready kit (only antennas incl.)	UMTS Upgrade Kit ( S26391-F985-L120) necessary to be able to upgrade later with	H	$\dashv$	+	H	+	+	+	H	$\dashv$	+	+	x	H	+	+	$\dashv$	+	+	+	-	S26391-F1115-E510		
L	JMTS/LTE ready kit (only antennas incl.)	UMTS Upgrade Kit ( \$26391-F985-L120)  necessary to be able to upgrade later with		+	+	$\vdash \vdash$	+	+	+	+	$\dashv$	+	+	+	$\vdash$	x	+	$\dashv$	+	+	+		S26391-F1145-E510		
L	JMTS/LTE ready kit (only antennas incl.)	UMTS Upgrade Kit ( \$26391-F985-L120)  necessary to be able to upgrade later with	H	_	-	$\sqcup$	+	+	X	H	$\dashv$	+	+	+	H	_	+	$\vdash$	+	+	+	-	S26391-F1155-E510		
L	JMTS ready kit (only antennas incl.)	UMTS Upgrade Kit ( S26391-F985-L120)  necessary to be able to upgrade later with	Ц	_	-	$\square$	+	_	<u> </u> ^	$\vdash$	$\dashv$	_	+	+	$\square$	_	+	$\perp$	x	+	+	-	S26391-F1185-E510		
L	JSB2.0-LAN-ADAPTER	UMTS Upgrade Kit ( S26391-F985-L120)		4	+	$\square$	$\perp$	_	+	$\square$	$\square$	+	1	-	$\square$	_	-	$\perp$		1.			S26391-F1185-E510		
_	JSB2.0-LAN-ADAPTER JMTS/LTE ready kit (only antennas incl.)	necessary to be able to upgrade later with		$\dashv$	+	$\forall$	+	+	$\dagger$	$\forall$		+	$\dagger$	$\dagger$		+	х	$\dashv$	+	X	X	X	S26391-F6055-E510 S26391-F1145-E515		
U	JMTS/LTE ready kit (only antennas incl.)	UMTS Upgrade Kit ( \$26391-F985-L120)  necessary to be able to upgrade later with	H	+	+	$\forall$	+	+	+	$\forall$	х	+	+	+	$\forall$	+	+	$\dashv$	+	+	+		S26391-F1155-E515	12,0	00
L	TE ready kit (only antennas incl.)	UMTS Upgrade Kit ( S26391-F985-L120)  necessary to be able to upgrade later with LTE		+	-	H	+	+	+	H	$\dashv$	+	+	+	H	_	+	$\vdash$	x	+	+		S26391-F1185-E515	12,0	00
V	/GA Conversion Cable	Upgrade Kit 18cm adapter converts HDMI signals into VGA.	$\vdash$	+	+	$\forall$	+	+	+	$\forall$	$\dashv$	+	+	+	H	+	+	$\dashv$	+	x	x	x	S26391-F938-E900	38,0	00
-	JMTS module Sierra Wireless Gobi 3000	e.g. for use on a projector				Ш		+	+	$\blacksquare$	$\exists$		$\perp$		х			$\perp$	$\perp$	+	$\perp$	F	S26391-F1105-E528	, .	
U	JMTS module Sierra Wireless Gobi 3000 JMTS module Sierra Wireless Gobi 3000			$\pm$	Ŧ	日		£	Ŧ	H	$\exists$		£	х	$\exists$		ŧ	H	X	(	£	É	S26391-F1115-E528 S26391-F1135-E528	89,0	00
_	JMTS module Sierra Wireless Gobi 3000 JMTS module Sierra Wireless Gobi 3000								х				F	F		Х	F			F	F	E	S26391-F1145-E528 S26391-F1155-E528		
100	JMTS module Sierra Wireless Gobi 3000																		_		1	1	S26391-F1185-E528	_	



				LIFEBOOK A532/AH532	LIFEBOOK AH502 LIFEBOOK AH532/GFX					LIFEBOOK E752			LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK P702	LIFEBOOK 8772					LIFEBOOK U772	LIFEBOOK UH552/UB			EUP (€)	Comments
mat		Details	_	<u> </u>	<u> </u>		<u> </u>	⊒   :	<b>-</b>	3   <u>-</u>	.   <u>-</u>	1   =			5   :	<b>-</b>	1   3		<u> </u>	<u> </u>	3   3	. I		<u>ā</u>	Ш	O
	ation/Network (Continued)  LTE module Sierra Wireless MC7710							1							х							T		S26391-F1115-E538		
	LTE module Sierra Wireless MC7710 LTE module Sierra Wireless MC7710			$\pm$		Ħ	$\pm$	$\pm$	$\pm$	$\pm$	$\pm$	$\pm$	Ħ		$\pm$	X			$\pm$	$\pm$	X	士	$\pm$	S26391-F1135-E538 S26391-F1145-E538	145,0	00
	LTE module Sierra Wireless MC7710 LTE module Sierra Wireless MC7710			-				+	>	х	-				-				-	х	-	-		S26391-F1155-E538 S26391-F1185-E538		
	LTE module Sierra Wireless MC7710  LTE module Sierra Wireless MC7710			_				#		#	.,		Ħ		7		F	х	7	A .	7		F	S26391-F1145-E539	145,0	00
	Intel Centrino 6205 802.11a\b\q\n (WW)			#				#			Х										х			S26391-F1155-E539 S26391-F1135-E240	22,0	00
	Modem adapter kit (EU) w\ modem cable Module	includes all adapter for EU							>	Х	X					Х	X	X	X					S26391-F646-E100	33,0	
	2x digital array mic 2x digital array mic & FHD cam		-	+	+	$\vdash$	+	+	+	+	+	+	Н	$\vdash$	+	+	+			X X	+	+	+	S26391-F1180-E500 S26391-F1180-E510		
	2x digital array mic 2x digital array mic & FHD cam			_			_	X X	_	X	x x									^				S26391-F1240-E500 S26391-F1240-E520	8,0	00
	1x digital mic & 1x FHD cam w/ Lync			_				^	_	T^	_	1			х	х	İ			#	#			S26391-F1100-E500	23,0	00
	1x digital mic & 1x FHD cam w/ Lync 2x digital array mic			$\pm$			$\pm$	#								х	X		Х	#	#			S26391-F1120-E500 S26391-F1140-E500	13,0	00
	2x digital array mic 1 x digital microphone			+				$\pm$	)	X					Х	х				$\pm$	+			S26391-F1150-E500 S26391-F960-E500	13,0 6,0	
	1x digital mic & 1x HD cam 1x digital mic & 1x HD cam			-				+							Х		X		-	-	-			S26391-F1100-E510 S26391-F1120-E510		
	2x digital mics & HD cam 2x digital array mic & FHD cam			7		$\blacksquare$	-	7		+			Н			×				7	х			S26391-F1130-E510 S26391-F1140-E515	19,0	00
	1x digital mic							#		#		+			#		Х		х	#	#			S26391-F1120-E520	6,0	00
	2x digital array mic & HD cam 2x digital array mic & HD cam								>	х						Х								S26391-F1140-E530 S26391-F1150-E530	19,0	00
	2x digital array mic & FHD cam 2x digital array mic							$\pm$	)	Х		+			$\pm$		+	Х	$\dashv$	+	+			S26391-F1150-E540 S26391-F1140-E600		
	2x digital array mic 2x digital array mic & FHD cam			-				+			X	_									+			S26391-F1150-E610 S26391-F1150-E630	_	
	2x digital array mic & FHD cam  Dummy module			1		Ħ		#	1.	v	^	+	H			1.		х		#	+	+	1	S26391-F1140-E640 S26391-F980-E700		00
	Dummy module							#	,	Х	Х					Х		х						S26391-F980-E700 S26391-F980-E800	3,0	
	Slim Kensington Lock cable																				х			S26391-F1139-E400		
	No Fingerprint Fingerprint sensor & software		-	Ŧ		H	$\mp$	+	_	X X	+	+	H	H	+		+	F	$\dashv$	Ŧ	F	F	+	S26391-F1159-E100 S26391-F1159-E110		
	No Fingerprint Fingerprint sensor & software			7	1	H		7	)	X X	X	$\overline{}$	F	$\Box$	7	1	1		7	7	7	+		S26391-F1159-E200 S26391-F1159-E210	4,0	00
	TPM Module			#		Ħ	#	#	)	X	X		Ħ		#	+	+		#	#	#	#	#	S26391-F1159-E300	8,0	00
	SmartCard slot No SmartCard slot			#			$\pm$	_	X							$\pm$								S26391-F1259-E310 S26391-F1259-E315	3,0	00
	SmartCard slot No SmartCard slot			+				+	+	_	X X	+	Н	H		+	+			+	+			S26391-F1269-E310 S26391-F1269-E315		
	TPM Module V1.2 No Fingerprint			$\dashv$		$\blacksquare$	-	$\mp$	+		+		Х	$\Box$	$\dashv$	X	+		$\dashv$	$\mp$	$\mp$	+	$\vdash$	S26391-F605-E100 S26391-F1109-E100	8,0 4,0	
	No Fingerprint			_				#	1	#		F			х	^	X		v	#	#		F	S26391-F1119-E100	4,0 4,0	00
	No Fingerprint No Fingerprint			#							$^{\pm}$					x		х	Х					S26391-F1129-E100 S26391-F1149-E100	4,0	00
	No Fingerprint No Fingerprint							Х	х											$\pm$	$\pm$			S26391-F1249-E100 S26391-F1259-E100	4,0 4,0	
	No Fingerprint Fingerprint sensor & software		-	+	+	Н	+	+	+	×	x	+	Н	H	+	x	+	$\vdash$	+	+	+	+	+	S26391-F1269-E100 S26391-F1109-E110		
	Fingerprint sensor & software Fingerprint sensor & software			-		$\blacksquare$		7		+		F	H		х		x		х	7	7			S26391-F1119-E110 S26391-F1129-E110	26,0	00
	Fingerprint sensor & software							#											X		х			S26391-F1139-E110	26,0	00
	Fingerprint sensor & software Fingerprint sensor & software			#			#	х	$\pm$							X		Х						S26391-F1149-E110 S26391-F1249-E110	26,0	00
	Fingerprint sensor & software Fingerprint sensor & software		-	+	+	Н	+	+	Х	Х	x	+	Н	H	+	+	+	$\vdash$	+	+	+	+	+	S26391-F1259-E110 S26391-F1269-E110		
	No Fingerprint TPM Module			$\blacksquare$			-	7						$\blacksquare$	-	х	,	X		-		-	H	S26391-F1109-E200 S26391-F1149-E200		00
	TPM module			#				х	х	X	x	F						_		#	#			S26391-F1249-E200	8,0	00
	Fingerprint sensor & software No SmartCard slot			$\pm$			_	х								Х				#	#			S26391-F1109-E210 S26391-F1249-E315	3,0	00
	SmartCard slot TPM module							Х							Х	х	Х		Х	Х	х			S26391-F1249-E310 S26391-F959-E300	12,0 8,0	
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk						Х	X >	x x	x x				х	x x	X	X	х	X	Х			S26391-F993-E100	23,0	00
	SystemLock3	SystemLock3 Smartcard BIOS Pre-Boot	-	+	+	Н	+	Х	x >	x x	x x	(	Н	H	х	хх	x	X	х	x	х	+	╁	S26391-F993-E200	18,0	00
	SmartCase Logon+ 3.2.2	Authentification  Does not support Windows 8; supports secure	4	+	-	Н	_	Y	x >	y y	y y	,	Н	Н	Y	хх	, Y	Y	Y	Y	Y		-	S26361-F2011-E740	14,0	20
	Omanouse Logoni G.E.Z	authentication, password container, SSO, drive						^	,	^ /	^ /				^	^ /		^	^		^			020001120112740	14,0	
	Kensington Lock cable	encrypt, smartcard, biometrics						х	х	хх	хх	(			х	хх	Х	Х	Х	х				S26391-F959-E400	55,0	00
y kit	S Country Kit DE	incl. safety manual (D), Getting Started, Service															х		х					S26391-F1128-E100	6,0	00
	Country Kit Int	Desk Information supporting also India, incl. safety manual (Int),	_	_				+	+	+	+	+	Н	H	+	+	X	-	v	+	+		+	S26391-F1128-E200	6,0	20
	Commy Intelle	Getting Started, Service Desk Information															, x		Х					020001-1 1120-E2UU	0,0	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started,	$\dashv$	+	+	H	+	+	+	+	+	+	$\vdash$	$\dashv$	+	+	X	+	х	+	+	+	+	S26391-F1128-E300	6,0	00
	•	Service Desk Information		_	_	$\sqcup$	_	+	_	_	+	-	Щ	$\sqcup$	_	_	ļ^	-	4		_	+	-			
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information				Ш	$\perp$		$\perp$	$\perp$	$\perp$	$\perp$	Ш	Ш	$\perp$	$\perp$	$\perp$	L	4	х	$\perp$	$\perp$	$\perp$	S26391-F1188-E100	6,0	
	Country Kit Int	incl. safety manual (D), Getting Started, Service Desk Information																		х				S26391-F1188-E200	6,0	00
	Country Kit GB	incl. safety manual (D), Getting Started, Service  Desk Information				П							П							х				S26391-F1188-E300	6,0	00
	Country Kit DE	DOM HIUIIIIAUUII			$\perp$	H		#	+		+	+	_	Х					$\Rightarrow$	#	#	#		S26391-F609-E100	6,0	
	Country Kit Int. Country Kit GB			$\perp$	$\pm$	H		$\pm$				$\perp$	_	X	$\perp$		$\pm$			$\pm$	$\pm$		+	S26391-F609-E200 S26391-F609-E300	6,0 6,0	00
	Country Kit DE	incl. safety manual (D), Getting Started, Service  Desk Information	1				T	х	х	Х	x								T					S26391-F1248-E100	6,0	00
	Country Kit Int.	incl. safety manual (D), Getting Started, Service		$\top$	$\top$	П	$\top$	х	х	×	x		П		$\top$		$\top$		$\dashv$	$\top$	$\top$	$\dagger$	1	S26391-F1248-E200	6,0	00
	Country Kit GB	Desk Information incl. safety manual (D), Getting Started, Service	$\dashv$	+	+	$\forall$	+	х	х	×	x	+	H	$\dashv$	+	+	+	+	$\dashv$	+	+	+	+	S26391-F1248-E300	6,0	00
	Country Kit DE	Desk Information incl. safety manual (D), Getting Started, Service	_	_	+	$\vdash \vdash$	+	+	+	+	+	+	$\vdash$	$\dashv$	+	х	+	-	$\dashv$	+	+	+	+	S26391-F1108-E100	6,0	00
	·	Desk Information	_	_	_	Ш	_	4		_		-	Ш	$\Box$	_		_		_	_	_	_	-			
	Country Kit DE Country Kit DE	incl. safety manual (D), Getting Started, Service	$\dashv$	+	+	$\forall$	+	+	+	+	+	+	Н	$\dashv$	Х	+	+		$\dashv$		х	+	+	S26391-F1118-E100 S26391-F1138-E100	6,0 6,0	
	Country Kit DE	Desk Information incl. safety manual (D), Getting Started, Service		+	+	$\vdash$	+	+	+	x	X		$\vdash$	$\dashv$	+	×	_	X	+	+	+	+	+	S26391-F1148-E100	6,0	
	•	Desk Information				Ш		$\perp$		^	_ x	$\perp$	Ш	Ш			1	^	_			_	_			
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information										X												S26391-F909-E100	6,0	00
	Country Kit DE	incl. safety manual (D), Getting Started, Service				П					$\top$		П						$\dashv$	$\top$	;	х	Х	S26391-F939-E100	6,0	00
	Country Kit DE	Desk Information incl. safety manual (D), Getting Started, Service	$\dashv$	+	+	х	+	+	+	+	+	+	H	$\dashv$	+	+	+	+	$\dashv$	+	+	+	+	S26391-F869-E110	6,0	00
	Country Kit DE	Desk Information incl. safety manual (D), Getting Started, Service	$\dashv$	+	+	H	х	+	+	+	+	+	$\vdash$	$\dashv$	+	+	+	-	$\dashv$	+	+	+	+	S26391-F859-E111	6,0	00
	·	Desk Information		4	_	Щ	^	$\perp$	4	_	1	1	Ш	Ц	4	_	1		_	4	4	1	1			
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information														х								S26391-F1108-E200	6,0	00
		County Clarica, Cornec Door and Indiana.				1 1		- 1									1							T. Control of the Con	1	
	Country Kit Int	supporting also India, incl. safety manual (Int),		4	_	$\vdash$	_	+	+	-	-	-		-	х	-	+	-	-	+	+	+	-	S26391-F1118-E200	6,0	20



			<b>LIFEBOOK A512/AH512</b>	LIFEBOOK A532/AH532	LIFEBOOK AH502 LIFEBOOK AH532/GFX		LIFEBOOK AH562	LIFEBOOK E743	LIFEBOOK E752	LIFEBOOK E753	LIFEBOOK E782	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S762	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK U772		LIFEBOOK UH552/UB	Product Code	EUP (€)	Comments
matr		Details	_	=	3   3		3   3	1   5	3		<b>□</b>  :	3   3			5   S	3   3		3   3	3   <u>3</u>		3   S	<u> </u>		Ö
	s (Continued) Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information			Т		Т					T	П	П	Т	Т		Т	x		Т	S26391-F1138-E200	6,0	0
	Country Kit Int	supporting also India, incl. safety manual (Int),			+	Н	+	-	x	Н	x	+	+	H	+	x	х	+	+	Н	+	S26391-F1148-E200	6,0	0
	Country Art in	Getting Started, Service Desk Information							^		^					^	^					320391-1 1140-1200	0,0	0
(	Country Kit Int.	incl. safety manual (D), Getting Started, Service	Х		х	H	$^{+}$	+		H	$^{\dagger}$	$^{+}$	+	H	$^{+}$	$^{+}$	H	+	$^{+}$	Н	+	S26391-F619-E200	6,0	0
•	Country Kit Int.	Desk Information incl. safety manual (D), Getting Started, Service		х		Н								$\forall$					+	Н		S26391-F859-E200	6,0	0
0	Country Kit Int.	Desk Information incl. safety manual (D), Getting Started, Service		H	+	H	+	+	+	H		x	+	H	+	+	H	+	+	Н	+	S26391-F909-E200	6,0	0
0	Country Kit Int.	Desk Information incl. safety manual (D), Getting Started, Service				Н	+							$\forall$					+	Х	X :	x S26391-F939-E200	6,0	0
0	Country Kit Int.	Desk Information incl. safety manual (D), Getting Started, Service		Х	Х	Н	+							$\forall$					+	Н		S26391-F859-E210	6,0	0
(	Country Kit Int.	Desk Information incl. safety manual (D), Getting Started, Service		H	+	х	+	+	+	H	+	+	+	H	+	+	Н	+	+	Н	+	S26391-F869-E210	6,0	0
(	Country Kit Int.	Desk Information incl. safety manual (D), Getting Started, Service			+	$\Box$	х	+		Н	+	+	+	$\forall$	+	+		+	+	Н	+	S26391-F859-E211	6,0	0
•	Country Kit GB	Desk Information incl. safety manual (GB/ARA), Getting Started,			+	Н	+	+	+	Н	+	+	+	H	х	+	Н	+	+	Н	+	S26391-F1108-E300	6,0	0
(	Country Kit GB	Service Desk Information incl. safety manual (GB/ARA), Getting Started,			+	H	+	+		Н	+	+	+	Х	+	+		+	+	Н	+	S26391-F1118-E300	6,0	0
	Country Kit GB	Service Desk Information incl. safety manual (GB/ARA), Getting Started,		H	+	Н	+	+	+	Н	+	+	+	$\vdash$	+	+	Н	+	x	Н	+	S26391-F1138-E300	6,0	0
(	Country Kit GB	Service Desk Information incl. safety manual (GB/ARA), Getting Started,			+	Н	+	+	х	Н	х	+	+	Н		x	х	+	+	Н	+	S26391-F1148-E300	6,0	0
	Country Kit GB	Service Desk Information incl. safety manual (D), Getting Started, Service		$\vdash \vdash$	+	H	+	+	+	$\vdash$	4	x	+	H	+	+	$\square$	+	+	H	+	S26391-F909-E300	6,0	
	Country Kit GB	Desk Information incl. safety manual (D), Getting Started, Service		$\vdash$	+	$\vdash$	+	+	+	$\vdash$	+	+	+	$\vdash$	+	+	$\vdash$	+	+	X	х	x S26391-F939-E300	6,0	
	Country Kit GB	Desk Information incl. safety manual (D), Getting Started, Service		$\vdash$	+	X	+	+	+	H	+	+	+	$\dashv$	+	+	H	+	+	+	_	S26391-F869-E310	6,0	
	Country Kit GB	Desk Information incl. safety manual (D), Getting Started, Service		$\vdash \vdash$	+	^	X	+	+	$\vdash$	+	+	+	H	+	+		+	+	$\vdash \vdash$	+	S26391-F859-E311	6,0	
	Warranty Card Poland	Desk Information		$\square$	+	$\vdash$		( "	x	y	Y	+	-	-	Y	x x	V	у .	x .	$\vdash$		S26391-F659-E311	2,0	
I	Made in Germany sticker	The "Made in Germany" sticker prominently displays this universally admired differentiating product value				х		. X	*	^		х х	X		^	. X		, )	X	-	x	S26391-F404-E911	2,00	
	1st Battery 4cell 45Wh (3,150mAh)																		х	_		S26391-F1136-E100		
	3pin AC Adapter 19V/65W grounded 1st Battery 6cell 72Wh (6,700mAh)					Н	>	( X		х				$\exists$				-	X	$\boxminus$		S26391-F1136-E520 S26391-F1186-E100	112,0	0
	3pin AC Adapter 19V/100W 1st Battery 6cell 63Wh (5,800mAh)						_	ζ X	_	х		+		$\exists$				)	K	$\exists$		S26391-F1186-E530 S26391-F1246-E100	75,0	0
1	1st Battery 6cell 72Wh (6,700mAh)  AC Adapter 19V/80W + EU cable			H	+	H	)	( X		х		X	+	Ħ	$\pm$	+		$\pm$	+	$ \pm $	$\pm$	S26391-F1246-E200 S26391-F908-E800	20,0	0
1	AC Adapter 19V/80W + US cable AC Adapter 19V/80W + GB cable				+	Ħ		+				x x		Ħ	<u></u>	V -		V	+	$\parallel$		\$26391-F908-E810 \$26391-F908-E820 \$26391-F966-E100	20,00	0
·	1st Battery 6cell 63Wh (5,800mAh) 1st Battery 6cell 72Wh (6,700mAh) AC Adapter 19V/120W			H	+	Ħ	+	#	X	_	X		X	х		x x x x			+		+	\$26391-F956-E100 \$26391-F1106-E100 \$26391-F608-E200	75,0 89,0 25,0	0
1	AC Adapter 19V/120W AC Adapter 19V/80W (0-Watt technology) Power cable EU			Ħ	+	Ħ	#	+	х	H	х		X	х	X	хх	х	х	+	Ħ	+	\$26391-F886-E200 \$26391-F886-E200 \$26391-F490-E210	33,0 5,0	0
	Power cable EU Power cable EU Power cable US			H		Ħ	+	+	х	H	х		X	х	X	хх	х	х	+	H	+	S26391-F490-E210 S26391-F878-E210 S26391-F490-E220	5,0 5,0 5,0	0
	Power cable US Power cable GB			H	+	Ħ	$\mp$		х	H	х		X	х	X	хх	х	х		H	_	S26391-F878-E220 S26391-F490-E230	5,0 5,0	0
1	Power cable GB AC cable for 2-pin China					H			X X	$\rightarrow$	х	Ť		-		x x x x		X X	-			S26391-F878-E230 S26391-F878-E240	5,0 6,0	0
	3-pin Power cable EU	3pin power cable for EU, Mickey Mouse (MM) connector type (for H720),					>	X	X	_	X					x x	-	_	X	П		S26391-F878-E310	4,0	
1	3-pin Power Cable US	3pin power cable for US, Mickey Mouse (MM) connector type (for H720)					>	< x		х								)	х	$\prod$		S26391-F878-E320	4,0	0
;	3-pin Power Cable GB	3pin power cable for GB, Mickey Mouse (MM) connector type (for H720)		П		П	>	< x		х				П				>	х			S26391-F878-E330	5,0	0
,	AC cable for 3-pin China	3pin power cable for China, Mickey Mouse (MM) connector type (for H720)		П		П	T	T		П	T	T	T	П	T	T	П	)	ĸ	П		S26391-F878-E340	7,0	0
	3-pin Power Cable IT 3-pin Power Cable CH	3pin power cable for Switzerland, Mickey						( X		X				Ħ				_	x x	_		S26391-F878-E350 S26391-F878-E360	4,0	
	3-pin Power Cable DK	Mouse (MM) connector type (for H720),			_			( x		X	4	+	-	$\square$	_	-			x x	Ш	_	S26391-F878-E370	4,0	
	3-pin Power Cable DK 3-pin Power Cable ID, AC plug type C5 AC Adapter 19V/65W slim and light			H	+	Ħ		( X		Х	x	+		x	x	хх	х			Ħ		S26391-F878-E390 S26391-F1106-E500	5,0	0
;	3pin AC Adapter 19V/65W slim and light AC Adapter 19V/65W			H	+	H	>	ζ X		Х	X					x x				H	_		23,0	0 Orderable from: 16/08/2013
1	AC Adapter 19V/80W 3pin AC Adapter 19V/80W			Ħ		Ħ		( X	X	_	X		F			x x	-				7	S26391-F1106-E530 S26391-F1246-E530	19,0	
;	3pin AC Adapter 19V/80W (0-Watt) 3pin AC Adapter 19V/100W grounded						>	( X		х	Х			Х	х	хх	Х	х				S26391-F1246-E540 S26391-F1106-E520	33,0 30,0	0 Orderable from: 13/09/2013
1	AC Adapter 20V/65W + EU cable AC Adapter 20V/65W + EU cable		Х	х	х	H	Ŧ	Ŧ	ŧ	H	1	£	£	日	1	£	H	Ŧ	£	目		S26391-F618-E650 S26391-F858-E650	18,00 18,00	0
1	AC Adapter 20V/65W + EU cable AC Adapter 19V/65W + EU cable			H		X	+	#			#	+		Ħ		+			+	х	Х	S26391-F868-E650 x S26391-F938-E650	18,00 17,00	0
1	AC Adapter 19V/65W + EU cable AC Adapter 20V/65W + US cable			H	+	х	х	+			$\pm$	+	+	Ħ	$\pm$	+	H	+	+	H	+	S26391-F858-E651 S26391-F868-E660	17,00 18,00	0
1	AC Adapter 19V/65W + US cable AC Adapter 19V/65W + US cable			Ħ	+	Ħ	х	+		H	#	+	+	Ħ	$\pm$	+	H	+		X	X	x S26391-F938-E660 S26391-F858-E661	17,00 17,00	0
1	AC Adapter 20V/65W + GB cable AC Adapter 19V/65W + GB cable			Ħ	+	X		+	+	H	#	+	+	Ħ	#	+		+	+	х	X	\$26391-F868-E670 x \$26391-F938-E670 \$26391-F858-E671	18,00 17,00	0
1	AC Adapter 19V/65W + GB cable AC Adapter 19V/80W + EU cable AC Adapter 19V/80W + IN cable			H	х	_	X	#			1	x		Ħ	+	+		+	+	Ħ	+	\$26391-F858-E671 \$26391-F858-E800 \$26391-F908-E840	17,00 20,00	
lica	AC Adapter 19V/80W + IN cable  ator  Port Replicator\3pin AC Adapter 19V/100W	min. 80W AC Adapter needed										^							X			S26391-F908-E840 S26391-F1137-E100		
	Port Replicator  Portreplicator  Portreplicator	min. 80W AC Adapter needed min. 80W AC Adapter needed Port Replicator without AC Adapter please		H	+	H	)	c x	X	х	х	+		Ħ		x	Х	)	x .		#	\$26391-F1147-E100 \$26391-F1187-E100 \$26391-F1247-E100	78,0 78,0	0
		configure a 80W AC Adapter and your country cable extra																						
	Portreplicator Port Replicator			H		H	$\mp$			H	#	+		Х	x	х		х		H	$\perp$	S26391-F655-E300 S26391-F977-E100	78,0 78,0	
-Ke	yboards Keyboard black w/o TS DE							ν x														S26391-F1231-E221	23,0	0
1	Keyboard black w/o TS IT Keyboard black w/o TS GB						) )	( X						H			H		E			S26391-F1231-E223 S26391-F1231-E225	23,0 23,0	0
1	Keyboard black w/o TS US Keyboard black w TS DE					H	)	( X						日			H					S26391-F1231-E234 S26391-F1232-E221	23,0 34,0	0
1	Keyboard black w TS IT Keyboard black w TS GB			H		H	>	( X				+		Ħ						oxdot		S26391-F1232-E223 S26391-F1232-E225	34,0	0
ı	Keyboard black w TS US Backlit keyboard black w/o TS DE						<b>)</b>	x x						$\coprod$						$\boxplus$		S26391-F1232-E234 S26391-F1233-E221	36,0	0
I	Backlit keyboard black w/o TS IT Backlit keyboard black w/o TS GB						>	( X				+		$\exists$					+	$\exists$		S26391-F1233-E223 S26391-F1233-E225	36,0	0
1	Backlit keyboard black w/o TS US Keyboard black w/o TS 10key DE			H	+	Ħ	)	( X		X	$\pm$	#	+	Ħ	$\pm$	+		$\pm$	+	Ħ	$\pm$	\$26391-F1233-E234 \$26391-F1234-E221	28,0	0
1	Keyboard black w/o TS 10key IT  Keyboard black w/o TS 10key GB			Ħ	+	Ħ	#	$\pm$		X	#	$\pm$		Ħ	#	+	H	+	+	$\exists$	#	S26391-F1234-E223 S26391-F1234-E225	28,0	0
- 11	Keyboard black w/o TS 10key US Keyboard black w/ TS 10key DE			$\vdash$	-	$\vdash$	_	-	-	X	-	_	-	$\vdash$	+	_	$\vdash$	-	+	+	+	S26391-F1234-E234 S26391-F1235-E221		



Description		LIFEBOOK A512/AH512 LIFEBOOK A532/AH532		LIFEBOOK AH532/GFX	LIFEBOOK AH552/SL	LIFEBOOK E733	LIFEBOOK E743		LIFEBOOK E783	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK P702		LIFEBOOK S752			LIFEBOOK T902			LIFEBOOK UH552/UB		Product Code		EUP (€)	Comments
rix eyboards (Continued)	Details					-				-	_													<b>-</b>		· -
Keyboard black w/ TS 10key IT  Keyboard black w/ TS 10key GB  Keyboard black w/ TS 10key US								)	X X		F			#		ŧ					+	S263	391-F1235-I 391-F1235-I 391-F1235-I	E225	44,00	
Backlit keyboard black w/o TS 10key De Backlit keyboard black w/o TS 10key IT								)	X X					7	Ŧ	Ŧ					+	S263	391-F1236-E 391-F1236-E	E221	39,00	
Backlit keyboard black w/o TS 10key GB Backlit keyboard black w/o TS 10key US		+	$\Box$		+			)	X X	+				7	$\mp$	+					+	S263	391-F1236-I 391-F1236-I	E225	39,00	)
Keyboard black w/ 10key IT Keyboard iso white w/ 10key DE		х	Х		X	(						Н		7	+	Ŧ					+	S263	391-F167-E	223	17,00 16,00	
Keyboard iso white w/ 10key IT Keyboard iso white w/ 10key GB					X										$\pm$	$\pm$						_	391-F168-E 391-F168-E		16,00 16,00	)
Keyboard iso white w/ 10key US Keyboard iso black w/ 10key DE		$\pm$			Х	(		+	$\pm$			х		_	$\pm$	±					$\pm$		391-F168-E 391-F767-E		16,00 9,00	
Keyboard iso black w/ 10key IT Keyboard iso black w/ 10key GB											Х	X X		_								S263	391-F767-E 391-F767-E	225	9,00	)
Keyboard iso black w/ 10key US Keyboard black w/o TS DE					$\pm$						Х	Х		#	$\pm$				х		+	S263	391-F767-E	221	9,00	
Keyboard black w/o TS IT Keyboard black w/o TS GB					#				+					#	#	+			X		+	S263	391-F768-E	225	14,00	
Keyboard black w/o TS US  Backlit keyboard black w/o TS DE					#									#	#	#			X		#	S263	391-F768-E	221	14,00 37,00	
Backlit keyboard black w/o TS IT  Backlit keyboard black w/o TS GB																			X			S263	391-F769-E	225	37,00 37,00	
Backlit keyboard black w/o TS US Keyboard white w/ TS+10keys TS DE	with touchstick and 10 keys, Germany						_	X	_	(				#		ŧ			Х		+	S263	391-F769-E3 391-F872-E	121	37,00 39,00	)
Keyboard white w/ TS+10keys TS IT  Keyboard white w/ TS+10keys TS GB  Keyboard white w/ TS+10keys TS US	with touchstick and 10 keys, Italy with touchstick and 10 keys, Great Britain with touchstick and 10 keys, US English	+		+	+			X X	X	(		H		+	+	+					+	S263	391-F872-E 391-F872-E 391-F872-E	125	39,00 39,00 39,00	
Keyboard white W 15+10keys 15-05  Keyboard black w/ TS+10keys DE  Keyboard black w/ TS+10keys IT	with touchstick and 10 keys, 05 English with touchstick and 10 keys, Germany with touchstick and 10 keys, Italy	+	Ħ	+	$\mp$			х	Х	(		H		+	+	+			H	#	+	S263	391-F872-E 391-F874-E 391-F874-E	121	39,00 39,00 39,00	
Keyboard black w/TS+10keys GB Keyboard black w/TS+10keys US	with touchstick and 10 keys, Italy with touchstick and 10 keys, Great Britain with touchstick and 10 keys, US English	+	H	+	‡			X X	X	(		H		1	$\mp$	+			H		$\dagger$	S263	391-F874-E 391-F874-E	125	39,00	
Keyboard black w/ TS D  Keyboard black w/ TS IT		+	H	$\mp$	丰	+		X X	+	+	H	H			X X	X	_		H		+	S263	391-F875-E 391-F875-E	121	34,00	
Keyboard black w/TS GB Keyboard black w/TS US		+	H	_	$\mp$			X	+	+		H			X X	X			H		+	S263	391-F875-E 391-F875-E	125	34,00	
Keyboard black w/o TS DE Keyboard black w/o TS IT			Н					X X							X >	Х	Х				-	S263	391-F876-E 391-F876-E	121	12,00	
Keyboard black w/o TS GB Keyboard black w/o TS US								X X							X X	( X	Х					S263	391-F876-E	125	12,00	)
Keyboard black w/o TS DE Keyboard black w/o TS IT																		X	_				391-F877-E 391-F877-E		17,00 17,00	
Keyboard black w/o TS GB Keyboard black w/o TS US		$\pm$			$\pm$			$\pm$	$\pm$					_	$\pm$	±		X			$\pm$	S263	391-F877-E 391-F877-E	234	17,00 17,00	
Antibacterial Keyboard black w/o TS DE Antibacterial Keyboard black w/o TS GB								X X						$\Box$	x >	( X	Х					S263	391-F879-E 391-F879-E	225	14,00 14,00	)
Antibacterial Keyboard black w/o TS US Backlit antibac. keyb. black w/o TS DE		$\pm$			$\pm$			Х						#	X >	( X	X	х			+	S263	391-F879-E 391-F900-E	221	14,00 94,00	
Backlit antibac. keyb. black w/o TS GB Backlit antibac. keyb. black w/o TS US														#	$\pm$			X				S263	391-F900-E:	234	94,00	
Keyboard white w/o TS DE Keyboard white w/o TS IT													X	Х		+						S263	391-F765-E	123	9,00	)
Keyboard white w/o TS GB Keyboard white w/o TS US		+		+	+			+	+				X	-	#	+					#	S263	391-F765-E	134	9,00	
Keyboard iso black DE  Keyboard iso black DE										Х										Х	x 2	K S263	391-F164-E: 391-F165-E: 391-F166-E:	221	17,00	
Keyboard iso black w/ 10key DE  Keyboard black w/o TS DE  Keyboard iso black w/ 10key IT		x		х	X				+				х	х	#	+					+	S263	391-F166-E. 391-F766-E. 391-F163-E.	221	20,00 9,00 15,00	)
Keyboard iso black IT  Keyboard iso black IT  Keyboard iso black IT		^		^	#					х				#	#	ļ				v	v ,	S263	391-F164-E 391-F165-E	223	17,00 17,00	
Keyboard iso black w/ 10key IT  Keyboard black w/o TS IT					х			#	+	F			х	x	Ŧ	Ŧ				^		S263	391-F166-E: 391-F766-E:	223	20,00	
Keyboard iso black GB Keyboard iso black GB										х			7.		+	Ŧ			Н	х	X Z	S263	391-F164-E: 391-F165-E:	225	17,00 17,00	
Keyboard iso black w/ 10key GB Keyboard black w/o TS GB		+			Х			+	+	+		Н	х	х	$\mp$	+						S263	391-F166-E:	225	20,00	)
Keyboard iso black US Keyboard iso black US										х										х	x z		391-F164-E 391-F165-E		17,00 17,00	
Keyboard iso black w/ 10key US Keyboard black w/o TS US					Х								х	х									391-F166-E 391-F766-E		20,00 9,00	
tion-SW  No Operating System  Win Embedded Standard 7 for LIFEBOOK						х	х		хх	(			х	_		СХ	х	Х	х				361-F2008-I		4,00	
	International version (German, English, French and Italian) of Windows Embedded Standard 7 (WS7P) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent, support for modular updates and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Free modular package updates for 1 year are included. For further updates Subscription Keys eLux/WES/Scout (S26361-F2727-L703) are required. Licenses for SCOUT Enterprise are not included., Up to 5 Thin Clients can be managed for free. A license for SCOUT Enterprise 13 or higher (S26361-F2727-L705) is required for all Thin Clients as soon as more than 5 Thin Clients shall be managed.							x							x								361-F2010-I	· <del>-</del>	88,00	
Power DVD 10 Playback SW for DVD  License - Windows 8 Pro	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp	X	X	X	х		X	v .	γ .		х	х		v	γ .		X	v					361-F2012-F		10,00	
License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.				х					x	x	х								х	x 2	S263	361-F2009-I	E243	85,00	
License - Windows 8 Nero 12 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp				x x		Х	X X	X X	х	х		X	X	X >	( X	X	X	X			S263	361-F2218-F 361-F1818-F	E899	10,00	
License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.				x					X	X	X								X	X Z	x   S263	361-F2009-F	E253	122,00	
License EM - Windows 8 Load Win8 Pro (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after					X	х	X X	X X								X					_	361-F2218-I			Phased out



		EBOOK	LIFEBOOK A532/AH532 LIFEBOOK AH502		LIFEBOOK AH562	LIFEBOOK E733	LIFEBOOK E743	LIFEBOOK E752	LIFEBOOK E753	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S762			LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552	LIFEBOOK UH572	Product Code	P (€)	omments
<b>Description</b> trix	Details	<u></u>	5 5	<u> </u>	5 5	造	造	<u> </u>	<u> </u>	5 5	i   <u>"</u>	造	造	<u></u>	5 5	i   <u>"</u>	5	5	<u> </u>	<u> </u>	5 5	Pro	EUP	<u></u>
ation-SW (Continued) Load Win8 Pro (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finish,							х	)	х			х	x z	х	x x	х	х	х			S26361-F2218-E201	4,0	0 Phased out
	Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, , Windows 8																							
	Secure Boot is activated., Secure and measured boot will work., The Windows 8 Pro																							
	BIOS-setting does not support a network based installation., A network based installation for a																							
	possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after																							
	changing BIOS setup options manually.																							
Load Win8 (64) MAIN+Office2010t	MAIN: German, English, Spanish, French,		+	H	+	Н	$\dashv$	Х	)	x	+	Н	х	x 2	x x	( X	х	х	х	+	+	S26361-F2218-E207	4,0	0 Phased out
	Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),																							
Load Win8 Pro (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian,							Х	)	х			х	X Z	х	( X	х	х	х			S26361-F2218-E202	4,0	0 Phased out
	Serbian, Hebrew, Greek, Turkish, Arabic, , Windows 8 Secure Boot is activated., Secure																							
	and measured boot will work. , The Windows 8																							
	Pro BIOS-setting does not support a network based installation. , A network based installation																							
	for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after																							
	changing BIOS setup options manually.																							
Load Win8 (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finish,	$\vdash$	+	+	+	H	$\dashv$	х	)	x	+	$\forall$	х	x 2	x x	x x	х	х	х	+	+	S26361-F2218-E208	4,0	0 Phased out
	Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,																							
Load Win8 (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English,	H	$\dagger$	$\parallel$	$\dagger$	П	$\dashv$	х	)	х	$\top$	П	х	x 2	х	x	х	х	х	$\top$	$\dagger$	S26361-F2218-E209	4,0	0 Phased out
	Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,	Ш		Ш		Ш						Ш		$\perp$		$\perp$								
Load Win8 (64) EM+Office2010t	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian,							х	)	х			х	X Z	х	X	х	х	х			S26361-F2218-E213	4,0	0 Phased out
	Spanish, Thai, Turkish, Ukrainian,																							
Load Win8 Pro (64) MAIN+Office2013	MAIN: German, English, Spanish, French,	$\Box$		$\Box$	$\top$	х	х	Х	x >	х	$^{\dagger}$	П	х	x :	х	СХ	х	х	х			S26361-F2238-E200	4,0	0
	Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),																							
Load Win8 Pro (64) NEE+Office2013	North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian,					х	Х	X	X )	х			Х	X Z	х	( X	Х	х	х			S26361-F2238-E201	4,0	0
Load Win9 Dro (64) SEE (Office 2012	Lithuanian, Estonian, Ukrainian, South Eastern Europe: Bulgarian, English,		_		_	v	v	v	v ,		+	Н	v	v ,		, ,	v	v	v .	4	+	\$26264 E2220 E202	4,0	0
Load Win8 Pro (64) SEE+Office2013	Croatian, Hungarian, Romanian, Slovenian,					X	X	X	X /	X			X	X	x x	X	X	X	X			S26361-F2238-E202	4,0	U
Load Win8 (64) MAIN+Office2013	Serbian, Hebrew, Greek, Turkish, Arabic, MAIN: German, English, Spanish, French,	$\vdash$	+	$\vdash$	+	Х	х	Х	x >	x	+	Н	х	X X	x x	( X	Х	х	х	+	+	S26361-F2238-E207	4,0	0
	Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),																							
Load Win8 (64) NEE+Office2013	North Eastern Europe: Danish, English, Finish,	H	+	$\forall$	+	х	х	Х	x >	х		Н	х	x :	х х	( X	х	х	х			S26361-F2238-E208	4,0	0
	Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,																							
Load Win8 (64) SEE+Office2013	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian,					Х	х	X	X >	х			х	X 2	х	( X	Х	х	х			S26361-F2238-E209	4,0	0
Lood Min9 (64) FM (Office)2012	Serbian, Hebrew, Greek, Turkish, Arabic,		_	Ш	+	.,	.,				_		.,				.,	.,		_		S26361-F2238-E213	4,0	
Load Win8 (64) EM+Office2013	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian,					X	X	X	X /	X			X	X	x x	X	X	X	X			520301-F2230-E213	4,0	U
	Spanish, Thai, Turkish, Ukrainian,																							
OS RDVD Windows 8 Pro (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish,					х	Х	Х	X )	х			Х	X Z	х	( X	х	х	х			S26361-F2218-E300	3,0	0
	Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian,																							
	Lithuanian, Estonian, Ukrainian, Bulgarian,																							
	Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,																							
	Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified																							
OS RDVD Windows 8 Pro (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish,					х	х	Х	X >	х	T		х	x 2	х	( X	х	х	х			S26361-F2218-E302	3,0	0
	Portuguese (for Brazil), Danish, Finish,																							
	Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian,																							
	Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,																							
	Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified																							
OS RDVD Windows 8 (32)	German, English, Spanish, French, Italian,	$\vdash$	+	+	+	х	х	x	x >	x	+	$\forall$	х	x 2	x x	c x	х	х	х	+	+	S26361-F2218-E304	3,0	0
	Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish,																							
	Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian,																							
	Croatian, Hungarian, Romanian, Slovenian,																							
	Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai,																							
OS RDVD Windows 8 (64)	Chinese Simplified  German, English, Spanish, French, Italian,	$\vdash$	+		+	х	х	X	X Y	x	+	$\mathbb{H}$	х	x :	x x	( X	Х	х	х	+	+	S26361-F2218-E306	3,0	0
	Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish,														^	^						0 2000		
	Norwegian, Russian, Swedish, Latvian,																							
	Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian,																							
	Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai,																							
OC DDVD W/2-1 0 (00) 511	Chinese Simplified	Ш	_		_						_	Ш				_		Щ	_	_	_	000004 F0010 F1		
OS RDVD Windows 8 (32) EM	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian,					X	X	X	X	X			X	X	X X	X	Х	X	X			S26361-F2218-E308	3,0	U
	Spanish, Thai, Turkish, Ukrainian																							
OS RDVD Windows 8 (64) EM	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian,	$\sqcap$		$\sqcap$		х	х	X	x >	х		П	х	X Z	х	x	х	х	х			S26361-F2218-E310	3,0	0
	English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian																							
Win7-Load Pro64 MAIN + Office2010t	Languages: DE (German), EN (English), ES	$\vdash$	+	$\dashv$	+	H	$\dashv$	х	)	x	+	$\forall$	х	x 2	x x	( X	x	$\dashv$	х	+	+	S26361-F2218-E405	4,0	0
	(Spanish), FR (French), $\Pi$ (Italian), NL (Dutch), , The BIOS setting for Secure Boot is disabled. ,																							
	Secure and measured boot will not work with Windows 7 Professional., A network based																							
I .	TTI GOTTO T TOTOGOSTOTIAL, A HELWOIN DASEU	r 1		4 1						100				100									1	



		212	1532	Ϋ́	ارا															<u>m</u>				
			OK A532/AH532 OK AH502	OK AH532/GFX	OK AH552/SL	OK AH562 OK F733	OK E743	OK E752	OK E753	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK P702	OK 8752	OK S762		OK S792 OK 1902		ОК UH552	OK UH552/UB	OK UH572	Code		stn
		LIFEBOOK	LIFEBOOK	LIFEBOOK	IFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	FEBO	FEBO	FEBO	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	IFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	Product Code	EUP (€)	Comments
<b>Description</b> ix	Details	=   :	3   3	i   5	5   :	3   3	3   3	5	=   :	3   3	5	5	5   5	3   3	5		3   3	i   5	=	5		<u>č</u>	<u> </u>	ŏ
ion-SW (Continued) Win7-Load Pro64 NORDIC+Office2010t	Languages: DA (Danish), EN (English), FI						T	х	:	x		П	x 2	х	х	х	х	х	П			S26361-F2218-E406	4,0	0
	(Finnish), NO (Norwegian), RU (Russian), SV (Swedish), , The BIOS setting for Secure Boot is																							
	disabled., Secure and measured boot will not work with Windows 7 Professional A network																							
	based installation in enterprise environment is																							
M. 7     D. 04 FM 05   0%   0040	possible.	Ш	4				4			_	Ш	_										000004 50040 5407	4.0	
Nin7-Load Pro64 EM-SE+Office2010t	Languages: AR (Arabic), DE (German), EL (Greek), EN (English), FR (French), HE							Х		X			X   2	x x	X	X	X	X				S26361-F2218-E407	4,0	10
	(Hebrew), TR (Turkish), , , , The BIOS setting for Secure Boot is disabled. , Secure and																							
	measured boot will not work with Windows 7																							
	Professional., A network based installation in enterprise environment is possible.																							
Win7-Load Pro64 IBER-NE+Office2010t	Languages: CS (Czech), EN (English), ES	П	$\top$	$\top$	П		$\top$	х		x	П		X 2	х х	х	х	х	х				S26361-F2218-E408	4,0	0
	(Spanish), FR (French), PL (Polish), PT (Portuguese), SK (Slovak), , , The BIOS setting																							
	for Secure Boot is disabled., Secure and measured boot will not work with Windows 7																							
	Professional., A network based installation in																							
	enterprise environment is possible.																							
Win7-Load Pro64 SEE+Office2010t	Languages: BG (Bulgarian), EN (English), HR	$\sqcap$	$\top$		$\sqcap$	$\top$		х		х	П		x 2	х	х	х	х	х	Т	П		S26361-F2218-E409	4,0	0
	(Croatian), HU (Hungarian), RO (Romanian), SL (Slovenian), SR (Serbian), , , , The BIOS setting																							
	for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7																							
	Professional., A network based installation in																							
	enterprise environment is possible.																							
Win7-Load Pro64 MAIN + Office2013 Win7-Load Pro64 NORDIC+Office2013	Languages: DE, EN, ES, FR, IT, NL, Languages: DA, EN, FI, NO, RU, SV,	H	#			-	_	_	Х	_			_		Х	-		X	_		-	S26361-F2238-E405 S26361-F2238-E406	4,0 4,0	
Win7-Load Pro64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR,					<b>)</b>	х х	Х	X	х			X Z	хх	X	х	х	Х				S26361-F2238-E407	4,0	0
Win7-Load Pro64 IBER-NE+Office2013 Win7-Load Pro64 SEE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK, Languages: BG, EN, HR, HU, RO, SL, SR,								X						X			X			-	S26361-F2238-E408 S26361-F2238-E409	4,0 4,0	
License RUS - Windows 7 Home Basic	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus,				х					х	x	х							Х	Х		S26361-F2009-E232	66,0	0
	Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).																							
RDVD Downgrade Win7 Pro (32/64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR,					>	к х	х	X :	х	П		x 2	х х	х	х	х	х	Т			S26361-F2218-E500	6,0	0
	HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR																							
RDVD Downgrade Win7 Pro (32)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR,					>	к х	х	X	x			X 2	х	х	Х	х	Х				S26361-F2218-E501	6,0	0
RDVD Downgrade Win7 Pro (64)	SV, TR  AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR,	$\vdash$	+	+	H	>	x x	х	<b>x</b> :	x	Н	+	x 2	x x	х	х	х	x	┢	Н		S26361-F2218-E502	6,0	0
	HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR										Ш													
License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus,				Х					X	Х	X							X	Х	Х	S26361-F2009-E242	85,0	0
	Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).																							
		Ш			Ш						Ш													
License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus,				Х					X	х	Х							Х	Х	Х	S26361-F2009-E252	122,0	0
	Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).																							
		Ш			Ш																			
License - Windows 8 Pro License - Windows 8	License - Windows 8 Pro,	Х	_		X					_	X		$\pm$			$\exists$	$\pm$	$\perp$	Х	Х	Х	S26361-F2208-E100 S26361-F2208-E103	79,0	0
License EM - Windows 8	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West				х	_				Х	х	Х							Х	Х	х	S26361-F2208-E106	60,0	0
	Bank & Gaza, Yugoslav Republic of																							
	Montenegro, Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso,																							
	Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote																							
	d'Ivoire, Democratic Republic of the Congo,																							
	Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana,																							
	Guinea, Guinea-Bissau, Iraq, Jordan, Kenya,																							
	Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania,																							
	Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria,																							
	Oman, Pakistan, Qatar, Republic of the Congo,																							
	Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia,																							
	Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The																							
	Gambia, Togo, Tunisia, Turkey, Uganda, United																							
	Arab Emirates, Yemen, Zambia, Zimbabwe, India and China																							
iconco EM Windows 7 Have Davi		$\sqcup$	_	-		4	+	$\vdash$		-		,,	4	+		$\sqcup$	$\perp$	+	-			C26264 F0002 F00:	60.0	10
License EM - Windows 7 Home Basic	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West				Х					X	X	X							X	Х		S26361-F2009-E234	66,0	U
	Bank & Gaza, Yugoslav Republic of Montenegro																							
License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former	$\sqcap$	$\uparrow$		х	$\uparrow$			$\sqcap$	х	х	х	$\top$				$\uparrow$		х	х	х	S26361-F2009-E244	85,0	0
	Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro																							
License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former	$\vdash$	+	-	Х	+	+	$\vdash$	$\vdash$	Х	Х	х	+	+		$\dashv$	+	+	х	х	х	S26361-F2009-E254	122.0	0
	Yugoslav Republic of Macedonia, Serbia, West	1 [			ı " [					^	^								^	^	^		,0	



300	K Options																											
			A512/AH512	1532/AH532	Z/GFX	JS/Z	<b>A</b>								<b>A</b>								~	s/UB	~			
			۹ ا	۹ ۹			( AH562	( E733	( E743	( E752	( E753	( E782	LIFEBOOK LH332	N332	LIFEBOOK NH532	( P702	C P772	26/67					( UH552	LIFEBOOK UH552/UB	( UH572	Code		, n
			LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK E743	LIFEBOOK E752	LIFEBOOK E753	LIFEBOOK E782		LIFEBOOK N932	EBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	EBOOK	LIFEBOOK	Product C	) (€)	Comments
natrix		Details	<b>"</b>	<u> </u>	i   Š	F	4	当	<u></u>	<u></u>	<u>+</u>   !	<u> </u>	֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	֧֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	<u></u>	֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	i   5	=	ij	Ę	1	H	F	Pro	H.	Ö
	n-SW (Continued) cense EM-MEA - Windows 7 Home Basic	EM-MEA. Select for shipments to: Afghanistan,	T	Т		х			ī	T		2	<b>x</b> :	<b>x</b>	х	T	T	T	Т	П	Г		х	Х		S26361-F2009-E235	66,0	00
		Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad,																										
		Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea,																										
		Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan,																										
		Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania,																										
		Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria,																										
		Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint																										
		Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The																										
		Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe																										
							Ш																					
Lic	cense EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana,				X						2	<b>X</b> :	<b>X</b> :	Х								Х	Х	х	S26361-F2009-E245	85,0	00
		Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of																										
		the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon,																										
		Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia,																										
		Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique,																										
		Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo,																										
		Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia,																										
		South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United																										
		Arab Emirates, Yemen, Zambia, Zimbabwe																										
Lo	ad Win8 Pro (64) MAIN+Office2010t	, 0 , 1 ,	х	х	x	Х	Н	+	+	+	+	7	x :	x :	х	+	+		+	+			х	Х	х	S26361-F2208-E200	4,0	00 Phased out
		Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), , Windows 8 Secure Boot is activated., Secure and																										
		measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based																										
		installation., A network based installation for a possible Downgrade Right usage to e.g.																										
		Windows 7 Professional is only possible after changing BIOS setup options manually.																										
Lo	ad Win8 Pro (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finish,	+	+	+	Х	Н	+	+	+	+	7	x :	x :	х	+	+	+	+	+	-	H	Х	Х	Х	S26361-F2208-E201	4,0	00 Phased out
		Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, , Windows 8																										
		Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro																										
		BIOS-setting does not support a network based installation., A network based installation for a possible Downgrade Right usage to e.g.																										
		Windows 7 Professional is only possible after changing BIOS setup options manually.																										
Lo	ad Win8 Pro (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English,	4	+	+	X		4	4	+	+	,	x :	x :	x	+	+	+	+	+	H	H	X	Х	Х	S26361-F2208-E202	4,0	00 Phased out
	· ,	Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, ,																										
		Windows 8 Secure Boot is activated., Secure and measured boot will work., The Windows 8																										
		Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g.																										
		Windows 7 Professional is only possible after changing BIOS setup options manually.																										
Lo	ad Win8 (64) MAIN+Office2010t	MAIN: German, English, Spanish, French,	+	x >	( X	X	H	_	$\dashv$	+	+	;	x :	x :	x	+	+	+	-	+	-	_	x	х	х	S26361-F2208-E207	4,0	D0 Phased out
_	ad Meno (c.) NET CVI	Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),	_	1	_		Щ				_	_		$\perp$		_	_	1								000004 50000 5		OD Phase days
LO	ad Win8 (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,				X						1	X   :	<b>X</b> :	X								X	X	X	S26361-F2208-E208	4,0	O Phased out
Lo	ad Win8 (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian,	$\dagger$	$\dagger$	$\dagger$	х	П		1	$\dagger$	$\dagger$	7	x :	X :	х		$\dagger$	$\dagger$					х	х	х	S26361-F2208-E209	4,0	Phased out
Lo	ad Win8 (64) EM+Office2010t	Serbian, Hebrew, Greek, Turkish, Arabic, Single languages: Arabic, Portuguese (Brazil),	+	+	+	Х	H		+		+	- ;	x :	x :	х	_	+	+			-		х	х	Х	S26361-F2208-E213	4,0	00 Phased out
		English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian,																										
Lo	ad Win8 Pro (64) MAIN+Office2013	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak,	$\dagger$	+	+	х	х		$\dashv$		+	2	x :	X :	х	+	+	+	+			-	х	х	х	S26361-F2228-E200	4,0	00
Lo	ad Win8 Pro (64) NEE+Office2013	Polish, Portuguese (for Brazil),  North Eastern Europe: Danish, English, Finish,	+	+	+	х	Х	_	$\dashv$	+	+	-	x	x :	x	+	+	+	+	+	+	-	х	х	х	S26361-F2228-E201	4,0	00
		Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,				Ĺ																						
Lo	ad Win8 Pro (64) SEE+Office2013	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian,				X	х					;	x :	<b>x</b>	х			T					Х	Х	Х	S26361-F2228-E202	4,0	00
Lo	ad Win8 (64) MAIN+Office2013	Serbian, Hebrew, Greek, Turkish, Arabic,  MAIN: German, English, Spanish, French,  Italian, Dutch, Portuguese, Czech, Slovak	+	+	+	X	х	+	$\dashv$	+	+	7	x :	<b>x</b> :	x	+	+	+	+	+	+	+	х	х	х	S26361-F2228-E207	4,0	00
1 -	ad Win8 (64) NEE+Office2013	Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), North Eastern Europe: Danish, English, Finish,	_	_	_	v	Х		_	_	_	1	Y .	x :	<u>,</u>		4	1	_				v	v	V	S26361-F2228-E208	4,0	200
LO	aa vviilo (04) IVEETOIIICE2013	Norm Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,				×	X						^	^	^								, x	X	X	020001-1 ZZZ0-EZU8	4,0	
Lo	ad Win8 (64) SEE+Office2013	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian,	1	$\dagger$	$\dagger$	х	Х		$\dashv$	$\dagger$	$\dagger$	7	X :	X :	х		$\dagger$	$\dagger$	$\dagger$				х	х	х	S26361-F2228-E209	4,0	00
La	ad Win8 (64) EM+Office2013	Serbian, Hebrew, Greek, Turkish, Arabic, Single languages: Arabic, Portuguese (Brazil),	+	+	+	X	Х	-	+	+	+	;	x :	x :	х	-	+	+	<u> </u>	-	+	-	Х	х	х	S26361-F2228-E213	4,0	00
LO		English, French, Portuguese, Russian, Serbian,	1.0			1			- 1		- 1	- 1					- 1	1.0	1	1	1	1	1					1



OOK Options		AH512	AH532	2/GFX	3/SL	2					٥.		2								3/UB	-2			
			LIFEBOOK A532/AH532 LIFEBOOK AH502	LIFEBOOK AH532/GFX	LIFEBOOK AH552/SL	300K AH562	LIFEBOOK E743	LIFEBOOK E752	LIFEBOOK E753	LIFEBOOK E782	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK P772	LIFEBOOK S752				LIFEBOOK U772	LIFEBOOK UH552	LIFEBOOK UH552/UB	LIFEBOOK UH572	Product Code	(€)	Comments
Description	Details			LIFEE	LIFE				LIFEE	LFE	LFE				LIFEE	LFEE	LFE					LFEE	Prodt	EUP (	Comr
ation-SW (Continued) License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan,		I		y l						¥	х	x							\ \	x	х	S26361-F2009-E255	122 (	00
LICEINE LIVI-IVIEA - WILIDOWS / PROTESSIONAL	Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad,				X						X	*	*							X	X	X	320301-F2009-E255	122,0	00
	Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia,																								
	Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint																								
	Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe																								
License EM-SEA - Windows 7 Home Basic	EM-SEA. Select for shipments in: Bangladesh,		+		х	+		+			x	x	x	+				+	+	×	x		S26361-F2009-E236	66,0	00
	Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam																								
License EM-SEA - Windows 7 Home Premium	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei,	+	+		х	+	+	+			х	х	х	+			$\dashv$	+	+	X	x	x	S26361-F2009-E246	85,0	00
	Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam																								
OEM Office Home and Student 2013 MPI MM License EM-SEA - Windows 7 Professional	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam				x	;	x x	x	x	х	x	x		x x	X	x	x	<b>x</b> :	x x	_	x x	_	S26361-F2010-E291 S26361-F2009-E256		
OEM Office Home and Business 2013 MPI MM					_		x x	x	X	х	4	4	×	x x	Х	х	X	x x	x x		-		S26361-F2010-E292	188.0	00
OEM Office Professional 2013 MPI MM License EM-LATAM Windows 7 Home Basic	EM-LATAM: Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and Grenadines, South Georgia and Sandwich Islen, Suriname, Trinidad & Tobago, Turks and				x				x		X	x	Х		_	X			_	(	X		\$26361-F2010-E293 \$26361-F2009-E237	355,0	00
	Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela																								
License EM-LATAM Windows7 Home Premium	EM-LATAM: Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and				x						X	x	x							X	X	X	S26361-F2009-E247	85,0	00
	Grenadines, South Georgia and Sandwich Islen, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela																								
OS RDVD Windows 8 Pro (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified				х	x					x	x	x							×	x	x	S26361-F2208-E300	3,0	00
OS RDVD Windows 8 Pro (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai,				х	х					X	Х	x							X	x	х	S26361-F2208-E302	3,0	00



OOK Options		FEBOOK A512/AH512	LIFEBOOK A532/AH532	LIFEBOOK AH532/GFX	LIFEBOOK AH552/SL LIFEBOOK AH562	LIFEBOOK E733	LIFEBOOK E743	LIFEBOOK E752	LIFEBOOK E782	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK P772	LIFEBOOK S752			LIFEBOOK 1902		LIFEBOOK UH552	EBOOK	LIFEBOOK UH572	Product Code	EUP (€)	Comments
Description	Details	5 :	3   3	=	3   3	5	=   :	<b>□</b>	5   5	i   5	<u> </u>	<b>5</b>  :	5   5	5	5	<b>5</b>  :	5   5	i   =	] ]	5		<u>č</u>	ш	ŏ
ation-SW (Continued) OS RDVD Windows 8 (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai				x x				Ī	X	X	x	Ī				Ī	Ī	x	x	X	S26361-F2208-E304	3,00	
DU-DVD (WinXP) LIFEBOOK OS RDVD Windows 8 (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai		x x	x	x x			X	X	_	X		x x	X	х	х	х	x	_	x		S26361-F2012-E102 S26361-F2208-E306	3,00 3,00	
DU-DVD (XP) LIFEBOOK 2013 OS RDVD Windows 8 (32) EM					хх	-	Х	-	Х	Х	х	X							х	x		S26361-F2012-E106 S26361-F2208-E308	3,00 3,00	
OEM Office Home and Student 2013 MPI MM OEM Office Home and Business 2013 MPI MM			+		x x			7	+	Х	X X	х			Н	-	+		Х	Х	Х	S26361-F2009-E282 S26361-F2009-E282	100,00	
OEM Office Professional 2013 MPI MM OS RDVD Windows 8 (64) EM					X X X			$\mp$		Х	X X	х			П				Х	х	Х	S26361-F2009-E283 S26361-F2208-E310		
DU-DVD (Win7) LIFEBOOK DU-DVD (Win7) LIFEBOOK								Х	Х		3		x x	X	х	Х	_	x x				S26361-F2012-E101 S26361-F2010-E211	3,00 3,00	
DU-DVD (Win7) LIFEBOOK/STYLISTIC 2013 DU-DVD (Win8) LIFEBOOK/STYLISTIC 2012					$\pm$	Х	х	Х	X X				хх	x	х	х		х				S26361-F2012-E107 S26361-F2012-E104	3,00 3,00	
License EM-LATAM Windows 7 Professional	EM-LATAM: Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and Grenadines, South Georgia and Sandwich Islen, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela				x						x										)	S26361-F2009-E257	,	
DU-DVD (Win8) LIFEBOOK DU-DVD (Win8) LIFEBOOK/STYLISTIC 2013				H		x	X		X			+	+				х	(				S26361-F2012-E105 S26361-F2012-E108	3,00	
License EM-INDIA Windows 7 Home Basic License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India EM-INDIA. Select for shipments to: India		+		X X			7			X X				П	7	+			X X		S26361-F2009-E238 S26361-F2009-E248	66,00	
License EM-INDIA Windows 7 Professional Win7-Load Pro64 MAIN + Office2010t	EM-INDIA. Select for shipments to: India Languages: DE (German), EN (English), ES (Spanish), FR (French), IT (Italian), NL (Dutch),, The BIOS setting for Secure Boot is disabled., Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	X	х	x						X	x	X							x	X	x	S26361-F2209-E258 S26361-F2208-E405	122,00 4,00	
Win7-Load Pro64 NORDIC+Office2010t	Languages: DA (Danish), EN (English), FI (Finnish), NO (Norwegian), RU (Russian), SV (Swedish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.				x					X	X	X							X	X	X	S26361-F2208-E406	4,00	
Win7-Load Pro64 EM-SE+Office2010t	Languages: AR (Arabic), DE (German), EL (Greek), EN (English), FR (French), HE (Hebrew), TR (Turkish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.				х					х	х	х							x	х	X	S26361-F2208-E407	4,00	
Win7-Load Pro64 IBER-NE+Office2010t	Languages: CS (Czech), EN (English), ES (Spanish), FR (French), PL (Polish), PT (Portuguese), SK (Slovak), , , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.				х					x	X	Х							х	х	X	S26361-F2208-E408	4,00	
Win7-Load Pro64 SEE+Office2010t	Languages: BG (Bulgarian), EN (English), HR (Croatian), HU (Hungarian), RO (Romanian), SL (Slovenian), SR (Serbian), , , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.				X					X	x	X							x	x	x	S26361-F2208-E409	4,00	
Win7-Load Pro64 MAIN + Office2013 Win7-Load Pro64 NORDIC+Office2013	Languages: DE, EN, ES, FR, IT, NL, Languages: DA, EN, FI, NO, RU, SV,	H	+	-	X X		Ħ			_	X X		+				+		Х	х	Х	S26361-F2228-E405 S26361-F2228-E406		
Win7-Load Pro64 IBER-NE+Office2013 Win7-Load Pro64 EM-SE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK, Languages: AR, DE, EL, EN, FR, HE, TR,	H			X X		H	#	-	Х	X X	х	-			#	+	-	Х	Х	х	S26361-F2228-E408 S26361-F2228-E407	4,00	
Win7-Load Pro64 SEE+Office2013 Nero 12 Essentials XL	Languages: BG, EN, HR, HU, RO, SL, SR, Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp			_	X	X	X	X	х х	х	X		X	X	х	x	x x	(		-	х	S26361-F2228-E409 S26361-F2008-E898	4,00	
Power DVD 10 Playback SW for DVD	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackltUp					х	х	X	х				×	X	х	х	х	C				S26361-F2012-E190	10,00	
No Operating System Win7 HomePremium64 MAIN+Office2010t	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		XX	X	X X					_	x	_							x	$\overline{}$	_	S26361-F1818-E100 S26361-F2109-E441	2,00 4,00	



OOK Options																										
				LIFEBOOK A532/AH532	LIFEBOOK AH502	BOOK AH532/GFX	LIFEBOOK AH562	EBOOK E733	LIFEBOOK E743	LIFEBOOK E752	LIFEBOOK E733	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK P702	LIFEBOOK P772	BOOK 8762	EBOOK S782			LIFEBOOK U//Z	LIFEBOOK UH552/UB	LIFEBOOK UH572	Product Code	(€)	Comments
<b>Description</b> atrix		Details	뿔	빌	<u></u>		<u> </u>	뿔	Ħ	<u>"</u>			Ħ	빌	<u>=</u>			뿔	Ë				Ë	Pro	EUP	Con
ation-SW (Continued) Win7 HomePremium64 NORD	DIC+Office2010t	Preload: MuLi NORDICS (Nordic Region),				)						x	Х	х							,	ĸ	X	S26361-F2109-E442	4,0	0
		Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian,																								
		Swedish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010																								
		products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010																								
		PKC (Product Key Cards) products from channel.																								
Win7 HomePremium64 EM-SE		Preload: MuLi EM-SE (Emerging Markets and				>		П				х	х	х		$\top$	$^{+}$			+	,	ĸ	х	S26361-F2109-E443	4,0	0
		Southern Europe), Languages: AR, DE, EL, EN FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also																								
		for Office 2010 PKC (Product Key Cards) products from channel.																								
Win7 HomePremium64 IBER-N		Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT,	П			>		П			T	х	х	х		T		T	П	T	,	K	х	S26361-F2109-E444	4,0	0
		SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.																								
Win7 HomePremium64 SEE+0		MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian,			$\top$	>		П		$\top$	$^{\dagger}$	х	х	х		$\dagger$	$^{\dagger}$	T	П	$\dagger$	2	ĸ	х	S26361-F2109-E445	4,0	0
		English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.																								
Win7 HomePremium64 RUS+0	Office2010t	Preload: Single Image RU (RU & CIS countries)	,			>		$\forall$		+	+	x	х	х		+	+	+	H	$\dagger$	7	ĸ	х	S26361-F2109-E446	4,0	0
		Language: RU, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.																								
Win7 Pro64 MAIN + Office2010	Ot	MuLi MAIN (Main European MuLi), Languages:	Н		$\top$	>		Н		+	+	х	х	х	$\dashv$	$^{+}$	+	$\vdash$		$^{+}$	,	K	х	S26361-F2109-E451	4,0	0
		DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.																								
Win7 Pro64 NORDIC+Office20	010t	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.				>	<b>S</b>					x	x	x							2	K	x	S26361-F2109-E452	4,0	0
Win7 Pro64 EM-SE+Office201	10t	Preload: MuLi EM-SE (Emerging Markets and	Н		+	>		Н		+	+	х	х	х	$\dashv$	+	+	$\vdash$		+	2	K	х	S26361-F2109-E453	4,0	0
		Southern Europe), Languages: AR, DE, EL, EN FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.																								
Win7 Pro64 IBER-NE+Office20		Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT,	П			>				$\top$	†	х	х	х		$\uparrow$				1	7	ĸ	х	S26361-F2109-E454	4,0	0
		SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.																								
Win7 Pro64 SEE+Office2010t		MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.				>						X	X	x							3	K	X	S26361-F2109-E455	4,0	0
Win7 Pro 64 RUS+Office2010t	rt	Preload: Single Image RU (RU & CIS countries) Language: RU, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from				)	:					x	X	x							3	K	x	S26361-F2109-E456	4,0	0
Win7 HomeBasic64 RUS+Office	ce2010s	channel.  Preload: Single Image RU (RU & CIS countries) Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.				>	<u> </u>					x	х	X							)	K		S26361-F2109-E436	3,0	0
Win7 HomeBasic64 EM-SE+C		Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.				>	<u> </u>					x	x	x							3	K		S26361-F2109-E433	3,0	0



		ر ایم	N																					
			OK A532/AH532 OK AH502		OK AH552/SL		OK E743			OK E782	OK LH532			OK P772	l '. I		OK S792		OK U772	OK UH552	OK UH572	t Code		nts
Description	Details	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	-IFEBOOK	LIFEBOOK	LIFEBO	LIFEBOOK	LIFEBOOK	LIFEBOOK	LIFEBOOK	FEBOOK	Product Code	EUP (€)	Comments							
atrix	D state			_			_	_						_	_			_	_			_	_	
REC-DVD Win7 Home Premium 64 RUS REC-DVD Win7 Professional 64 RUS	RU RU		-	_	X X						X Z		_			-	-					S26361-F2009-E642 S26361-F2009-E652	3,00 3,00	
REC-DVD Win7 Home Premium 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR			_	X						X										_	S26361-F2009-E643	3,00	
REC-DVD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR				х						X :	x x								X :	x x	S26361-F2009-E653	,	
REC-DVD Win7 Prof. 32+64bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR				х																	S26361-F2009-E753	3,00	
Win7 HomeBasic64 EM-SE+Office2013 Win7 HomeBasic64 RU+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR, , Language: RU, ,				X X						X 2		_			+	+			X	_	S26361-F2227-E433 S26361-F2227-E436		
Win7 HomePremium64 MAIN+Office2013 Win7 HomePremium64 NORDIC+Office2013	Languages: DE, EN, ES, FR, IT, NL, Languages: DK, EN, FI, NO, RU, SV,			-	X X				$\vdash$		x :											S26361-F2227-E441 S26361-F2227-E442	4,00 4,00	
Win7 HomePremium64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR, ,				х				$\Box$		X Z	х								X :	х	S26361-F2227-E443	4,00	
Win7 HomePremium64 IBER-NE+Office2013 Win7 HomePremium64 SEE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK, Languages: BG, EN, HR, HU, RO, SL, SR,				X						X 2	х х					#			X :	х	S26361-F2227-E444 S26361-F2227-E445	4,00	
Win7 HomePremium64 RU+Office2013 Win7 Pro64 MAIN + Office2013	Language: RU, ,			$\rightarrow$	X X						X 2	_	_				$\pm$			_	_	S26361-F2227-E446 S26361-F2227-E451	4,00	
Win7 Pro64 NORDIC+Office2013 Win7 Pro64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR, ,				X X						X Z	_	_								_	S26361-F2227-E452 S26361-F2227-E453		
Win7 Pro64 IBER-NE+Office2013 License EU/MM - Windows 7 Home Premium	This license is a global product (Mature		1	_	Х				H		X	_		.,	v	,,		X	.,	_	_	S26361-F2227-E454 S26361-F2010-E243	4,00	
License Ed/Min - Williams / Home Fremium	Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.							X		X			, x	X	*	*	x x	X	X			320301-F2010-E243	85,00	
Win7 Pro64 SEE+Office2013 Win7 Pro64 RU+Office2013	Language: RU	$\mp$	Ŧ	$\rightarrow$	X X	F	H	H	H	-	x 2	_	_	H	H	Ŧ	+	F	H	_	_	S26361-F2227-E455 S26361-F2227-E456		
REC-DVD Win7 Home Basic 64 RUS License EU/MM - Windows 7 Professional	RUS This license is a global product (Mature		+	-	X				х	$\Box$	X Z						v .	x		X		S26361-F2009-E632 S26361-F2010-E253	3,00	
LICEISE LO/MINI - WILIDOWS / FTOIESSIONAL	Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.					*	^	^	^	^			^	^	*		^ ^		^			320301-1 2010-1233	122,00	
License RUS - Windows 7 Home Basic	RUS/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)							x		х			X	X	x	X 2	х					S26361-F2010-E232	66,00	
License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)							х		x			X	x	х	<b>X</b> 2	x x	X	х			S26361-F2010-E242	85,00	
License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)					х	х	х	х	X			х	x	х	x :	х	x	х			S26361-F2010-E252	122,00	
License EM - Windows 7 Home Basic	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro							х		X			Х	х	х	x :	х					S26361-F2010-E234	66,00	
License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro							х		x			Х	х	х	X :	х	X	х			S26361-F2010-E244	85,00	
License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro					X	X	x	x	X			Х	X	X	X	х	X	х			S26361-F2010-E254	122,00	
REC-DVD Win7 Home Basic 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR				х						x :	x x	:							X	x	S26361-F2009-E633	3,00	
License EM-MEA - Windows 7 Home Basic	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, , Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe							x		x			X	x	X	x :	X					S26361-F2010-E235	66,00	
License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, , Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe							x		x			x	x	x	x	x	x	x			S26361-F2010-E245	85,00	



BO	OK Options																									
			4512	Н532	3FX	3,																JB				
			A512/AH512	A532/AH532	AH502 AH532/GFX	AH552/SI	AH562	E733	E743	752	782	H532	1532	NH532	P702	P772	S762	S782	S792	T902	U/72	LIFEBOOK UH552/UB	UH572	9		
					LIFEBOOK /		LIFEBOOK /	LIFEBOOK	LIFEBOOK	LIFEBOOK E752	LIFEBOOK E782	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK !	LIFEBOOK	LIFEBOOK P772	LIFEBOOK 8	LIFEBOOK 8		LIFEBOOK	LIFEBOOK U/72	300K	LIFEBOOK (	Product Code	(€)	Comments
ry C	Description	Details	LIFE	LF			LF	HE					LIFE					LFE	H H				LIFE	Prod	EUP	E CO
licati	on-SW (Continued) i.cense EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan,						х	х	x x	x x				x	x >	х	х	x	X	x			S26361-F2010-E255	122.00	
		Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape																								
		Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of																								
		the Congo, Djibouti, Egypt, , Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan,																								
		Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania,																								
		Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria,																								
		Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint																								
		Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The																								
		Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe																								
	· · · · · · · · · · · · · · · · · · ·	EMINIDIA O de atécochio contata de la lic		4			Ш		_												_			000004 50040 5000	00.00	
L	icense EM-INDIA Windows 7 Home Basic icense EM-INDIA Windows 7 Home Premium icense EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India EM-INDIA. Select for shipments to: India EM-INDIA. Select for shipments to: India	H	+		+	H	Х		x x x	X X X				Х	x x	_	Х	X X	_				S26361-F2010-E238 S26361-F2010-E248 S26361-F2010-E258		0
	Vin7 HomeBasic64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN,	П				П		_	X	X	_	П				x x						-	S26361-F2110-E433	4,00	
		FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office																								
		2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses																								
		are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from																								
V	Vin7 HomeBasic64 RUS+Office2010s	channel.  Preload: Single Image RU (RU & CIS countries),	H	+	_	+	$\mathbb{H}$	$\parallel$	_	х	X		H	_	x	x 2	x x	X	х	+	+		H	S26361-F2110-E436	4,00	0
		Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For																							,	
		Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key																								
		Cards) products from channel.																								
V	Vin7 HomePremium64 MAIN+Office2010t	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English,			+		П			х	х				Х	X X	х	Х	х	Х	х			S26361-F2110-E441	4,00	0
		Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For																								
		Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload																								
		works also for Office 2010 PKC (Product Key Cards) products from channel.																								
V	Vin7 HomePremium64 NORDIC+Office2010t	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish,		+	+		Н		+	Х	х			+	Х	X X	х	Х	х	Х	х	+		S26361-F2110-E442	4,00	0
		English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 is a 32bit																								
		application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses																								
		are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.																								
V	Vin7 HomePremium64 EM-SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN,		+	+		Н		+	Х	х			+	Х	X X	х	Х	х	Х	х	+		S26361-F2110-E443	4,00	0
		FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office																								
		2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010																								
		MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.																								
V	Vin7 HomePremium64 IBER-NE+Office2010t	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT,	H	$\dashv$		+	H			х	X		H		х	X X	x x	X	х	X	х	+	H	S26361-F2110-E444	4,00	0
		SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office																								
		2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010																								
		MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.																								
V	Vin7 HomePremium64 SEE+Office2010t	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian,	H	$\dashv$	+	+	H		+	х	x	1	H	+	х	x x	x x	X	х	x	х	+	H	S26361-F2110-E445	4,00	0
		English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010																								
		is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI																								
		licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.																								
V	Vin7 HomePremium64 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a	H	+	+	+	$\parallel$	$\dashv$	+	х	X		H	$\dashv$	х	x x	x x	x	х	x	х		H	S26361-F2110-E446	4,00	0
		32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI																								
		licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products																								
V	Vin7 Pro64 MAIN+Office2010t	from channel.  MuLi MAIN (Main European MuLi), Languages:  DE EN ES ED IT NII (Cormon English	H	$\dashv$	+	-	H		_	х	x	[	H		х	x x	x x	X	х	x	х	+	H	S26361-F2110-E451	4,00	0
		DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For																								
		Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload																								
		works also for Office 2010 PKC (Product Key Cards) products from channel.																								
V	Vin7 Pro64 NORDIC+Office2010t	Preload: MuLi NORDICS (Nordic Region),	H	$\dashv$	+	-	H		+	х	x	1	H	_	х	x x	x x	x	х	x	x	-	H	S26361-F2110-E452	4,00	0
		Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish). Note: helydod Office 2010 is a 22bit																								
		Swedish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses																								
		are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from																								
		channel.																								



Description	Details	LIFEBOOK A512/AH512	LIFEBOOK A532/AH53 LIFEBOOK AH502	LIFEBOOK AH532/GFX	LIFEBOOK AH552/SL	LIFEBOOK AH562	LIFEBOOK E743	LIFEBOOK E752	LIFEBOOK E753	LIFEBOOK E782	LIFEBOOK LH532	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK P702	LIFEBOOK P772	LIFEBOOK S752	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH552	LIFEBOOK UH552/UB	LIFEBOOK UH572		0,000				EUP (€)	Comments
rix tion-SW (Continued)	1-000		-   -			-					, =																			
Win7 Pro64 EM-SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.							X		X				X	x	x	x >	x x	X	X				S2636	61-F2	2110-	·E453	3	4,00	
Win7 Pro64 IBER-NE+Office2010t	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.							x		x				x	x	х	x >	x x	x	x			:	S2636	31-F2	2110-	E454	1	4,00	
Win7 Pro64 SEE+Office2010t	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.							х		X				x	x	x	x >	x x	X	x				S2636	61-F2	2110-	E455	5	4,00	
Win7 Pro64 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.							X		X				X	X	х	x >	х	X	X				S2636	61-F2	2110-	E456	5	4,00	
Win7 Pro64 MAIN+Office2013 Win7 Pro64 NORDIC+Office2013	Languages: DE, EN, ES, FR, IT, NL, Languages: DK, EN, FI, NO, RU, SV,	#	$\pm$		Ħ		( X							Х	Х	X X	x >	ΧХ	Х	Х			-	S2636 S2636				-	4,00 4,00	
Win7 Pro64 EM-SE+Office2013 Win7 Pro64 IBER-NE+Office2013 Win7 Pro64 SEE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR, Languages: CS, EN, ES, FR, PL, PT, SK, Languages: BG, EN, HR, HU, RO, SL, SR,	Ŧ	Ŧ	Ħ		2	C X	X	X	X X				X	X X	X X	x >	x x	X	X				S2636 S2636 S2636	1-F2 1-F2	237- 237-	E453 E454	3 1	4,00 4,00 4.00	
Win7 Pro64 SEE+Ollice2013 Win7 Pro64 RU+Office2013 REC-DVD Win7 Home Basic 64 All MuLi	Languages: BG, EN, HR, HO, RO, SE, SR, Languages: RU, Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish						X X	_	_	_				Х	Х	X X	x >	х х	Х					S2636 S2636	1-F2	237-	E456	3	4,00 4,00 3,00	
REC-DVD Win7 Home Basic 64 RUS REC-DVD Win7 Home Premium 64 All MuLi REC-DVD Win7 Home Premium 64 RUS REC-DVD Win7 Professional 64 All MuLi	RU  RU  Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	+				)	c x	x x x		X X X				X	X X	x x x	x >	x x	X	Х				S2636 S2636 S2636 S2636	61-F2 61-F2	2010- 2010-	E643 E642	3	3,00 3,00 3,00 3,00	
REC-DVD Win7 Professional 64 RUS REC-DVD Win7 Prof. 32+64bit All MuLi	RU Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	+					x x	_	_	_	_			-	-	X X	_	_	_	_	_		-	S2636 S2636				-	3,00	
Win7 HomeBasic64 EM-SE+Office2013 Win7 HomeBasic64 RU+Office2013		$\pm$						X	_	X	_					X X								S2636 S2636					4,00 4,00	
Win7 HomePremium64 MAIN+Office2013 Win7 HomePremium64 NORDIC+Office2013 Win7 HomePremium64 EM-SE+Office2013 Win7 HomePremium64 IBER-NE+Office2013 Win7 HomePremium64 SEE+Office2013	Languages: DE, EN, ES, FR, IT, NL, Languages: DK, EN, FI, NO, RU, SV, Languages: AR, DE, EL, EN, FR, HE, TR, Languages: CS, EN, ES, FR, PL, PT, SK, Languages: BG, EN, HR, HU, RO, SL, SR,							X X X X		X X X X				X X X	X X X	X X X X	X > X > X > X > X > X > X > X > X > X >	x x x x x x x x x	X X X	X X X				S2636 S2636 S2636 S2636 S2636	61-F2 61-F2 61-F2 61-F2	237- 237- 237- 237-	E442 E443 E444 E445	2 3 4	4,00 4,00 4,00 4,00 4,00	
Win7 HomePremium64 RU+Office2013  Mouse 400NB Black	Languages: RU,							X		X				Х	х	x	x >	к х	х	х				S2639	1-F4	28-E	100	1	4,00 17,00	
MOUSE M410NB BLACK  ous  MAC Address WLAN on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the	+				2		X								X								S2639 S2639					2,00	
Mouse	delivery note																													
Notebook Mouse M410  Services	Notebook Mouse M410. Super compact desing for right and left-handers. Black glossy design. 2 Buttons and 1 wheel. 1000 DPI, USB cable 1 m lenght. USB Plug & Play. Retail packed.				X						X	х	х								X	х	X	S2638	31-K4	153-E	E100		6,00	
DeskView Load Basic	With DeskView Load Basic you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, Information about hardware components e.g. MAC - address, serial number at time of production via email, Limitations for the DVL packages are projects greater than 150 clients	Ī			x	X					X	X	x				Ī				X	x	x	DVI:D	VL_F	PAC	(_BA	S 2	21,00	
DeskView Load Expert	and maximum 5 order codes p.a.,  With DeskView Load Expert you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, , In	+			х	X					X	х	х								X		x	DVI:D	VL_F	PACH	K_EXI	P 3	38,50	
	addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email or web service, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, Specified Operating system customizing, Extended recovery scenario, , Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,																													
DeskView Load Professional	With DeskView Load Professional you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, , In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, , Limitations for the DVL packages are projects				x	x					x	х	x								x	x	x	DVI:D	VL_F	PACH	CPR	0 4	47,25	





#### Positioning FUTRO thin clients



**FUTRO S100** 

The compact and cost-efficient FUTRO S100 is your perfect entry thin client for Server-Based Computing and Virtual Workplace solutions. High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and lowest running costs.



FUTRO S450 FUTRO S500 This small but powerful and expandable thin client is your ideal client for server-based computing. No matter if used with RDP or ICA protocol, as thin client for Windows terminal services or as Java based network terminal, FUTRO S Series always helps you to minimize the Total Cost of Owernership. Low power consumption, no fans and rotating drives turn the FUTRO S Series into a very reliable and silent thin client.



#### **FUTRO S700**

The powerful FUTRO S700 is your ideal thin client for server-based computing and virtual workplac solutions. An optimized thermal concept and the latest flash drive technology make fans and rotating parts obsolete. This results in superior ergonomics due to noiseless operation and significantly increased reliability. The outstanding manageability solution makes it easy to administer while reducing total cost of ownership. Latest AMD™ Fusion® technology offers excellent performance at a reasonable price.

	Description	Details	Product Code	EUP (€)	Comments
	d products				
FUTRO	FUTRO S700 /1GB/DVI/VGA/1GB MSATA/	FUTRO S700 /1GB/DVI/VGA/1GB MSATA/ CK FUTRO INT/ELUX 3 + SC LIC/AC 20V/40W/ CABLE DE/MOUSEM510BLACK/ ,	PRJ:S0700P0001IT	380,00	
Model	Description	Details	Product Code	EUP (€)	Comments
	t configurations		_		
<b>FUTRO</b>	S700				
	FUTRO S700	, FUTRO S700 Base unit: ; Mainboard type D3003-B miniITX; Chipset AMD A55E Controller Hub, AMD G-Series G-T44R, max. 2 GB, 1 SO DIMM (DDR3, 1066 MHz) slots , ; Graphics: AMD Radeon HD 6250; Audio: Realtek ALC262; LAN: Built-in 10/100/1000 MBit/s; Slots: ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-out, N/A x N/A, 1 x Front audio: headphone, 1 x Front audio: line-in / microphone, N/A x N/A, N/A, 1 DP x DisplayPort, 1 DVI-I (integrated VGA can be used with DVI-VGA adapter) x DVI, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2),	S26361-K1040-V100	234,00	



#### **FUTRO S900**

The powerful FUTRO S900 is your ideal thin client for server-based computing and virtual workplace solutions. An optimized thermal concept and the latest flash drive technology make fans and rotating parts obsolete. This results in superior ergonomics due to noiseless operation and significantly increased reliability. Additional slots offer the opportunity to meet all demands for the most

challenging scenarios and outstanding manageability solution makes it easy to administer while reducing total cost of ownership. Latest AMD™ Fusion® technology offers excellent performance at a reasonable price.

Model	Description Details it configurations	Product Code	EUP (€)	Comments
FUTRO	<u>u</u>			
	FUTRO S900 Base unit: ; Mainboard type D3003-A minilTX; Chipset AMD A55E Controller Hub, AMD G-Series G-T44R, max. 4 GB, 2 SO DIMM (DDR3, 1066 MHz) slots , ; Graphics: AMD Radeon HD 6320 (in combination with AMD G-Series G-T56N)AMD Radeon HD 6250 (in combination with AMD G-Series G-T44R)AMD Radeon HD 6290 (in combination with AMD G-Series G-T40N); Audio: Realtek ALC262; LAN: Built-in 10/100/1000 MBit/s; Slots: 1 x (155 mm / ) low profile (optional), 1 x PCI slots, 1 x PCI-Express x1; Interfaces: 1 x Audio: line-in, 1 x Audio: line-out, N/A x N/A, 1 x Front audio: headphone, 1 x Front audio: line-in / microphone, N/A x N/A, N/A, 1 DP x DisplayPort, 1 DVI-I (integrated VGA can be used with DVI-VGA adapter) x DVI, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2).		#####	



			FUTRO A300 eLux	FUTRO A300 WEC	FUTRO A300-RP	FUTRO C200 i915GV	FUTRO C400	FUTRO DC20-1	FUTRO L420	FUTRO L620	FUIRO S100	FUTRO S200	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X913-T	JIRO 2220	Product Code	EUP (€)	Comments
	Description & services matrix	Details	Œ	Œ	匠	I II	□	匠	屲	i ا	<b>I</b>	<b>a</b>   1	ב   ב		匠	匠	屲	<b>正</b>   i	<b>Z</b>	č	ш	<u> </u>
cs	Dual Link DVI cable	2x SL DVI to 1x DL DVI, for connection of one							х										S	26361-F2391-L9	22,00	
		DVI display with a resolution until 2560x1600							^												,00	
	Y-cable for dual monitoring	pixels,  Dual Monitoring support			-					-	+	+	×	X	Х	Х			S	26361-F2421-L100	39.00	Phased out
	DVI-D Adapter for Dual DVI AMD FirePro V3900 1GB	Dual Monitoring Connectors: 1x DVI-I dual link, 1x DP; PCIe			F						-		_	Х	_	х				26361-F2421-L110 26361-F2530-L395	22,00	Orderable from: 03/06
ľ	AND FIRE TO VOSCO TOD	x16; w/o adapters; optimized firmware for														^				20001-1 2000-2000	134,00	Orderable from: 05/00
	NVIDIA Quadro NVS 300 512MB PCIe x16LP	minimisation of noise emission  Connectors: 1x LFH 59, PCIe x16, adapters and			-		-				+	-	+		H	х		+	ç	26361-F2748-L997	107,00	
		cables must be ordered separately			L						_											
	CELSIUS RemoteAccess Dual Card	Host for PCoIP, 2x miniDP, 10/100/1000 Mbps LAN, PCIe x1; contains 2x miniDP/DP cable, 1x internal on/off cable, 1x LAN cable; suited for FUTRO L420 (S26361-K1062-V200)							X	X									9	326361-F3565-L2	262,00	
	CELSIUS RemoteAccess Quad Card	Host for PCoIP, 4x miniDP, 10/100/1000 Mbps							Х	х									S	26361-F3565-L4	433,00	
		LAN, PCIe x1; contains 4x miniDP/DP cable, 1x internal on/off cable, 1x LAN cable; suited for																				
	Divide Book BVI Book and a	FUTRO L620 (S26361-K1062-V300)			L	-				_	4	4	+	-				4		200004 50004 1 000	05.00	
	Display Port/ DVI-D adapter cable  Mini Display Port/DVI-D adapter cable	for connection of one DVI-D monitor							х	X X					X	Х				26361-F2391-L200 26361-F2391-L8	35,00 37,00	New product
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector							х						Х	х	Х	Х	x S	26361-F2391-L1	19,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors								#	#	#	#			х		#		26361-F2391-L101	32,00	
1	DVI/VGA adapter LFH59/ 2x DP adapter cable	for connection of two Display Port monitors	X	Х	X						$\pm$	+				Х		_	S	26361-F2391-L3 26361-F2391-L102	14,00 34,00	
	Y-cable for dual monitoring tion/Network		Х	Х	X														S	26361-F2421-L300	22,00	
	Dual serial card PCIe x1 2nd LAN/PoE module					F					1	1	T		v	X		7		626361-F3465-L4 626361-F3466-L1	38,00 38,00	
1	WLAN 802.11g/Draft									$\downarrow$	#	$\pm$	#		х	X			S	26361-F4525-L10	55,00	
	PCI Parallel Card LP (1 port) ion-SW	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket.												х		Х			S	26361-F3465-L1	28.00	
	License for eLux RL for FUTRO A300	License for eLux RL including 2 years of software support. (Licenses for SCOUT	Х																S	26361-F2727-L702	40,00	
		Enterprise are not included.)			L													_				
	Subscription Key eLux/WES/Scout	Subscription Key for SCOUT Enterprise in combination with eLux and Windows Embedded	Х	Х	Х						х		×	Х	Х	Х	х	х	x S	26361-F2727-L703	17,00	
		Standard 7 (WS7P) to prolong the software																				
	FLUENDO Codec Package	support for 12 months.  The FLUENDO Codec Package includes the	Y	Х	×		-				x	-	X	· x	x	Y	Х	x	ç	26361-F2727-L704	10,00	
		licenses for using multimedia codecs in combination with eLux RL. The codecs itself are pre-installed on our eLux RL operating system. When ordering the FLUENDO Codec Package, you will receive a license key which allows to use the codecs on your Thin Client., , Following codecs are covered: MP3, WMA stereo, AAC stereo, AC3 stereo, WMV, H264, MPEG4 part2 and MPEG2.																				
Ī	License for SCOUT 13+	License for SCOUT Enterprise 13 or higher	х	Х	х						$\top$	$\top$	$\top$		х	х	х	х	x S	26361-F2727-L705	48,00	
		including 1 year of software support. (Licenses for eLux are not included.), , Up to 5 Thin Clients can be managed for free. A license for SCOUT Enterprise 13 or higher is required for all Thin Clients as soon as more than 5 Thin Clients shall be managed.,																				
	License for eLux RP	License for eLux RP including 1 year of software support. (Licenses for SCOUT Enterprise are not included.),													Х	х	х	X		26361-F2727-L755	20,00	
	Windows MPS 2011 CAL License for PowerTerm WBT	License for PowerTerm InterConnect from	х	Х	X		Х	Х			х	+	×	Х	Х	Х	х	х		26361-F2011-L170 26361-F2600-L144	67,00 28,00	
		Ericom., PowerTerm InterConnect is an emulation suite that allows you to connect to IBM mainframes, IBM AS/400, Unix, VAX/Alpha OpenVMS, Tandem (NSK), HP-3000 and Data General. To use this software, you must have the PowerTerm InterConnect" (powerterm) package installed. The software includes a 30-minute trial period.																				
	SmartCard Reader	internal											T	х				7		26361-F1260-L802	33.00	
	SmartCard reader internal USB FUTRO S900	chipcard reader internal built in optional, USB interface, w/o SmartCard														Х			S	26361-F1260-L803	28,00	
:	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium								T	T			х					S	26361-F2727-L100	20,00	
Ī	RFID SmartCardReader USB SCL011	RFID SmartCardReader USB SCL011 with	х	х	х				х	Х	$\top$				х	х	Х		x S	26381-F11-L100	38,00	
:	SmartCard CARDOS V4.4. 1PCS	stand in white box packing  1 SmartCard CardOS 4.4, 68 KByte EEPROM	х	х	x	+			х	х	+	+	+	+	х	х	х	Х	x S	26381-F305-L101	25,00	
;	SmartCard CARDOS V4.4. 2PCS	2 SmartCard CardOS 4.4, 68 KByte EEPROM	Х	х	x	+			х	х	+	+	+		х	х	х	х	x S	626381-F305-L102	45,00	
	SmartCard CARDOS V4.4. 10PCS	10 SmartCard CardOS 4.4, 68 KByte EEPROM							x		+	+	+	+		х				26381-F305-L110	204,00	
		, in the second									4	4	_									
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista /Win7compatible, USB interface	Х	Х	Х	Х			Х	Х	Х	X	Х	X	X	Х	Х	Х	x S	26381-F331-L220	25,00	
	USB SCR 3500	External USB SmartCard Reader, folderable., Reads and write on all ISO 7816, 1-4 compliant SmartCards., CCID compliant, USB Bus powered.															x	X	S	326381-F350-L100	27,00	
aneo	us Vesa Mounting Kit with Subadapter	Vesa Mounting Kit with Subadapter designed for	v	v	٠,					÷	v	÷								BDL:VESA-SUB-KIT	86,00	
[	vesa iviouriding fait with Subadapter	FUTRO S100 and FUTRO A300, designed for	X	X	X	1					^									ルL. VESA-SUB-KII	00,00	



				3	<u>&gt;</u>														
		A300	FUTRO A300 WEC	FUTRO A300-RP	FUTRO C400	FUTRO DC20-1	FUTRO L420	FUTRO L620	FULKO S100	RO 5200	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO Z220	Product Code	(€)	Comments
Description	Details	듄	듄	5	5   5	<u> </u>	5	5   5			15	5	듣ᆙ	5   :		Ξ	P. O	H H	Con
es & services matrix																	·		
eous (Continued)																	000004 54054 1.45	40.00	
VESA Mounting Kit FUTRO L-Series AC-Adapter 20V/40W							Х		+		+		+	+	_		S26361-F1051-L15 S26361-F1051-L20	12,00 17,00	
Riser Card									$^{+}$			х		_		<b>†</b> ^	S26361-F2421-L200	22,00	
AC-Adapter 20V/40W													х	х			S26361-F2542-L14	17,00	
PCI Riser				_		_		_	+	_	_	ш		х	_	_	S26361-F2542-L19	28,00	
PCIe Riser									+			.,		X	-		S26361-F2542-L20	28,00	
Horizontal foot kit USB Security Cover									+		X	Х			v v	v	S26361-F2542-L290 S26361-F2542-L291	12,00 17,00	
VESA Kit w/ subadapter S4**/5**/7**/9**	Mounting kit for attaching Thin Clients to the										Х	$\overline{}$	_	X	^ ^	1	S26361-F2601-L530	44,00	
	rear of TFT displays. Attachable to most LCDs in combination with the included subadapter.																		
Vesa Kit FUTRO S100 / A300	holder for TFT (15"-20") and PC (max 105x370x400mm)	х	х	х				,	х								S26361-F2601-L540	44,00	
DVI cable for VESA Mounting Kit	holder for TFT (15"-20") and PC (max 105x370x400mm)	х	х	х													S26361-F2601-L541	24,00	
VESA Kit w/o subadapter S4**/5**/7**/9**	VESA Kit for FUTRO S450-2, FUTRO S550-2, FUTRO S700 and FUTRO S900 w/o VESA subadapter.,, For FUTRO S100 please select S26361-F2601-L540.										х	x	X	X			S26361-F2601-L550	44,00	
VESA subadapter	The VESA sub-adapter will be required in order to support various types of monitors., , For more details please refer to the Vesa kit compatibility list for FUTRO Smart Zero and Thin Clients:, , https://partners.ts.fujitsu.com/com/products/clients/thin_clients/Pages/white-paper.aspx,	X	X	X			X		x				X	*			S26361-F2601-L600	18,00	
Cable powercord (IND), 1.8m, black	black, 1.8m, suitable for: India, 3 wire						Х						х				T26139-Y1752-L10	4,00	
power cable EU	black, 2-pole, 1.8 m		Х		-	-	_	x 2	_	-	_	Х			_		T26139-Y2540-V113		
power cable UK	black, 2-pole, 1,8 m		X		-	+		X 2		-	X	X	X	X	+		T26139-Y2540-V213 T26139-Y2540-V313		
power cable US Cable FTP CAT 5e, 5m	black, 2-pole, 1,8 m Standard-LAN-cable, RJ45		X		×	( χ		X	X		- X				x x		T26139-Y2425-M5	10,00	
Cable FTP CAT 5e, 10m	Standard-LAN-cable, RJ45	_	Х			( X											T26139-Y2425-M10	15,00	
Software																			
OPENFT-CR (Unix systems) V12.0	CD-ROM openFT-CR V12.0, Cryptographic module, for openFT V12.0, Attention export restrictions									Х	X	X					U10987-C599	15,00	
OPENFT-SW-CD (Unix systems) V12.0	Medium for UNIX systems, CD-ROM openFT- SW V12.0										X	Ш					U10987-C600	36,00	
OPENFT-1 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs									Х	X	X					U10987-C601	1.348,00	
OPENFT-FTAM-1 (Unix systems) V12.0	License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs									х	X	X					U10987-C613	1.348,00	
OPENFT-FTP-1 (Unix systems) V12.0	License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs									х	X	х					U10987-C625	550,00	
OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs									х	X	х		$\uparrow$			U10987-C501	1.225,00	
OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs									х	X	x		$\uparrow$			U10987-C513	1.225,00	
OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT- SW V11.0									x	X	х					U10987-C500	36,00	
OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export									Х	X	Х					U10987-C499	15,00	



			S700	0068	X913	X913-T	Z220	Product Code		0
			S 2	S	SX C	8			6	Comments
			FUTRO	FUTRO	FUTRO	FUTRO	FUTRO	on po	P (€)	E E
Category	Description	Details	<u>:</u>	3	5	5	5	Pro	EUP	Š
Options ma										
Approvals/	/dependencies		v					C2C2C1 F2EE0 F1E0	2.00	
	China (CCC) approval China (CCC) approval FUTRO Z		Х	Х	X	X	x	S26361-F2550-E150 S26361-F2550-E180	3,00	Orderable from: 06/09/201:
	Energy Star 5.0			Х				S26361-F2600-E170	2,00	
Processor		AND 0.0 1 0 T-01/0.0 (0.T)						000004 54504 5400		
	AMD T56N Dual Core Upgrade FUTRO S900	AMD G-Series G-T56N (2 Cores / 2 Threads,		Х				S26361-F4584-E100	36,00	
	Active heat sink T56N Dual Core Upgrade	1.65 GHz, SLC: 2 x 512 KB) N/A		Х				S26361-F4584-E110	7,00	
	Passive heat sink T56N Dual Core Upgrade	N/A		X				S26361-F4584-E120	14,00	
	AMD T40N Dual Core Upgrade FUTRO S900	AMD G-Series G-T40N (2 Cores / 2 Threads,		Х				S26361-F4584-E200	18,00	
		1.00 GHz, SLC: 2 x 512 KB)								
_	AMD T40N Dual Core Upgrade FUTRO X	N/A			Х	Х		S26361-F4584-E300	18,00	
Memory	1 GB DDR3-1066 SODIMM		v	х				S26361-F4408-E1	22,00	
	2 GB DDR3-1066 SODIMM		X	_				S26361-F4408-E2	27,00	
	2GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM,			х	х		S26361-F4553-E2	28,00	
3raphics										
	No Adapter for VGA/DVI/DP AMD FirePro V3900 1GB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16;	Х	X				S26361-F2391-E10 S26361-F2530-E395	2,00	Orderable from: 03/06/2013
	AND FILEPTO V3900 TGB	w/o adapters; optimized firmware for minimisation of noise emission		X				320301-F2330-E393	108,00	Orderable from: 03/06/2013
	NVIDIA Quadro NVS 300 512MB PCle x16LP	Connectors: 1x LFH 59, PCle x16, adapters and cables must be ordered separately		Х				S26361-F2748-E997	85,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor	Х	_				S26361-F2391-E200	17,00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector	Х	Х	Х	Х	Х	S26361-F2391-E1	6,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors		X				S26361-F2391-E101	17,00	
lard Disks	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors		Х				S26361-F2391-E102	19,00	
iaiu Disks	1 GB mSATA		Х	Х	Х	Х		S26361-F3666-E1	22,00	
	2 GB mSATA		х	_		Х		S26361-F3666-E2	39,00	
	4 GB mSATA		Х	Х				S26361-F3666-E4	55,00	
	8 GB mSATA	Doos not contain mCATA adoptor and	Х			X		S26361-F3666-E8	100,00	
	16 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.		X	х	X		S26361-F3666-E16	179,00	
<b>NebCam</b>										
	Presence sensor + multi media module					X		S26361-F1065-E200		Orderable from: 10/06/2013
Communic	No presence sensor + No multi media				Х	X		S26361-F1065-E201	2,00	
<b>Jonnania</b>	WLAN Atheros 802.11a/b/g/n						х	S26361-F1051-E30	22,00	Orderable from: 28/06/201
	Integrated loudspeaker							S26361-F1051-E40	22,00	
	Internal speaker		Х	Х				S26361-F2542-E13	22,00	
	PCI Riser PCIe Riser			X				S26361-F2542-E19 S26361-F2542-E20	22,00 22,00	
	WLAN Atheros HB116 a/g/n			^	Х	Х		S26361-F3108-E14	22,00	
	Dual serial card PCle x1			Х				S26361-F3465-E4	23,00	
	2nd LAN/PoE module		Х	_				S26361-F3466-E1	36,00	
	WLAN 802.11g/Draft	EDD(EQD 4 OF B) D OUD	Х	_				S26361-F4525-E10	17,00	
Country ki	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket.		Х				S26361-F3465-E1	16,00	
Journal of Kill	Country kit FUTRO Z EU+	Country kit incl. Quick Start Guide (EU+), Safety manual (EU+) and Service Desk and Warranty flyer					х	S26361-F2841-E300	6,00	
	Country kit X9xx Euro-cable EU+	incl. power cord (Euro), safety manual (EU+),			х	х		S26361-F2930-E300	8,00	
	Country kit X9xx GB-cable (INT)	incl. power cord (GB), safety manual (INT),			Х	_		S26361-F2930-E302	8,00	
	Country kit X9xx (IT)	incl. power cord (US), safety manual (INT),			X	X		S26361-F2930-E303	8,00	
	Country kit X9xx (IT)	Italy; incl. power cord (Euro), safety manual (IT),			Х	Х		S26361-F2930-E304	8,00	
	Country kit FUTRO S EU+	incl. power cord (Euro), safety manual (EU+),	Х	Х				S26361-F2841-E200	6,00	
	Country kit FUTRO S non EU	incl. power cord (Euro), safety manual (non EU),		X				S26361-F2841-E204	6,00	
	Country kit FUTRO Z non EU	Country kit incl. Quick Start Guide (EU+), Safety manual (EU+), Service Desk and Warranty flyer					х	S26361-F2841-E301	6,00	
	Made in Germany sticker	The "Made in Germany" sticker prominently displays this universally admired differentiating product value	Х	х				S26391-F404-E911	2,00	



		0	0	က	3-1		9 8		
		<b>RO S700</b>	RO S900	RO X913	RO X913-T	RO 2220	Product Code	( <del>€</del> )	Comments
Description	Details	FUTRO	FUTRO	FUTRO	FUTRO	FUTRO	Proc	EUP	Con
atrix eyboards (Continued)									
KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	X	X				S26381-K341-E110	27,00	
KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	х	X				S26381-K341-E120	27,00	
KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	X	X				S26381-K341-E165	27,00	
KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	X	Х				S26381-K341-E185	27,00	
KB410 USB GREY JP	KB410 USB, slim value keyboard with japanese layout on 108-key modul in grey. Fixed USB cable 1.8 m.			х	х		S26381-K510-E174	13,00	
KB410 USB BLACK US	KB410 USB, slim value keyboard with US layout on 105-key modul in black. Fixed USB cable 1.8 m.	Х	Х	х	х		S26381-K510-E402	13,00	
KB410 USB BLACK US ENGLISH 104 key	KB410 USB US 104 key US English layout, slim value keyboard with US layout on 104-key modul in black. Fixed USB cable 1.8 m.	Х	Х	х	х		S26381-K510-E410	13,00	
KB410 USB BLACK DE	KB410 USB, slim value keyboard with german layout on 105-key modul in black. Fixed USB cable 1.8 m.	Х	Х	х	х		S26381-K510-E420	13,00	
KB410 USB BLACK GB	KB410 USB, slim value keyboard with english layout on 105-key modul in black. Fixed USB cable 1.8 m.	Х	Х	Х	X		S26381-K510-E465	13,00	
KB410 USB BLACK IT	KB410 USB, slim value keyboard with italian layout on 105-key modul in black. Fixed USB cable 1.8 m.	Х	Х	Х	x		S26381-K510-E485	13,00	
KB410 PS2 BLACK US	KB410 PS2, slim value keyboard with US layout on 105-key modul in black. PS2 cable 1.8 m.	Х	Х	Х	x		S26381-K515-E402	13,00	
KB410 PS2 BLACK DE	KB410 PS2, slim value keyboard with german layout on 105-key modul in black. PS2 cable 1.8 m.	Х	Х	х	х		S26381-K515-E420	13,00	
KB410 PS2 BLACK GB	KB410 PS2, slim value keyboard with english layout on 105-key modul in black. PS2 cable 1.8 m.	Х	Х	Х	x		S26381-K515-E465	13,00	
KB410 PS2 BLACK IT	KB410 PS2, slim value keyboard with italian layout on 105-key modul in black. PS2 cable 1.8 m.	Х	Х	х	X		S26381-K515-E485	13,00	
KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m,	Х	Х				S26381-K520-E102	12,00	
KB520 US ENGLISH 104 key	KB520 keyboard standard 104keys, marble grey, US, cable USB 2m,	х	х				S26381-K520-E110	12,00	
KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,	х	Х				S26381-K520-E120	12,00	
KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,	Х	Х				S26381-K520-E165	12,00	
KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,	х	Х				S26381-K520-E185	12,00	
Keyboard KB900 USB US	KB900 USB USA, american layout, spill-proof, black, 1.8 m USB cable	х	х	х	х		S26381-K560-E402	15,00	



	Options									
			FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X913-T	FUTRO Z220	Product Code	P (€)	Comments
	Description	Details	5	5	3	5	문	<u> </u>	EUP	පී
ns mat	เกาx eyboards (Continued)									
	Keyboard KB900 USB GB	KB900 USB GB, english layout, spill-proof,	х	х	х	х		S26381-K560-E465	15,00	
	Karaharand KD000 HOD IT	black, 1.8 m USB cable						000004 K500 5405	45.00	
	Keyboard KB900 USB IT Wireless Keyboard Set LX900 US	KB900 USB I, italian layout, spill-proof, black, 1.8 m USB cable Wireless Keyboard Set LX900 US 128AES bit-	Х	Х		X		S26381-K560-E485 S26381-K564-E402	15,00 36,00	
	Wileless Reyboard Set Ex900 03	encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries			X	*		320301-N304-E402	30,00	
	Wireless Keyboard Set LX900 DE	Wireless Keyboard Set LX900 DE 128AES bit- encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries			x	x		S26381-K564-E420	36,00	
	Wireless Keyboard Set LX900 GB	Wireless Keyboard Set LX900 GB 128AES bit- encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries			х	х		S26381-K564-E465	36,00	
	Wireless Keyboard Set LX900 IT	Wireless Keyboard Set LX900 IT 128AES bit- encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries			Х	X		S26381-K564-E485	36,00	
	PS2 Keyboard Cable 2,0m	Keyboardcable PS2 for KBPC PX ECO, ca. 2,0 m length	х	X	х	X		T26139-Y4530-E1	4,00	
	Pre-installation 1 of WES7 (WS7P)	Complete pre-installation with all relevant	х	х				S26361-F2009-E230	4,00	
		modules., International version (German, English, French and Italian) of Windows Embedded Standard 7 (WS7P) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent, support for modular updates and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Licenses for SCOUT Enterprise are not included., Up to 5 Thin Clients can be managed for free. A license for SCOUT Enterprise 13 or higher (S26361-F2727-L705) is required for all Thin Clients as soon as more than 5 Thin Clients shall be managed.								
	Pre-installation 2 of WES7 (WS7P)	Space-saving pre-installation., , International version (German, English, French, Italian and Spanish) of Windows Embedded Standard 7 (WS7P) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent, support for modular updates and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Licenses for SCOUT Enterprise are not included., , Up to 5 Thin Clients can be managed for free. A license for SCOUT Enterprise 13 or higher (S26361-F2727-L705) is required for all Thin Clients as soon as more than 5 Thin Clients shall be managed.,	X	X				S26361-F2009-E231	4,00	
	License for Win Embedded Std. 7 (WS7P)	License for Windows Embedded Standard 7 (WS7P) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent and multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Free modular package updates for 1 year are included. For further updates Subscription Keys eLux/WES/Scout (S26361-F2727-L703) are required. Licenses for SCOUT Enterprise are not included., Up to 5 Thin Clients can be managed for free. A license for SCOUT Enterprise 13 or higher (S26361-F2727-L705) is required for all Thin Clients as soon as more than 5 Thin Clients shall be managed.	x	X				S26361-F2009-E233	88,00	
	Rec.DVD eLux RP	Recovery-DVD for eLux RP. Licenses for eLux	Х	Х	Х	Х		S26361-F2009-E816	3.00	Orderable from: 17/06/20
		or SCOUT Enterprise are not included.,				`				17,00/20
	Recovery-DVD 1 of WES7 (WS7P)		Х					S26361-F2009-E817	3,00	
	Recovery-DVD 2 of WES7 (WS7P) eLux RT pre-inst. w/ license (built-in)	Pre-installed eLux RT with license for eLux RT	Х	Х				S26361-F2009-E818 S26361-F2727-E750	3,00 12,00	
	Santa pro mot w notific (pullt-iii)	including 1 year subscription for software support.					^	520001121212100	12,00	



Ų	Options									
			FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X913-T	FUTRO Z220	Product Code	EUP (€)	Comments
	Description trix	Details	ī	ī	正	<u> </u>		<u> </u>	Ш	<u> </u>
	tion-SW (Continued)									
	eLux RT pre-inst. incl. Scout (built-in)	Pre-installed eLux RT with license for eLux RT and Scout Enterprise including 1 year subscription for software support.					X	S26361-F2727-E751	56,00	
	eLux RP pre-installed w/o license	Pre-installed eLux RP. No licenses for eLux or SCOUT Enterprise are included., , Licensing is possible with existing licenses (e.g. in case of exchanging Thin Clients) or with the optional eLux-License S26361-F2727-L755. (If no license is available, the Thin Client can be booted 40 times.),	х	x	x	×	(	S26361-F2727-E752	4,00	
	eLux RP pre-inst. w/ license (built-in)	Pre-installed eLux RP with license for eLux including 1 year of software support (integrated subscription). , No license for SCOUT Enterprise is included., Up to 5 Thin Clients can be managed for free. A license for SCOUT Enterprise 13 or higher (S26361-F2727-L705) is required for all Thin Clients as soon as more than 5 Thin Clients shall be managed.	X	X	x	×	(	S26361-F2727-E753	20,00	
	eLux RP pre-inst. incl Scout (built-in)	Pre-installed eLux RP with licenses for eLux and SCOUT Enterprise; including 1 year of software support (integrated subscription).,	х	Х	X	×	(	S26361-F2727-E754	72,00	
	eLux RL3 pre-installed w/ license	Pre-installed eLux RL 3.x with license for eLux and including 2 years of software support. No client license for Scout EP is included., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.)	X	X	X	X		S26361-F2727-E706	38,00	
	eLux RL3 pre-installed incl. Scout	Pre-installed eLux RL 3.x with licenses for eLux and SCOUT Enterprise; including 2 years of software support (integrated subscription).	х	X	x	×	(	S26361-F2727-E707	72,00	
	Rec.DVD eLux RL3	Recovery-DVD for eLux RL 3.x. No licenses for eLux or Scout EP are included.	х	X	X	X	(	S26361-F2727-E708	3,00	
	Win Embedded Standard_7 German	German version of Windows Embedded Standard 7 (WS7E) without manageability agent., Size on storage device ca. 3.6 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.	х	X				S26361-F2009-E208	58,00	Phased out
	Win Embedded Standard_7 English	English version of Windows Embedded Standard 7 (WS7E) without manageability agent., Size on storage device ca. 3.6 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.	X	х				S26361-F2009-E211	58,00	Phased out
	Win Embedded Standard_7_SC German	German version of Windows Embedded Standard 7 (WS7E) with manageability agent for SCOUT Enterprise. Licenses for SCOUT Enterprise are not included., Size on storage device ca. 3.8 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.	х	x				S26361-F2009-E207	66,00	Phased out
	Win Embedded Standard_7_SC English	English version of Windows Embedded Standard 7 (WS7E) with manageability agent for SCOUT Enterprise. Licenses for SCOUT Enterprise are not included., Size on storage device ca. 3.8 GB. If additional software shall be installed, a mSATA module with at least 8	Х	X				S26361-F2009-E210	66,00	Phased out



O Options					١.			l	
		FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X913-T	FUTRO Z220	Product Code	EUP (€)	Comments
Description latrix	Details	Ē	Ī	Ī	Ī	Ī	<u> </u>	Ш	Ŏ
win Embedded Std 7 SC Multimedia DE	German version of Windows Embedded Standard 7 (WS7E) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Licenses for SCOUT Enterprise are not included.	X	X				S26361-F2009-E219	77,00	
Win Embedded Std 7 SC Multimedia ENG	English version of Windows Embedded Standard 7 (WS7E) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Licenses for SCOUT Enterprise are not included.	Х	X				S26361-F2009-E220	77,00	
Rec.DVD WES7 German	Recovery-DVD for the German version of Windows Embedded Standard 7 (WS7E). No license for Windows Embedded Standard is included.	х	X				S26361-F2009-E802	3,00	Phased out
Rec.DVD WES7 English	Recovery-DVD for the English version of Windows Embedded Standard 7 (WS7E). No license for Windows Embedded Standard is included.	х	X				S26361-F2009-E805	3,00	Phased out
Rec.DVD WES7 SC German	Recovery-DVD for the German version of Windows Embedded Standard 7 (WS7E) with manageability agent for SCOUT Enterprise. No licenses for Windows Embedded Standard or SCOUT Enterprise are included.	х	x				S26361-F2009-E801	3,00	Phased out
Rec.DVD WES7 SC English	Recovery-DVD for the English version of Windows Embedded Standard 7 (WS7E) with manageability agent for SCOUT Enterprise. No licenses for Windows Embedded Standard or SCOUT Enterprise are included.	х	x				S26361-F2009-E804	3,00	Phased out
Rec.DVD WES7 SC Multimedia DE	Recovery-DVD for the German version of Windows Embedded Standard 7 (WS7E) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Licenses for Windows Embedded Standard, SCOUT Enterprise or multimedia codecs are not included.	X	X				S26361-F2009-E808	3,00	
Rec.DVD WES7 SC Multimedia ENG	Recovery-DVD for the English version of Windows Embedded Standard 7 (WS7E) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Licenses for Windows Embedded Standard, SCOUT Enterprise or multimedia codecs are not included.	X	X				S26361-F2009-E809	3,00	
Win Embedded Std. 7 (WS7P) Multimedia	International version (German, English, French and Italian) of Windows Embedded Standard 7 (WS7P) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent, support for modular updates and pre-installed multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Free modular package updates for 1 year are included. For further updates Subscription Keys eLux/WES/Scout (S26361-F2727-L703) are required. Licenses for SCOUT Enterprise are not included., Up to 5 Thin Clients can be managed for free. A license for SCOUT Enterprise 13 or higher (S26361-F2727-L705) is required for all Thin Clients as soon as more than 5 Thin Clients shall be managed.			X	x		S26361-F2009-E221	88,00	



UTIKO	Options									
			FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X913-T	FUTRO Z220	Product Code	IP (€)	Comments
ategory	Description	Details	교	교	교	교	교	Ţ	EUP	ပိ
ptions ma	atrix									
S/Applica	ation-SW (Continued)									
	Rec. DVD WES7 (WS7P) Multimedia	Recovery-DVD for the international version (German, English, French, Italian and Spanish) of Windows Embedded Standard 7 (WS7P) with manageability agent for SCOUT Enterprise, Microsoft WEDM agent and preinstalled multimedia codecs (video: H.264, MPEG2, MPEG4, WMV; audio: AAC, MP3, AC3, WMA). Licenses for Windows Embedded Standard, SCOUT Enterprise or multimedia codecs are not included			X	X		S26361-F2009-E810	3,00	
		,								
	No Operating System		Х	Х	Х	X		S26361-F1818-E100	2,00	
PS/Powe	er supply									
	AC-Adapter 20V/40W		Х	Х				S26361-F2542-E14	8,00	
	PoE for FUTRO X Series				Х	Х		S26361-F3466-E2	33,00	
	Kein AC-Adapter		Х	Х				S26361-F2542-E18	2,00	
	AC-Adapter 20V/40W						Х	S26361-F1051-E20	8,00	
	Cable powercord (DE,), 1.8m, black	black, 1.8m, suitable for: Germany, France, Austria, etc.	Х	Х			X	T26139-Y2540-E100	4,00	
	Cable powercord (CN), 1.8m, black	black, 1.8m, suitable for: China, 2 wire,	х	Х			Х	S26361-F404-E702	6,00	
	Cable powercord (GB), 1.8m, black	black, 1.8m, suitable for: Great Britain, Ireland	х	Х			х	T26139-Y2540-E200	4,00	
	Cable powercord (US), 1.8m, black	black, 1.8m, suitable for: US, 2 wire	Х	Х			х	T26139-Y2540-E300	4,00	
	Cable powercord (IN), 1.8m, black	black, 1.8m, suitable for: India, 2 wire					_	T26139-Y2540-E600	4,00	
ecurity	· · · · · · · · · · · · · · · · · · ·									
-cuy	SmartCard reader internal, USB 2.0	chipcard reader f. FUTRO S500 requires internal USB interface		Х				S26361-F1260-E802	19,00	
	SmartCard Reader				х	Х		S26361-F1260-E803	23,00	
ouse										
	No Mouse		Х	Х			Х	S26361-F2542-E12	2,00	
	Upgrade Mouse M440 ECO Black				Х	Х		S26361-F2542-E222	16,00	
	Optical USB mouse M510 grey		х	Х			Х	S26361-F2542-E223	6,00	
	ECO Mouse M440 black		х	Х			Х	S26361-F2542-E224	9,00	
	Optical tilt USB mouse M500T grey		х	Х				S26361-F2542-E227	12,00	
	Optical USB mouse M510 black		Х	Х			Х	S26361-F2542-E229	6,00	
	Upgrade Mouse GL9000 Blue LED				Х	Х		S26361-F2542-E231	17,00	
	Mouse M510 Black	optical mouse with 3 keys, black, 1000 dpi, Fujitsu logo, USB cable 1,8m,	Х	Х				S26381-K457-E100	6,00	
iscellane										
	Horizontal foot kit			Х				S26361-F2542-E290	5,00	
	USB Security Cover	contains 10 covers per order unit,	Х	Х			_	S26361-F2542-E291	5,00	
	TPM Module				Х	Х		S26361-F3552-E3	10,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	х	Х				S26361-F2542-E90	4,00	
isplays										
	Glare display surface					Х		S26361-F1065-E210	2,00	
	Anti-glare display surface					X		S26361-F1065-E220	50,00	Orderable from: 03/06/20
ade4you	Services									
	DeskView Load Basic	With DeskView Load Basic you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, Information about hardware components e.g. MAC - address, serial number at time of production via email, , Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	X	X	X	X	X	DVI:DVL_PACK_BAS	21,00	



FUTRO	Options									
Category	Description	Details	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO X913-T	FUTRO Z220	Product Code	EUP (€)	Comments
Options ma		120000	_	_	_	_	_	_		
made4you	Services (Continued)									
	DeskView Load Expert	With DeskView Load Expert you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, , In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email or web service, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, Specified Operating system customizing , Extended recovery scenario, , Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	X	X	X	X	X	DVI:DVL_PACK_EXP	38,50	
	DeskView Load Professional	With DeskView Load Professional you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, , In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, , Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	x	X	x	x	X	DVI:DVL_PACK_PRO	47,25	



#### Positioning ESPRIMO



**ESPRIMO C** 



**ESPRIMO E** 



**ESPRIMO P** 



**ESPRIMO Q** 



**ESPRIMO X** 

The ESPRIMO C Green PC is your perfect partner for smallest space. The ultra small form factor PC combines latest technology with environmentally conscious product design to minimize impact on the environment. With its silent product concept and service friendly cabinet, the ESPRIMO C offers best working conditions.

Put your performace on the desk. The ESPRIMO E Green PC is a small form factor PC setting new desktop standards. ESPRIMO E offers highly reliable computing power for every business demands. Due to latest technologies, highest ergonomic and silent product design the ESPRIMO E Green PC is for every costumer who requires high computing power. It can be positioned either horizontally or vertically.

Your every day business performer. The ESPRIMO P Green PC microtower offers highest performance and best expandability. With various system modifications, the ESPRIMO P is tailored to every business use to reasonable value. Working with ESPRIMO P is stress free. It is ergonomic, silent and reliable.

The ESPRIMO Q Series opens a new chapter on performance, size and design.

With its extremely small and stylish design, the new Mini PC satisfies a so far unanswered business need: PC becomes fashionable.

Add an eye catcher to your desk.

PRIMERGY TX tower servers are ideal for use in SMEs or branch offices. They increase operational efficiency by providing rock solid, record-breaking, energy efficient performance. That performance is built on 20-years of pioneering work in Green IT. As a customer, you benefit from a reduction in your organization's environmental impact and lower running costs. The reliability is proven by testing the machines through 5000 boot cycles – far more than other vendors do. PRIMERGY TX servers are also easy to manage via the PRIMERGY ServerView Suite, reducing IT admin workload and costs. Plus, tower to rack conversion kits are available for most TX systems, ensuring



#### **ESPRIMO C**

Don't let yourself be fooled from the size of the ESPRIMO C. Although it's an ultra small form factor system presenting latest chipset and processor technologies and offers Multibay functionality like a notebook. Make profit from the small form factor design because you need less space.

ESPRIMO PCs are built with specially selected material to minimize impact on the environment. Production and selection of material are optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.

Working with the ESPRIMO C is stress-free. It is small, ergonomic, silent and reliable. It is easy to administrate and secure. In short, this highly reliable premium PC is particularly tailor-made to your business demands.

	<b>Description</b> it configurations	Details	Product Code	EUP (€)	Comments
	10 C710				
	ESPRIMO C710	Base unit, proprietary system board D3164, Intel iQ75 chipset with max. 32GB address space, 4x DIMM slots DDR3 1600 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU)) / audio (Conexant CX 20642) / LAN (10/100/1000 Mbit/s Intel 82579V), 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCle 3.0 x16 slot, 1x Serial ATA III (6GB/s/NCQ), 2x Serial ATA II ports (3GB/s/NCQ), 250W wide range power supply (90% efficiency), optical USB tilt wheel mouse, internal speaker, , DeskView 10.x client management included., DVI to VGA adapter is part of shipment., , Interfaces: 2x serial external (powered), 2x PS/2, 2x USB 3.0 rear, 4x USB 2.0 rear, 2x USB 2.0 internal, 2x USB 3.0 front, 2x USB 2.0 front, 1x DisplayPort, 1x DVI, audio (3x rear, 2x in front), 1x LAN RJ45 , , optional:, Lock in front panel, Intrusion switch, SmartCard Reader	S26361-K1014-V200	309,00	
<b>ESPRIM</b>	10 C720				
	ESPRIMO C720	Base unit, proprietary system board D3224, Chipset Intel Q85, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: HD Graphics 4600; audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LV, 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCle 3.0 x16 slot, 3x Serial ATA III (6GB/s/NCQ), 250W wide range power supply (90% efficiency), Optical USB wheel mouse; internal speaker, DeskView10.x Client Management; DVI to VGA adapter is part of shipment., , Interfaces: 2x serial external (powered), 2x PS/2, 2x USB 3.0 rear, 4x USB 2.0 rear, 2x USB 2.0 internal, 2x USB 3.0 front, 2x USB 2.0 front, 1x DisplayPort, 1x DVI-I, audio (3x rear, 2x in front), 1x LAN RJ45 , , optional:, Lock in front panel, Intrusion switch, SmartCard Reader	S26361-K1114-V100	320,00	Orderable from: 15/07/2013



#### **ESPRIMO E**

Put your performance on the desk. The ESPRIMO E is a small form factor PC that can either positioned vertical or horizontal. With its chipset diversity and a managed lifecycle up to 18 month, the ESPRIMO E is the right solution for customer requiring a high quality desktop.

ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.

Working with the ESPRIMO E Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO E best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

			Product Code		ents
Model		Details	Produc	EUP (€)	Comments
Standard	d products				
ESPRIN	ESP E510 E85+ /CORE I5-3470/	ESP E510 E85+ /CORE I5-3470/ 4GB DDR3- 1600/500GB SATA III/PAR.INTF./ DUAL PORT/CK I/KB410USBBIT/ COA_W7_MM_PROFES/W7_PRO32_O1MULI_MA/,	PRJ:E0510P0001IT	739,00	
	ESP E510 E85+ /CORE I5-3470/	ESP E510 E85+ /CORE I5-3470/ 4GB DDR3- 1600/DVD/500GB SATA III/ PAR.INTF./CK I/KB520IT/COA_W7_MM_PROFES/ W7_PRO64_O1MULI_MA/,	PRJ:E0510P0002IT	729,00	
<b>ESPRIM</b>	IO E710				
	ESP E710 E90+ /CORE i5-3570/ (Promo)	ESP E710 E90+ /CORE i5-3570/ 4GB DDR3- 1600/DVD SM/500GB SATA III/ CK I/KB410PS2IT/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/	LKN:E0710P0001IT		
<b>ESPRIM</b>					
	ESP E910 0WATT /CORE i7-3770/ (Promo)	ESP E910 0WATT /CORE i7-3770/ 4GB DDR3- 1600/DVD SM/1000GB SATA III/ UPGR USB 3.0 ESP E/CK I/KB410PS2IT/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:E0910P0002IT		
	ESP E910 0WATT /CORE i5-3570/ (Promo)	ESP E910 0WATT /CORE i5-3570/ 4GB DDR3- 1600/DVD SM/500GB SATA III/ UPGR USB 3.0 ESP E/CK I/KB410PS2IT/ LIC WIN8 PRO/WIN8 PRO64 MAIN/.	LKN:E0910P0004IT		Phased out
	ESP E910 E85+ /CORE i7-3770/	ESP E910 E85+ /CORE i7-3770/ 4GB DDR3- 1600/DVD SM/500GB SATA III/ PAR.INTF./CK D/KB410USBBDE/ COA_W7_MM_PROFES/W7_PRO32_O1MULI_MA/,	PRJ:E0910P0001IT	1.016,00	
Model	Description	Details	Product Code	EUP (€)	Comments
	it configurations		-		<u> </u>

ESPRIMO E410



ESPF	RIMO E				
	Description	Details	Product Code	EUP (€)	Comments
	t configurations				
ESPRIM	ESPRIMO E410 E85+	ESPRIMO E410 E85+ Base unit: Mainboard type D3120 ATX; Chipset Intel H61, max. 16 GB, 2 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, 2 memory modules have to be ordered. Capacity per channel has to be the same; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), NCQ AHCI; 280W Max. output of power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: microphone, 1 x DVI-D, 1 x VGA, 8 x USB 2.0 total, 2x 2.0 x USB front, 4x 2.0 USB rear, 2x 2.0 USB internal, 1 x Ethernet (RJ-45), 2x PS/2		187,00	
<b>ESPRIM</b>					
ESPRIM	ESPRIMO E510 E85+	ESPRIMO E510 E85+ Base unit: ; Mainboard type D3171 ATX; Chipset Intel B75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 8 x USB 2.0 total, 2x 2.0 x USB front, 4x 2.0/2x 3.0 x USB rear, 2x 2.0/2x 3.0 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel	S26361-K1337-V320	228,00	



<b>ESP</b>	RIMO E				
			Product Code	EUP (€)	Comments
	Description	Details	Ğ	□	ŭ
	it configurations				
ESPRIM	ESPRIMO E520 E85+	ESPRIMO E520 E85+ Base unit: ; Mainboard type D3220 ATX; Chipset Intel B85, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LV; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA III ( 6 GBit) NCQ AHCI; 280W Max. output of power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Front audio: microphone, 1 x DVI-D, 1 x VGA, 1 x eSATA (optional), 4 x USB 3.0 total, 8 x USB 2.0 total, 2x USB 2.0 front, 4x USB 2.0 / 2x USB 3.0 rear, 2x USB 2.0/ 2x USB 3.0 internal, 1 x Ethernet (RJ-45), 1 x Parallel (optional, 25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible)	S26361-K1185-V300	239,00	Orderable from: 03/06/2013
ECDDIA	 	202) (Spirit, To Byte Fill C, Toodo compatible)			
ESPRIM	ESPRIMO E710 E90+	ESPRIMO E710 E90+ Base unit: ; Mainboard type D3161 ATX; Chipset Intel Q75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Front audio: microphone,	S26361-K1337-V230	275,00	



<b>ESPF</b>	RIMO E				
Model	Description	Details	Product Code	EUP (€)	Comments
	it configurations	Dotallo	ш.		<u> </u>
	IO E710 (Continued)				
	ESPRIMO E710 E85+	ESPRIMO E710 E85+ Base unit: ; Mainboard type D3161 ATX; Chipset Intel Q75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16),1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS Management Platform; Interfaces: 1 x Audio: line-in, 1	S26361-K1337-V240	264,00	
		x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone,			
ECDDIA	  C E730	Tront addio. Headphone, 1 x 1 font addio. Hierophone,			
ESPRIM	ESPRIMO E720 E90+	ESPRIMO E720 E90+ Base unit: Mainboard type D3221 ATX; Chipset Intel Q85, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: HD Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LV; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA III (6 GBit)NCQ AHCI, 1x Serial ATA II (3 GBit); 280W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView10.x Client Management; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort 1.2, 1 x DVI-D, 1x VGA, 1 x eSATA optional, 4 x USB 3.0 total, 8 x USB 2.0 total, 4x 2.0 or 2x 2.0/2x 3.0 x USB front, 4x 2.0 /2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 x Parallel optional (25pin with EPP and ECP), 2 x Mouse /	S26361-K1340-V200	286,00	



<b>ESPF</b>	RIMO E				
Model	Description	Details	Product Code	EUP (€)	Comments
	t configurations	Details	<u> </u>	ш	O
	O E720 (Continued)				
	ESPRIMO E720 E85+	ESPRIMO E720 E85+ Base unit: Mainboard type D3221 ATX; Chipset Intel Q85, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: HD Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LV; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA III (6 GBit)NCQ AHCI, 1x Serial ATA II (3 GBit); 280W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView10.x Client Management; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Front audio: headphone, 1 x Front audio: headphone, 1 x DVI-D, 1x VGA, 1 x eSATA optional, 4 x USB 3.0 total, 8 x USB 2.0 total, 4x 2.0 or 2x 2.0/2x 3.0 x USB front, 4x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 x Parallel optional (25pin with EPP and ECP), 2 x Mouse /	S26361-K1340-V210	275,00	
<b>ESPRIN</b>			_		
	ESPRIMO E910 0-Watt	Intel vPro Logo with Core i5 3xxx and Core i7 3xxx processor; ESPRIMO E910 0-Watt Base unit: ; Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID 0/1/5/10 (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec	S26361-K1337-V130	410,00	



ESPF	RIMO E				
		Date: Un	Product Code	EUP (€)	Comments
	Description   it configurations	Details	<u> </u>	Ш	Ö
	ESPRIMO E910 E90+	Intel vPro Logo with Core i5 3xxx and Core i7 3xxx processor; ESPRIMO E910 E90+ Base unit: ; Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID 0/1/5/10 (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; internal		388,00	
ESPRIM	ESPRIMO E910 E85+	speaker, DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Intel vPro Logo with Core i5 3xxx and Core i7 3xxx processor; ESPRIMO E910 E85+ Base unit: ; Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID 0/1/5/10 (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec		377,00	



ESPF	RIMO E				
			Product Code	EUP (€)	Comments
	Description it configurations	Details	<u>ē</u>	面	ŭ
Base un	t configurations  IO E920 (Continued)  ESPRIMO E920 0-Watt	Intel vPro Logo with Core i5 and Core i7 processor; ESPRIMO E920 0-Watt Base unit: Mainboard type D3222 ATX; Chipset Intel Q87, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LM; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays, 6 x Serial ATA III (6 GBit)NCQ AHCI, RAID 0/1/5/10; Intel Smart Response Technology (depending on CPU); 280W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView10.x Client Management; Interfaces: Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort 1.2, 1 x DVI-D, 1x VGA, 1	S26361-K1340-V100	427,00	
	ESPRIMO E920 E90+	x eSATA optional, 4 x USB 3.0 total, 8 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 4x 2.0 / 2x 3.0 x Intel vPro Logo with Core i5 and Core i7 processor; ESPRIMO E920 E90+ Base unit: Mainboard type D3222 ATX; Chipset Intel Q87, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LM; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA III (6 GBit)NCQ AHCI, RAID 0/1/5/10; Intel Smart Response Technology (depending on CPU); 280W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView10.x Client Management; Interfaces: Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort 1.2, 1 x DVI-D, 1x VGA, 1 x eSATA optional, 4 x USB 3.0 total, 8 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 4x 2.0 / 2x 3.0 x	S26361-K1340-V110	405,00	
	ESPRIMO E920 E85+	Intel vPro Logo with Core i5 and Core i7 processor; ESPRIMO E920 E85+ Base unit: Mainboard type D3222 ATX; Chipset Intel Q87, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LM; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA III (6 GBit)NCQ AHCI, RAID 0/1/5/10; Intel Smart Response Technology (depending on CPU); 280W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView10.x Client Management; Interfaces: Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort 1.2, 1 x DVI-D, 1x VGA, 1 x eSATA optional, 4 x USB 3.0 total, 8 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 4x 2.0 / 2x 3.0 x	S26361-K1340-V120	394,00	



#### **ESPRIMO P**

Combine high expandability with latest technology. With its expandability and its chipset diversity ESPRIMO P is the right solution for customer requiring a high quality microtower with a managed lifecycle up to 18 month

ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.

Working with the ESPRIMO P Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO P best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

			Product Code	, (€)	Comments
	Description	Details	Proc	EUP	Con
	d products				
ESPRIM		ESP P400 E85+ /CORE i3-3220/2 GB/DVD/ 500GB SATA III/CK EU EU+/ COA_W7_MM_PROFES/W7_RDVD_32+64_ PROF/ W7_PRO32_O1MULI_MA/,	SAG:SEN-P400IN-220	560,00	Phased out
<b>ESPRIN</b>					
	ESP P510 E85+ /CORE i5-3570/ (Promo)	ESP P510 E85+ /CORE i5-3570/ 4GB DDR3- 1600/DVD SM/500GB SATA III/ CK I/KB410PS2IT/LIC WIN8 PRO/ WIN8 PRO64 MAIN/RDVD WIN8 PRO64/,	LKN:P0510P0006IT		Phased out
	ESP P510 E85+ /CORE I5-3470/	ESP P510 E85+ /CORE I5-3470/ 4GB DDR3- 1600/DVD SM/500GB SATA III/ CK I/KB410PS2IT/LIC WIN8 PRO/ WIN8 PRO64 MAIN/RDVD WIN8 PRO64/,	PRJ:P0510P0001IT	737,00	Phased out
	ESP P510 E85+ /CORE I5-3470/	ESP P510 E85+ /CORE I5-3470/ 4GB DDR3- 1600/500GB SATA III/PAR.INTF./ DUAL PORT/CK I/KB410USBBIT/ COA_W7_MM_PROFES/W7_PRO64_O1MU LI_MA/,	PRJ:P0510P0002IT	739,00	
<b>ESPRIN</b>					
	ESP P710 E90+ /CORE I5-3470/ (Promo)	ESP P710 E90+ /CORE I5-3470/ 4GB DDR3- 1600/GF605 DP 1GB FH/DVD SM/ 500GB SATA III/CK I/KB410PS2IT/ COA_W7_MM_PROFES/W7_RDVD_32+64_ PROF/,	LKN:P0710P0002IT		
	ESP P710 E85+ /CORE I5-3470/	ESP P710 E85+ /CORE I5-3470/ 4GB DDR3- 1600/DVD SM/250GB SATA III/ PAR.INTF./CK I/KB410PS2IT/ COA_W7_MM_PROFES/W7_PRO64_O1MU LI_MA/,	PRJ:P0710P0001IT	767,00	
<b>ESPRIN</b>	10 P910	1			
	ESP P910 E85+ /CORE I5-3470/	ESP P910 E85+ /CORE I5-3470/ 2x2GB DDR3-1600/DVD SM/500GB SATA III/ CK I/KB900IT/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/W7_PRO64_O1M ULI_MA/,	PRJ:P0910P0001IT	901,00	
	ESP P910 0WATT /CORE i7-3770/	ESP P910 0WATT /CORE i7-3770/ 4GB DDR3-1600/GF605 DP 1GB FH/DVD SM/ 500GB SATA III/PAR.INTF./CK I/ KB410USBBIT/COA_W7_MM_PROFES/,	PRJ:P0910P0002IT	1.094,00	
	ESP P910 E90+ /CORE I5-3470/	ESP P910 E90+ /CORE I5-3470/ 4GB DDR3- 1600/DVD SM/2x500GB SATA III/ HDD SSD CABLE/CK I/KB410PS2IT/ Nero 12 XL/XP DUDVD/DU DVD WIN7+8/NO OS/,	PRJ:P0910P0003IT	861,00	
	ESP P910 E90+ /CORE I5-3470/	ESP P910 E90+ /CORE I5-3470/ 2x2GB DDR3-1600/ATI HD7350/DVD SM/ 500GB SATA III/PAR.INTF./CK I/ KB410USBBIT/COA_W7_MM_PROFES/,	PRJ:P0910P0004IT	958,00	
	ESP P910 E90+ /CORE I5-3470/	ESP P910 E90+ /CORE I5-3470/ 2x4GB DDR3-1600/GT630 2GB FH 0WATT/ DVD SM/1000GB SATA III/PAR.INTF./CK I/ KB410USBBIT/COA_W7_MM_PROFES/,	PRJ:P0910P0005IT	1.055,00	
	<b>Description</b> it configurations	Details	Product Code	EUP (€)	Comments



ESP	RIMO P				
Model	Description	Details	Product Code	EUP (€)	Comments
	nit configurations	Details	<u>C</u>	ш	0
<b>ESPRIM</b>	MO P910 (Continued) MO P400				
	ESPRIMO P400 E85+	ESPRIMO P400 E85+ Base unit: ; Mainboard type D2990 ATX; Chipset Intel H61, max. 16 GB, 2 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules).; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit) NCQ AHCI; 330 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, N/A x N/A, 1 x Front audio: headphone, 1 x Front audio: microphone, N/A x N/A, N/A, 1 (DVI-D) x DVI, optional x USB 3.0 total, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 2 x Mouse		187,00	Phased out
ECDDIA	MO P410	/ Karbaard /DC/ON 4 v//CA			
	MO P510	ESPRIMO P410 E85+ Base unit: Mainboard type D3120 ATX; Chipset Intel H61, max. 16 GB, 2 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, 2 memory modules have to be ordered. Capacity per channel has to be the same; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), NCQ AHCI; 280 W Max. output of power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DVI-D, 1 x VGA, 8 x USB 2.0 total, 2x 2.0 x USB front, 4x 2.0 USB rear, 2x 2.0 USB internal, 1 x Ethernet (RJ-45), 2x PS/2	S26361-K1019-V100	187,00	



ESPI	SPRIMO P						
Model	Description	Details	Product Code	EUP (€)	Comments		
	nit configurations	Details	<u>C</u>	ш			
	MO P510 (Continued)						
	ESPRIMO P510 E85+	ESPRIMO P510 E85+ Base unit: ; Mainboard type D3171 ATX; Chipset Intel B75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 8 x USB 2.0 total, 2x 2.0 x USB	S26361-K1017-V400	228,00			
	MO P710	ESPRIMO P520 E85+ Base unit: ; Mainboard type D3220 ATX; Chipset Intel B85, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same; Graphics: Intel HD Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LV; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bay, 2x 3.5-inch internal bays, 2x 5.25-inch external bays; 4 x Serial ATA III ( 6 GBit) NCQ AHCI; 280W Max. output of power supply; Optical USB wheel mouse; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x USB 3.0 total, 8 x USB 2.0 total, 2x USB 2.0 front, 4x USB 2.0 / 2x USB 3.0 rear, 2x USB 2.0/ 2x USB 3.0 internal, 1 x Ethernet (RJ-45), 1 x Parallel (optional, 25pin with EPP and ECP), 2 x	S26361-K1019-V300	239,00	Orderable from: 03/06/2013		



ndel	Description	Dotaile	Product Code	EUP (€)	Comments
	nit configurations	Details		Ш	<u>o</u>
	MO P710 (Continued)				
	ESPRIMO P710 E90+	ESPRIMO P710 E90+ Base unit: ; Mainboard type D3161 ATX; Chipset Intel Q75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microhone, 1 x Audio: line-out, 1 x Front	S26361-K1015-V230	275,00	
	ESPRIMO P710 E85+	ESPRIMO P710 E85+ Base unit: ; Mainboard type D3161 ATX; Chipset Intel Q75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in/microphone, 1 x Audio: line-out, 1 x Front	S26361-K1015-V240	264,00	



	RIMO P				
			Product Code	EUP (€)	Comments
	Description	Details	ፈ	ш	<u>ŏ</u>
	it configurations				
PRIN	10 P720 (Continued)	ESPRIMO P720 E00 L Base unit: Mainheard	\$26361 K1018 \/200	286 00	
	ESPRIMO P720 E90+	ESPRIMO P720 E90+ Base unit: Mainboard type D3221 ATX; Chipset Intel Q85, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. Graphics: HD Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LV; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 4 x Serial ATA III (6 GBit)NCQ AHCI, 1x Serial ATA II (3 GBit); 280W max. output power; Optical USB wheel mouse; internal speaker, DeskView10.x Client Management; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort 1.2, 1 x DVI-D, 1x VGA, 1 x eSATA optional, 4 x USB 3.0 total, 8 x USB 2.0 total, 4x 2.0 or 2x	S26361-K1018-V200	286,00	
		2.0/ 2x 3.0 x USB front, 4x 2.0 / 2x 3.0 x USB			
	ESPRIMO P720 E85+		S26361-K1018-V210	275,00	



ESPI	RIMO P				
Model	Description	Details	Product Code	EUP (€)	Comments
	nit configurations  MO P910 (Continued)				
LOT MIN	ESPRIMO P910 0-Watt	Intel vPro Logo mit Core i5 3xxx and Core i7 3xxx processor; ESPRIMO P910 0-Watt Base unit: Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 1 x 2.5-inch internal bay, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView	S26361-K1015-V130	410,00	
	ESPRIMO P910 E90+	Intel vPro Logo mit Core i5 3xxx and Core i7 3xxx processor; ESPRIMO P910 E90+ Base unit: Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 1 x 2.5-inch internal bay, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView ClientDeskView Instant BIOS	S26361-K1015-V140	388,00	



	RIMO P		<u>o</u>		
.11	Description	Date !!»	Product Code	EUP (€)	Comments
	Description nit configurations	Details	<u> </u>	Ш	Ö
	MO P910 (Continued)				
<b>GPRIM</b>	ESPRIMO P910 E85+	Intel vPro Logo mit Core i5 3xxx and Core i7 3xxx processor; ESPRIMO P910 E85+ Base unit: Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 1 x 2.5-inch internal bay, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView	S26361-K1015-V150	377,00	
	ESPRIMO P910-L	Intel vPro Logo mit Core i5 3xxx and Core i7 3xxx processor; ESPRIMO P910-L Base unit: Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 1 x 2.5-inch internal bay, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; internal speaker, DeskView Clien,	S26361-K1018-V140	410,00	New product,Orderable from: 01/07/



FSPF	RIMO P				
			Φ		
			Product Code		ž.
				€)	Comments
			npc	<u>a</u>	E E
	Description	Details	<u>r</u>	EUP	ပိ
	it configurations				
ESPRIN	IO P920 (Continued) ESPRIMO P920 0-Watt	Intel vPro Logo with Core i5 and Core i7	S26361-K1018-V100	427,00	
		processor; ESPRIMO P920 0-Watt Base unit:		,,	
		Mainboard type D3222 ATX; Chipset Intel			
		Q87, max. 32 GB, 4 DIMM (DDR3) slots 1600			
		MHz, Dual channel support. For dual channel performance, a minimum of 2 memory			
		modules have to be ordered. Capacity per			
		channel has to be the same. Graphics: HD			
		Graphics 4600; Audio: Realtek ALC671; LAN:			
		10/100/1000 MBit/s Intel L217LM; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x4			
		(mech. x16), 1 x PCI-Express 3.0 x16, Drive			
		bays: 2 x 3.5-inch external bays, 2 x 3.5-inch			
		internal bays, 1 x 2.5-inch internal bay, 2 x			
		5.25-inch external bays; 6 x Serial ATA III (6			
		GBit)NCQ AHCI, RAID, Intel Smart Response Technology (depending on CPU); 280W max.			
		output power; Optical USB wheel mouse;			
		internal speaker, DeskView10.x Client			
		Management; Interfaces: 1 x Audio: line-in, 1			
		x Audio: line-in / microphone, 1 x Audio: line- out, 1 x Front audio: headphone, 1 x Front			
		audio: microphone, 1 x DisplayPort 1.2, 1 x			
		DVI-D, 1x VGA, 1 x eSATA optional, 4 x USB			
	ESPRIMO P920 E90+	Intel vPro Logo with Core i5 and Core i7	S26361-K1018-V110	405,00	
		processor; ESPRIMO P920 E90+ Base unit:			
		Mainboard type D3222 ATX; Chipset Intel			
		Q87, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel			
		performance, a minimum of 2 memory			
		modules have to be ordered. Capacity per			
		channel has to be the same. Graphics: HD			
		Graphics 4600; Audio: Realtek ALC671; LAN: 10/100/1000 MBit/s Intel L217LM; Slots: 2 x			
		PCI-Express x1, 1 x PCI-Express 2.0 x4			
		(mech. x16), 1 x PCI-Express 3.0 x16, Drive			
		bays: 2 x 3.5-inch external bays, 2 x 3.5-inch			
		internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 6 x Serial ATA III (6			
		GBit)NCQ AHCI, RAID, Intel Smart Response			
		Technology (depending on CPU); 280W max.			
		output power; Optical USB wheel mouse;			
		internal speaker, DeskView10.x Client Management; Interfaces: 1 x Audio: line-in, 1			
		x Audio: line-in / microphone, 1 x Audio: line-			
		out, 1 x Front audio: headphone, 1 x Front			
		audio: microphone, 1 x DisplayPort 1.2, 1 x DVI-D, 1x VGA, 1 x eSATA optional, 4 x USB			
	5000 W 10 0000 500	0.01-1-1.0-1100.001-1-1.4-0.00.001	200004 1/4040 1/400	22122	
	ESPRIMO P920 E85+	Intel vPro Logo with Core i5 and Core i7 processor; ESPRIMO P920 E85+ Base unit:	S26361-K1018-V120	394,00	
		Mainboard type D3222 ATX; Chipset Intel			
		Q87, max. 32 GB, 4 DIMM (DDR3) slots 1600			
		MHz, Dual channel support. For dual channel			
		performance, a minimum of 2 memory modules have to be ordered. Capacity per			
		channel has to be the same. Graphics: HD			
		Graphics 4600; Audio: Realtek ALC671; LAN:			
		10/100/1000 MBit/s Intel L217LM; Slots: 2 x			
		PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive			
		bays: 2 x 3.5-inch external bays, 2 x 3.5-inch			
		internal bays, 1 x 2.5-inch internal bay, 2 x			
		5.25-inch external bays; 6 x Serial ATA III (6			
		GBit)NCQ AHCI, RAID, Intel Smart Response Technology (depending on CPU); 280W max.			
		output power; Optical USB wheel mouse;			
		internal speaker, DeskView10.x Client			
		Management; Interfaces: 1 x Audio: line-in, 1			
		x Audio: line-in / microphone, 1 x Audio: line- out, 1 x Front audio: headphone, 1 x Front			
		audio: microphone, 1 x DisplayPort 1.2, 1 x			
		DVI-D, 1x VGA, 1 x eSATA optional, 4 x USB			



#### **ESPRIMO Q**

The ESPRIMO Q Series opens a new chapter on performance, size and design.

With its extremely small and stylish design, the Mini PC satisfies a so far unanswered business need: PC becomes fashionable. Powered by the latest Intel® Mobile Technology, the ESPRIMO Q Series fulfills the requirements of a fully-flegded PC. Don't buy expandability you never use and gain more space on your desk. You'll profit from its low energy consumption, as well as from its whisper silent noise level.

Add an eye catcher to your desk.

<b>Model</b> Base un	<b>Description</b> it configurations	Details	Product Code	EUP (€)	Comments
<b>ESPRIM</b>					
	ESPRIMO Q510	Base unit, proprietary form factor, Intel iH61 chipset with max. 16GB memory, 2x SODIMM slot DDR3 1600 MHz, graphics (Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU)) / audio (Conexant CX20642) / LAN (10/100/1000 Mbit/s Intel 82579LM), 2 drive bays (1x 5.25" slim slotin, externally accessible, 1x 2.5" internally), 70W integrated power supply, optical USB scroll mouse., DVI to VGA adapter part of shipment., Zero Noise for standard office applications (SSD needed)., VESA monitor mounting (incl. srews/bolts) included., , Interfaces: 4x USB 2.0 rear, 2x USB 2.0 in front, 1x HDMI, 1x DVI, high definition audio, 1x LAN RJ45, 1x MultiCard Reader, , optional:, 1 Lock plate	S26361-K1011-V300	295,00	
<b>ESPRIN</b>	IO Q910				
	ESPRIMO Q910	Base unit, proprietary form factor, Intel iQ77 chipset with max. 16GB memory, 2x SODIMM slot DDR3 1600 MHz, graphics (Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU)) / audio (Conexant CX20642) / LAN (10/100/1000 Mbit/s Intel 82579LM), 2 drive bays (1x 5.25" slim slotin, externally accessible, 1x 2.5" internally), 65 W integrated power supply, optical USB scroll mouse., , DVI to VGA adapter part of shipment., , Zero Noise for standard office applications (SSD needed)., , VESA monitor mounting (incl. srews/bolts) included., , , Interfaces: 2x USB 2.0 rear, 2x USB 3.0 rear, 2x USB 3.0 in front, 1x DP, 1x DVI, high definition audio, 1x LAN RJ45, 1x MultiCard Reader, , , , optional:, , 1 MiniCard for WLAN/Bluetooth module, 1 Intrusion switch, , 1 Lock plate,	S26361-K1011-V200	477,00	
<b>ESPRIN</b>		letel vDec I are mit Core if the core if the core if the core if the core is t	C0C004 K4044 V500	404.00	New and dust Orders ble from 20/07/2042
	ESPRIMO Q920	Intel vPro Logo mit Core i5 3xxx and Core i7 3xxx processor; ESPRIMO Q920; Base unit, mainboard typ proprietary form factor D3233, Intel iQ87 chipset with max. 16GB memory, 2x SODIMM slot DDR3 1600 MHz, graphics (Intel HD 4600) / audio (Realtek ALC671) / LAN (10/100/1000 Mbit/s Intel L217LM), 2 drive bays (1x 5.25" slim slot-in, externally accessible, 1x 2.5" internally, 1x mSATA internal), 65 W integrated power supply, optical USB scroll mouse; keyboard only optional., , DVI to VGA adapter part of shipment., , Zero Noise for standard office applications (SSD needed)., , VESA monitor mounting included in the housing., , , , Interfaces: 2x USB 2.0 rear, 2x USB 3.0 rear, 2x USB 3.0 in front, 1x DP, 1x DVI, high definition audio, 1x LAN RJ45, 1x MultiCard Reader, , , , optional:, , 1 MiniCard for WLAN/Bluetooth module, 1 Intrusion switch, , 1 Lock plate,	525361-K1011-V500	494,00	New product,Orderable from: 29/07/2013



#### **ESPRIMO X**

The stylish Fujitsu ESPRIMO X913 has all the advantages of a PC plus a multi-position 58.4 cm (23-inch) LED display (X913-T with touch display) and innovative easy log-in features. Achieve significant TCO savings with DeskView and Intel® vPro™ technology and protect confidential data with the integrated TPM module.

	Description	Details	Product Code	EUP (€)	Comments
	nit configurations MO X913				
	ESPRIMO X913	ESPRIMO X913 Base unit: Intel vPro Logo with Core i5 processors; Mainboard type D3204 proprietary; Chipset Intel Q77, max. 16 GB, 2 SO DIMM (DDR3, 1600 MHz) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same; Graphics: Intel HD GraphicsIntel HD Graphics 2000Intel HD Graphics 2500; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: , Drive bays: 0 x 2.5-inch bays; 1 x Serial ATA III (6 GBit) NCQ AHCI; 90 W (integrated in system) Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, N/A x N/A, N/A x N/A, optional with camera module x Internal microphones, N/A, 1 x DVI, 4 x USB 3.0 total, 2 x USB 2.0 total, 2x2.0 2x3.0 x USB rear, 2 x Kensington Lock support, 1 x Ethernet (RJ-45), 1 (via DVI to VGA adapter, part of shipment) x VGA, 1 (optional) x Integrated WLAN, 1 (optional with WLAN module) x Bluetooth	S26361-K1065-V200	#####	
ESPRII		ESPRIMO X913-T Base unit: Intel vPro Logo with Core i5 processors; Mainboard type D3204 proprietary; Chipset Intel Q77, max. 16 GB, 2 SO DIMM (DDR3, 1600 MHz) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same; Graphics: Intel HD GraphicsIntel HD Graphics 2000Intel HD Graphics 2500; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: , Drive bays: 0 x 2.5-inch bays; 1 x Serial ATA III (6 GBit) NCQ AHCI; 90 W (integrated in system) Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, N/A x N/A, N/A x N/A, optional with camera module x Internal microphones, N/A, 1 x DVI, 4 x USB 3.0 total, 2 x USB 2.0 total, 2x2.0 2x3.0 x USB rear, 2 x Kensington Lock support, 1 x Ethernet (RJ-45), 1 (via DVI to VGA adapter, part of shipment) x VGA, 1 (optional) x Integrated WLAN, 1 (optional with WLAN module) x Bluetooth	S26361-K1065-V300	#####	



Description	Details	ESPRIMO C5731 ESPRIMO C700 ESPRIMO C710	ESPRIMO C720 ESPRIMO E3521	ESPRIMO E3721 ESPRIMO E400	ESPRIMO E410 ESPRIMO E420	ESPRIMO E500 ESPRIMO E510	ESPRIMO E520 ESPRIMO E564	ESPRIMO E5731 ESPRIMO E700	ESPRIMO E705 ESPRIMO E710	ESPRIMO E720 ESPRIMO E7936	ESPRIMO E900	ESPRIMO E920 ESPRIMO E9900	ESPRIMO P3521 ESPRIMO P3521 ESPRIMO P3721	ESPRIMO P400 ESPRIMO P410	ESPRIMO P500	ESPRIMO P520 ESPRIMO P564	SPRIMO P700	ESPRIMO P705 ESPRIMO P710	ESPRIMO P720 ESPRIMO P793	ESPRIMO P910 ESPRIMO P920	ESPRIMO P990	ESPRIMO PH3 ESPRIMO Q15	ESPRIMO Q510 ESPRIMO Q900	ESPRIMO Q900 ESPRIMO Q910	ESPRIMO Q920 ESPRIMO X913	PRIMO oduct Co	EUP (€)
es & services matrix		ш   ш   ш   і	ш   ш	шш	ш ш	ш   ш	ш ш	ш ш	<u>п   ш   г</u>	л   Ш   п	и   ш   і	ш ш і	и   ш   ш	шш	п   ш	ш ш ц	и   ш   і	ш ш	ш ш ш	Ш   Ш	шш	шш	ш ш	ш ш і	шшш	7 C	<u>'</u>
2GB DDR3-1333 4GB DDR3-1333 2GB DDR3-1333	1 module PC 1333, DIMM 1 module PC 1333, DIMM 1 module PC 1333, DIMM	X X	X			X	X		X X	X X			x x x x x x		X	X X		X X	X		X X				#	S26361-F4401-L2 S26361-F4401-L3 S26361-F3378-L2	37,00 56,00 37,00 PI
4GB DDR3-1333 4GB DDR3-1333 2GB DDR3-1600	1 module PC 1333, DIMM	X		X		X X		X			X X				X X		X	X	) X							S26361-F3378-L3 S26361-F3384-L2	81,00 P 37,00 P
4GB DDR3-1600 8GB DDR3-1600	4   1. DO 4000 (DO0 40000) OO DIMM	X X			X X X X	X		х	X	2	x x x			X	X		X	X	x	X						S26361-F3384-L3 S26361-F3384-L4	81,00 116,00
2GB DDR3-1600 4GB DDR3-1600 8GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM, 1 module PC 1600 (PC3-12800), SO-DIMM, 1 module PC 1600 (PC3-12800), SO-DIMM,																						X X	X X X	х	S26361-F4553-L2 S26361-F4553-L3 S26361-F4553-L4	37,00 81,00 116,00
ATI Radeon HD7350 1GB FH	Dual DVI-I, DDR3, full height,													хх	х			хх		хх						S26361-F3535-L736	58,00
. ,	PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, incl. Adapter													X X	x x	X	X	x x	X X	XX						S26361-F3000-L607	66,00
NVIDIA GeForce 605 DisplayPort 1GB LP	DVI-VGA, DDR3 PCIe Gen2, Dual Monitor (1x DVI-I, 1x display	X	х			хх	x	x	x x :	x :	хх	х														S26361-F3000-L605	66,00
	port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA, DDR3															.,			., .							S26361-F3000-L633	98.00
NVIDIA GeForce GT630 DisplayPort 2GB LP	DDR3, full height, ,	X	v	v	x x	v v	v		x x	v ,	x x	v		X	x x	X	X	x x	X X	X X						S26361-F3000-L633	98,00
NVIDIA NVS 300 512MB PCle x16	DDR3, low profile, ,  Connectors: 1x LFH 59, PCle x16, adapters	^	<b>X</b>	^	X X	X X	^		A A .	^ /	^	^			x x	x x	X	x x	x x	x x					_	S26361-F2748-L38	100,00
	and cables must be ordered separately  Connectors: 1x LFH 59, PCle x16, adapters	x x	x	Х	x x	хх	хх	x	x x :	x 2	x x	Х														S26361-F2748-L338	100,00
Display Port/ DVI-D adapter cable	and cables must be ordered separately for connection of one DVI-D monitor	хх									хх	хх			хх	x x :	хх	хх	x x x		х		х	X	x	S26361-F2391-L200	35,00
DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector	X X			X X				x x :		хх				x x			хх		XX						S26361-F2391-L1	19,00
LFH59/ 2x DVI-I adapter cable LFH59/ 2x DP adapter cable	for connection of two DVI-I monitors for connection of two Display Port monitors	X X X X			X X X X				x x :		x x x x				x x x x			x x x x		X X						S26361-F2391-L101 S26361-F2391-L102	32,00 34,00
MultiCard Reader 24in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II,			X	x x	x x	x	X	x x :	x 2	х х	x		x	х х		x	хх	Х	x						S26361-F3077-L50	26,00
	SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with																										
	adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with																										
	adapter), xD-Picture Card, MD, SMC , occupies accessible 3.5"- bay and requires			x		x		X	x	;	x		X	X	x		x	x	Х	:	x				+	S26361-F3077-L51	33,00
	internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, SD HC, SD XC,																										
	Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC																										
	Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC.																										
	occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector					х									x										+	S26361-F3077-L52	33,00
	USB 3.0, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with																										
	adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo																										
	(with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC,																										
Blu-ray Triple Writer SATA slim (tray)	occupies accessible 5.25"- bay, DVD software	хх	х	X	хх	хх	X	X	x x :	x :	хх	X		хх	хх	х	x	хх	х	xx			X	х	x	S26361-F3716-L100 S26361-F3741-L200	
DVD SATA	must be ordered separately, occupies accessible 5,25"- bay, without DVD-		X	хх	x x	хх	хх	x x	x x :	x x :	x x	хх	x x x	хх	x x	x x :	x x	хх	x x x	x x	x				+	S26361-F3418-L510	32,00
DVD SuperMulti SATA	video playback software occupies accessible 5,25"- bay, DVD burning		х	хх	хх	хх	хх	x x	x x :	x x :	хх	хх	x x x	хх	хх	x x :	хх	хх	x x x	x x	х				+	S26361-F3420-L510	40,00
DVD SuperMulti SATA clim	software included (without DVD-video playback software) occupies accessible 5,25"- bay, DVD burning	X	Y																						_	S26361-F3429-L510	58.00
	software included (without DVD-video playback software)	X	^																							520301-F3429-L510	აძ,00
ication/Network Gigabit Ethemet PCle x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash	x x	x	хх	хх	хх	хх	x	x x :	x	x x	x	Y	хх	x x	хх	x	хх	X Y	x x					+	S26361-F3067-L60	28,00
	manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0			_   ^																							_,,55
USB 3.0 PCle x1	FTS D3305, connectors: 1x USB Typ A external, 1x USB Typ A internal; PCle x1; FH			х										Х												S26361-F3060-L10	33,00
Gigabit Ethernet PCle x1	bracket mounted; LP bracket enclosed , Fujitsu D2807, 10/100/1000 Mbit/s, RJ45,		х					х		х		x	x x			:	x		х		х				+	S26361-F3067-L30	26,00 F
IMI AN III 200 11 17	WoL, autodetect, PXE Boot, driver CD, PCI Express, full height/ low profile																									00000	-:
	internal WLAN module, occupies 1 internal USB interface; only EMEA  1x 25 Pin D-SUB parallel socket, occupies	X X	X	X X		X X		x x					x X X	X	x x	X 2	x X	x x	X X	X	X				_	S26361-F3108-L5 S26361-F2542-L30	30,00
Parallel Interface LP  Parallel Interface	internal parallel interface and one slot  1x 25 Pin D-SUB parallel socket, occupies	x x x		^		^ X	A X	A X	^ X   3	^ X   3	^ X	^ X			+										+	S26361-F2542-L30 S26361-F2542-L60	13,00
Parallel Interface FH	internal parallel interface and one slot  1x 25 Pin D-SUB parallel socket, occupies	^ ^	•					X	x x :	x .	x x	x	x x x		x x	x x	x x	x x	x x x	x x					+	S26361-F2542-L34	13,00
	internal parallel interface and one slot, full height																										.,=0
	for eSATA peripherals, occupies one internal SATA interface and one slot; low profile	x x x	Х	х		хх	хх	хх	x x	x x	хх	хх				X :	x		х		х					S26361-F2542-L40	13,00
	for eSATA peripherals, occupies one internal SATA interface and one slot; full height								x x :		хх		Х		хх			хх		x x						S26361-F2542-L70	19,00
Dual serial card PCle x1 Dual serial card PCle x1, powered cation-SW	Dual Port RS232 via splitter cabel Dual Port RS232 via splitter cabel	x x x	X	X X	X X	x x x x			x x :		x x x x	X		X X	x x x x	X		x x x x		X X						S26361-F3316-L6 S26361-F3316-L7	37,00 42,00
	Subscription Key for SCOUT Enterprise in combination with eLux and Windows	х						X																		S26361-F2727-L703	17,00
	Embedded Standard 7 (WS7P) to prolong the software support for 12 months.					_																					
FLUENDO Codec Package	The FLUENDO Codec Package includes the licenses for using multimedia codecs in	х						Х																		S26361-F2727-L704	10,00
	combination with eLux RL. The codecs itself are pre-installed on our eLux RL operating																										
	system. When ordering the FLUENDO Codec Package, you will receive a license key which																										
	allows to use the codecs on your Thin Client., , Following codecs are covered: MP3, WMA																										
Windows MPS 2011 CAL	stereo, AAC stereo, AC3 stereo, WMV, H264, MPEG4 part2 and MPEG2.																									S26261 E2044 L470	67,00
	incl. Nero Essentials S, Norton Internet Security	х	Х	хх	хх	хх	хх	хх	x x :	x x :	хх	хх	x x x	хх	хх	x x :	x x	хх	x x x	x x	х			х	+	S26361-F2011-L170 S26361-F2007-L910	
Drivers&Utilities DVD (WIN7 + WIN8) ESPR	incl. Nero Essentials S, Norton Internet Security	x x x	х х	хх	x x	x x	хх	x x	<b>x x</b> :	x x	х х	хх	x x x	хх	х х	x x	x x	хх	x x x	xx	х	X	хх	хх	х	S26361-F2007-L901	16,00
SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o	x   x   x	х х	х х	х х	x x	х х	x x	x   x   :	x   x   2	x x	хх	x x	x x	x x	x   x   :	x   x	x x	x   x   x	x x	х				7	S26361-F1260-L521	26,00
SmartCase SmartCard (qty. 1)	SmartCard  1 SmartCard CardOS 4.3b,64 KByte EEPROM	x x x	хх	x		x	x	x x	x	x :	x	x	x x		x	x :	хх	x	хх		х		х	х	+	S26361-F1571-L201	18,00 F
SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte	x x x	хх	x		х	x	x x	x	x :	x	х	хх		x	x :	хх	х	хх	:	Х		X	х	+	S26361-F1571-L210	122,00 F
SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium	x	Х	x			х	х		х		x	x x			x :	x		х		х			х		S26361-F2727-L100	20,00
SmartCase Logon+ 3.2.2	Does not support Windows 8; supports secure authentication, password container, SSO, drive	хх	х			х		x	x x :	x :	хх	х			х		x	хх	x x	x x			х	x	x	S26361-F2727-L740	42,00
	encrypt, smartcard, biometrics	x x	X			хх	x	X	x x :	x .	x x	x			x x	x	x	x x	X X	x x			хх	Х	<u>x</u>	S26361-F2727-L760	17,00
Advanced Face Recognition, Multi License	RFID SmartCardReader USB SCL011 with	X X		X		хх	х		x x :	x :	X X X	х			X X	х		хх		x x x x	x		X X X	х	х	S26361-F2727-L760 S26361-F2727-L761 x S26381-F11-L100	17,00 17,00 38,00
SmartCard CARDOS V4.4. 1PCS	stand in white box packing 1 SmartCard CardOS 4.4, 68 KByte EEPROM	х			хх	х	x	X	x :	x :	x x	х					x		Х	:	x	X	X			x S26381-F305-L101	25,00
SmartCard CARDOS V4.4. 2PCS	2 SmartCard CardOS 4.4, 68 KByte EEPROM	x x x	X	x x	x x	хх	хх	x x	x x :	x x :	x x	хх	x x	хх	x x	x x :	x x	хх	x x x	x x	хх	x	хх	хх	x x	x S26381-F305-L102	45,00
SmartCard CARDOS V4.4. 10PCS	10 SmartCard CardOS 4.4, 68 KByte	хх	X	x	хх	хх	хх	x x	x x :	x x :	x x	хх	x x	х	x x	x x :	x x	хх	x x x	x x	хх	x	хх	хх	x x	x S26381-F305-L110	204,00
Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista /Win7compatible, USB	x x x	хх	хх	хх	хх	хх	x x	x x :	x x :	хх	хх	x x x	хх	хх	x x :	x x	хх	x x x	x x	хх	x x	хх	хх	<b>x x</b> :	x S26381-F331-L220	25,00
USB SCR 3500	interface External USB SmartCard Reader, folderable., Reads and write on all ISO 7816, 1-4 compliant	x x x	х	х	хх	хх	х	X	x x :	x :	хх	х		хх	хх	х	x	хх	х	x x			х	x	<b>x x</b> :	x S26381-F350-L100	27,00
	SmartCards., CCID compliant, USB Bus powered.																										
PalmSecure Sensor Guide Kit STD	PalmSecure Sensor Guide Kit STD contains an external USB vein sensor for biometric	X	х	х	хх	хх	х	x	x x :	x 2	хх	х		хх	хх	x	x	хх	X X	x x			хх	x	x x :	x S26381-K436-L100	256,00
	authentication. USB 2.0 bus powered. Set contains:, Sensor, holder, Handguide and USB																										
	cable in Brown box.																										
Lock plate ESPRIMO Q														_												S26361-F2542-L338	14,00

Fujitsu Technology Solutions

Listino Prezzi Giugno 2013



MO Accessories		_		,	-   -					ıc					9			0 0	- C	_				2	_			ဖ			00	0	<b>5</b>		0			<del>ا</del>		
		C5731	2700	3720	=3721	<b>=</b> 400	=410 =420	2200	<b>=510</b>	=520 =564£	573	1700	1710	1720	:900	1910	<b>=920</b>	1990	352	372	2410	2500	2510 2520	2564	2573 2700	2705	720	793(	2900	2920	)66c	7H31	2510	900ح	3900	3910 3920	(913	X913		
		MO	0 0	MO	8	MO	OM CM	M M	MO	M 0 0	MO	0 Z	M O	MO	M M	M 0	MO	ON C	8	MO	M 0	MO	M OM	MO	M OM	MO		MO	M M	MO	M 0M	MO	M M	MO	MO	RIMO C			<b>(€)</b>	
		SPRI	SPRIM	SPRIM	ESPRIM	SPRIM	SPRII	SPRI	SPRII	SPRIM	SPRIM	SPRII	SPRII	SPRI	SPRIM	SPRI	ESPRIM	SPRIM	SPRII	SPRIN	SPRIM	SPRI	ESPRIM	SPRII	SPRII	SPRIM	SPRIM	ESPRIM	SPRIM	SPRIM	SPRIM	SPRIM	SPRIN	SPRIM	SPRI	SPRIM	SPRIMO	SPRIMO	EUP (	
Description es & services matrix	Details	Ш	ШШ	Ш	i iii	Ш	ШШ	i Ш	Ш	ш   ш	Ш	ШÜ	Ú Ŭ	Ші	Ш	й   Ш	Ш	Шί	Ü	Шί	йΙй	Шi	ШШ	Ш	ШШ	Шί	й	Ш	ШШ	Ш	ШШ	Ш	ų Ш	Ш	Шί	цЩ	ш	ш <u>с</u>	<u> </u>	
eous (Continued)																																								
Subadapter	To mount the system at rear side of the monitor. Contents: Subadapter, screws, bolts. Please check the capability of the monitor.,																																X			хх		S26361-F2601-L200	0 19,0	00
Feet for vertical position (set)				,	( X	Х	х	X	х	хх	х	x x	хх	X :	x >	хх	х	х															$\perp$			$\perp$		S26361-F2542-L200		
Rear USB 2.0 connector Blanking Plate 5.25" drive bays, 10 pcs.	2x USB 2.0			١,	/ v	v	хх	, v	v	v				+					/ v	v	v v	v	v v	X	X X	v	v v	X	v v	_	X		+			+	+	S26361-F2438-L219 S26361-F2542-L320		
Blanking Plate 3.5" drive bays, 10 pcs.							X X				х				х										X X								+			$\top$	+	S26361-F2542-L32		
Blanking Plate 5.25" drive bays, 3 pcs.	3x 5.25" covers & drive cage					х	хх	Х	х	хх	х	x x	х х	X	x >	х х	Х	х																		$\perp$		S26361-F2542-L328	8 17,0	.00
Blanking Plate + cage 3.5" bay, 6 pcs.						Х	хх	X	Х	X X	Х	X X	х х	X :	x >	x x	Х	Х	-														_			_	$\perp$	S26361-F2542-L329		
Short DVI/DVI cable for mounting kit	short cable (440mm), for mounting kit, ,																																X			х		S26361-F2581-L11	32,0	00
Power cord China												х			>	x									х				х									S26361-F2542-L51	19,0	,00
Monitor outlet cable	necessary to contact monitor directly to the											х	Х	X :	x x	х	х	х							х		х	Х	х х	Х	х							S26361-F2542-L57	15,0	
Cable for 2. USB device	PC										+	-	+	++		-						$\vdash$			X	<del>     </del>	x x		хх	-			+			+	++	S26361-F2581-L10	22,0	00
I Software																									X		^ X		X X	X							أحين	320301-F2381-L10	22,0	JU
OPENFT-CR (Unix systems) V12.0	CD-ROM openFT-CR V12.0, Cryptographic module, for openFT V12.0, Attention export restrictions	X	Х	3	( X	х	х	x	Х	х	х	X X	х	X   :	X	х	х	х	X					X	х			Х			х		х х	х	X	х х		U10987-C599	15,0	00
OPENFT-SW-CD (Unix systems) V12.0		х	х	2	¢ χ	х	х	×	х	х х	х	X X	хх	X	x >	хх	х	х	( X					х	х			х			х		хх	Х	x	х х		U10987-C600	36,0	,00
OPENFT-1 (Unix systems) V12.0		х	х	2	( X	х	x x	х	х	х х	x	x x	х	x :	X X	х х	х	х	( X					х	х			х			х		х	х	X	хх		U10987-C601	1.348,0	00
OPENFT-FTAM-1 (Unix systems) V12.0	License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode;	х	х	2	( X	х	x x	x	Х	хх	x	x x	х х	<b>x</b> :	X X	х х	х	х	( X					Х	х			Х			х		х х	х	X :	хх		U10987-C613	1.348,0	00
OPENFT-FTP-1 (Unix systems) V12.0	for using in automated, unattended mode;	х	х	2	( X	х	х	x	Х	хх	x	x x	х х	x :	X X	х х	х	х	( X					Х	х			Х			х		х х	х	X :	хх		U10987-C625	550,0	00
OPENFT-CR (WINDOWS) V12.0		х	х	2	( X	х	х	x	х	хх	х	x x	хх	X :	x >	х х	х	х	( X					х	х			х			х		хх	Х	X	x x	i	U11081-C399	15,0	,00
OPENFT-SW-CD (WINDOWS) V12.0		х	х	2	¢ χ	х	хх	x	х	х х	х	X X	хх	X :	х	хх	х	х	c x					х	х			х			х		хх	Х	<b>X</b>	х х	:	U11081-C400	30,0	,00
OPENFT-1 (WINDOWS) V12.0	openFT-SW V12.0 License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	х	Х	2	( X	x	хх	x	Х	хх	х	x x	х х	<b>x</b> :	X X	х х	х	х	( X		х х	Х		Х	хх	х		Х	Х		Х		хх	х	x	хх		U11081-C401	1.348,0	00
OPENFT-FTAM-1 (WINDOWS) V12.0	License openFT-FTAM (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	х	х	7	( X	х	х	х	x	хх	х	x x	x x	X :	x x	х	х	x x	( X					x	x			x			х		хх	х	X	x x		U11081-C411	1.348,0	00
OPENFT-FTP-1 (WINDOWS) V12.0	License openFT-FTP (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	х	х	2	( X	х	х	x	X	хх	x	X X	х х	<b>x</b> :	X X	х х	х	x x	( X					X	х			X			Х		х х	х	X :	хх		U11081-C421	550,0	00
OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	х	Х	2	( X	х	х	X	Х	х х	х	X X	х	X :	X	х	х	х	( X		х	х		Х	хх	х		Х	Х		Х		хх	х	X	х х		U11081-C301	1.225,0	00
OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	х	х	2	( X	х	х	X	X	х х	Х	X X	х	X :	X	х	x	х	( X					X	х			X			х		хх	х	X	х х		U11081-C311	1.225,0	00
OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	х	х	;	X	х	х	X	Х	х	х	X X	х	X :	X	х	х	х	X					Х	х			Х			х		х	Х	X	х х	-	U11081-C300	30,0	00
OPENFT-CR (WINDOWS) V11.0		х	х	;	( X	х	х	x	х	х х	х	x x	х	X :	X X	х	х	х	( X					Х	х			х			х		х х	х	X	х х	.	U11081-C299	15,0	,00
OPENFT-1 (UNIX systems) V11.0		х	Х	;	( X	x	х	x	X	хх	х	X X	х х	<b>X</b>	X	х	х	х	( X					Х	х			Х			Х		хх	х	x	хх		U10987-C501	1.225,0	00
OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	х	X	;	( X	х	х	x	x	хх	Х	x x	х	x :	x x	х	х	х	( X					x	х			х			Х		хх	х	X	x x		U10987-C513	1.225,0	00
OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-	х	х	;	( X	х	х	x	х	х х	х	x x	х	<b>x</b>	x >	х х	х	х	( X					х	х			х			х		х х	х	X	х х		U10987-C500	36,0	,00
OPENFT-CR (UNIX systems) V11.0	SW V11.0 CD-ROM openFT-CR V11.0, Cryptographic	Х	x	,	( X	х	хх	x	x	хх	x	X X	x x	X	x >	x x	х	хх	( X					х	х			х			х		x x	Х	X	хх	++	U10987-C499	15,0	,00

Fujitsu Technology Solutions

Listino Prezzi Giugno 2013



PRIN	10 Options																					
			20 20	9	9 9	9 6	20	9	8 8	9	9 9	S 6	20	10	P920 PH300	Q510	5 5	13 2	X913-T	0		
			O C710 O C720	O E410	O E510	O E710	O E720	O E910	O E920 O P400	O P410	O P510	ESPRIMO P520 ESPRIMO P710	O P720	O P910	O P920 O PH30	0 05	0 0910	O X913	o X9	Code		lts.
			ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO F	PRIM	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	Product	P (€)	Comments
<b>gory</b> ns matr	Description	Details	ES	ESI			ESI	ESI		ESI	ES S		ES	ESI		ES			ESI	Pro	EUP	Ö
ovals/c	lependencies 24/7 extended lifetime													х						S26361-F2542-E232	1.00	New product, Orderable from: 01/07/20
	Housing for 2 full height PCI cards FastOn		хх			X	х	X	Y			v	X		Y		Υ ,	y y	Y	S26361-F2542-E427 S26361-F2550-E120	20,00	
	China (CCC) approval Green system					X	Ŷ	X	^			X		^	^		X	х		S26361-F2550-E150 S26361-F2550-E160	3,00 2,00	
essor	Celeron G1610	incl. Intel HD Graphics, 2.60 GHz, 2 MB total	x	х	v	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		v		V	v			х			X /	X		S26361-F4020-E161	36,00	
		cache, dual core/2 threads, LGA1155,		Ш		Х	Ш	Х		X		Х				Ш	4					
	Pentium G2020	inkl. Intel HD Graphics, 2.90 GHz, 3 MB total cache, dual core/2 threads, LGA1155,	Х	Х	X	Х		Х	X	X	X	Х		Х						S26361-F4050-E202	66,00	
	Pentium G2030	incl. Intel HD Graphics, 3.00 GHz, 3 MB total cache, dual core/2 threads, LGA1155,	X	х	х	Х				Х	х	X	3							S26361-F4050-E204	66,00	
	Pentium G870	incl. Intel HD Graphics, 3.10 GHz, 3 MB total cache, dual core/2 threads, LGA1155,	х	х	х	х		х	х	X	х	X		Х						S26361-F4050-E870	73,00	
	Pentium G2120	incl. Intel HD Graphics, 3.10 GHz, 3 MB total cache, dual core/2 threads, LGA1155,	х	х	х	х		х	х	X	х	x		х						S26361-F4050-E212	79,00	
	Core i3-3220	incl. Intel HD Graphics 2500, 3.30 GHz, 3 MB	х	Х	х	х	$\Box$	Х	х	X	х	x	1	Х	х	$\Box$	$\top$			S26361-F4493-E322	134,00	
		total cache, dual core/4 threads, LGA1155, technologies: VT-x,																				
	Core i5-3330	Intel HD Graphics 2500, 3.00 GHz, up to 3.2 GHz, 6 MB total cache, quad core/4 threads,		х	х				х	X	х				х					S26361-F4494-E330	204,00	
	O i5 0470	LGA1155, technologies: VT-d															_	_		C00004 F4404 F040	225.00	
	Core i5-3470	incl. Intel HD Graphics 2500, 3.20 GHz, up to 3.6 GHz, 6 MB total cache, quad core/4 threads,	X	Х	X	X		Х	X	X	X	X		Х						S26361-F4494-E348	235,00	
	Core i5-3570	LGA1155, technologies: VT-d, TXT incl. Intel HD Graphics 2500, 3.40 GHz, up to 3.8	x		х	x		х	+	+	х	X		Х	+	H	+	+	+	S26361-F4494-E357	262,00	
		GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-d, TXT																				
	Core i5-4570	incl. Intel HD Graphics 4600, 3.20 GHz, up to 3.6	х		;	x	х	$\forall$	х	+	$\parallel$	х	х	$\dashv$	х	$\forall$	+	+	+	S26361-F4494-E457	244,00	
		GHz, 6 MB total cache, 4C/4T, LGA1150, technologies: VT-d, TXT,																				
	Core i5-4670	inkl. Intel HD Graphics 4600, 3.40 GHz, bis zu 3.8 GHz, 6 MB Total Cache, 4C/4T, LGA1150,	х		:	х	х		х			х	х		x					S26361-F4494-E467	270,00	
	Core i7-3770	Technologien: VT-d, TXT, incl. Intel HD Graphics 4000, 3.40 GHz, up to 3.9	Y	X	Y	X	$\square$	X		x	Y	X		Х	X		$\perp$	+		S26361-F4495-E377	365,00	
	Sold II-Or IU	GHz, 8 MB total cache, quad core/8 threads,	^	*	^	, x		^	×	X	^	X	`	^	X					020001-F4480-E3//	303,00	
	Core i7-4770	LGA1155, technologies: VT-d, TXT incl. Intel HD Graphics 4600, 3.40 GHz, up to 3.9	Х	H	- :	x	х	$\dashv$	x	+		x	Х		x		+	+		S26361-F4495-E477	374,00	
		GHz, 8 MB total cache, 4C/8T, LGA1150, technologies: VT-d, TXT,																				
	Celeron G1610T	incl. Intel HD Graphics, 2.30 GHz, 2 MB total					$\Box$			$^{\dagger}$						х	х			S26361-F4020-E162	43,00	
	Pentium G2020T	cache, dual core/2 threads, incl. Intel HD Graphics, 2.50 GHz, 3 MB total					$\Box$					+				х	х	х	х	S26361-F4050-E203	72,00	
	Core i3-3220T	cache, dual core/2 threads, incl. Intel HD Graphics 2500, 2.80 GHz, 3 MB			+	+	$\vdash$		+	+		+	+			х	х	X		S26361-F4493-E323	134,00	
	Core i3-3220T	total cache, dual core/4 threads, incl. Intel HD Graphics 2500, 2.80 GHz, 3 MB			-	+	$\vdash$		+	+		+		_	-		+	+	X	S26361-F4493-E324	103,00	
	Core i5-3470T	total cache, dual core/4 threads, Intel HD Graphics 2500, 2.90 GHz, up to 3.60			_	+			_	-		+			_	X	_			S26361-F4494-E347	235,00	
	Gue 13-34701	GHz, 3 MB Total Cache, Dual Core/4 Threads,														^	^	^	^	320301-1 4434-1347	233,00	
	Core i5-4570T	LGA1155, VT-d, TXT incl. Intel HD Graphics 4600, 2.9 GHz, up to 3.6			-	+	$\Box$		-	+		+	+				,	X		S26361-F4494-E458	244,00	New product, Orderable from: 29/07/2
		GHz, 4 MB total cache, dual core/4 threads, LGA1150, technologies: VT-d, TXT,																				
	Core i7-4765T	incl. Intel HD Graphics 4600, 2.0 GHz, up to 3.0 GHz, 8 MB total cache, 4C/8T, LGA1150,														П	,	х		S26361-F4495-E476	374,00	New product, Orderable from: 29/07/2
		technologies: VT-d, TXT,																				
	2GB DDR3-1333	1 module PC 1333, DIMM							х											S26361-F3378-E2		Phased out
	4GB DDR3-1333 2GB DDR3-1600	1 module PC 1333, DIMM 1 module PC 1600, DIMM,	Х	X		Х	-	X	X	х	Х	х		X	X					S26361-F3378-E3 S26361-F3384-E2	28,00	
	4GB DDR3-1600 8GB DDR3-1600	1 module PC 1600, DIMM, 1 module PC 1600, DIMM,	X	X	х	X		X			X	X		X						S26361-F3384-E3 S26361-F3384-E4	43,00 88,00	
	2GB DDR3-1600 4GB DDR3-1600	1 module PC 1600, DIMM, 1 module PC 1600, DIMM,	X			X X	X		X			X	X		X					S26361-F3386-E2 S26361-F3386-E3	43,00	Orderable from: 03/06/2013 Orderable from: 03/06/2013
	8GB DDR3-1600 2GB DDR3-1600	1 module PC 1600, DIMM, , 1 module PC 1600 (PC3-12800), SO-DIMM,	Х			X	X		X			X	X		X	х			Х	S26361-F3386-E4 S26361-F4553-E2	28,00	
	4GB DDR3-1600 8GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM, 1 module PC 1600 (PC3-12800), SO-DIMM,														X	х	Х	Х	S26361-F4553-E3 S26361-F4553-E4	43,00 88,00	
	2GB DDR3-1600 4GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM, 1 module PC 1600 (PC3-12800), SO-DIMM,																X		S26361-F4585-E2 S26361-F4585-E3	43,00	New product, Orderable from: 29/07/3 New product, Orderable from: 29/07/3
ics	8GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM,															,	X		S26361-F4585-E4		New product, Orderable from: 29/07/2
	ATI Radeon HD7350 1GB FH NVIDIA GeForce GT630 DisplayPort 2GB FH	Dual DVI-I, DDR3, full height, PCIe Gen3, DVI-I, dual link, display port, DDR3,			+	+	$\Box$				X		X	X	X	$\Box$	+			S26361-F3535-E736 S26361-F3000-E633	42,00 83,00	
	NVIDIA GeForce GT630 DisplayPort 2GB LP	full height,  PCIe Gen3, DVI-I, dual link, display port, DDR3,		Х	X :	x	$\vdash$		+	+		+			+	$\vdash$	+	+	+	S26361-F3000-E631	83,00	
	NVIDIA GeForce GT630 DP 2GB FH "0 Watt"	low profile,  Display port, DVI-I, dual link, DX11, PCIe gen3,								+		X	x	Х	X		-	+	-	S26361-F3000-E637	83,00	
	NVIDIA GeForce GT630 DP 2GB LP "0 Watt"	DDR3, full height Display port, DVI-I, dual link, DX11, PCIe gen3,	x x		_	-	X	v	v	-		_			_		_	+		S26361-F3000-E635	83,00	
		DDR3, low profile	_^_^			<u>_</u> ^										Ш	_					
	NVIDIA GeForce 605 DisplayPort 1GB FH NVIDIA GeForce 605 DisplayPort 1GB LP	DVI-I, display port, DDR3, full height, DVI-I, display port, DDR3, low profile,	хх		X :	хх	х	Х	-	X					хх					S26361-F3000-E607 S26361-F3000-E605	45,00 45,00	
	NVIDIA NVS 300 512MB PCle x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately									X	x x	X	Х	Х					S26361-F2748-E38	85,00	
	2nd NVIDIA NVS 300 512MB PCle x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately										X	X	Х	Х					S26361-F2748-E138	85,00	
	NVIDIA NVS 300 512MB PCIe x16LP	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately	хх		X	х	х	х	х											S26361-F2748-E338	78,00	
	2nd NVIDIA NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and			$\top$	х	х	х	х			$\top$					$\top$			S26361-F2748-E438	78,00	
	Display Port/ DVI-D adapter cable	cables must be ordered separately for connection of one DVI-D monitor	хх	Х			_			X							x x	х		S26361-F2391-E200	17,00	
	DisplayPort extension card	additional DisplayPort output for the integrated INTEL graphics, 3-monitor-support,				X	X		х			Х	Х		X					S26361-F2391-E210	33,00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector			X	х	Х	Х	х		Х	х	X	Х	x		T	Х	Х	S26361-F2391-E1	6,00	
	LFH59/ 2x DVI-I adapter cable LFH59/ 2x DP adapter cable	for connection of two DVI-I monitors for connection of two Display Port monitors	x x	-		x x x x				+			X			H	$\mp$	+		S26361-F2391-E101 S26361-F2391-E102	17,00 19,00	
vable	Media Drives  ODD cover (dummy drive)	necessary when no ODD is configured				^	, A	_^				^		7		х	x x	x		S26361-F2542-E53	4,00	
	Cable for 2nd ODD  BD Triple Writer SATA Slot-in slim	, marina obb io configured			+	+	H	H	х	X	х	х х	X	х	х		X			S26361-F2581-E23 S26361-F3717-E200	4,00	
	DVD SuperMulti SATA Slot-in slim	occupies accessible 5.25"- bay, DVD software must be ordered separately,	хх				П				$\Box$						X			S26361-F3741-E200	37,00	
	DVD SATA	occupies accessible 5,25"- bay, DVD software	$\vdash$	х	х	Х	$\forall$	х	x	X	х	X		х	+	$\forall$	+	+	+	S26361-F3418-E510	16,00	
		must be ordered separately		Y	X	x x	x	Х	хх	X	X	хх	x	Х	хх	$\vdash$	+	+	+	S26361-F3420-E510	23,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay,DVD software		^						_					-		4	100	1			
	DVD SuperMulti SATA  Blu-ray Triple Writer SATA slim (tray)	occupies accessible 5,25"- bay,DVD software must be ordered separately occupies 5.25"-bay, BD read/write + DVD	x x				x	х	ХУ	X	х	ХУ	x	Х	X		+	+	+	S26361-F3716-E100	73,00	



MO Options																							
		IMO C710	IMO C720	IMO E410	IMO E510	IMO E520	IMO E720	IMO E910	IMO E920	IMO P400	IMO P510	IMO P520	IIMO P710	IMO P720	IMO P920	IMO PH300			IMO X913	IMO X913-T	lot Code	(€)	nents
Description	Details	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPR	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	CMINGE	ESPRIMO	ESPRIMO	Product	EUP (	Comments
atrix le Media Drives (Continued)	,			1	[					- 14	_ ,			- 10	- ,	1	6				_		
MultiCard Reader 24in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires	Т	Т	х	х	x x	( X	х	Х	x :	х	x	х	X	х	х		Т	Т	Т	S26361-F3077-E50	10,00	
	internal USB interface, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD																						
	(with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS																						
	Duo (with adapter), MS Pro Duo (with adapter),																						
MCR 24in1 + USB 3.0 front con., 3.5"	xD-Picture Card, MD, SMC , occupies accessible 3.5"- bay and requires	+	+		+	+	+	+		x	+	+	$\vdash$	-	+		+	+	+	+	S26361-F3077-E51	13,00	
	internal USB 2.0 interface, front connector USB																					'	
	3.0, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter),																						
	MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter),																						
	MS Pro Duo (with adapter), xD-Picture Card,																						
MCR 24in1 + USB 3.0 front con., 3.5"	MD, SMC , occupies accessible 3.5"- bay and requires	+	+		Х	+	+	+	Н	+	X			+	+		+	+	+	+	S26361-F3077-E52	13,00	
	internal USB 2.0 interface, front connector USB																				02000110011202	. 0,00	
	3.0, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter),																						
	MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter),																						
	MS Pro Duo (with adapter), xD-Picture Card,																						
DVD SuperMulti SATA slim	MD, SMC occupies accessible 5,25"- bay,DVD software	\ <u>\</u>	x		4	_	+	-		_	_			_	_		_	+	+	+	S26361-F3429-E510	30,00	
	must be ordered separately	^					Ш														020301-1 3423-2310	30,00	
SSD SATA III 128GB	2.5" solid state drive with SATA 6GB/s interface,		Х	х		х	X	(	х	:	х	x		X Z	х		Х	x z	x >	x	S26361-F3679-E128	160,00	
SSD SATA III 256GB	no WinXP support  2.5" solid state drive with SATA 6GB/s interface,	-	Y	X	+	X	X		X		x	x	$\dashv$	x	x x	$\square$	х	x ,	x v	x x	S26361-F3679-E256	282,00	
	no WinXP support,		ļ^		_		<b>^</b>					<u> </u> ^	Ш		^								
HDD SATA II 500GB 5.4k 2.5"	occupies 2.5"-bay (internal), Advanced Format (AF)																				S26361-F3658-E500	73,00	
HDD SATA II 320GB 5.4k 2.5"	occupies 2.5"-bay (internal), Advanced Format (AF)																Х	X 2	x >	X	S26361-F3658-E320	56,00	
SSD SATA III 32GB Smart Response cache	mSATA module with SATA 6GB/s interface,	+	+	$\Box$	$\dashv$	+	+		х		+	+	$\parallel$	+	х	$\forall$	+	+	+	+	S26361-F3794-E32	56,00	Orderable from: 03/06/2013
	occupies 2.5"-bay (internal). Installed as Smart Response cache, additional HDD necessary.																						
CCD CATA III 220D Const December 1	mSATA module with SATA 6GB/s interface.		-		_	_	_	-		_	_	$\square$		_	_		_	$\perp$			C26264 F2705 F20	40.00	Now product Orderal Is for an 20'07
SSD SATA III 32GB Smart Response cache	Installed as Smart Response cache, additional																	,	X		S26361-F3795-E32	46,00	New product, Orderable from: 29/07
SSD SATA III 64GB Smart Response cache	HDD necessary.  Very fast 2.5" SSD with SATA 6GB/s interface,	+	-		+	_	+	-		_	_				x		_	+	+	+	S26361-F3742-E64	88,00	
OOD OATA III OOD OTHAT NESPONSE CACHE	incl. easy rail, no WinXP support. Installed as													'	^						020301-1 37-42-204	00,00	
	Smart Response cache, additional HDD necessary.,																						
SSD SATA III 64GB Smart Response cache	very fast 2.5" SSD with SATA 6GB/s interface, no	)					$^{\dagger}$	х													S26361-F3743-E64	88,00	
	WinXP support. Installed as Smart Response cache, additional HDD necessary.,																						
SSD SATA III 128GB	occupies 3.5"-bay (internal), incl. frame, 2.5"				v			X		X	X			_			_	+	+	+	S26361-F3680-E128	160,00	
SSD SATA III 120GB	solid state drive with SATA 6GB/s interface, no	X			Х	'	`	\ \ \		×	, x										320301-F3000-E120	160,00	
SSD SATA III 128GB Premium	WinXP support occupies 3.5"-bay (internal), incl. frame, 2.5"	X			+		(	X	Н	+	+	+	$\vdash$	-	+		+	+	+	+	S26361-F3809-E128	170.00	
	solid state drive with SATA 6GB/s interface,	"				'		"														,,,,,,	
	improved sequential write performance, no WinXP support,																						
SSD SATA III 128GB Premium	2.5" solid state drive with SATA 6GB/s interface, improved sequential write performance, no	Т	x			x	Х	(	х			х		X Z	х			X Z	x >	Х	S26361-F3808-E128	170,00	
	WinXP support,																						
SSD SATA III 128GB	2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support												x	2	x						S26361-F3681-E128	160,00	
SSD SATA III 128GB Premium	occupies 2.5"-bay (internal), incl. easy rails, 2.5"	T							П				х	- 1	х		$\top$				S26361-F3810-E128	170,00	
	solid state drive with SATA 6GB/s interface, improved sequential write performance, no																						
SSD SATA III 256GB	WinXP support, occupies 2.5"-bay (internal), solid state drive with				X		,	X	Н	х	×		$\Box$	_	_		_	+	+	+	S26361-F3680-E256	282,00	
SSD SATA III 230GB	SATA 6GB/s interface, no WinXP support	^			^	'	`	^		^	^										320301-F3000-E230	202,00	
SSD SATA III 256GB Premium	2.5" solid state drive with SATA 6GB/s interface,	+	X	H	+	X	X		Х	+	+	X	$\dashv$	x	x x		+	+,	X Y	x	S26361-F3808-E256	307,00	
	improved sequential write performance, no		"				^					"			Î					^		, 50	
SSD SATA III 256GB	WinXP support, occupies 2.5"-bay (internal), solid state drive with	+	+		+	+	+	+		+	+	+	х	+	x	H	+	+	+	+	S26361-F3681-E256	282,00	
	SATA 6GB/s interface, no WinXP support																						
WIN8 - SSD SATA III 64GB Smart Response	Very fast 2.5" SSD with SATA 6GB/s interface,	T		$\Box$								$\dagger \dagger$	$\forall$	1	х	$\Box$		$\dagger$	$\dagger$	+	S26361-F3769-E64	88,00	Phased out
	incl. easy rail, no WinXP support. Installed as Smart Response cache, additional HDD																						
WIN8 - SSD SATA III 64GB Smart Response	necessary., very fast 2.5" SSD with SATA 6GB/s interface, no		+		_	+	+	X		+	+	$\square$	$\dashv$	+	+		_	+	+	+	S26361-F3768-E64	89 00	Phased out
THE COD ONTO III 0400 OHAIL RESPONSE	WinXP support. Installed as Smart Response							, x													525501-1 3700-E04	30,00	Triasca out
	cache, additional HDD necessary.,																						
WIN8 - SSD SATA III 128GB high speed	occupies 3.5"-bay (internal), incl. frame, very fast	t x		П	х	,	(	Х	$\Box$	х	х			$\top$		$\sqcap$			$\top$	$\dagger$	S26361-F3763-E128	160,00	Phased out
	2.5" solid state drive with SATA 6GB/s interface, no WinXP support																						
	very fast 2.5" solid state drive with SATA 6GB/s																Х	х	>	X	S26361-F3762-E128	160,00	Phased out
WIN8 - SSD SATA III 128GB high speed		-		$\Box$								$\dagger \dagger$	х	1	х			$\uparrow$	$\dagger$	+	S26361-F3764-E128	160,00	Phased out
WIN8 - SSD SATA III 128GB high speed WIN8 - SSD SATA III 128GB high speed	interface, no WinXP support very fast 2.5" solid state drive with SATA 6GB/s			ı 1																			
, , , , , , , , , , , , , , , , , , ,	interface, no WinXP support							х		х	х							$\top$			S26361-F3763-E256	282,00	Phased out
, , , , , , , , , , , , , , , , , , ,	interface, no WinXP support very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support  occupies 2.5"-bay (internal), very fast solid state	×			х	)	`	^															
WIN8 - SSD SATA III 128GB high speed WIN8 - SSD SATA III 256GB high speed	interface, no WinXP support  very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support  occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support	X			X	,		^								Ш				Ļ			
WIN8 - SSD SATA III 128GB high speed	interface, no WinXP support very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support  occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP	×	:		X	,				+				_			X	x	)	x	S26361-F3762-E256	282,00	Phased out
WIN8 - SSD SATA III 128GB high speed WIN8 - SSD SATA III 256GB high speed	interface, no WinXP support very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support  occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support  very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support, occupies 2.5"-bay (internal), very fast solid state	×			X	)							x	:	x		x	x	)	x	S26361-F3762-E256 S26361-F3764-E256		
WIN8 - SSD SATA III 128GB high speed  WIN8 - SSD SATA III 256GB high speed  WIN8 - SSD SATA III 256GB high speed  WIN8 - SSD SATA III 256GB high speed	interface, no WinXP support very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support  occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support  very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support,	×			x	)							X	;	X		X	x	)	X	S26361-F3764-E256	282,00	Phased out Phased out
WIN8 - SSD SATA III 128GB high speed  WIN8 - SSD SATA III 256GB high speed  WIN8 - SSD SATA III 256GB high speed	interface, no WinXP support very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support  occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support  very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support, occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP	x			x			X		X	X		X		x		x	x	)	x			Phased out Phased out
WIN8 - SSD SATA III 128GB high speed  WIN8 - SSD SATA III 256GB high speed  WIN8 - SSD SATA III 256GB high speed  WIN8 - SSD SATA III 256GB high speed  SSD SATA III 128GB SED	interface, no WinXP support very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support  occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support  very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support, occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP		x	×	X			X			X X	x x	X	x :				x :	x )	x	S26361-F3764-E256 S26361-F3771-E128	282,00 170,00 170,00 170,00	Phased out  Phased out
WIN8 - SSD SATA III 128GB high speed  WIN8 - SSD SATA III 256GB high speed  WIN8 - SSD SATA III 256GB high speed  WIN8 - SSD SATA III 256GB high speed  SSD SATA III 128GB SED	interface, no WinXP support  very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support  occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support  very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support,  occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support  occupies 3.5"-bay (internal), mixed supply: 512	×	x x	Х	X	X	x x	X	x		X X	X	X	x :	x x x			x :	x )	x	S26361-F3764-E256 S26361-F3771-E128 S26361-F3772-E128 S26361-F3773-E128	282,00 170,00 170,00	Phased out  Phased out
WIN8 - SSD SATA III 128GB high speed  WIN8 - SSD SATA III 256GB high speed  WIN8 - SSD SATA III 256GB high speed  WIN8 - SSD SATA III 256GB high speed  SSD SATA III 128GB SED  SSHD SATA III 120GB 5.4k 2.5'	interface, no WinXP support very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support  occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support  very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support, occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support	×	x x	Х	X	X	x x	X	x	2	X X	X	X	X X X	x x x			x :	x )	x	\$26361-F3764-E256 \$26361-F3771-E128 \$26361-F3772-E128 \$26361-F3773-E128 \$26361-F3784-E500	282,00 170,00 170,00 170,00 95,00	Phased out  Phased out



	O Options		0	, ,	0	0					0	0	,			0	8 0		0	e !	<u>3</u> -1			
			C710	) C/20	) E510	) E520	) E710	) E720	5 E910	) F320	) P410	) P510	) P520	0 P710	D P910	) P920	) PH300		0 0920	X913	7 x913-T	Code		<u>w</u>
			ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	Product C	(€)	Comments
	Description	Details	ESP	ESP I	ESP	ESP	ESP	ESP ESP	N N		ESP	ESP	ESP		ESP.	ESP	ESP	ESP	ESP	ESP	ESP	Proc	E B	Com
	Continued)																					00004 50000 5504	50.0	
	HDD SATA III 500GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)												X	x x	X					S	26361-F3660-E501	58,0	00
ı	HDD SATA III 1000GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	<b>X</b>	х	X	Х	Х	х	X >	x x	X	Х	х	x 2	x	Х	X				S	26361-F3660-E100	84,0	00
Ī	HDD SATA III 2000GB 7.2k AF	occupies 3.5"-bay (internal), Advanced Format (AF)	X :	х	х	Х	Х	х	X >	х	×	Х	х	X X	х	х					S	26361-F3660-E200	150,0	00
Ī	HDD SATA II 320GB 5.4k 2.5'	occupies 2.5"-bay (internal), Advanced Format	X :	х	х	Х	х	х	X >	х	х	х	х	x x	х х	х		$^{\dagger}$			S	26361-F3796-E320	56,0	00
i	HDD SATA II 750GB 5.4k 2.5"	(AF), occupies 2.5"-bay (internal), Advanced Format		+	+	Н	$\dashv$	+	+	+	+			+	+		х	х	Х	х	x S	26361-F3658-E750	90,0	00
ī	HDD SATA II 1000GB 5.4k 2.5"	(AF) occupies 2.5"-bay (internal), Advanced Format	H	+	+	Н	$\dashv$	+	+	+	+		-	+	+	++	X	x	X	х	x S	26361-F3658-E100	106,0	00
	HDD SATA II 320GB 7.2k 2.5"	(AF), supports NCQ and 3GB/s, compatible to SATA	X	+	X		х	_	X	X	_	X	_	X	X	$\vdash$		x				26361-F3721-E320	65,0	
		technology,			^	Ш										Ш	^							
	HDD SATA III 500GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	X :	X		Ш	Х	Х	X	x					х							26361-F3497-E100	99,0	
	Mounting Kit for additional 3.5' drives  Mounting Kit for additional 2.5' drives														x x						S	26361-F4035-E10 26361-F4035-E20	6,0	00
	Mounting Kit for 2nd HDD/SSD Upgrade preparation for 2nd 3.5' drive							Х	)	X				,	x x	х					S	26361-F4035-E30 26361-F4035-E50	6,0	00
	Upgrade preparation for 2.5' drive Cable for 2nd HDD/ SSD	necessary for the operation of the 2nd HDD or		X	X	Х	Х		Х	X	x x	Х	х		x x						_	26361-F4035-E60 26361-F2581-E30	6,0	
n		SSD		4			4							4							4			
I	No presence sensor + No multi media Presence sensor + multi media module			T	T			$\blacksquare$		T				T				F				26361-F1065-E201 26361-F1065-E202	2,0	
nicat	ion/Network			÷										÷								26361-F1065-E202 26361-F3108-E13	14,0	
	WLAN 802.11b/g/n (2x2) und Bluetooth USB 3.0 PCIe x1	FTS D3305, connectors: 1x USB Typ A external,	$\vdash$	×	:	П	$\dashv$	+	$\dagger$	x	x		$\dashv$	+	+	+	+	+		X		26361-F3108-E13 26361-F3060-E10	26,0	
1	Jpgrade USB 3.0 front connector	1x USB Typ A internal; PCIe x1,												,	X	х					S	26361-F3050-E40	9,0	00
I	Upgrade USB 3.0 front connector Upgrade USB 3.0 front connector ESP P				F	H		Х	>	X	F		$\exists$	х	Х			F		H		26361-F3050-E50 26361-F3050-E20	9,0	00
	Upgrade USB 3.0 front connector ESP E Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash	X	X X	X	Х	X	-	X X >	хх		П		1	F	$\Box$		F	F		S	26361-F3050-E30 26361-F3067-E60	9,0	00
	- J	manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0		1	^		.			^												2227. 300. 200		
(	Gigabit Ethernet PCIe x1, DS	FTS D2908, 10/100/1000 Mbit/s, Dash	+	+	+	$\forall$	_		+	X	x	х	х	x x	х	x	+	+		$\vdash$	S	26361-F3067-E90	17,0	00
		manageability, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0																						
,	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB	х	x	х	х	х	х	X >	х	x	х	Х	x x	х	х	х	$\dagger$		$\parallel$	S	26361-F3108-E5	14,0	00
,	WLAN 802.11b/g/n (2x2) and Bluetooth	interface; only EMEA Intel Centrino Wireless-N 2230 (802.11b/g/n, 2x2,	$\vdash$	+	+	$\vdash$	+	+	+	+	+		$\dashv$	+	+	++	x	x	Х	$\dashv$	S	26361-F3108-E12	14,0	00
		single band Wi-Fi + Bluetooth 4.0), delivers up to 300 Mbps speed in the 2.4 GHz band with multiple																						
		streams,				Ш						Ш			$\perp$	Ш			$\perp$					
	Parallel Interface LP	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot			X	х	Х	х	x >	x											S	26361-F2542-E30	3,0	00
Ī	Parallel Interface FH	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height					х		х			х	х	X X	х	х					S	26361-F2542-E34	3,0	00
	Parallel Interace	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	X	х																	S	26361-F2542-E60	3,0	00
•	eSATA Interface	for eSATA peripherals, occupies one internal	X :	х	х	х	х	х	x >	x						$\Box$					S	26361-F2542-E40	3,0	00
	eSATA Interface	SATA interface and one slot; low profile for eSATA peripherals, occupies one internal		+	+	Н	х		х	+	+	Х	х	x x	x x	х		+			S	26361-F2542-E70	4,0	00
	Dual serial card PCIe x1	SATA interface and one slot; full height  Dual Port RS232 via splitter cabel	X	x x	x	Х	х	x	x >	x x	x	X	x	x >	x x	X		+			S	26361-F3316-E6	25,0	00
/ kits	Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cabel	х		_		_			х					х							26361-F3316-E7	26,0	
	Country kit US-cable (INT)	incl. power cord (US), safety manuals (EU+, non EU)	X :	х	x	Х	х	х	X >	x	Т	х	х	x x	x x	х		Т			S	26361-F2930-E100	8,0	00
(	Country kit (DE)	Germany; incl. power cord (Euro), safety manual	X :	х	x	х	х	х	X >	х х	x	х	х	x x	х х	х		+			S	26361-F2930-E101	8,0	00
(	Country kit (IT)	(DE) Italy; incl. power cord (IT), safety manual (IT)	X	хх	x	Х	Х	х	x >	x x	x	Х	х	X X	x x	х	х				S	26361-F2930-E104	8,0	00
9	Country kit (GB)	United Kingdom; incl. power cord (GB), safety manual (EN)	X	х	X	Х	Х	х	X >	x x	X	X	х	X X	x x	х					S	26361-F2930-E105	8,0	00
	Country kit GB-cable (non EU)	incl. power cord (GB),safety manual (INT)	X	х	х	х			x >	хх	x	х				х						26361-F2930-E110	8,0	
	Country kit (JP)	Japan; incl. power cord (JP), safety manual (non EU), incl. Japan supplementary sheets				Ш	Х	X						X X	×							26361-F2930-E113	8,0	
	Country kit ESPRIMO Q Euro-cable (INT) Country kit ESPRIMO Q (IT)	incl. power cord (Euro), safety manual (INT) incl. power cord (IT), safety manual (IT)			F	H	$\exists$		F		H		$\exists$	+		$oxed{+}$		_	X			26361-F2930-E122 26361-F2930-E123	8,0	
(	Country kit ESPRIMO Q GB-cable (INT) Country kit ESPRIMO Q US-cable (INT)	incl. power cord (GB), safety manual (INT) incl. power cord (US), safety manual (INT)		Ŧ	F	П	-		+	-	-			+	F	$\Box$	Х	X	X		S	26361-F2930-E124 26361-F2930-E127	8,0	00
(	Country kit ESPRIMO Q OS-cable (INT) Country kit ESPRIMO Q (DE) Country kit without power cord (INT)	incl. power cord (Cos), safety manual (INT) incl. power cord (Euro), safety manual (INT) without power cord, incl. safety manuals (EU+,	v	x V		v	v	У	χ.	x V	V	v	Х	у .	x v	V			X	$\Box$	S	26361-F2930-E128 26361-F2930-E135	8,0	00
		non EU)																	$\perp$					
	Country kit Euro-cable (EU+) Country kit ESPRIMO Q (JP)	incl. power cord (Euro), safety manual (EU+) incl. power cord (JP), safety manual (non EU),	X	X X	X	X	Х	Х	X	X X	X	X	Х	X X	XX	X	+	X	$+\bar{1}$			26361-F2930-E141 26361-F2930-E151	8,0	
	Country kit X9xx Euro-cable EU+	incl. power cord (Euro), safety manual (EU+),		+	+	H	_	_	+	+	+		_	+	+	++	_	+		Y		26361-F2930-E300	8,0	
(	Country kit X9xx GB-cable (INT) Country kit X9xx GB-cable (INT) Country kit X9xx US-cable (INT)	incl. power cord (Edro), safety manual (INT), incl. power cord (US), safety manual (INT),	H	+		H			$\downarrow$		+			$\perp$	+	$\Box$	#	+		х	x S	26361-F2930-E302 26361-F2930-E302 26361-F2930-E303	8,0	00
_	Country kit X9xx (IT)	Italy; incl. power cord (US), safety manual (IN1),	$\vdash$	+	+	Н	$\dashv$		+		+			+	$\dagger$	+	+	+				26361-F2930-E303 26361-F2930-E304	8,0	
	Country kit ESP Q Euro cable PVC free	incl. PVC free power cord (Euro), safety manual	$\vdash$	+	+	H	$\dashv$	+	+	+	+		+	+	+	++	x	x	Х	$\dashv$	S	26361-F2950-E100	9,0	00
	Made in Germany sticker	(INT),  The "Made in Germany" sticker prominently	Y	x V		v	Y	У	x .	x V		y	X	x .	x v	v	_	+	-			26391-F404-E911	2,0	
		displays this universally admired differentiating		^	^	^	^		^ /	`   ^	^	^	^	^ /	^	^						-5007 I 707 E011	2,0	
	boards	product value																						
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable	x	х	X	Х	Х	Х	X >	х		Х	х	X X	х	Х	Х	X	Х		S	26381-K341-E110	27,0	00
		resources, PS2-USB, bright light grey/black,																						
		additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable,																						
	ABDC BY ECO D	palmrest			,						-			V .	,	1	-		ļ.,	$\sqcup$		06381 K344 E400	07.0	20
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable	X   1	X X	X	X	Х	Х	x   >	X		X	Х	x   )	XX	X	×	X	Х		S	26381-K341-E120	27,0	JU
		resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with																						
		PS2 and USB, comes with PVC free USB cable,																						
i	KBPC PX ECO GB	palmrest  KBPC PX ECO GB, professional GreenIT	X	ХУ	X	х	х	Х	X	x	+	X	Х	X Y	χ х	X	Y	( X	Х	$\vdash$	S	26381-K341-E165	27,0	00
- 1'		keyboard, Layout Great Britain, 45% renewable		1	^		*		'			^	•	'	1	^	^	^						
		resources, PS2-USB, bright light grey/black,																						
		additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable,										'				1 1	1							



	IO Options						Τ							П			0				F			
			ESPRIMO C710	RIMO C720	ESPRIMO E410	ESPRIMO E510 ESPRIMO E520	ESPRIMO E710	<b>ESPRIMO E720</b>	ESPRIMO E910	RIMO E920	ESPRIMO P400 ESPRIMO P410	ESPRIMO P510	RIMO P520	ESPRIMO P710	RIMO P720	ESPRIMO P910	ESPRIMO P920 ESPRIMO PH300	ESPRIMO Q510	ESPRIMO Q910	ESPRIMO Q920	ESPRIMO X913-T	uct Code	(€)	Comments
	Description	Details	ESPF	ESPF	ESP	ESP ESP	ESPE	ESPF	ESPF	ESPF	ESPE	ESPE	ESPF	ESPF	ESPE	ESPE	ESPE	ESPF	ESPF	ESP	S S	Prop P	EU	Com
	yboards (Continued)						Ļ									Ļ					Ļ			
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2- USB, bright light grey/black, additional 5 comfort- , 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest		X	X	X	x x	X	X	X		X	x	x	x	X	X	X	x	x		S26381-K341-E185	27,00	
	KB410 USB GREY JP	KB410 USB, slim value keyboard with japanese layout on 108-key modul in grey. Fixed USB cable 1.8 m.	х	х	Х	X >	x x	X	х	х	X >	x x	X	х	X	х	х	X	х	x	x >	S26381-K510-E174	13,00	)
	KB410 USB BLACK US	KB410 USB, slim value keyboard with US layout on 105-key modul in black. Fixed USB cable 1.8 m.	х	х	х	X X	x x	х	х	х	X >	х	х	х	х	х	х	х	х	Х	X >	S26381-K510-E402	13,00	
	KB410 USB BLACK US ENGLISH 104 key	KB410 USB US 104 key US English layout, slim value keyboard with US layout on 104-key modul in black. Fixed USB cable 1.8 m.	х	х		х	х		х			х		х		х			х		x >	S26381-K510-E410	13,00	
	KB410 USB BLACK DE	KB410 USB, slim value keyboard with german layout on 105-key modul in black. Fixed USB cable 1.8 m.	х	х	х	X )	x x	х	х	х	X >	x	х	х	х	х	х	х	х	х	x >	S26381-K510-E420	13,00	
	KB410 USB BLACK GB	KB410 USB, slim value keyboard with english layout on 105-key modul in black. Fixed USB cable 1.8 m.	х	х	x	X >	x x	х	х	х	X >	X	х	х	х	х	х	х	х	x	X >	S26381-K510-E465	13,00	
	KB410 USB BLACK IT	KB410 USB, slim value keyboard with italian layout on 105-key modul in black. Fixed USB cable 1.8 m.	х	х	х	X >	x x	x	х	х	X X	x	х	х	х	х	х	х	х	х	x >	S26381-K510-E485	13,00	
	KB410 PS2 BLACK US	KB410 PS2, slim value keyboard with US layout on 105-key modul in black. PS2 cable 1.8 m.	х	х	x	X	X	Х	X	x	X >	X	х	х	x	x	х					S26381-K515-E402	13,00	
	KB410 PS2 BLACK DE	KB410 PS2, slim value keyboard with german layout on 105-key modul in black. PS2 cable 1.8 m.	х	х	x	X	X	X	х	х	X >	X	х	х	х	х	х					S26381-K515-E420	13,00	
	KB410 PS2 BLACK GB	KB410 PS2, slim value keyboard with english layout on 105-key modul in black. PS2 cable 1.8 m.	X	х	Х	X >	X	x	X	х	X >	X	X	х	х	х	x					S26381-K515-E465	13,00	
	KB410 PS2 BLACK IT	KB410 PS2, slim value keyboard with italian layout on 105-key modul in black. PS2 cable 1.8 m.	х	х	Х	X >	X	x	x	х	X	X	х	х	х	х	х х					S26381-K515-E485	13,00	
	KB520 US ENGLISH 104 key	KB520 keyboard standard, marble grey, US, cable USB 2m, KB520 keyboard standard 104keys, marble grey,									x x							Ш	x	_	1	S26381-K520-E102 S26381-K520-E110	12,00	
	KB520 DE	US, cable USB 2m,  KB520 keyboard standard, marble grey,									x >								x		_	S26381-K520-E110	12,00	
		Germany, cable USB 2m,																						
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,									X >								х			S26381-K520-E165	12,00	
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,	х	х	х	X	X	Х	Х	х	X	X	Х	х	х	Х	Х	Х	х	Х		S26381-K520-E185	12,00	
	KB BT LX360 US	KB BT LX360 US Bluetooth 2.1 HID standard, 80-keys	П																		X	S26381-K540-E402	26,00	
	KB BT LX360 DE	KB BT LX360 DE Bluetooth 2.1 HID standard, 80- keys	П			$\top$	$\dagger$		$\Box$	$\top$				$\Box$	$\neg$				$\top$		x >	S26381-K540-E420	26,00	
ŀ	KB BT LX360 GB	KB BT LX360 GB Bluetooth 2.1 HID standard, 80-	$\Box$		+	+	+		H			+		H			+	$\forall$	$\dashv$		x >	S26381-K540-E465	26,00	)
	KB BT LX360 IT	keys  KB BT LX360 IT Bluetooth 2.1 HID standard, 80-	H		+	+	+			$\dashv$	+	+		H	+	_	+		+	+	x >	S26381-K540-E485	26,00	
ŀ	KB400 PS2 black D	keys KB400 PS2 D, SLIM value Keyboard black	х		+	x >	(	$\vdash$	H	$\dashv$	х	X	х	$\vdash$	$\dashv$	+	Х	$\vdash$	+	+	+	S26381-K551-E420	10,00	Phased out
-	Keyboard KB900 USB US	Germany PS2 KB900 USB USA, american layout, spill-proof,	х	х	х	x >	κ x	X	X	х	_	X	X	х	х	X	X	X	х	х	x >	S26381-K560-E402	15,00	)
	Keyboard KB900 USB D	black, 1.8 m USB cable  KB900 USB D, german layout, spill-proof, black,									_			х								S26381-K560-E420	15,00	
	Keyboard KB900 USB GB	1.8 m USB cable  KB900 USB GB, english layout, spill-proof, black,									_			X								S26381-K560-E420	15,00	
		1.8 m USB cable																						
	Keyboard KB900 USB IT	KB900 USB I, italian layout, spill-proof, black, 1.8 m USB cable	X	X	X	X	X	X	X	Х		X	X	х	Х	X	Х	X	Х			S26381-K560-E485	15,00	
	Wireless Keyboard Set LX900 US	Wireless Keyboard Set LX900 US 128AES bit- encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries																				S26381-K564-E402	36,00	
	Wireless Keyboard Set LX900 DE  Wireless Keyboard Set LX900 GB	Wireless Keyboard Set LX900 DE 128AES bit- encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries Wireless Keyboard Set LX900 GB 128AES bit-																				S26381-K564-E420 S26381-K564-E465	36,00	
	Wireless Keyboard Set LX900 GB Wireless Keyboard Set LX900 IT	encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries  Wireless Keyboard Set LX900 IT 128AES bit-				_					_				_	_			_			S26381-K564-E485	36,00	
	PS2 Keyboard Cable 2,0m	encryption, spill-proof, micro receiver, 10 key mouse, CD, manual, batteries  Keyboardcable PS2 for KBPC PX ECO, ca. 2,0	X			_	x		X					x		x						T26139-Y4530-E1	4,00	
	ion-SW	m length																					, , , ,	
	Power DVD 10 Playback SW for DVD  Power DVD 10 Playback SW for Blu-ray	Power DVD 10 SW for DVD playback, Playback SW for DVD  Power DVD 10 SW for DVD playback, Playback																	x	_		S26361-F2012-E180 S26361-F2012-E181	6,00	
		SW for DVD		^	-					^		^	<u> </u>			~	**	^	^	^	_			
	SAG CAT Client WIN7 Jul12 Lizenz EU/MM - Windows 7 Ultimate	preloaded XP Prof., short documentation  This license is a global product (Mature Markets) and also for shipments in Emerging Markets.  Please select the Emerging Market licenses for your country for marketing fund advantages.	x			х	X	X	х		х	х		X	_	X		X	X			S26361-F2109-E985 S26361-F2210-E325	4,00 166,00	
	License EU/MM - Windows 7 Home Premium	your country for marketing fund advantages (Jumpstart) in your region.  This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages	x			X	x		x		x	x		x		x		X	X			S26361-F2009-E243	85,00	
	Nero 12 Essentials XL	(Jumpstart) in your region.  Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp	X	х	x	X X	x x	X	X	x	X X	X	х	х	х	x	х	X	х	x	+	S26361-F1818-E899	10,00	)
	License EU/MM - Windows 7 Professional	on DVD, BackItUp  This license is a global product (Mature Markets) and also for shipments in Emerging Markets.  Please select the Emerging Market licenses for	х		х	x	х		х		X >	x x		х		х		х	х	+	+	S26361-F2009-E253	122,00	
	License RUS - Windows 7 Home Basic	Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.  RU/CIS. Select for shipments to Russia and CIS	х			X	X		х		х	X		х	-	x		X	x	+		S26361-F2009-E232	66,00	
		countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).																						



IO Options																											
		10	20	6 5	50	10	20	5	20	00	10	5 8	0 0	20	10	20	PH300	9 2	20	13	X913-T		<b>A</b>				
		IO C710	IO C720	ESPRIMO E410 ESPRIMO E510	IO E520	IO E710	IO E720	ESPRIMO E910	IO E920	IO P400	IO P410	ESPRIMO P510 ESPRIMO P520	IO P710	IO P720	IO P910	IO P920	10 PH30	0 0910	IO Q920	IO X913	0 X9		Code				nts
		ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	PRIM	PRIM	ESPRIMO	ESPRIMO	ESPRIMO		ESPRIMO	ESPRIMO	ESPRIMO	PRIM	ESPRIMO	ESPRIMO	PRIM	ESPRIMO	PRIM		oduct			IP (€)	Comments
<b>Description</b>	Details	ES	ES	S S	ES	ES	ES	ES	ES	ES	ES	N H	S	ES	ES	ES	S	ES ES	ES	ES	ES		Pr			픱	8
tion-SW (Continued) License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS	х		X		х		x		х	ļ	х	х		х		Ι,	x x			0	26361	-F200	9-E242	2	85,00	
2.55.166 Tee Williams Filenia Fishinani	countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova,					^				^					, A							20001	. 200	0 2212	`	00,00	
	Tajikistan, Turkmenistan, Ukraine, Uzbekistan).																										
License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS	Х		X	1	Х		Х	Н	Х	+	Х	X	H	Х			x x			S	26361	-F200	9-E252	1:	22,00	
	countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova,																										
	Tajikistan, Turkmenistan, Ukraine, Uzbekistan).																										
Linux	on DVD, open source	Х	х	хх	x	Х	Х	Х	Х	Х	Х	x >	хх	Х	Х	х	,	хх	X	Х	x S	26361	-F272	7-E894		3,00	
License - Windows 8 Pro License - Windows 8 Pro ZT Taiwan	License - Windows 8 Pro,	Х	Х	х	X	X	Х	Х	Х	Х	Х	X X	x x		Х	Х		x x	X	Х	x S	26361	-F220	8-E100 8-E101	11	16,00 16,00	
License - Windows 8 Pro ZT Hongkong License - Windows 8		x	x	x x	×	Х	X	X	x	X	X	x x	Х		X	x	x :	Х		x	S	26361	-F220	8-E102 8-E103	11	16,00 79,00	
License - Windows 8 ZT Taiwan License - Windows 8 ZT Hongkong						X		-11	-				X		-11			X		- 1	S	26361	-F220	8-E104 8-E105		79,00 79,00	
License EM - Windows 8	EM: Select for shipments to: Albania, Former	х	х	х	x			х	х	х	х	x x		-	х	х	3			х				8-E106		60,00	
	Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro,																										
	Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon,																										
	Cape Verde, Central African Republic, Chad,																										
	Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea,																										
	Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan,																										
	Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius,																										
	Mayotte, Morocco, Mozambique, Namibia, New																										
	Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda,																										
	Western Sahara, Saint Helena, São Tomé and																										
	Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland,																										
	Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia,																										
	Zimbabwe, India and China																										
License EM - Windows 8 ZH	EM. Colont for abjunctant to Albania Forman					X	-						Х	_				Х	_					8-E107		60,00	
License EM - Windows 7 Home Basic	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West	X		X		X				Х		Х	X				,	x x			5	26361	-F20C	9-E234	'	66,00	
	Bank & Gaza, Yugoslav Republic of Montenegro																										
License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former	х		x	:	х		х		х		х	х		х		,	x x	:		S	26361	-F200	9-E244	1	85,00	
	Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro																										
License EM - Windows 7 Professional								u		v					, u							20204	F200	9-E254	41	22.00	
License EM - Windows / Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West	X		X	`	X		X		Х		Х	X		Х		,	x x	`		8	20301	-F20C	9-E254	14	22,00	
	Bank & Gaza, Yugoslav Republic of Montenegro																										
License EM-MEA - Windows 7 Home Basic	EM-MEA. Select for shipments to: Afghanistan,	х		x	:	Х	П	х		х		х	х		Х		,	х			S	26361	-F200	9-E235	(	66,00	
	Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde,																										
	Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo,																										
	Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana,																										
	Guinea, Guinea-Bissau, Iraq, Jordan, Kenya,																										
	Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius,																										
	Mayotte, Morocco, Mozambique, Namibia, New																										
	Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda,																										
	Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles,																										
	Sierra Leone, Somalia, South Africa, Swaziland,																										
	Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia,																										
	Zimbabwe																										
License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan,	Х	$\vdash$	X		Х		Х		Х	+	Х	x	$\vdash$	Х	$\vdash$	,	x x	1		S	26361	-F200	9-E245		85,00	
	Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde,																										
	Central African Republic, Chad, Comoros, Cote																										
	d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea,																										
	Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya,																										
	Kuwait, Lebanon, Lesotho, Liberia, Libya,																										
	Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New																										
	Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda,																										
	Western Sahara, Saint Helena, São Tomé and																										
	Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland,																										
	Tanzania, The Gambia, Togo, Tunisia, Turkey,																										
	Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe																										
Lord Wind Day (CO MAN)	MAINLO CONTRACTOR OF THE CONTR						Ш	Ш							Ш	Ш	_			Ш		000	For	0.50	_	,	Dhana da da
Load Win8 Pro (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish,	X		X		Х		х		х		Х	X		х		,	x x		X	x S	26361	-F220	8-E200		4,00	Phased out
	Portuguese (for Brazil), , Windows 8 Secure Boot is activated., Secure and measured boot will																										
	work., The Windows 8 Pro BIOS-setting does not																										
	support a network based installation., A network							1																			
	based installation for a possible Downgrade Right																										
	based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options																										



				-		1		_	-				_		-		1 1						_	
			C710	C720	E410 E510	520	710	720	910	E920	410	P510	P520	710	P720	P920	PH300	Q510	Q910	X913	913-T	9		
				MOC	MO ES	MO E	MO E	MO E	MO M		MO P4	MO P	MO P	MO P.	MO	MO Pg	MO PI	Ø G		MO XS	MO X	ct Code	(E)	ents
De	escription	Details	ESPRIMO	ESPRI	ESPRIMO	ESPRI	ESPRI	ESPRI	ESPRIMO E910	ESPR	ESPRIMO	ESPRI	ESPRI	ESPRIMO P710	ESPRI	ESPRI	<b>ESPRIMO</b> F	ESPRIMO	ESPRIMO	ESPRIMO	ESPRI	Product	EUP (€)	Comments
trix	n-SW (Continued)																							
	ad Win8 Pro (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian,	х		X		x		х	×	K	x		х		x		х	х	Х	х	S26361-F2208-E201	4,00	Phased out
		Lithuanian, Estonian, Ukrainian, , Windows 8 Secure Boot is activated., Secure and measured																						
		boot will work. , The Windows 8 Pro BIOS-setting																						
		does not support a network based installation. , A network based installation for a possible																						
		Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS																						
		setup options manually.																						
Lo	ad Win8 Pro (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English,	х	+	X		Х	+	х	×	κ	Х		Х		x	+	х	х	Х	X	S26361-F2208-E202	4,00	Phased out
		Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,																						
		Windows 8 Secure Boot is activated., Secure and measured boot will work., The Windows 8																						
		Pro BIOS-setting does not support a network																						
		based installation. , A network based installation for a possible Downgrade Right usage to e.g.																						
		Windows 7 Professional is only possible after changing BIOS setup options manually.																						
1 -	ad Win8 Pro (64) ZT Taiwan+Office2010t	Chinese Traditional Taiwan, English, , Windows 8	Щ	_	_	-		_	$\perp$	_	+	-		x	_	_	$\sqcup$	_	<u> </u>	-		S26361-F2208-E203	4.00	Phased out
	ad vviilo F10 (04) ZT TalWall+Office2010t	Secure Boot is activated., Secure and measured					X							^					X			02000 I-F2200-E2U3	4,00	Triaseu Out
		boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A																						
		network based installation for a possible Downgrade Right usage to e.g. Windows 7																						
		Professional is only possible after changing BIOS setup options manually., ,																						
_	ad Wing Pro (64) 7T LIV : Office 2040		Щ	_	_	_			_	_	_		Ш	H	_	_	Щ		_	-		C26264 F2222 F224	4.00	Phased out
LC	ad Win8 Pro (64) ZT HK+Office2010t	Chinese Traditional Hongkong, , Windows 8 Secure Boot is activated., Secure and measured					X							Х					X			S26361-F2208-E204	4,00	Filased Out
		boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A																						
		network based installation for a possible Downgrade Right usage to e.g. Windows 7																						
		Professional is only possible after changing BIOS setup options manually.																						
	1111 0 D (01) TH Off 10010				$\perp$						_			Ш			Ш					000004 50000 5005	1.00	
LC	ad Win8 Pro (64) TH+Office2010t	Single language: Thai, English, , Windows 8 Secure Boot is activated., Secure and measured					Х							Х					X			S26361-F2208-E205	4,00	Phased out
		boot will work., The Windows 8 Pro BIOS-setting does not support a network based installation., A																						
		network based installation for a possible Downgrade Right usage to e.g. Windows 7																						
		Professional is only possible after changing BIOS setup options manually.																						
Le	ad Win8 Pro (64) JA	Japanese, English, , Windows 8 Secure Boot is					х				_			X					x			S26361-F2208-E206	4.00	Phased out
	au Willo FTO (04) JA	activated., Secure and measured boot will work.,					^							^					^			320301-1 2200-2200	4,00	Friased out
		The Windows 8 Pro BIOS-setting does not support a network based installation. , A network																						
		based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only																						
		possible after changing BIOS setup options manually.																						
Lo	ad Win8 (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish,	х	$\top$	х		х		х	×	K	х		х		x	х	х	х	х	х	S26361-F2208-E207	4,00	Phased out
	- INC-0 (04) NEE - O(C0040)	Portuguese (for Brazil),																				000004 50000 5000	4.00	Discoulous de la constantina della constantina d
LC	ad Win8 (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian,	х		X		х		Х	×	K	X		X		X		Х	X	X	X	S26361-F2208-E208	4,00	Phased out
Lo	ad Win8 (64) SEE+Office2010t	Lithuanian, Estonian, Ukrainian, South Eastern Europe: Bulgarian, English,	х	+	X	+	Х	+	X	×	κ	X		Х	+	x	+	х	X	X	X	S26361-F2208-E209	4,00	Phased out
		Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,																						
	ad Win8 (64) ZT Taiwan+Office2010t ad Win8 (64) ZT HK+Office2010t	Chinese Traditional Taiwan, English Chinese Traditional Hongkong					X							X X					X X			S26361-F2208-E210 S26361-F2208-E211		Phased out Phased out
Lo	ad Win8 (64)TZH+Office2010t ad Win8 (64) EM+Office2010t	Thai, English Single languages: Arabic, Portuguese (Brazil),	х		X		X		х	×	K	X		X		x		_	х	X		S26361-F2208-E212 S26361-F2208-E213	4,00	Phased out Phased out
	- 10-1/	English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian,			^				*	^		^								^	^		.,50	
_	od Wing (64) EM 711, 04500405	<u> </u>	Щ	_					$\perp$		_		Ш		_		Щ			_		C26264 F2222 F244	100	Phonod cut
Lo	ad Win8 (64) EM ZH+Office2010t ad Win8 (64) JA	Single language: Chinese simplified,			V	ļ.,	X			V .				X					X			S26361-F2208-E214 S26361-F2208-E215 S26361-F2228-E200	4,00	Phased out Phased out
LC	ad Win8 Pro (64) MAIN+Office2013	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish,	X	X	X X	X	×	X	X	X X	X	X	X	X	X	X X		X	X X	×	X	S26361-F2228-E200	4,00	
Lo	ad Win8 Pro (64) NEE+Office2013	Portuguese (for Brazil),  North Eastern Europe: Danish, English, Finish,	х	х	х х	х	х	х	X :	х	x x	X	X	Х	X	x x	H	х	х	x	X	S26361-F2228-E201	4,00	
		Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,																						
Lo	ad Win8 Pro (64) SEE+Office2013	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian,	х	х	х х	х	х	х	X	х	х	X	х	х	Х	х		х	х	X	х	S26361-F2228-E202	4,00	
1 -	ad Win8 Pro (64) ZT Taiwan+Office2013	Serbian, Hebrew, Greek, Turkish, Arabic, Chinese Traditional Taiwan, English,	Щ	_	_	-	х		$\perp$	_	+	-	Ш			+	Щ	_	<b>,</b>	_		S26361-F2228-E203	4,00	
Lo	ad Win8 Pro (64) ZT HK+Office2013	Chinese Traditional Taiwan, English, Chinese Traditional Hongkong, Single language: Thai, English,	H				X	Х	#	+				X	Х				X X X X			S26361-F2228-E203 S26361-F2228-E204 S26361-F2228-E205	4,00	
Lo	ad Win8 Pro (64) TH+Office2013 ad Win8 Pro (64) JA	Japanese, English,  MAIN: German, English, Spanish, French, Italian,			v .		Х	Х				100		X	Х	V				X	Х	S26361-F2228-E206	4,00 4,00	
	ad Win8 (64) MAIN+Office2013	Dutch, Portuguese, Czech, Slovak, Polish,	^	^	^ X	*	^	^	^	^   X	`   X	X	, x	^	^	^   X		^	^   X	`   X	^	S26361-F2228-E207	4,00	
Lo	ad Win8 (64) NEE+Office2013	Portuguese (for Brazil),  North Eastern Europe: Danish, English, Finish,	х	х	х х	Х	х	х	X	х	х х	X	х	х	X	х	H	х	х	x	х	S26361-F2228-E208	4,00	
		Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,																						
Lo	ad Win8 (64) SEE+Office2013	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian,	х	х	х х	х	х	х	X	x x	х	Х	х	х	х	х		х	х	X	х	S26361-F2228-E209	4,00	
L	ad Win8 (64) ZT Taiwan+Office2013	Serbian, Hebrew, Greek, Turkish, Arabic,  Chinese Traditional Taiwan, English,	Ц	4	_	-	х	_	$\perp$	_	+	-	Ш	x	v	+	$\square$	_	x x			S26361-F2228-E210	4,00	
Lo	ad Win8 (64) ZT HK+Office2013 ad Win8 (64) ZT HK+Office2013 ad Win8 (64) TH+Office2013	Chinese Traditional Taiwan, English, Chinese Traditional Hongkong, Thai, English,			+		X X	Х	+	+	+	+		X X	Х	+			X X X X			S26361-F2228-E210 S26361-F2228-E211 S26361-F2228-E212	4,00 4,00 4,00	
	ad Win8 (64) EM+Office2013	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian,	х	х	х х	х	-	-	X	х	х	х	х		-	х	П					S26361-F2228-E213	4,00	
		Spanish, Thai, Turkish, Ukrainian,																						
					1		. 1	1	1.0	1			1		1	1	- 1				ı I		T.	I .



RIM	O Options																											
				ESPRIMO C720	ESPRIMO E410	MO ESSO	ESPRIMO E520 ESPRIMO E710	ESPRIMO E720	ESPRIMO E910	ESPRIMO E920	RIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P520	ESPRIMO P710	ESPRIMO P120	ESPRIMO P920	ESPRIMO PH300	ESPRIMO Q510	ESPRIMO Q910	ESPRIMO Q920	ESPRIMO X913-T			uct Code		(€)	Comments
	Description	Details	ESPI	ESPE	ESPE	בי בי	ESPE	ESPF	ESPF	ESPF	ESPF	ESPF	ESPE	ESPE			ESP	ESPF	ESPF	ESP	בר ב	ESPE			Prod		EUP	Com
	on-SW (Continued)																											
	icense EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	X			x	X		x		X		x		x				x	x			S263	61-F2	2009-E2	255	122,00	
l	icense EM-SEA - Windows 7 Home Basic	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam	x			x	x		x		x		x		x	)	C		x	х			S263	861-F2	2009-E2	236	66,00	
l	icense EM-LATAM Windows 7 Home Basic	EM-LATAM: Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and Grenadines, South Georgia and Sandwich Islen, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela									x												S263	961-F2	2009-E2	237	66,00	
(	OS RDVD Windows 8 Pro (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	x	x	X	x :	x x	x	X	x	x	x	X	X	x	x >	c x		x	X	<b>x</b> :	x x	S263	861-F2	2208-E3	300	3,00	
	OS RDVD Windows 8 Pro (32) ZT Taiwan OS RDVD Windows 8 Pro (64)	Chinese Traditional Taiwan, English German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	x	x	X	x :	x x	_	x	x	x	x	x	-	X X	x >	c x		x	X	x :	x x	_		2208-E3		3,00	
	OS RDVD Windows 8 Pro (64) ZT Taiwan OS RDVD Windows 8 (32)	Chinese Traditional Taiwan, English German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai	x			x	x		x		x		X		X	)	C		x	x		x x			2208-E3		3,00	
	OS RDVD Windows 8 (32) ZT Taiwan OS RDVD Windows 8 (64)	Chinese Traditional Taiwan, English German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai	x	x	x	x :	x x	-	x	x	x	x	x	-	x x	x >	c x	X	x	x	x :	x x			2208-E3		3,00	
	OS RDVD Windows 8 (64) ZT Taiwan OS RDVD Windows 8 (32) EM	Chinese Traditional Taiwan, English			+	x	X	_	X					_	X X	-			-	X		v			2208-E3 2208-E3		3,00	
(	DS RDVD WINDOWS 8 (32) EM DS RDVD Windows 8 (32) EM ZH DEM Office Home and Student 2013 MPI MM DEM Office Home and Business 2013 MPI MM				X X	x :	X X X	X	Х	Х		Х		х	X X	x >			х	X X	X :	x x	S263	861-F2 861-F2	2208-E3 2208-E3 2009-E2 2009-E2	309 281	3,00 3,00 100,00 188,00	
(	DEM Office Professional 2013 MPI MM DS RDVD Windows 8 (64) EM		Х	Х	X	x :	хх	X	Х	Х	Х	Х	Х	Х	X	x >	( X		Х	Х	X :	хх	S263	861-F2	2009-E2 2009-E2 2208-E3	283	355,00 3,00	
(	OS RDVD Windows 8 (64) EM ZH License EM-INDIA Windows 7 Home Basic	EM-INDIA. Select for shipments to: India				x	Х				Х		х		X					Х	1		S263	861-F2 861-F2	2208-E3 2009-E2	311 238	3,00 66,00	
l	icense EM-INDIA Windows 7 Home Premium icense EM-INDIA Windows 7 Professional icense EM-SEA - Windows 7 Professional	EM-INDIA. Select for shipments to: India EM-INDIA. Select for shipments to: India EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam,	x			x	X X X		X	_	X	-	x	_	x x		C C		X	_			S263	861-F2	2009-E2 2009-E2 2210-E1	258	85,00 122,00 122,00	
l	icenseChinTradTaiwan Win 7 Professional	License sticker (COA) MM-ChinTradTaiwan, Mature Markets ChinTrad, English, Shipment limited to Taiwan,					х								x					x			S263	861-F2	2210-E1	122	122,00	



RIM	O Options																						
			ESPRIMO C710	ESPRIMO C720 ESPRIMO E410	ESPRIMO E510	ESPRIMO E520	PRIMO E710	PRIMO E720	ESPRIMO E910	ESPRIMO P400	PRIMO P410	PRIMO P510	ESPRIMO P520 ESPRIMO P710	PRIMO P720	ESPRIMO P910	ESPRIMO P920	ESPRIMO PH300 ESPRIMO Q510	ESPRIMO Q910	ESPRIMO Q920	ESPRIMO X913 ESPRIMO X913-T	Product Code	P (€)	Comments
atr	Description x	Details	ES			ES				ES	ES				ES			ES	S		. P	EUP	Ö
at	ion-SW (Continued) License EM-ChinSimpl Win 7 Professional	License sticker (COA) EM-ChinSimpl PRC,					x						X	(				х			S26361-F2210-E123	122,00	
		Emerging Market PeoplesRepublicChina, Shipment limited to PRChina,					,														0200011210210	.22,00	
	LicenseChinTrad HK - Win7 Professional	License sticker (COA) MM-ChinTrad HK, Mature Markets ChinTradHongkong, English, Worldwide Shipment w/o PRChina + Japan,					x						×	(				х			S26361-F2210-E124	122,00	
-	License MM-Japanese -Win 7 Professional	License sticker(COA)MM-Japanese, English, Mature Markets - Japanese, English, Worldwide					х						×	(				х			S26361-F2210-E125	122,00	
-	License MM-Thai - Windows 7 Professional	shipment, License sticker (COA) MM-Thai, English, Mature Markets - Thai, English, Worldwide shipment,		+	+		х	+	+			+	X	(			+	х			S26361-F2210-E126	122,00	
-	License EM-SEA - Windows 7 Home Premium	EM-SEA. Select for shipments in: Bangladesh,		_	-		X	+				+	X	(			+	X			S26361-F2210-E221	85,00	
		Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietna,																					
	LicenseChinTradTaiwan Win 7 Home Premium	License sticker (COA) MM-ChinTradTaiwan, Mature Markets ChinTrad, English, Shipment					х					+	×	(				х			S26361-F2210-E222	85,00	
-	License EM-ChinSimpl Win 7 Home Premium	limited to Taiwan,  License sticker (COA) EM-ChinSimpl PRC, Emerging Market PeoplesRepublicChina,					х	+				+	X	(			+	X			S26361-F2210-E223	85,00	
	License ChinTrad HK - Win 7 Home Premium	Shipment limited to PRChina, License sticker (COA) MM-ChinTrad HK, Mature		_	+		х	+	+			+	×	(			+	x		+	S26361-F2210-E224	85,00	
	License MM-Thai - Windows 7 Home Premium	Markets ChinTradHongkong, English, Worldwide Shipment w/o PRChina + Japan, License sticker (COA) MM-Thai, English, Mature			+		X	+					X	(			-	х			S26361-F2210-E226	85,00	
		Markets - Thai, English, Worldwide shipment,						_			1								Щ				
	Win7-Load Pro32 MAIN+Office2010t	Languages: DE (German), EN (English), ES (Spanish), FR (French), IT (Italian), NL (Dutch), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	X		K X		X		x	X	X	X	X		X		X	X		X	S26361-F2208-E400	4,00	
	Win7-Load Pro32 NORDIC+Office2010t	Languages: DA (Danish), EN (English), FI (Finnish), NO (Norwegian), RU (Russian), SV (Swedish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	х	)	x x		х		x	x	x	х	х	•	x		X	X		X X	S26361-F2208-E401	4,00	
	Win7-Load Pro32 EM-SE+Office2010t	Languages: AR (Arabic), DE (German), EL (Greek), EN (English), FR (French), HE (Hebrew), TR (Turkish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	х	)	x x		х		X	x	x	х	x	C	х		x	X		X >	S26361-F2208-E402	4,00	
	Win7-Load Pro32 IBER-NE+Office2010t	Languages: CS (Czech), EN (English), ES (Spanish), FR (French), PL (Polish), PT (Portuguese), SK (Slovak), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x	)	x x		х		X	х	x	x	х	(	х		х	X		X >	S26361-F2208-E403	4,00	
	Win7-Load Pro32 SEE+Office2010t	Languages: BG (Bulgarian), EN (English), HR (Croatian), HU (Hungarian), RO (Romanian), SL (Slovenian), SR (Serbian), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x	)	X		X		x	х	X	X	х	(	х		x	X		X >	S26361-F2208-E404	4,00	
	Win7-Load Pro64 MAIN + Office2010t	Languages: DE (German), EN (English), ES (Spanish), FR (French), IT (Italian), NL (Dutch), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x	)	( X		x		x	х	х	х	X	(	х		х	X		X >	S26361-F2208-E405	4,00	
	Win7-Load Pro64 NORDIC+Office2010t	Languages: DA (Danish), EN (English), FI (Finnish), NO (Norwegian), RU (Russian), SV (Swedish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	X	)	x x		x		x	х	х	X	×	•	Х		х	X		X >	S26361-F2208-E406	4,00	
	Win7-Load Pro64 EM-SE+Office2010t	Languages: AR (Arabic), DE (German), EL (Greek), EN (English), FR (French), HE (Hebrew), TR (Turkish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x	)	x x		х		x	x	х	х	x	(	x		X	X		X	S26361-F2208-E407	4,00	
	Win7-Load Pro64 IBER-NE+Office2010t	Languages: CS (Czech), EN (English), ES (Spanish), FR (French), PL (Polish), PT (Portuguese), SK (Slovak), , , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	X	,	x x		х		x	х	X	X	x	(	х		X	X		X	S26361-F2208-E408	4,00	
	Win7-Load Pro64 SEE+Office2010t	Languages: BG (Bulgarian), EN (English), HR (Croatian), HU (Hungarian), RO (Romanian), SL (Slovenian), SR (Serbian), , , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x	)	C X		X		x	x	x	X	X	(	X		X	X		x >	S26361-F2208-E409	4,00	



IM	O Options																											
			ESPRIMO C710	ESPRIMO C720	ESPRIMO E410 ESPRIMO E510	RIMO E520	ESPRIMO E710	ESPRIMO E720	ESPRIMO E910	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P520 ESPRIMO P710	RIMO P720	ESPRIMO P910	ESPRIMO P920	ESPRIMO Q510	ESPRIMO Q910	ESPRIMO Q920	ESPRIMO X913	1-616A OMIN		ماري ا			(€)		Somments
	escription	Details	ESF	ESF		ESF	ESF	ES		ES S	ESF	ESF	ESF	ES	ESF	ES		ESF	ESF	ES I	3		٥	) :		EUP		S
	on-SW (Continued)																						<b>-</b>	=			22	
V	/in7-Load Pro64 TH+Office2010t	Thai, English, , , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					X						X					х			S	26361	-F22	:08-E	410	4,	,00	
V	/in7-Load Pro64 ZT TW+Office2010t	Chinese Traditional Taiwan, English, , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					х						х					х			S	26361	-F22	:08-E	411	4,	,00	
V	/in7-Load Pro64 ZH+Office2010t	Chinese simplified, , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					X						X	5				х			S	26361	-F22	:08-E	412	4,	,00	
V	/in7-Load Pro64 ZT HK+Office2010t	Chinese Traditional Hongkong, English, , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					х						X					x			S	26361	-F22	:08-E	413	4,	,00	
V	/in7-Load Pro64 JA	Japanese, English, , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.					х						X	(				x			S	26361	-F22	:08-E	414	4,	,00	
	/in7-Load Pro32 MAIN+Office2013	Languages: DE, EN, ES, FR, IT, NL,		$\overline{}$	x x															X X							,00	
	/in7-Load Pro32 NORDIC+Office2013 /in7-Load Pro32 EM-SE+Office2013	Languages: DA, EN, FI, NO, RU, SV, Languages: AR, DE, EL, EN, FR, HE, TR,	-	-	x x	-	-	-	-		-	-	-	-	_	-				X 2							,00	
	/in7-Load Pro32 IBER-NE+Office2013 /in7-Load Pro32 SEE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK, Languages: BG, EN, HR, HU, RO, SL, SR,			x x												Х	Х	Х	X X	x S	26361	-F22	28-E	403		,00,	
٧	/in7-Load Pro64 MAIN + Office2013 /in7-Load Pro64 MAIN + Office2013	Languages: DE, EN, ES, FR, IT, NL,			x x					Х	_									X	S	26361	-F22	28-E	405	4,	,00	
٧	/in7-Load Pro64 NORDIC+Office2013	Language BA FM FI 122 FM FM			X X					х	Х		X X							X X	x S	26361	-F22	48-E	406	4,	,00	
	/in7-Load Pro64 NORDIC+Office2013 /in7-Load Pro64 EM-SE+Office2013	Languages: DA, EN, FI, NO, RU, SV,	Х	х	хх	Х	х	Х	X X	X X	X	х	хх	X	Х	Х	Х	Х	Х	X 2		26361 26361					,00,	
	/in7-Load Pro64 IBER-NE+Office2013 /in7-Load Pro64 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK,	Х	Х	хх	Х	Х	Х	X X	X X	X	Х	Х	X	Х	Х	X	Х	Х	X 2		26361 26361					,00,	
	/in7-Load Pro64 SEE+Office2013 /in7-Load Pro64 TH+Office2013	Thai, English.	Х	х	х х	Х	X X	_	X X	х	Х	х		X		Х	Х		X	X Z		26361 26361					,00,	
٧	/in7-Load Pro64 EM-SE+Office2013 /in7-Load Pro64 ZT TW+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR, Chinese Traditional Taiwan, English.					X			х		_		X					X		S	26361 26361	-F22	28-E	407	4,	,00	
٧	/in7-Load Pro64 ZH+Office2013	Chinese simplified,					X	_						X					X		S	26361	-F22	28-E	412	4,	,00	
٧	/in7-Load Pro64 SEE+Office2013 /in7-Load Pro64 ZT HK+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR, Chinese Traditional Hongkong, English,					х			X				x					Х		S	26361 26361	-F22	28-E	413	4,	,00,	
	/in7-Load Pro64 KO+Office2013 /in7-Load Pro64 JA	Korean, Japanese, English,					X	_						X				х	X	x :	S	26361 26361	-F22	28-E	414		,00	New product
V	/in7 HomePremium64 MAIN+Office2010t	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		X		X		X	X		X	×		X		X	x			S	26361	-F21	09-E	441	4,	,00	
V	/in7 HomePremium64 NORDIC+Office2010t	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		X		X		X	x		X	х		х		X	x			S	26361	-F21	09-E	442	4,	,00	
V	/in7 HomePremium64 EM-SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products	x		X		X		X	X		X	х	1	х		X	X			S	26361	-F21	09-E	443	4,	,00	
V	/in7 HomePremium64 IBER-NE+Office2010t	from channel.  Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products	X		x		x		x	x		x	х	(	х		x	x			Si	26361	-F21	09-E	444	4,	,00	
V	/in7 HomePremium64 SEE+Office2010t	from channel.  MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		X		X		X	x		X	х	3	X		X	x			S	26361	-F21	09-E	445	4,	,00	
V	/in7 HomePremium64 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	х		x		X		X	X		X	х	(	X		X	x			S	26361	-F21	09-E	446	4,	,00	
V	/in7 Pro32 MAIN+Office2010t	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	х		x x		X		X	X	X	X	X		x		X	x			S	26361	-F21	09-E	351	4,	,00	



ш.	O Options																								
				ESPRIMO C720	ESPRIMO E410 ESPRIMO E510	PRIMO E520	ESPRIMO E710	ESPRIMO E720	ESPRIMO E910	ESPRIMO E920	ESPRIMO P400	ESPRIMO P510	ESPRIMO P520	ESPRIMO P710	ESPRIMO P720	PRIMO P910	ESPRIMO P920 ESPRIMO PH300	ESPRIMO Q510	ESPRIMO Q910	ESPRIMO Q920	ESPRIMO X913 ESPRIMO X913-T		oduct Code	P (€)	Comments
atri:	Description x	Details	ES	ES	ES	ES		ES	ES	ES	ES E		ES	ES	ES			ES	ES	S	ES		Pr	EUP	8
cati	on-SW (Continued) Win7 Pro32 NORDIC+Office2010t	Preload: MuLi NORDICS (Nordic Region),	х		хх		Х		х		x 2	x x		Х		х		х	х			S	26361-F2109-E352	4,0	0
		Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.																							
\	Win7 Pro32 EM+SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	X		X X	(	x		X		x :	x x	1	x		X		x	х			S2	26361-F2109-E353	4,0	0
\	Win7 Pro32 IBER-NE+Office2010t	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		X X	(	x		x		X 2	х	•	x		X		X	x			S2	26361-F2109-E354	4,0	0
\	Win7 Pro32 SEE+Office2010t	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	X		х	(	x		x		<b>x</b> :	K X	3	х		X		х	x			S2	26361-F2109-E355	4,0	0
	Win7 Pro 32 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	X		х	(	х		x		х	×	3	х		X		X	х			S2	26361-F2109-E356	4,0	
\	Win7 Pro64 MAIN + Office2010t	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		х		х		x		X	к		x		х		х	х			S2	26361-F2109-E451	4,0	0
V	Win7 Pro64 NORDIC+Office2010t	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		X X	(	x		x		X 2	x x	\$	X		X		X	х			S2	26361-F2109-E452	4,0	0
\	Win7 Pro64 EM-SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		x x	(	x		x		<b>x</b> :	x x	<b>.</b>	x		x		x	x			S2	26361-F2109-E453	4,0	0
1	Win7 Pro64 IBER-NE+Office2010t	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		x x	3	x		x		x	x x		x		x		x	x			S2	26361-F2109-E454	4,0	0
/	Win7 Pro64 SEE+Office2010t	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x		x x	3	x		х		X :	к		x		x		x	X			S2	26361-F2109-E455	4,0	0
V	Win7 Pro 64 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	X		х	(	X		x		X	X	1	х		x		х	х			S2	26361-F2109-E456	4,0	0
	RDVD Downgrade Win7 Pro (32/64)  RDVD Downgrade Win7 Pro (32/64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	х	X	x x		X	X	х		X	к		х		X	x	X	X	X	x x		26361-F2208-E500 26361-F2208-E550	6,0	
F	RDVD Downgrade Win7 Pro (32)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	х		x x	(	х		х		X 2	x x		x		x		х	x		x x	S	26361-F2208-E501	6,0	0
F	RDVD Downgrade Win7 Pro (32) RDVD Downgrade Win7 Pro (64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	Х	X	x x	-	X	X	х	X	X Z	к	X	х	X	x	X	х	-	X	x x	S	26361-F2208-E551 26361-F2208-E502	6,0 6,0	0
F	RDVD Downgrade Win7 Pro (64) RDVD Downgrade Win7 Pro (64) TH			Х	$\mp$	X	X	Х	H	Х	$\perp$		Х	х	Х		Х		Х	Х			26361-F2208-E552 26361-F2208-E503	6,0 6,0	



RIN	IO Options																						
				ESPRIMO C720	ESPRIMO E510	PRIMO E520	ESPRIMO E710	ESPRIMO E/20	ESPRIMO E910	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P710	ESPRIMO P720	PRIMO P910	ESPRIMO P920 ESPRIMO PH300	ESPRIMO Q510	ESPRIMO Q910	ESPRIMO Q920 ESPRIMO X913	ESPRIMO X913-T	oduct Code	P (€)	Comments
<b>y</b> natr	Description ix	Details	ESI			ES				ES	IS			ES			ES			S	Pro	EU P	Š
	ion-SW (Continued)  RDVD Downgrade Win7 Pro (64) ZH						Х						Х					Х			S26361-F2208-E505	6,00	
	RDVD Downgrade Win7 Pro (64) ZT-HK RDVD Downgrade Win7 Pro (64) JA Win7 HomeBasic32 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries),	Y		X		X X		x	Х		x	X X		X		X	X			S26361-F2208-E506 S26361-F2208-E507 S26361-F2109-E336	6,00 6,00 3,00	
	THE FOLIABLE REPORT OF THE PARTY OF THE PART	Language: RU, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	^				^								^		^				02000112100 2000	0,00	
	LoadWin7 Pro64 Thai+Office2010t	Languages: EN, TH (English, Thai), , Note: Included Office 2010 is a 32bit application., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,					X						X					x			S26361-F2210-E101	4,00	
	LoadWin7Pro64 ChinTradTaiwan+Office2010t	Languages: EN, Chinese Traditional Taiwan, Note: Included Office 2010 is a 32bit application., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,					x						X					X			S26361-F2210-E102	4,00	
	LoadWin7Pro64 ChinSimplified+Office2010t	Languages: Chinese Simplified PRC (People's Republic of China), Note: Included Office 2010 is a 32bit application., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,					x						x					x			S26361-F2210-E103	4,00	
	LoadWin7Pro64 ChinTradHK+Office2010t	Languages: EN, Chinese Traditional Hongkong, Note: Included Office 2010 is a 32bit application., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,					x						x					x			S26361-F2210-E104	4,00	
	LoadWin7 Pro64 Japanese	Languages: EN, JP (English, Japanese), , Note: Included Office 2010 is a 32bit application., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,					х						x					X			S26361-F2210-E105	4,00	
	LoadWin7 HP64 Thai+Office2010t	Languages: EN, TH (English, Thai), , Note: Included Office 2010 is a 32bit application., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,					x						x					x			S26361-F2210-E201	4,00	
	LoadWin7 HP64 ChinTradTaiwan+Office2010t	Languages: EN, Chinese Traditional Taiwan, Note: Included Office 2010 is a 32bit application., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,					x						x					X			S26361-F2210-E202	4,00	
9	LoadWin7 HP64 ChinSimplified+Office2010t	Languages: Chinese Simplified PRC (People's Republic China), Note: Included Office 2010 is a 32bit application., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel					x						x					x			S26361-F2210-E203	4,00	
1	LoadWin7 HP64 ChinTradHK+Office2010t	Languages: EN, Chinese Traditional Hongkong, Note: Included Office 2010 is a 32bit application., , For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.,					x						x					X			S26361-F2210-E204	4,00	
	Win7 HomeBasic32 EM+SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	X		x		X	)	х	х		х	x		х		х	x			S26361-F2109-E333	3,00	
	Win7 Ultimate64 + Office2010t	Preload: MuLi Ultimate DE/EN, Languages: DE, EN (German, English), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	X		x		x	)	x	x		х	x		x		x	X			S26361-F2210-E305	4,00	
	Drivers&Utilities DVD (XP) ESPRIMO DT	incl. Nero Essentials S, Norton Internet Security Trial 90 days	х		х х	П	х	,	х	х	х	х	х		х	X	X	х		П	S26361-F2007-E910	3,00	
	Drivers&Utilities DVD (WIN7 + WIN8) ESPR	incl. Nero Essentials S, Norton Internet Security Trial 90 days	х	х	х х	х	Х	x x	х	х	х	x	х	х	х	х	х	х	х х	х	S26361-F2007-E901	3,00	
	REC-DVD Win7 HomeBasic 32bit RUS REC-DVD Win7 Home Premium 64 RUS	RU RU	X	_	X		X X		X X	X		X X	X	_	X X	+	X	X X			S26361-F2009-E532 S26361-F2009-E642	3,00	
	REC-DVD Win7 Professional 32 RUS REC-DVD Win7 Professional 64 RUS	RU RU	X		X		X X	)	X X	X		X X	X		X X	#	X	X X			S26361-F2009-E552 S26361-F2009-E652	3,00	
	REC-DVD Win7 HomeBasic 32bit All MuLi REC-DVD Win7 Ultimate 64bit	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR  AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR,	x		x		x		x	x		x	x		x			x			S26361-F2009-E533 S26361-F2210-E315	3,00	
	REC-DVD Win7 Homo Promism 64 All Mart:	SV, TR		_		Ш			v							_			_	Ш	\$26361_E2000_E642	2.00	
	REC-DVD Win7 Home Premium 64 All MuLi REC-DVD Win7 Professional 32 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR  AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR,	x		x x		x		x x	x	x	x	X		x			X			S26361-F2009-E643 S26361-F2009-E553	3,00	
		HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR															, , ,	-				3,50	



IMO Op	ptions						Щ	ц			Щ	_		ц	_						щ						_
			C710	C720	E410	5	E520	E710	E720	E910	E920	P400	2 5	P510	P520	P720	5	P920	РН300	Q510	Q910	Q920	X913	- - - -	ø		
			10 C7	10 C1	10 E4	10 E5	5 E	10 E7	10 E7	0 E	10 E9	10 P4	0 6	0 P5	0 P5		10 P9	10 Pg	일	õ		စ္ခ စ	10 X91		t Code		ints
			ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	PRIN	PRI	PRIN	ESPRIMO	ESPRIMO	PRIV	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	ESPRIMO	Ž Ž	Product	(€)	Comments
<b>Descrip</b> atrix	ption	Details	ES	S	S	S	<b>≅</b>	ន	S	S	S	S   E	<u>я</u> і	S	S G		S	B	S	SI	S   S	S	<u>ш</u> г	2	<u> </u>	Ð	8
	(Continued) VD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR,	Х		х	х		х		х		х	х	х		x	Х			х	х			5	S26361-F2009-E653	3,0	00
		HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR																									
REC-D\	VD Win7 Prof. 32+64bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR,	х		х	х	$\top$	х	$\forall$	х	$\top$	х	х	х	7	x	х			х	х	$\forall$	$^{+}$	S	S26361-F2009-E753	3,0	00
		HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR																									
OS RDV	VD1 Win7 Pro 64, GB,Thai	Languages: English, Thai, Windows Operating System, Activation with valid license,						х							2	x					х			S	S26361-F2210-E111	3,0	00
		•	Ш			4		4	4	_		4	4	4		1	L			_	4	4	4				
OS RDV	VD1 Win7 Pro 64, GB, ChinTradTaiwan	Languages: English, ChineseTraditionalTW, Windows Operating System, Activation with valid						Х							2	X					Х			8	S26361-F2210-E112	3,0	00
OS RDV	VD1 Win7 Pro 64, ChinSimplified	license Languages: ChineseSimplifiedPRC, Windows				_	+	x	_	-	_	+	+	+		x	+			_	X	+	+	ç	S26361-F2210-E113	3,0	00
COTE	vor van 11001, omnompinio	Operating System, Activation with valid license													'	^					^				520001122102110	0,0	
OS RDV	VD1 Win7 Pro 64, GB, ChinTrad HK	Languages: English, ChinesesTraditional,				+	+	х	+	+	+	+	+	+	7	x	+			_	х	+	+	S	S26361-F2210-E114	3,0	00
		Windows Operating System, Activation with valid license																									
OS RDV	VD1 Win7 Pro 64 GB, Japanese	Languages: English, Japanese, Windows Operating System, Activation with valid license	П					х					$\top$	T	7	x	T		П		х	T		S	S26361-F2210-E115	3,0	00
			Ш																								
OS RDV	VD1 Win7 HP 64, GB,Thai	Languages: English, Thai, Windows Operating System, Activation with valid license						х							1	X					Х			S	S26361-F2210-E211	3,0	00
OS PDV	VD1 Win7 HP 64, GB, ChinTradTaiwan	Languages: English, ChineseTraditionalTW,				_	_	x	_	_	_	_	4	4		x					х	4	_		S26361-F2210-E212	3,0	10
OS KDV	VDT WIIIT FIF 04, OB, CHIITTAGTAIWAIT	Windows Operating System, Activation with valid						^								^					^				320301-F2210-E212	3,0	
OS RDV	VD1 Win7 HP 64, ChinSimplifiedPRC	Languages: ChineseSimplifiedPRC, Windows	H		-		-	х		+		+	+	+	1	x	+	$\vdash$	H	-	х	+	+	5	S26361-F2210-E213	3,0	00
		Operating System, Activation with valid license																									
OS RDV	VD1 Win7 HP 64, GB, ChinTrad HK	Languages: English, ChineseTraditionalHK,	$\parallel$					х		$\forall$		+	$\dagger$		7	x		П	$\forall$		х	$\dagger$	$\dagger$	S	S26361-F2210-E214	3,0	00
		Windows Operating System, Activation with valid license																									
	ro32 MAIN+Office2013 ro32 NORDIC+Office2013	Languages: DE, EN, ES, FR, IT, NL, Languages: DK, EN, FI, NO, RU, SV,	X		X X			X X		X X		X X				x x	X	_	H	X X		7	7		S26361-F2227-E351 S26361-F2227-E352	4,0 4,0	
	ro32 EM-SE+Office2013 ro32 IBER-NE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR, Languages: CS, EN, ES, FR, PL, PT, SK,	X		X X			X X	_	X X		X X				X X	X	_		X		$\exists$	-	8	S26361-F2227-E353 S26361-F2227-E354	4,0	
Win7 Pr	ro32 SEE+Office2013 ro32 RU+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR, Language: RU, ,	X		X	х		X X		X		X X	Х	Х		X	X			X	Х			S	S26361-F2227-E355 S26361-F2227-E356	4,0	00
Win7 Pr	ro64 MAIN + Office2013 ro64 NORDIC+Office2013	Languages: DE, EN, ES, FR, IT, NL, Languages: DK, EN, FI, NO, RU, SV,	X		X	Х		X		X		X	Х	Х		X X	X			X	Х			S	S26361-F2247-E451 S26361-F2247-E452	4,0	00
Win7 Pr	ro64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR,	х		Х	х	$\Box$	Х		Х		х	Х	Х		X	х			Х	Х			S	S26361-F2247-E453	4,0	00
Win7 Pr	ro64 IBER-NE+Office2013 ro64 SEE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK, Languages: BG, EN, HR, HU, RO, SL, SR,	X	-	X X	_	_	X	-	X		X X	Х	Х		X X	X			X	_			8	S26361-F2247-E454 S26361-F2247-E455	4,0 4,0	00
	ro64 RU+Office2013 in7 Pro64 Thai+Office2013	Language: RU, Languages: English, Thai,	Х		Х	Х	_	X X		Х		Х	X	Х		X X	X			Х	X	$\pm$			S26361-F2247-E456 S26361-F2227-E101	4,0	00 New product
	in7Pro64 ChinTradTaiwan+Office2013 in7Pro64 ChinSimplified+Office2013	Languages: GB, ChineseTraditionalTaiwan, Languages: Chin.Simplified PRC,				-	_	X X	-	+	-	+	+	+		X X	+				X X	+	+		S26361-F2227-E102 S26361-F2227-E103		00 New product 00 New product
LoadWii	in7Pro64 ChinTradHK+Office2013 in7 Pro64 Japanese	Languages: English, Chin. Traditional HK, Languages: English, Japanese,						X X		-		-	7	7		X X	F		П		X X	7	-	8	S26361-F2227-E104 S26361-F2227-E105	4,0	00 New product 00 New product
	ard Reader	Zangaca Zingilon, Saparicos,																					Y		S26361-F1260-E803	23,0	
EraseDi		Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk.	х	х				х	Х	х	Х				7	х	х	Х			х				S26361-F2542-E435	30,0	
		e.g. if the system will be sold. Please notice, that																									
		SSD (Solid State Disk) cannot be deleted in a secure method.																									
SmartCa	ase Logon+ 3.2.2	Does not support Windows 8; supports secure	х	х				х	х	х	х		$\top$		7	х	x	х	П		х	х	х	x S	S26361-F2727-E740	14,0	00
		authentication, password container, SSO, drive encrypt, smartcard, biometrics																									
SystemL	Lock3	SystemLock3 is a UEFI BIOS smartcard pre-boot authentication (PBA) feature.	X					х		Х					2	X	Х				Х		Х	x S	S26361-F2727-E745	18,0	00
Smartca	ardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista/Win7 compatible, USB interface . black, USB cable	х	х	х	х	х	х	х	х	х	х	х	х	X Z	х	X	х				T		S	S26381-F331-E220	23,0	00
KB SCR	RUSA	SmartCard Keyboard USA 104-key layout with	х	х	х	х	х	х	х	х	х	х	х	х	x :	х	x	х		Х	х	х	$^{+}$	S	S26381-K528-E110	34,0	00
		class 2 reader on the top. Without security seal.VOL up, VOL down, Play/Pause and																									
		calculator function keys, fixed USB cable 1.8m, manual, driver DVD, USB 2.0.																									
KB SCR	RD	SmartCard Keyboard German with class 2 reader						$\forall$		х		+	$^{\dagger}$	$^{\dagger}$			х			х	х	х		S	S26381-K528-E120	34,0	00
		on the top of the keyboard. Without security seal.VOL up, VOL down, Play/Pause and																									
		calculator function keys, fixed USB cable 1,8m, manual, driver DVD, USB 2.0.																									
KB SCR	R GB	SmartCard Keyboard english layout with class 2	х	х	х	х	х	х	х	х	х	х	х	х	X 2	х	X	х		х	х	х	$^{+}$	S	S26381-K528-E165	34,0	00
		reader on the top. Without security seal.VOL up, VOL down, Play/Pause and calculator function																									
		keys, fixed USB cable 1.8m, manual, driver DVD, USB 2.0.																									
KB SCR	R BLACK DE	SmartCard Keyboard black German with class 2	$\forall$		_	+		+	+	х	х	+	+	+	+	+	х	Н	H	х	х	х	+	S	S26381-K528-E420	34,0	00
		reader on the top of the keyboard. Without security seal.VOL up, VOL down, Play/Pause and	ŀ																								
		calculator function keys, fixed USB cable 1,8m, manual, driver DVD, USB 2.0.																									
167.5	DI AOK OD		Ш										$\perp$					Ш	Ш				$\perp$	$\perp$	200004 1/222 7 7		
KB SCR	R BLACK GB	SmartCard Keyboard black english layout with class 2 reader on the top. Without security	X	X	Х	X	X	Х	X	X	Х	X	X	X	X	X X	X	X		X	X	Х		5	S26381-K528-E465	34,0	JU
		seal.VOL up, VOL down, Play/Pause and calculator function keys, fixed USB cable 1.8m,																									
	000 //	manual, driver DVD, USB 2.0.	Ш	Щ												_		Ш	Ш				$\perp$	_	200004 51555		
SmartCa	ase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard	X	х	Х	Х	Х	Х	Х	Х	Х	Х	X	Х	X Z	X X	X	X						S	S26361-F1260-E520	18,0	00
Upgrade	e Mouse Grey USB instead of Black		Х	х		х	х	х	х	x	х		Ť	х	x z	x x	x	Х		Х	x	x		Ş	S26361-F2542-E221	6,0	00
Upgrade	e Mouse M440 ECO Black e Mouse GL9000 Blue LED						Х	Х		Х	Х				X Z	х		Х		Х	х	Х		x S	S26361-F2542-E222 S26361-F2542-E231	16,0 17,0	00
	e Mouse Laser Grey USB/PS2	upgrade mouse for system unit,Logitech, USB 2.0 interface incl.adapter to PS/2, allows	х	х	х	х						х	х	х	X 2				П	_	x	_			S26361-F2542-E217	13,0	
		horizontal scrolling																									
	speaker					х	х							х	х										S26361-F2542-E21	6,0	
Med-Kit	ESPRIMO/CELSIUS	Manual and product compliant to IEC 60601-1-2. Preparation for further medical certifications and	Х					х					T		7	x						х	T	S	S26361-F2542-E250	26,0	
1		relevant for integration into medical products.																									
					$\dashv$			х	+	х	+	+	+	+	+	+	+	$\vdash$			$\pm$	_	$\pm$		S26361-F2542-E326	6,0	
	front panel			_						_								-	_			_					
	front panel ate ESPRIMO Q	to prevent opening of the system unit; Kensington lock (option) necessary,													$\top$					Х	Х	Х		١	S26361-F2542-E338	6,0	
Lock pla									х		х						x			X	X	X	+	S	S26361-F2542-E341 S26361-F2542-E341 S26361-F2542-E342	6,0 6,0	00



atri	Description x	Details	ESPRIMO C710	ESPRIMO E410	ESPRIMO E510	ESPRIMO E520	ESPRIMO E710		ESPRIMO E910	ESPRIMO E920	ESPRIMO P400	ESPRIMO P410	ESPRIMO P510	ESPRIMO P520	ESPRIMO P710	ESPRIMO P720	ESPRIMO P910	ESPRIMO P920	ESPRIMO PH300		ESPRIMO Q910	ESPRIMO Q920	<b>ESPRIMO X913</b>	ESPRIMO X913-T	Product Code	EUP (€)	Comments
	us (Continued) Rubber feet for vertical position (4				Х	x x	X	X	x x	x			т	Ţ	Ţ	7									S26361-F2542-E480	4,0	0
	TPM Module				_	Х	_		$\perp$				Х	( )											S26361-F3552-E3	10,0	0
	Monitor outlet cable	necessary to contact monitor directly to the PC		$\perp$	$\perp$	L			X								X								S26361-F2542-E57	4,0	
- 1-	Power cord for monitor (CH) Cable for second internal USB device		X	х х	x x	X	X	X	X	X	+	+	X	( )			X					-	Н		S26361-F2542-E59 S26361-F2581-E10	4,0	
- 1-	Lock in front panel C7xx		X :	x		+			+						+		1	<u> </u>							S26361-F2542-E333	6,0	
	ntrusion switch		X																						S26361-F2542-E322	4,0	0
	Key lock in side door	for lock of housing		_	_		_	-		_	-	-		_	>	(	Х								S26361-F2542-E323	6,0	
	Feet for vertical position (set) MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	X :						x x			х	X	( )	<b>X</b> >	( X	X	Х		Х	х	х			S26361-F2542-E200 S26361-F2542-E90	7,0 4,0	
	No TPM/ TLS	for countries with import regulations	X	х			Х	Х	X	X					>	( X	X	Х					Х		S26361-F3436-E2	3,0	
4	DVI/DVI cable	short cable (440mm), for mounting kit,			_			_		_	_	_		_	_	_	_	_		Х	Х	Х			S26361-F2581-E11	12,0	0
Ŧ	Anti-glare display surface																							v	S26361-F1065-E230	50.0	0 Orderable from: 03/06/2013
	louse																							^	020001-1 1000-L200	50,0	O Graefable from: 03/00/2013
	Remote Control RC900	Remote Control RC900, micro receiver, manual, batteries													Ι					Х	Х	Х	Х	Х	S26381-K456-E100	15,0	0
	ervices  DeskView Load Basic  DeskView Load Expert	With DeskView Load Basic you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, Information about hardware components e.g. MAC - address, serial number at time of production via email, , Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,  With DeskView Load Expert you are able to offer											X		× >		X						x		DVI:DVL_PACK_BAS	21,0	
	Seskview Load Expert	customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, , In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email or web service, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, Specified Operating system customizing , Extended recovery scenario, , Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,					^											^		•	•	•	^	^	DVI.DVL_I AGI(_EAI	30,3	
	DeskView Load Professional	With DeskView Load Professional you are able to offer customers DeskView Load as a defined package., Customers benefit of, Easy Windows® 7 downgrade, A clean and unsponsored operating system, Full driver support, Minimum preparation lead-time, , In addition to DeskView Load Basic the customer gets, Information about hardware components e.g. MAC - address, serial number at time of production via email, First boot in factory enables ready2run systems, Individual hard disk partition, ISO image for easy recovery, , Limitations for the DVL packages are projects greater than 150 clients and maximum 5 order codes p.a.,	X	X	X	X	X	X	X	X	X	X	X		( )	K X	X	×		X	x	X	X	X	DVI:DVL_PACK_PRO	47,2	



#### **Positioning CELSIUS workstations**



CELSIUS H Series. Powerful mobile workstation. If you run power-hungry 3D applications that demand no compromise on the graphics side, you'll appreciate the CELSIUS H. The system offers the power of a full-fledged workstation: Editing 3D OpenGL graphics in real time, running computer simulations and computing multimedia animations wherever you are.

CELSIUS H Series



CELSIUS W Series. High-End PC / Entry-Level workstation

If you need more power and more expandability than a desktop PC can offer, choose the entry-level workstation CELSIUS W Series. The CELSIUS W Series offers workstation performance - in combination with fastest generation of processors, chipsets and graphic cards.

CELSIUS W Series



CELSIUS M Series. Mid-range workstation.

Do you need more power, more memory, more data security, and more expandability than a conventional PC can offer? Then choose the mid-range workstation CELSIUS M Series. CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. CELSIUS are certified for a huge variety of software applications.

CELSIUS M Series



CELSIUS R Series. High-end workstation.

You need a powerful, dual-processor workstation and want to choose from a large range of graphics subsystems. The CELSIUS R Series is ready for all challenges. What is more, the CELSIUS R Series offers great expandability. Latest technology combined with top performance components makes this the optimum hardware choice for power hungry applications.

CELSIUS R Series



CELSIUS RemoteAccess

#### CELSIUS RemoteAccess

Do you want to access your workstation remotely? Then the CELSIUS RemoteAccess solution is the right choice for you. It enables you to separate your hardware from data input and output while keeping at the same time the real workstation user experience and performance.

(See Accessories page)



### **CELSIUS H720**

If you're a mobile worker looking for a customizable workstation and enhanced productivity, Fujitsu's CELSIUS H720 is the ideal device. This high-quality 39.6 cm (15.6-inch) workstation with comprehensive ISV certifications combines powerful performance with multiple connectivity options for effective mobile working. The modular bay provides individual expandability. Comprehensive protection against physical damage and security threats complete a reliable package.

			Product Code	(€)	Comments
Model	Description	Details	rod	EUP (€)	E O
	it configurations	Details	ш.		U
CELSIU		Base unit for DualCore CPUs, Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600 MHz PC12800 RAM	S26391-K365-V100	######	
		(2 DIMM slots). Modular bay concept for optical drives, 2nd Battery, 2nd hard disk or USB-dongle-bay. NVidia Quadro K1000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and 2 Microphones integrated, 1x Express Card slot type 34, 1x Smart Card reader, SD Card reader, integrated Touchpad, 3 mouse buttons, fingerprint sensor, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 3.0, 1x USB 2.0/1x eSATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 150W., , Li-Ion battery 6.700mAh, , Modular bay concept for optical drives, second battery, second hard disk drive or USB-dongle-bay. Please configure 2nd-HDD-bay-module and respective drive from options. , , Dual channel			
		memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter. AC Cable & 1st Batterv Please be aware. that vPro logo			
	CELSIUS H720 Dual Core K1000M	Base unit for DualCore CPUs, Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery, 2nd hard disk or USB-dongle-bay. NVidia Quadro K2000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and 2 Microphones integrated, 1x Express Card slot type 34, 1x Smart Card reader, SD Card reader, integrated Touchpad, 3 mouse buttons, fingerprint sensor, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 3.0, 1x USB 2.0/1x eSATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 150W., , Li-Ion battery 6.700mAh, , Modular bay concept for optical drives, second battery, second hard disk drive or USB-dongle-bay. Please configure 2nd-HDD-bay-module and respective drive from options. , , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter. AC Cable & 1st Battery Please be aware, that vPro logo			
	CELSIUS H720 Quad Core K1000M	Base unit for QuadCore CPUs, Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600 MHz PC12800 RAM (4 DIMM slots). Modular bay concept for optical drives, 2nd Battery, 2nd hard disk or USB-dongle-bay. NVidia Quadro K1000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and 2 Microphones integrated, 1x Express Card slot type 34, 1x Smart Card reader, SD Card reader, integrated Touchpad, 3 mouse buttons, fingerprint sensor, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 3.0, 1x USB 2.0/1x eSATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 150W., , Li-lon battery 6.700mAh, , Modular bay concept for optical drives, second battery, second hard disk drive or USB-dongle-bay. Please configure 2nd-HDD-bay-module and respective drive from options. , , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery Please be aware, that vPro logo	S26391-K365-V200	######	



11 9	SIUS H720				
	Description	Details	Product Code	EUP (€)	
	it configurations		_		Ť
SIU	S H720 (Continued)				
	CELSIUS H720 Quad Core K2000M	Base unit for QuadCore CPUs, Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600 MHz PC12800 RAM (4 DIMM slots). Modular bay concept for optical drives, 2nd Battery, 2nd hard disk or USB-dongle-bay. NVidia Quadro K2000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and 2 Microphones integrated, 1x Express Card slot type 34, 1x Smart Card reader, SD Card reader, integrated Touchpad, 3 mouse buttons, fingerprint sensor, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 3.0, 1x USB 2.0/1x eSATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 150W., , Li-Ion battery 6.700mAh, , Modular bay concept for optical drives, second battery, second hard disk drive or USB-dongle-bay. Please configure 2nd-HDD-bay-module and respective drive from options. , , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter. AC Cable & 1st Battery Please be aware, that vPro logo			
	CELSIUS H720 Quad Core K500M	, Base unit for QuadCore CPUs, Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600 MHz PC12800 RAM (4 DIMM slots). Modular bay concept for optical drives, 2nd Battery, 2nd hard disk or USB-dongle-bay. NVidia Quadro K1000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and 2 Microphones integrated, 1x Express Card slot type 34, 1x Smart Card reader, SD Card reader, integrated Touchpad, 3 mouse buttons, fingerprint sensor, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 3.0, 1x USB 2.0/1x eSATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 150W., , , , Lilon battery 6.700mAh, , , Modular bay concept for optical drives, second battery, second hard disk drive or USB-dongle-bay. Please configure 2nd-HDD-bay-module and respective drive from options. , , , , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules Please do not forget to configure the	S26391-K365-V500	959,00	ֹ



### **CELSIUS H910**

The Fujistu CELSIUS H910 delivers high-end workstation power in a 43.9 cm (17.3-inch) notebook form factor. Featuring the 2nd generation Intel® Core™ processors and high-end NVIDIA® graphics, the CELSIUS H910 delivers uncompromising performance without tethering you to the office. Secure and reliable, it is ideal for business environments such as high end CAD, digital content creation, virtualization and Virtual Reality.

Description it configurations	Details	Product Code	EUP (€)	Comments
nit configurations  JS H910				
	Base unit for Intel Dual Core processors, Mobile Intel® QM67 Express Chipset (CougarPoint), supports vPro, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Fixed optical drive internal 2nd hard disk optionally available. NVidia Quadro 3000M oder 4000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82579LM (w/ AMT 7.x), Intel High Definition Audio and integrated Microphone, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 210W., , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included, Front interfaces: 1 x wireless switch Left	S26391-K324-V100	#####	
CELSIUS H910 Quad Core	Base unit for Intel Quad Core processors, Mobile Intel® QM67 Express Chipset (CougarPoint), supports vPro, supports Dual Channel DDR3 1333MHz PC10600 RAM (4 DIMM slots). Fixed optical drive internal 2nd hard disk optionally available. NVidia Quadro 3000M oder 4000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82579LM (w/ AMT 7.x), Intel High Definition Audio and integrated Microphone, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 210W., , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., . Front interfaces: 1 x wireless switch , . Left	S26391-K324-V200	#####	



### **CELSIUS H920**

If you need ultimate workstation performance in a notebook form-factor, the Fujitsu CELSIUS H920 is your ideal choice. This individually configurable workstation, comprehensively certified for leading ISV applications, helps you maintain an efficient workflow wherever you are. Your productivity is increased by instant network access thanks to multiple embedded connectivity features. A range of hardware protection and software security features provide additional peace of mind.

Madal	Description	Detaile	Product Code	EUP (€)	Comments
	Description nit configurations	Details		Ш	O
	JS H920				
		Base unit for DualCore CPUs Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots). Fixed optical drive internal 2nd internal hard disk optionally available. NVidia Quadro K3000M OpenGL graphics with 2GB GDDR5 or K4000M OpenGL graphics with 4GB GDDR5 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and integrated Microphone, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, fingerprint sensor, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 210W., Li-Ion battery 5.800mAh, Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that vPro logo requires i5/i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software	S26391-K366-V100	#####	
	CELSIUS H920 Quad Core	Base unit for DualCore CPUs Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600MHz PC12800 RAM (4 DIMM slots). Fixed optical drive internal 2nd internal hard disk optionally available. NVidia Quadro K3000M OpenGL graphics with 2GB GDDR5 or K4000M OpenGL graphics with 4GB GDDR5 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and integrated Microphone, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, fingerprint sensor, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 210W., , Li-Ion battery 5.800mAh, , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that vPro logo requires i5/i7 processors, Intel W-LAN & TPM module If you configure the Blu-ray burner it will come with Playback Software	S26391-K366-V200	#####	



### **CELSIUS M720**

If you're looking for reliable performance when using demanding applications, the Fujitsu CELSIUS M720 single-processor workstation meets your needs. It can be individually configured, helping you to enhance your productivity. It features best-inclass noise emissions of only 20 dB for a quiet and efficient working environment. Comprehensive ISV certifications ensure your applications run smoothly. Finally, the convenient cold plug access at front simplifies subsequent expansion.

Model	Description	Details	Product Code	EUP (€)	Comments
	nit configurations	Details	<u> </u>		U
CELSIU	-				
	CELSIUS M720	Base unit:, , System board D3128, Chipset: Intel C602; Theseus system management controller, 500 W wide range power supply, optical USB tilt- wheel-mouse;, , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , , , Slots:, , 8 DIMM-slots, 4 channels (DDR3 1600Mhz); , , 7 expansion slots: 2x PCIe Gen3 x16, 1x PCIe x4 Gen2 (mechanical PCIe x16), 2x PCIe x4 Gen3 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz), , , , , , Onboard I/O devices: , 1x 1GBit network controller Intel 82579LM, SATA controller (2x SATA 6GBit and 4x SATA 3GBit Ports), HD-Audio 5.1 CX20642, , , SAS upgrade option (Intel C604):, SAS 3GBit controller optional via UpgradeRom (4 Ports, SAS/SATA RAID 0, 1 und 10), , , Bays: , , 2x 5,25" and 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] , , - all internal HDD bays accessable from the front., , , , Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in, , , , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio out, 1x	S26361-K1399-V115		
		Base unit:, , System board D3128, Chipset: Intel C602; Theseus system management controller, 500 W wide range power supply, optical USB tilt- wheel-mouse;, , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , , , Slots:, , 8 DIMM-slots, 4 channels (DDR3 1600Mhz); , , 7 expansion slots: 2x PCIe Gen3 x16, 1x PCIe x4 Gen2 (mechanical PCIe x16), 2x PCIe x4 Gen3 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz), , , , , , Onboard I/O devices: , 1x 1GBit network controller Intel 82579LM, SATA controller (2x SATA 6GBit and 4x SATA 3GBit Ports), HD-Audio 5.1 CX20642, , , SAS upgrade option (Intel C604); , SAS 3GBit controller optional via UpgradeRom (4 Ports, SAS/SATA RAID 0, 1 und 10), , , Bays: , , 2x 5,25" and 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] , , - all internal HDD bays accessable from the front., , , , Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in, , , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio out, 1x	S26361-K1399-V189		
	CELSIUS M720powe	Base unit:, , System board D3128, Chipset: Intel C602; Theseus system management controller, 800 W wide range power supply, optical USB tilt- wheel-mouse;, , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , , , Slots:, , 8 DIMM-slots, 4 channels(DDR3 1600Mhz); , , 7 expansion slots: 2x PCIe Gen3 x16, 1x PCIe x4 Gen2 (mechanical PCIe x16), 2x PCIe x4 Gen3 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz), , , , , Onboard I/O devices: , 1x 1GBit network controller Intel 82579LM, SATA controller (2x SATA 6GBit and 4x SATA 3GBit Ports), HD-Audio 5.1 CX20642, , , SAS upgrade option (Intel C604):, SAS 3GBit controller optional via UpgradeRom (4 Ports, SAS/SATA RAID 0, 1 und 10), , Bays: , , 2x 5,25" and 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] , , - all internal HDD bays accessable from the front., , , , Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in, Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio out, 1x	S26361-K1399-V215	#####	



#### **CELSIUS R920**

Fujitsu's most performing workstation the CELSIUS R920 achieving first-class benchmark results is designed to surpass all your expectations. This reliable, high-end dual processor workstation is individually configurable for the most power hungry, 24/7 operating environments. Best-in-class noise emissions of just 21 dB, and comprehensive ISV certifications that ensure smooth application operation, enhance your productivity. The convenient cold plug access at front simplifies subsequent expansion.

Model	Description	Details	Product Code	EUP (€)	Comments
	nit configurations	Domino			
CELSIU					
	CELSIUS R920	Base unit:, , System board D3118, Chipset: Intel C602; Theseus system management controller, 800 W wide range power supply, optical USB tilt- wheel-mouse;, , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , , , Slots:, , 16 DIMM-slots (8 Slots per CPU), 8 channels (4 per CPU); , , 7 expansion slots: 4x PCIe Gen3 x16, 1x PCIe x4 Gen3 (mechanical PCIe x16), 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , , , 2nd CPU (CPU1) is needed for the usage of three and/or four PCIe x16 addon cards., , , Onboard I/O devices: , 2x 1GBit network controller Intel 82579LM & 82574L, SATA controller (2x SATA 6GBit and 4x SATA 3GBit Ports), HD-Audio 5.1 CX20642, , , SAS upgrade option (Intel C606):, SAS 3GBit controller optional via UpgradeRom (8 Ports, SAS/SATA RAID 0, 1 und 10), , Bays: , , 2x 5,25" and 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] , - all internal HDD bays accessable from the front., , , , Front	S26361-K1400-V115		
	CELSIUS R920 SAG	"Base unit:, , , System board D3118, Chipset: Intel C602; Theseus system management controller, 1100 W wide range power supply, optical USB tilt- wheel-mouse;, , , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , , , , , Slots:, , , 16 DIMM-slots (8 Slots per CPU), 8 channels (4 per CPU); , , 7 expansion slots: 4x PCIe Gen3 x16, 1x PCIe x4 Gen3 (mechanical PCIe x16), 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , , , , , 2nd CPU (CPU1) is needed for the usage of three and/or four PCIe x16 addon cards., , , , , Onboard I/O devices: , , 2x 1GBit network controller Intel 82579LM & 82574L, SATA controller (2x SATA 6GBit and 4x SATA 3GBit Ports), HD-Audio 5.1 CX20642, , , , , SAS upgrade option (Intel C606):, , SAS 3GBit controller optional via UpgradeRom (8 Ports, SAS/SATA RAID 0, 1 und 10), , , , , Bays: , , , 2x 5,25" und 2x 3,5" FlexiBays externally accessible, , , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] all internal HDD bays accessable from	S26361-K1400-V189		
	CELSIUS R920powe	Base unit:, , System board D3118, Chipset: Intel C602; Theseus system management controller, 1100 W wide range power supply, optical USB tilt- wheel-mouse;, , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , , , Slots:, , 16 DIMM-slots (8 Slots per CPU), 8 channels (4 per CPU); , , 7 expansion slots: 4x PCIe Gen3 x16, 1x PCIe x4 Gen3 (mechanical PCIe x16), 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , , , 2nd CPU (CPU1) is needed for the usage of three and/or four PCIe x16 addon cards., , , Onboard I/O devices: , 2x 1GBit network controller Intel 82579LM & 82574L, SATA controller (2x SATA 6GBit and 4x SATA 3GBit Ports), HD-Audio 5.1 CX20642, , , SAS upgrade option (Intel C606):, SAS 3GBit controller optional via UpgradeRom (8 Ports, SAS/SATA RAID 0, 1 und 10), , , Bays: , , 2x 5,25" und 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] oor [8x 2,5" internal HDD/SSD bays] . , - all internal HDD bays accessable from the front , Front	S26361-K1400-V215	######	



#### **CELSIUS W420**

The Gateway to Workstation Performance

If your application requirements have outgrown the performance of a standard PC, the Fujitsu CELSIUS W420 is designed for you. This attractively-priced, compact workstation is individually configurable and allows easy tool-less expansion for greater working flexibility. Unique low-noise emissions help you increase your productivity.

Model	Description	Details	Product Code	EUP (€)	Comments
	d products		_		
<b>CELSIU</b>	S W420				
	CELS W420 /CORE i7-3770/4GB DDR3-1600/	CELS W420 /CORE i7-3770/4GB DDR3-1600/ DVD SM/500GB SATA III/HD CABLE/ PAR.INTF./CK I/KB410USBBIT/ COA_W7_MM_PROFES/W7_PRO32_O1MULI_MA/,	PRJ:W4200W0001IT	1.030,00	
	CELS W420 /CORE i7-3770/4GB DDR3-1600/	CELS W420 /CORE i7-3770/4GB DDR3-1600/ Q 410/DVD SM/500GB SATA III/HD CABLE/ PAR.INTF./CK I/KB410USBBIT/ COA_W7_MM_PROFES/W7_PRO32_01MULI_MA/,	PRJ:W4200W0002IT	1.123,00	
	Description	Details	Product Code	EUP (€)	Comments
Base un	it configurations				
<b>CELSIU</b>					
	CELSIUS W420	Base unit, system board D3162, 300 W wide range power supply, optical USB tilt scroll mouse; Chipset: Intel Q77., , Slots: , 4 DIMM-sockets (max. 32 GB, DDR3-1600, dual channel), 4 slots: 1x PCle 2.0 x16, 1x PCle 2.0 x4 (mechanical x16), 1x PCle x1, 1x PCl (32-bit / 33 MHz)., , Onboard I/O-devices: , Intel HD Graphics or HD Graphics 2500 (depending on CPU), network controller Intel 82579LM, Serial ATA controller (6 Ports 2 thereof SATA III; RAID 0, 1 or 5 for HDDs) und HD-audio Conexant CX20642., , Bays:, 7 (2x 5,25" and 2x 3,5" externally accessible, 2x 3,5" internal HDD-bays, 1x 2,5" internal HDD/SSD-bays)., , Front interfaces:, 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , , , Rear interfaces:, 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter), 1x LAN RJ45, 8x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial., , Internal interfaces:, 2x USB 2.0, , Embedded security (TPM 1.2), Disable / Hide TPM option	S26361-K1358-V215	388,00	



#### **CELSIUS W520**

Performance That Boosts Your Productivity
If you need a powerful entry-level workstation, Fujitsu's CELSIUS W520 is the ideal choice. Comprehensive ISV certifications ensure your professional applications run smoothly. Your workplace is silent and user-friendly thanks to best-in-class noise emissions. Plus, the cold plug access at the front of the workstation lets you expand your storage capacity or change drives for enhanced working flexibility.

	Description	Details	Product Code	EUP (€)	Comments
	it configurations				
CELSIU	S W520 CELSIUS W520	Base unit, system board D3167, 300 W wide range power supply, optical USB tilt scroll mouse, EraseDisk; chipset: Intel C216;,,,, Slots:, 4 DIMM-sockets (max. 32 GB, DDR3-1600, ECC or non ECC, dual channel), 7 card slots: 1x PCle 2.0 x16, 1x PCle 2.0 x4 (mechanical x16), 3x PCle x1, 2x PCl (32-bit / 33 MHz).,,,, Onboard I/O-devices:,, Intel HD Graphics 2500 or HD Graphics P4000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642;,,,, Bays:,, 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays accessible from the front).,,,, Front interfaces:,, 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in.,,,, Rear interfaces:,, 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all	S26361-K1359-V315	492,00	
CEI SIII	CELSIUS W520 SAG	Base unit, system board D3167, 300 W wide range power supply, optical USB tilt scroll mouse, EraseDisk; chipset: Intel C216;,,,, Slots:,, 4 DIMM-sockets (max. 32 GB, DDR3-1600, ECC or non ECC, dual channel), 7 card slots: 1x PCle 2.0 x16, 1x PCle 2.0 x4 (mechanical x16), 3x PCle x1, 2x PCl (32-bit / 33 MHz).,,,, Onboard I/O-devices:,, Intel HD Graphics 2500 or HD Graphics P4000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642;,,,, Bays:,, 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD-bays accessible from the front).,,,, Front interfaces:,, 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in.,,,, Rear interfaces:,, 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all	S26361-K1359-V389	492,00	



CELS	SIUS W520				
Model	Description	Details	Product Code	EUP (€)	Comments
	it configurations				
SELSIU	S W520power (Continue CELSIUS W520power	Base unit, system board D3167, 500 W wide range power supply, optical USB tilt scroll mouse, EraseDisk; chipset: Intel C216;, , , , Slots: , , 4 DIMM-sockets (max. 32 GB, DDR3-1600, ECC or non ECC, dual channel), 7 card slots: 1x PCle 2.0 x16, 1x PCle 2.0 x4 (mechanical x16), 3x PCle x1, 2x PCl (32-bit / 33 MHz)., , , , Onboard I/O-devices: , , Intel HD Graphics 2500 or HD Graphics P4000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642;, , , , Bays:, , 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front)., , , , Front interfaces: , , 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , , , Rear interfaces: , , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all	S26361-K1359-V415	554,00	
	CELSIUS W520power-L		S26361-K1359-V420	577.00	New product, Orderable from: 08/07/2013



														<u>.</u>					<u>~</u>		_	<u></u>			
	Description	Details	CELSIUS C620	CELSIUS H265	CELSIUS H700	CELSIUS H710	CELSIUS H720	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS M730	CELSIUS R570-2	SIUS	(n	(A)	CELSIUS W410	SIUS	SIUS	CELSIUS W510power		CELSIUS WSZUpower	CELSIUS W530power	roduct Code	EUP (€)	Comments
	& services matrix	Details	1010	0   0	, 0	0   0	J   O	0	0	0 (	0 10	J   C	, 0	U	U	0 10	, 0	0	U	0 10	J   C	, 0	ш.	_ ш	0
_	2nd Xeon E5-2603 1.80GHz 10MB	1.80 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores,	П			Т	Т	П	П		Т		х	х		Т	Т			Т		Т	S26361-F4536-L603	332,00	
	2nd Xeon E5-2609 2.40GHz 10MB	2.40 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores,							П				х	х									S26361-F4536-L609	470,00	
	2nd Xeon E5-2620 2.0GHz 15MB TB	2.00 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6	$\Box$				$^{\dagger}$		П		$\dagger$	$^{\dagger}$	х	х		$^{+}$	$^{\dagger}$			$^{\dagger}$	$^{\dagger}$	$^{\dagger}$	S26361-F4536-L620	583,00	
	2nd Xeon E5-2630 2.3GHz 15MB TB	Cores, 2.30 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6	$\Box$	$^{+}$		+	$^{+}$		H	$\dagger$	$^{\dagger}$	$^{+}$	х	х		$^{+}$	$^{+}$	Н	$\dashv$	$^{\dagger}$	$^{+}$	+	S26361-F4536-L630	1.020,00	
	2nd Xeon E5-2630L 2.0GHz 15MB	Cores, 2.00 GHz, 15 MB Cache, 6.4 GT/s QPI, 6	$\vdash$	+	+	+	+		H	+	+	+	х	х	H	+	+	Н	$\dashv$	$^{+}$	+	+	S26361-F4535-L630	864,00	
-	2nd Xeon E5-2637 3.0GHz 5MB TB	Cores, 3.00 GHz, 5 MB Turbo Boost, 8.0 GT/s QPI, 2	$\vdash$			+	+		H			+	Х	Х	H	+	+			+		+	S26361-F4536-L637	1.302,00	
	2nd Xeon E5-2640 2.5GHz 15MB TB	Cores, 2.50 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6	H	+	+	+	+	+	H	+	+	+	х	х	H	+	+	Н	$\dashv$	+	+	+	S26361-F4536-L640	1.357,00	
-	2nd Xeon E5-2643 3.3GHz 10MB TB	Cores, 3.30 GHz, 10 MB Turbo Boost, 8.0 GT/s QPI, 4				+	+		Н		+	+	+	Х		+	+			+			S26361-F4537-L643	1.346,00	
-	2nd Xeon E5-2650 2.0GHz 20MB TB	Cores, 2.00 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8	$\vdash$	+		+	+		H	+	+	+	X	Х	H	+	+	$\vdash$		+	+	+	S26361-F4536-L650	1.717,00	
-	2nd Xeon E5-2650L 1.8GHz 20MB TB	Cores, 1.80 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 8	H	+	+	+	+		H	_	+	+	X	Х	H	+	+	$\vdash$	_	+	+	+	S26361-F4535-L650	1.458,00	
	2nd Xeon E5-2660 2.2GHz 20MB TB	Cores, 2.20 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8		+	+	_	+		H	+	+	+	_	х	H	+	+	Н	_	+	+	+	S26361-F4536-L660	2.019,00	
	2nd Xeon E5-2665 2.4GHz 20MB TB	Cores,  2.40 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8	Н			_	+		H		_	+	_	X	H	+	+			+	_	+		2.187,00	
		Cores,  2.90 GHz, 15 MB Turbo Boost, 8.0 GT/s QPI, 6	Ш		_	_	_		Н	_	4	_	<u> </u>	Ш		_	+		_	4	_	-			
	2nd Xeon E5-2667 2.9GHz 15MB TB	Cores,		_		_	_		$\sqcup$		_	1	1	X	$\sqcup$	_	1	Ш		4	1	1	\$26361-F4537-L667	2.367,00	
	2nd Xeon E5-2670 2.6GHz 20MB TB	2.60 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,		1	1	_	1		$\sqcup$	4	4	_	x	X	Щ	4	_	Ш		_	1	_	\$26361-F4537-L670		
	2nd Xeon E5-2680 2.7GHz 20MB TB	2.70 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,							Ш		$\perp$			х	Ц			Ш		$\perp$			S26361-F4537-L680		
	2nd Xeon E5-2687W 3.1GHz 20MB TB	3.10 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,				$\perp$			Ш		$\perp$			х	Ц		_	Ш		$\perp$			S26361-F4537-L687		
	2nd Xeon E5-2690 2.9GHz 20MB TB	2.90 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,												x									S26361-F4537-L690	3.108,00	
- 1	4GB DDR3-1600 PC3-12800	4GB DDR3-1600 PC3-12800 ,				)					Ţ												BDL:TOP-CEL72-4GE	, , , , ,	
	8GB DDR3-1600 PC3-12800 8GB DDR3-1333 ECC	8GB DDR3-1600 PC3-12800 , 1 module, same number of modules for each			+		X		х	+	$^{+}$	+	+	Н		+	$^{+}$	Х	х	$^{+}$	+	+	BDL:TOP-CEL72-8GE S26361-F3379-L4	127,00 203,00	
	2GB DDR3-1600 PC3-12800	processor necessary				)														+			S26391-F1162-L200	67,00	
	4GB DDR3-1600 PC3-12800 8GB DDR3-1600 PC3-12800			+		)	X X			#	#	+				+	+			#	#		S26391-F1162-L400 S26391-F1162-L800	112,00 127,00	
	2GB DDR3-1600 PC3-12800 4GB DDR3-1600 PC3-12800							X															S26391-F1172-L200 S26391-F1172-L400	67,00 112,00	
	8GB DDR3-1600 PC3-12800 2GB DDR3-1333 PC3-10600					х	х	_									+			+			S26391-F1172-L800 S26391-F892-L200	127,00 67,00	
	4GB DDR3-1333 PC3-10600 8GB DDR3-1333 PC3-10600	A weekly DO 4000 DB4M				X	X	_		#	#					#				#	#		\$26391-F892-L400 \$26391-F892-L800	112,00 127,00	
	2GB DDR3-1333 4GB DDR3-1333 2GB DDR3-1333	1 module PC 1333, DIMM 1 module PC 1333, DIMM 1 module PC 1333, DIMM				#	+		H				+		X	x	X			#		ŧ	S26361-F4401-L2 S26361-F4401-L3 S26361-F3378-L2	37,00 56,00	
	4GB DDR3-1333 2GB DDR3-1600	1 module PC 1333, DIMM	X						H		#					х	(		Х	х	v		S26361-F3378-L3 S26361-F3384-L2		Phased out
	4GB DDR3-1600 8GB DDR3-1600		X													_	(			X	х		S26361-F3384-L3 S26361-F3384-L4	81,00 116,00	
	2GB DDR3-1333 ECC	to be used in pairs, 1 module PC 1333 (PC3-10600), ECC, DIMM							П							\ /	х	П		A .	^		S26361-F4411-L2	63,00	
	4GB DDR3-1333 ECC	to be used in pairs, 1 module PC 1333 (PC3-10600), ECC, DIMM	П			$\top$			П					П			х			$\top$			S26361-F4411-L3	103,00	
- 1	2GB DDR3-1600 2GB DDR3-1333 ECC	1 module, same number of modules for each							X	х		x x	,				ŧ			#	+		S26361-F3383-L404 S26361-F3377-L414	37,00 63,00	
	4GB DDR3-1333 ECC	processor necessary	Ш			4			Ш		4	4	4	Ш		_	+			4					
		1 module, same number of modules for each processor necessary	Ш			4			Х		4	x x	$\perp$				_			_			S26361-F3377-L415	103,00	
	2GB DDR3-1600 ECC 4GB DDR3-1600 ECC									X	Х		_	X									S26361-F3383-L414 S26361-F3383-L415	59,00 95,00	
	8GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary,	Ш						Ш	Х	Х			Ш									S26361-F3383-L416	194,00	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary	Ш						Ш									Х	Х				S26361-F3379-L2	63,00	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary																Х	х				S26361-F3379-L3	103,00	
	2GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary, ,	x																	X	X		S26361-F3385-L2	59,00	
	4GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary, ,	x																	X	x >	X	S26361-F3385-L3	95,00	
	8GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary, ,	х						П											X	x >	X	S26361-F3385-L4	194,00	
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary		$\top$		$\top$			$\prod$		7	x x	(					П		$\top$	$\uparrow$		S26361-F3377-L424	96,00	Phased out
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary	$\parallel$	$\top$		$\top$			П		7	x x	(	П				П			$\dagger$		S26361-F3377-L425	109,00	Phased out
ŀ	8GB DDR3-1333 rg ECC	module, same number of modules for each processor necessary	$\parallel$	$\dagger$	$\dagger$	$\dagger$	$\dagger$		H	$\top$	7	x x	(	П		$\top$		$\parallel$		$\top$	$\dagger$	+	S26361-F3377-L426	165,00	Phased out
-	16GB DDR3-1600 rg ECC	1 module, same number of modules for each	$\parallel \parallel$	$\top$		+					7	x x	(	$\parallel$	$\dashv$			$\parallel$	$\dashv$	+	$\dagger$	$\dagger$	S26361-F3374-L427	310,00	Phased out
-	16GB DDR3-1600 rg ECC	1 module, same number of modules for each	$\dag \uparrow$	+	$\dagger$	+	+	+	H	+	+		х	х		+		$\forall$		+	+	+	S26361-F3383-L427	282,00	
ŀ	32GB DDR3-1333 rg LR ECC	processor necessary,  1 module, same number of modules for each	$\parallel$	+		+	+		$\forall$	+	+	+	x	х	$\dashv$	+	+	$\forall$	$\dashv$	+	+	+	S26361-F3382-L438	1.052,00	
	4GB DDR3-1600 rg ECC	processor necessary, ,											_	Х						+			S26361-F3383-L425	102,00	
s	8GB DDR3-1600 rg ECC  NVIDIA NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCle x16, adapters and									,,			X		x >				,			S26361-F3383-L426 S26361-F2748-L38	205,00	
		cables must be ordered separately							Ш	4	4	4	X	Ш		4	$\perp$	X			_				
	NVIDIA Quadro NVS 310 512MB NVIDIA Quadro NVS 450 2x256MB 4xDP	Connectors: 2x DP, PCle x16, w/o adapters, Connectors: 4x DP or up to 4x DVI-D via optional DP/DVI adapter cable, PCle x16, w/o adapters	X						_	_	X X	_	_	X	х	_	C X	х		_	_	X X	S26361-F2748-L245 S26361-F2748-L245		Orderable from: 14/06/2013 Phased out
	NVIDIA Quadro NVS 510 2GB	Connectors: 4x miniDP, PCle x16, containing 4x miniDP/DP adapter cables,		$\top$		$\top$			П	х	X 2	x	х	х		)	(	П		x	x >	x	S26361-F2748-L515	407,00	Orderable from: 05/06/2013
	NVIDIA Quadro 410 512MB	Connectors: 1x DVH and 1x DP, PCle x16, w/o adapters,	х	$\top$		$\top$				х	х	$\top$	x	х		)	(	П	$\neg$	x	x x	x	S26361-F2856-L941	112,00	
-	NVIDIA Quadro 600 1GB	Connectors: 1x DVI-I dual link and 1x DP; PCle	х	+	$\dagger$	+	+		х	х	x :	x x	( x	x	х	x x	( X	х	х	X	х	+	S26361-F2856-L61	180,00	
-	NVIDIA Quadro K600 1GB	x16; w/o adapters  Connectors: 1x DVH dual link and 1x DP, PCle	Х	+		+	+		$\forall$	х	х	+	x	х	$\dashv$	+	+	$\forall$	$\dashv$	X	x >	x	S26361-F2222-L60	186,00	
-	NVIDIA Quadro 2000 1GB	x16, w/o adapters, ,  Connectors: 1x DVI-I dual link and 2x DP; PCle	X	+	+	+	+		х	х	x :	x x	( X	х	$\dashv$	x >	(	х	х	X	х	+	S26361-F2856-L203	472,00	
-	NVIDIA Quadro K2000 2GB	x16; w/o adapters,  Connectors: 1x DVI-I dual link and 2x DP, PCle	X	+	+	+	+		$\forall$	х	х	+	x	х	$\dashv$	+	+	$\forall$		X	x >	x	S26361-F2222-L200	488,00	
		x16, w/o adapters, ,	X	+	+	+	+	+	х	х	x :	x x	( X	Х	$\dashv$	X )	(	х	х	X	х		S26361-F2856-L996	477,00	
	NVIDIA Quadro 2000D 1GB	Connectors: 2x DVI-I dual link, PCle x16, w/o adapters,	"						1 1					'											



Description s & services matrix	Details	CELSIUS C620	CELSIUS H265	CELSIUS H700	CELSIUS H710		CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS M730	R670-	CELSIUS R920	CELSIUS R920power	CELSIUS W410	m	CELSIUS W480		m	CELSIUS W520power	CELSIUS W530	Product Code	EUP (€)	Comments
Continued) NVIDIA Quadro K4000 3GB	Connectors: 1x DVI-I dual link and 2x DP, 1x	х							х	Y		х	Y						Y	<b>y</b> .	x S26361-F2222-L400	847,00	
NVIDIA Quadro K5000 4GB	6pin 12V Stecker, PCle x16, w/o adapters, , ,  Connectors: 1x DVI-I dual link, 1x DVI-D and 2x		_	-		_	-		x	4	+	X	4	-					x		S26361-F2222-L500	2.166,00	
	DP, SLI, stereo; PCle x16; w/o adapters,	Ш			Ш					4	1	Ш	4	4	Ш			Ш	_	4			
NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP, stereo, PCle x16, w/o adapters	Х						X	Х	Х	X	Х	Х								S26361-F2856-L602	4.153,00	
AMD FirePro V3900 1 GB	Connectors: 1x DVI-I dual link, 1x DP; PCle x16; w/o adapters, ,	х							Х	Х		х	Х		Х			х	х	x :	x S26361-F2530-L390	123,00	
AMD FirePro V4900 1 GB	Connectors: 1x DVI-I dual link and 2x DP, PCle x16, w/o adapters, ,	х						х	Х	х	X	х	X	х	х	X X	х	х	х	X	x S26361-F2530-L490	188,00	
AMD FirePro W5000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCle	х						$\Box$	х	х		х	х		х			х	х	X :	x S26361-F3300-L500	466,00	
AMD FirePro W7000 4GB	x16; w/o adapters,  Connectors: 4x DP; PCle x16; w/o adapter,		#						Х			Х							х		S26361-F3300-L700	877,00	
AMD FirePro W8000 4GB	Connectors: 4x DP; PCle x16, stereo; w/o adapter,	Ш								Х		Х	4		Ш						S26361-F3300-L800	1.633,00	
CELSIUS RemoteAccess Portal	PCoIP, 2x DVH,10/100/1000 Mbps LAN, 4x USB, audio	Х						х	Х	х	X	Х	Х	Х	Х	X X	Х	Х	Х		S26361-K1322-V1	298,00	Phased out
CELSIUS RemoteAccess Dual Card	Host for PCoIP, 2x miniDP, 10/100/1000 Mbps LAN, PCle x1; contains 2x miniDP/DP cable, 1x	Х							Х	Х		х	Х					х	х	X :	x S26361-F3565-L2	262,00	
	internal on/off cable, 1x LAN cable; suited for FUTRO L420 (S26361-K1062-V200)																						
CELSIUS RemoteAccess Quad Card	Host for PCoIP, 4x miniDP, 10/100/1000 Mbps	х			Н			$\Box$	Х	х	+	х	Х	+	Н			х	х	<b>X</b>	x S26361-F3565-L4	433,00	
	LAN, PCle x1; contains 4x miniDP/DP cable, 1x internal on/off cable, 1x LAN cable; suited for																						
NVIDIA Tesla C2075 Computing Processor	FUTRO L620 (S26361-K1062-V300)  Connectors: 1x DVI-I, PCle x16	х	+	+	Н	+	+	Х	+	x	( X	Х	х	+	Н	$\vdash$		Н	+	+	S26361-F2856-L208	2.299.00	Phased out
NVIDIA Tesla K20	Computing-processor, no connectors, PCle x16	H			П		$\top$	X	х	T		X						П	$\neg$		S26361-F2222-L20	3.276,00	
Intel Xeon Phi Coprozessor 5110P Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor	X					1.		V	V	,	L.		<b>,</b>		v	,	Ü			S26361-F4100-L51 x S26361-F2391-L200	3.764,00	New product,Orderable from: 01/0
Mini Display Port/DVI-D adapter cable		X	+	+	Х	X	X		Х	х		Х	х					х	х	X :	x S26361-F2391-L8	37,00	New product
DVIVGA Adapter	for connection of one VGA-monitor, requires DVI-I connector	х			Ш	$\perp$								_	Ш						x S26361-F2391-L1	19,00	
LFH59/ 2x DVH adapter cable LFH59/ 2x DP adapter cable	for connection of two DVI-I monitors for connection of two Display Port monitors							Х	Х	x x x x	( X	Х	Х		X						x S26361-F2391-L101 x S26361-F2391-L102	32,00 34,00	
SLI bridge for NVIDIA graphics	Connectors: 2x DVI or 2x VGA or 1x DVI+1x VGA, stereo, PCI-E card	$\lfloor                   $							х	х	X	х	х								S26361-F2542-L95	79,00	
Power cable for graphics card	for NVIDIA Q4000, K4000, Q5000, K5000, Q6000, Tesla C2075, Tesla K20 and ATI	$\Box$			П	$\top$	$\top$	$\prod$	х	х		х	х		П			П	$\top$		S26361-F2407-L11	28,00	
	FirePro V7900, W7000, W8000; 6pin to 6pin and 8pin connector + 6pin to 2x6pin connector.																						
	STATE OF THE COLOR TOPHT TO ZAOPHI CONTINECTOR.																						
e Media Drives   MultiCard Reader 24in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires		T	T					х	Т		х	х		х			х	х		S26361-F3077-L50	26,00	
	internal USB interface, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo																						
MCR 24in1 + USB 3.0 front con., 3.5"	xD-Picture Card, MD, SMC, occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-								X	X		х	х	x		2	x x				S26361-F3077-L51	33,00	
Blu-ray Triple Writer SATA slim (tray)	Picture Card, MD, SMC ,	H	+	+		_	-	$\square$	х	v	+		+	+	X		-	v	v	v .	x S26361-F3716-L100	155,00	
Blu-ray Triple Writer SATA slim (tray)  DVD-RW Dual Double Laver Super Multi									^	^		х	х					^	^	1	\$26361-F3780-L100 \$26391-F1164-L200	155,00	
Blu-ray burner USB dongle bay module						X															S26391-F1164-L400 S26391-F1164-L700	78,00 134,00 33,00	
Weight saver for modular bay					х		.,			#				+							S26391-F777-L300	17,00	
Blu-ray Triple Writer incl. Power DVD 10 DVD Super multi (reader/writer)					х		Х			#									#	#	S26391-F894-L200 S26391-F984-L100		Phased out
Blu-ray Triple Writer incl. Power DVD 10 2nd HDD bay module (without HDD)					X	х															S26391-F984-L200 S26391-F984-L600	33,00	
DVD SATA	occupies accessible 5,25"- bay, without DVD-video playback software																				x S26361-F3418-L510	32,00	
DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video playback							x	Х	х	X	х	X	х	Х	x 2	Х	х	Х	X .	x S26361-F3420-L510	40,00	
DVD SuperMulti SATA slim	software) occupies accessible 5,25"- bay, DVD burning	X	_	+		_	-	$\square$	_	_	+		_	-	H				_	+	S26361-F3429-L510	58,00	
DVD Superividiti SATA Siirii	software included (without DVD-video playback	^																			320301-1 3423-1310	30,00	
/SAS controller	software)																						
SAS Controller D2507 (LSI1064e)x4 SAS/SATA RAID Controller based on LSI	4 ports incl. cables, PCle x4 SAS/SATA RAID Controller based on LSI	х		+	H	+	+	X	х	X	(	х	х	+	+	+	+	H	+	+	S26361-F3976-L1 S26361-F3976-L2	134,00 190,00	
	MegaRAID SAS2008, PCle 2.0 x8, 8 internal ports, RAID Levels 0, 1, and 10,,																						
SAS/SATA RAID Controller based on LSI	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCle 2.0 x8, 8 internal	х			$\Box$			$\parallel$	х	х		х	х	+				П			S26361-F3976-L3	314,00	
DAID	ports, RAID levels 0, 1, 5 and 6,				Ш		_	Ш				Ш		_	Ш			Ш		_	00000: 7		
RAID controller battery-backup-unit 4-Port SAS-UpgradeRom	RAID controller battery-backup-unit, , upgrade of 4x onboard SATA to 4x onboard	Х	+	+	H	+	+	H	х	х	+	Х	Х	+	$\forall$	+	+	H	+	+	S26361-F3976-L99 S26361-F2581-L49	129,00 55,00	
8-Port SAS-UpgradeRom	SAS (incl. RAID 0,1,10 license), , upgrade of 4x onboard SATA to 8x onboard	$\vdash$	+	+	H	+	+	H	+	+	+	х	х	+	H	$\dashv$	+	$\vdash$	+	+	S26361-F2581-L43	78,00	
cation/Network	SAS (incl. RAID 0,1,10 license), ,																						
Gigabit Ethernet PCle x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL,	х							х	х		х	х	х	x	)	x	х	х	X	x S26361-F3067-L60	28,00	
D 146: 1: =:	autodetect, PXE Boot, PCI Express 2.0	$\square$		_	Ш	_	_	Ш		$\perp$	_	Ш	_	_	Ш			Ш			000000		
Dual 1 Gigabit Ethernet PCle x4 IB HCA 40GB 1 Kanal QDR	InfiniBand HCA 40GB/s, 1-port, QDR, , Appropriate cables: Infiniband Cu Kabel 40GB, 4x QSFP, 1m (S26361-F3996-L101) or 3m (S26361-F3996-L103)	X						X	X	х	X	X	_								\$26361-F3067-L80 \$26361-F4475-L102	134,00 625,00	
USB 3.0 PCle x1	FTS D3305, connectors: 1x USB Typ A external, 1x USB Typ A internal; PCle x1; FH								х			х	х								S26361-F3060-L10	33,00	
Gigabit Ethernet PCle x1	bracket mounted; LP bracket enclosed , Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL,	$\vdash$		+	$\square$	_	+	Х	x	-	( v	У	X	x	$\vdash$	х	-	Н	_	+	S26361-F3067-L30	26 00	Phased out
- Same Enternot Folk Al	autodetect, PXE Boot, driver CD, PCI Express, full height/ low profile							^		^	^	^									0_00011 0001-L00	20,00	
Dual 10 Gigabit Ethernet PCle x8	FTS D2755, w/o SFP+ modules, appropriate SFP+ modules: S26361-F3986-L3 or S26361-F3986-L4 SFP+ Module Single Mode Fiber 10GBE LC or SFP+ Twinax cables	X						x	X	x x	x x	X	x								S26361-F3067-L70	350,00	
WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface; only EMEA	$\prod$			П			х	х	х	x	х	X :	x x	х	X X	х	х	х	X :	x S26361-F3108-L5	30,00	
Parallel Interface FH	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height		+	$\dagger$	H		+	х		$\dagger$	$\dagger$	H		х х	х	,	х	х	х	X :	x S26361-F2542-L34	13,00	
aSATA Interface			_	+	$\square$	_	+	$\square$		_	+	Ш	_	+	$\square$	<u></u>	-	Ш	_		C26264 F2540 L40	12.00	
eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot; low profile															X					S26361-F2542-L40	13,00	
eSATA Interface FH	for eSATA peripherals, occupies one internal					_			_	х х					_		_			1	x S26361-F2542-L70	19,00	

Fujitsu Technology Solutions Listino Prezzi Giugno 2013



																	Ver					ře		Ž.		۷e			
			CELSIUS C620	LSIUS H265	CELSIUS H270	CELSIUS H700	LSIUS H710	LSIUS H720	CELSIUS H910	LSIUS H920	LSIUS M470-2	CELSIUS M720	CELSIUS M730	LSIUS R570-2	LSIUS R670-2	LSIUS R920	CELSIUS R920power	LSIUS W280	LSIUS W410	LSIUS W420	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	CELSIUS W530	LSIUS W530power	oduct Code	P (€)	Comments
	escription	Details	CEL	CEI	CEL	S G	i i	S	S	CEL	핑	CE	CEL	CEL	CEL	CEL	CEL	CE		בו פו	ַ ק	CEL	CEL	CEL	CEL	CEL	ē	EUP	Ö
icati	ion/Network (Continued) erial Interface FH	1x 9 Pin RS-232, occupies internal serial							4			х	х			Х	v										S26361-F2542-L72	26.0	0
L		interface and one slot; full height,					4	4	$\downarrow$	Ш		Ш						4						_					
D	ual serial card PCle x1 ual serial card PCle x1, powered	Dual Port RS232 via splitter cabel  Dual Port RS232 via splitter cabel				_	1	_	士	-	-	X	_	_		-	_	-	X X	_							S26361-F3316-L6 S26361-F3316-L7	37,0 42,0	
	ucture ack mounting kit CELSIUS (5U)	for CELSIUS W510, W520 (delivery date after				Т	T	T	T		Х	х	х	х	х	х	х		Т	Т	×	x	х	х			S26361-F2581-L101	247,0	0
		14.01.2013), M470-2, M720 (delivery date after 17.09,2012), R570-2, R670-2 and R920																											
R	MK-F1_DI_CMA_QRL	Telescopic drop-in rails, 781mm long with cable management arm adapter, full extraction with	х									П															S26361-F2735-L145	85,0	0
		extension length 815mm, with vario-carrier 1 for rack installation depth (19" pillar distance) between 714mm and 785m, pre-assembled																											
catio	on-SW	with centre screw																											
	rivers&Utilities DVD (XP) CELSIUS rivers&Utilities DVD Mobile H	incl. Nero Essentials S, Norton Internet Security	Х		$\exists$	$\mp$	x	$\exists$	х	$\exists$	х	Х	Х	Х	Х	Х	Х	$\exists$	Х	х	Х	X	Х	Х			S26361-F2007-L912 S26361-F2010-L199	22,0 28,0	
	rivers&Utilities DVD Mobile H Win7/8	Trial 90 days	v			+	+	х	+	Х	_	v	v	V	v		v	v	v	v .	v v		V	v	v	V	S26361-F2012-L103	28,0	
	rivers&Utilities DVD (WIN7 + WIN8) CELS	incl. Nero Essentials S, Norton Internet Security	X								X	X	X	X	Х	Х	Х	X	X	X .	X X	X	X	X	X	X	S26361-F2007-L909	22,0	0
В	attery 6cell 6700mAh	20in A.C. A doptor 4.01//4.F.01/V for upo with				T		Х	Ŧ		П	П							Ŧ	Ŧ	T	F	П				S26391-F1166-L100	123,0	
	od hotton	3pin AC Adapter 19V/150W for use with CELSIUS H720	Ц		_	4	_	X	4	Ш	Ц	Ш		L	Ц	Ц	Щ	4	4	4	_		-	1	_		S26391-F1166-L220	85,0	
2 <u>r</u>	ond battery bin AC Adapter 19V/120W	2nin AC Adoptor 401//04014/	H		$\Rightarrow$		X X		#	〓	H	H						#	#	#	+	+	+	+			\$26391-F777-L200 \$26391-F886-L700	145,0 50,0	0
	C Adapter 19V/210W	3pin AC Adapter 19V/210W for use with CELSIUS H920 or the portreplicator					$\perp$	4	х		Ш	Ш												L			S26391-F896-L500	95,0	
	attery 8cell 5800mAh						х		х	X																	S26391-F896-L700	134,0	
S	martCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard			_ T													Х	Х	X	х	X	Х	Х	Х	Х	S26361-F1260-L521	26,0	0
S	martCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard, CELSIUS M, R, V only					7	$\top$	$\top$		х	х	Х	Х	х	х	х	$\exists$		T				T			S26361-F1260-L522	28,0	0
S	martCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	П	х	х	х	$\dagger$	$\top$	+	$\dashv$	х	$\Box$		х	х			х	х	X	х	x	х	х	х	х	S26361-F1571-L201	18,0	0 Phased out
S	martCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte	H	Х	х	х	+	+	+	$\dashv$	х			Х	Х	H	$\vdash$	x	X	x :	х	x	х	х	х	Х	S26361-F1571-L210	122,0	0 Phased out
Α	bsolute Track, Abo. 1Y.	EEPROM Single key licence, for more info please check	Н	$\dashv$	$\dashv$	х	х	х	х	х	Н	H		H	Н	Н		+	+	+	+	+	+	+	+	H	S26361-F2009-L101	19,0	0
Α	bsolute Track, Abo. 2Y.	hint box / product description Single key licence, for more info please check		_	$\dashv$	X	X	х	х	х	H	Н		H		Н		+	+	+	+	+	╀	+	╀	H	S26361-F2009-L102	29,0	0
L	bsolute Track, Abo. 3Y.	hint box / product description Single key licence, for more info please check			_	_	4	4	x		Ш	Н		L				_	+	+	+	+	-	-	-	L	S26361-F2009-L103	37,0	
	<u>,                                      </u>	hint box / product description			_	_	4	4	_		Ш	Ш							4	4	4	L	L		L			, ,	
D	ata Protection, Abo. 1Y.	Single key licence, for more info please check hint box / product description				Х	Х	Х	х	Х																	S26361-F2009-L104	30,0	0
D	ata Protection, Abo. 2Y.	Single key licence, for more info please check hint box / product description				Х	х	х	х	х																	S26361-F2009-L105	46,0	0
D	ata Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description				х	х	х	х	х		П															S26361-F2009-L106	57,0	0
С	omputraceOne, Abo. 1Y.	Single key licence, for more info please check				х	х	х	х	х		П															S26361-F2009-L107	35,0	0
С	omputraceOne, Abo. 2Y.	hint box / product description Single key licence, for more info please check				х	х	х	х	х	H	Н						+	+	+	+	+	$\vdash$	+			S26361-F2009-L108	56,0	0
С	omputraceOne, Abo. 3Y.	hint box / product description Single key licence, for more info please check	Н	$\dashv$	$\dashv$	Х	x	х	х	х	Н	H		H	Н	Н		+	+	+	+	+	+	+	+	H	S26361-F2009-L109	78,0	0
Α	TP, Data Protection, PE, Abo. 1Y.	hint box / product description Single key licence, for more info please check	Н	-	$\dashv$	х	х	х	х	х	H	Н		H	Н			+	+	+	+	+	╁	+	╁	H	S26361-F2009-L113	48,0	0
Δ	TP, Data Protection, PE, Abo. 2Y.	hint box / product description Single key licence, for more info please check			_	_	4	4	х		Ш	Н		H				+	+	+	+	+	╄	+	╀	H	S26361-F2009-L114	77,0	
		hint box / product description			_	_	4	4	_		Ш	Ш						4	_	_	_			L					
	TP, Data Protection, PE, Abo. 3Y.	Single key licence, for more info please check hint box / product description	Ш				_	_	х		Ш	Ш															S26361-F2009-L115	94,0	
A.	TP, ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description				Х	Х	Х	Х	Х																	S26361-F2009-L116	54,0	0
A.	TP, ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box/product description				Х	х	х	Х	Х																	S26361-F2009-L117	88,0	0
A	TP, ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description				х	х	х	х	х	П	П							T		T	T	T				S26361-F2009-L118	116,0	0
	TP, ComputraceOne, Abo. 5J.						_		Х		H													F			S26361-F2009-L119	166,0	
	bsolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box/product description	Ш		_	_	4	4	х		Ш	Ш															S26361-F2009-L201	19,0	
	bsolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box/product description				X	Х	Х	х	х																	S26361-F2009-L202	29,0	0
A	bsolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box/product description				Х	х	Х	х	х										T							S26361-F2009-L203	37,0	0
D	ata Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box/product description	П		$\exists$	х	х	х	х	х	П	П						$\forall$	$\top$	$\dagger$	$\top$	$\top$		T			S26361-F2009-L204	30,0	0
D	ata Protection, Abo. 2Y. Master	Master key for multiple licences, for more info	H		$\dashv$	х	х	х	х	х	H	$\sqcap$			Н		$\dashv$	$\dashv$	+	+	+	+		$\dagger$			S26361-F2009-L205	46,0	0
D	ata Protection, Abo. 3Y. Master	please check hint box / product description  Master key for multiple licences, for more info	H	$\dashv$	$\dashv$	х	х	х	х	х	H	$\forall$			H	H	$\dashv$	+	+	+	+	+	+	+	+		S26361-F2009-L206	57,0	0
С	omputraceOne, Abo. 1Y. Master	please check hint box/product description  Master key for multiple licences, for more info	H		$\dashv$	х	x	х	х	х	H	H			Н	H	$\dashv$	+	+	+	+	+	-	+	+		S26361-F2009-L207	35,0	0
	omputraceOne, Abo. 2Y. Master	please check hint box / product description  Master key for multiple licences, for more info	Н		_	_	4	4	X		Ш	H			Н		$\vdash$	+	+	+	+	+		+	-		S26361-F2009-L208	56,0	
	omputraceOne, Abo. 3Y. Master	please check hint box / product description	Щ				_	_			Ш	Ш			Ш	Ц		4	4	+	+	+	-	1	-		S26361-F2009-L209		
		Master key for multiple licences, for more info please check hint box/product description	Щ		_			_	х	Ш	Ш	Ш			Ш	Ц		_	_	_	1	1		L	1			78,0	
	TP, Data Protection,PE, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box/product description				х		Х		х	Ш			L											L	L	S26361-F2009-L213	48,0	
A	TP, Data Protection,PE, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box/product description				Х	х	Х	х	x																	S26361-F2009-L214	77,0	0
A	TP, Data Protection,PE, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box/product description				Х	х	Х	х	х		$\Box$								T				T			S26361-F2009-L215	94,0	0
A <sup>-</sup>	TP, ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info	H		$\dashv$	х	х	х	х	х	H	$\Box$						$\dashv$	+	+	+	+		T			S26361-F2009-L216	54,0	0
A	TP, ComputraceOne, Abo. 2Y. Master	please check hint box / product description  Master key for multiple licences, for more info	H	$\dashv$	$\dashv$	х	х	х	х	х	H	$\forall$			H	H	$\dashv$	+	+	+	+	+	+	+	+		S26361-F2009-L217	88,0	0
A	TP, ComputraceOne, Abo. 3Y. Master	please check hint box/ product description  Master key for multiple licences, for more info	H		$\dashv$	х	х	х	х	х	H	H			Н	H	$\dashv$	+	+	+	+	+	-	+	+		S26361-F2009-L218	116,0	0
	TP, Data Protection,PE, Abo. 5Y.	please check hint box / product description	H		_	х	+	_	+	$\dashv$	H	H			Н	H		-	+	+	+	+	-	+	-		S26361-F2011-L10	133,0	
A <sup>-</sup>	TP, Data Protection, PE, Abo. 5y. Master CA Express	ExpressCard SmartCard adapter, Model	H				x x	_	X X	y	Ħ	H						#	#	#	+	+		F			S26361-F2011-L10 S26361-F2011-L11 S26361-F2432-L720	133,0 47,0	0
ای	ш <u>ш.</u> ф. 000	Fujitsu, Bios support; SmartLogon plus support				*	^	^		^																	2_000112702-L12U	77,0	
S	martCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,,	H	$\dashv$	$\dashv$	Х	+	+	+	$\dashv$	х	х	Х	Х	х	Х	х	Х	+	1:	x	+	+	+	+		S26361-F2727-L100	20,0	0
S	martCase Logon+ 3.2.2	no software, no data medium  Does not support Windows 8; supports secure	Н		$\dashv$	+	+	х	+	х	х	х	Х		Х	х	х	+	х	х	X	x	х	X	х	Х	S26361-F2727-L740	42,0	0
	-	authentication, password container, SSO, drive encrypt, smartcard, biometrics																										,,,,	
		. yr -,	х								х				х			_	х	_	_	_	_	_	_	_	S26361-F2727-L760 S26361-F2727-L761	17,0	
	dvanced Face Recognition, Single License dvanced Face Recognition, Multi License		Х					**			X	4			1 4 7		Х				4 -						a 1 0 707 1 7C4	17,0	()

Fujitsu Technology Solutions Listino Prezzi Giugno 2013



			S C620	CELSIUS H270	CELSIUS HZ/0	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS M730	S R670-2	S R920	CELSIUS R920power	S W280	S W410	n (n	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	CELSIUS W530nower	epo O		nts
	December 1:	Dataila	CELSIUS			ELSIU	ELSIU	ELSIU	ELSIU	ELSIU	ELSIU		ELSIU	ELSIU	ELSIU	ELSIU	CELSIU	CELSIU	ELSIU	ELSIU	ELSIU			Product Code	UP (€)	Comments
ssories	Description s & services matrix	Details	O	ט ט	ט כ	) U	O	ပ	ပ	O	O	ט ט	O	ပ	O	ပ (	ט נ	O	O	O	ပ	טןט	)   C		ш	Ö
	SmartCard CARDOS V4.4. 2PCS	2 SmartCard CardOS 4.4, 68 KByte EEPROM	х	х	х	( x	х	х	х	х	x :	х	x	х	х	<b>x</b>	х	x	х	х	х	х	С	S26381-F305-L102	45,00	
	SmartCard CARDOS V4.4. 10PCS	10 SmartCard CardOS 4.4, 68 KByte EEPROM	х	хх	хх	¢ χ	Х	х	х	х	x :	хх	: X	х	х	X :	хх	: X	х	х	х	хх	( X	S26381-F305-L110	204,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista /Win7compatible, USB	Х	+	Х	( X	X	х	х	Х	x :	хх	x	Х	х	x :	хх	X	Х	х	х	хх	( X	S26381-F331-L220	25,00	
	USB SCR 3500	interface External USB SmartCard Reader, folderable.,	Х	+	+	X	X	Х	Х	_	X	X	+			+	X				х	X	СХ	S26381-F350-L100	27,00	
		Reads and write on all ISO 7816, 1-4 compliant SmartCards., CCID compliant, USB Bus powered.																							,	
	PalmSecure Sensor STD FAT13M3S1	PalmSecure Sensor STD FAT13M3S1 palmvein sensor for biometric authentication. Component for integration without cable, manual and software			х	( X																		S26381-K434-L100	239,00	
	PalmSecure SDK	PalmSecure SDK Software Development Kit for			×	( x		Н															$^{+}$	S26381-K434-L201	4.444,00	
	PalmSecure U Guide FAT13G2A2L	PalmSecure PSSDK_FAT13S1A04 PalmSecure U Guide FAT13G2A2L specila		+	Х	( X	+	Н			+	+	+			+	+	+			+	+	+	S26381-K434-L500	52,00	
	PalmSecure Sensor Guide Kit STD	handguide for palmvein sensor  PalmSecure Sensor Guide Kit STD contains an external USB vein sensor for biometric authentication. USB 2.0 bus powered. Set			х	( X																		S26381-K436-L100	256,00	
		contains:, Sensor, holder, Handguide and USB cable in Brown box.																								
ellane	ous Locking HDD cage										+						x		x	х	х	x		S26361-F2542-L332	20,00	
	LTE upgrade kit UMTS upgrade kit	only usable if system was ordered with UMTS		+	+	X	x	H	X X		#	+	F		$\dashv$	#		+	Ŷ	^	*	+	+	\$26391-F1105-L530 \$26391-F985-L120	202,00 112,00	
	Rear USB 2.0 connector	Ready Kit  2x USB 2.0	_	+	+	^	<u> </u> ^		^	$\perp$	+	_	_		$\Box$	v	_	-	Ш	$\square$	_	_	-	S26361-F2438-L215		
	Blanking Plate 5.25" drive bays, 10 pcs. Blanking Plate 3.5" drive bays, 10 pcs.	2A UUD 2.U		#	‡	+				$\dashv$	+	#	+			_	хх	_	H			_	_	\$26361-F2438-L215 \$26361-F2542-L326 \$26361-F2542-L327	17,00 17,00 17,00	
	Blanking Plate 3.5" drive bays, 10 pcs.  Blanking Plate 5.25" drive bays, 10 pcs.															^	х х	_	х	х	х	_	X	S26361-F2542-L327 S26361-F2542-L325	28,00	
	Power cord China	Downer cord three wire CLINI AND LONG				T		Х																\$26361-F2542-L51	19,00	
	Power cord three-wire CHN	Power cord three-wire CHN; Mickey Mouse C5 connector		1	1	_	Х	Щ			$\perp$		_			_	_	_	Ш		_	_	1	\$26361-F2581-L350	33,00	
	Cable powercord China, 1.8m, black power cable EU	suitable for China and Hong Kong, black, 2-pole, 1.8 m		$^{+}$	_	¢ χ	_		Х		#	$\pm$				#	$^{+}$				#	$\pm$		T26139-Y1751-L10 T26139-Y2540-V113	25,00 9,00	
	power cable UK power cable US	black, 2-pole, 1,8 m black, 2-pole, 1,8 m		$\pm$		( X							t										t	T26139-Y2540-V213 T26139-Y2540-V313	9,00 9,00	
	Cable for 2. USB device Cable Powercord (D), 1.8m	grey, 1,8m, suitable for: Germany, Austria, Belgium, Netherlands, Finland, France, Italy, Spain, Portugal, Russian, Turkey, 3 wire;					х	х		X	X :	х	X	X	Х	Х	X	X			X	X X	( X	S26361-F2581-L10 T26139-Y1740-V10	22,00 4,00	
	Cable Powercord (USA, Desktop),1.8m	Desktop Type C13 grey or black, 1.8m, for USA/CAN (Desktops), 3		+	+	+	х	х	х	+	+	+	+			+	+	+	Н		+	+	+	T26139-Y1741-V10	4,00	
	Cable Powercord (CH), 1.8m, black	wire; Desktop Type C13 black, 1.8m, Switch, 3 wire; Desktop Type C13		+	+	+	Х		х	+	+	+	+			+	+	+			+	+	+	T26139-Y1743-V10	4,00	
	Cable Powercord (UK), 1.8m, black	black, 1.8m, suitable for: Great Britain, 3 wire;		+	+	+	X	Х	Х		+	+	+			+	+	+			+	+	+	T26139-Y1744-V10	4,00	
	Power cord three-wire US	Desktop Type C13 Power cord three-wire US; Mickey Mouse C5		+	+	+	X				_	+	+			+	+	-			_	+	+	S26361-F2581-L300	17,00	
	Power cord three-wire EU	connector  Power cord three-wire EU; Mickey Mouse C5	_	x x			X		_		4	+	+			4	+	+	Ш		4	+	+	S26361-F2581-L310	17,00	
		connector		^		<u></u>	_				4	4	1			4	_	-	Ш		4	4	1			
	Power cord three-wire GB	Power cord three-wire GB; Mickey Mouse C5 connector		$\perp$	$\perp$	L	х				4	1	L			4	1	L	Ш		4	1	L	S26361-F2581-L320	17,00	
	Power cord three-wire CH	Power cord three-wire CH; Mickey Mouse C5 connector					Х																	S26361-F2581-L340	17,00	
	Software OPENFT-CR (Unix systems) V12.0	CD-ROM openFT-CR V12.0, Cryptographic module, for openFT V12.0, Attention export		x x	×	T				х	x	×	×	x	х	x		x			T	T		U10987-C599	15,00	
	OPENFT-SW-CD (Unix systems) V12.0	restrictions  Medium for UNIX systems, CD-ROM openFT-SW V12.0		х	x					х	х	X	x	х	х	х		х						U10987-C600	36,00	
	OPENFT-1 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs		х	x					x	Х	×	X	Х	х	X		х						U10987-C601	1.348,00	
	OPENFT-FTAM-1 (Unix systems) V12.0	License openFT-FTAM (UNIX systems) V12.0;		х	x	+	+			Х	х	×	X	х	х	х		х			+	+	+	U10987-C613	1.348,00	
		for using in automated, unattended mode; system with 1 to 4 CPUs																								
	OPENFT-FTP-1 (Unix systems) V12.0	License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x x	x					х	X	X	X	X	х	x		x						U10987-C625	550,00	
	OPENFT-CR (WINDOWS) V12.0	CD-ROM openFT-CR V12.0, Cryptographic module, Attention export restrictions		х	х	(				х	х	X	X	х	х	х		х						U11081-C399	15,00	
	OPENFT-SW-CD (WINDOWS) V12.0	Medium for Windows systems, CD-ROM openFT-SW V12.0		x x	х	(				х	х	×	X	х	х	х		х						U11081-C400	30,00	
	OPENFT-1 (WINDOWS) V12.0	License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs		х	х	( X		х		х	x	X	X	х	х	X	x	x	х	х				U11081-C401	1.348,00	
	OPENFT-FTAM-1 (WINDOWS) V12.0	License openFT-FTAM (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs		х	х	(				х	х	X	X	х	х	х		х						U11081-C411	1.348,00	
	OPENFT-FTP-1 (WINDOWS) V12.0	License openFT-FTP (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x x	×	(		П		х	x	×	x	х	х	х		х						U11081-C421	550,00	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x x	x	< x		х		х	х	×	x	х	х	<b>x</b>	x	x	х	х				U11081-C301	1.225,00	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x x	х	(		П		х	x	×	x	х	х	х		х				+		U11081-C311	1.225,00	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM		x x	х	(	+	H		х	х	×	X	х	х	х	+	х	H	$\vdash$	$\dashv$	+	+	U11081-C300	30,00	
	OPENFT-CR (WINDOWS) V11.0	openFT-SW V11.0 CD-ROM openFT-CR V11.0, Cryptographic	+	x x	х	(	+	H		х	х	×	x	х	х	х	+	х	H	$\dashv$	+	+	+	U11081-C299	15,00	
	OPENFT-1 (UNIX systems) V11.0	module, Attention export restrictions  License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x x	x					x	х	X	X	X	х	x		Х				+		U10987-C501	1.225,00	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs		х	×					х	x	X	X	х	х	х		х						U10987-C513	1.225,00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-		x x	x	+		H		х	х	×	X	х	х	Х	+	х	H		+	+	+	U10987-C500	36,00	
		SW V11.0 CD-ROM openFT-CR V11.0, Cryptographic	$\perp$	x x	_	+	-			х	¥	-	X	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		_	+	Х		$\vdash$	+	-	+	U10987-C499	15,00	

Fujitsu Technology Solutions Listino Prezzi Giugno 2013



יטונ	S Options														
	<u> </u>														
										ē		ē			
										CELSIUS W520power		W530power			
			20	2	5	20	20 20	2 2	2 8	200	30	306	Φ		
			C620	CELSIUS H720	H910	Н920	M720	W420	W520	× ×	W530	× 2	Product Code		ဖွ
			CELSIUS	S	CELSIUS	S	CELSIUS	CELSIUS	CELSIUS	S	SIUS	CELSIUS	5	€)	Comments
			-S	2	2	<u>rs</u>	<u> </u>	מ מ		2 2	LS.	2	npc	<u>*</u>	E
	Description	Details	빙	뜅	빙	빙	8 E	3 6	3 8	병	CEL	빙	<u>r</u>	EUP	<u>8</u>
matri															
	ependencies China (CCC) approval		х				Y	y y	, y	x		S	S26361-F2550-E150	3,00	
	IS (FCC) approval		Â	х		Х							S26391-F1100-E910	3,00	
	China Energy Label (CEL) H720			Х									S26391-F1100-E927	4,00	
	China Energy Label (CEL) H920 SS approval	non glossy front bezel to fulfill GS approval				Х	х	x	+				S26391-F1100-E928 S26361-F2555-E200	4,00 3,00	
splay	33 approval	Hori glossy front bezer to fulfill GS approval					X	X					520301-F2555-E200	3,00	
3	9,6 cm (15.6") HD+ magnesium LED	1600 x 900 pixels		х		$\Box$	$\Box$	$\perp$	T				S26391-F1160-E100	79,00	
	9,6 cm (15.6") FHD magnesium LED	1920 x 1080 pixels, ,		Х	$\vdash$		-	-	+		Н		S26391-F1160-E200	135.00	
	3,9 cm (17.3") FHD LED 3,9 cm (17.3") FHD LED	1920 x 1080 pixels,			х	Х	_		+				S26391-F1170-E100 S26391-F890-E500	152,00 152,00	
or	0,0 0m (17.0 ) 1112 EES												2200011000 2000	102,00	
lr	ntel Core i7-3610QM 2.3GHz 6MB	2.30 GHz, up to 3.30 GHz, 6 MB total cache,		х		Х						S	S26391-F1161-E361	279,00	
1.	-t- C1:7 2020OM 0 40OH- CMD	quad core/8 threads, technologies: VT-x,					-	-	+	-	Н		200004 54404 5000	070.00	
Ir	nte Corel i7-3630QM 2.40GHz 6MB	2.40 GHz, up to 3.40 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x,		X		Х						٥	S26391-F1161-E363	279,00	
Ir	ntel Core i7-3720QM 2.6GHz 6MB	2.60 GHz, up to 3.60 GHz, 6 MB total cache,		х		х	$\rightarrow$	+	+			S	S26391-F1161-E372	415,00	
		quad core/8 threads, technologies: VT-x, VT-d,		^									220001111012012	,	
		TXT,													
Ir	ntel Core i7-3740QM 2.70GHz 6MB	2.70 GHz, up to 3.70 GHz, 6 MB total cache,		х		х						S	S26391-F1161-E374	415,00	
		quad core/8 threads, technologies: VT-x, VT-d,													
-	Hal Oare 17 0000011 0 7017 017	TXT,	-	$\vdash$	$\square$	_	_	_	+	+	$\square$	-	200004 54404 5555	010.55	
lr	ntel Core i7-3820QM 2.7GHz 8MB	2.70 GHz, up to 3.70 GHz, 8 MB total cache,		X		Х						S	S26391-F1161-E382	619,00	
		quad core/8 threads, technologies: VT-x, VT-d, TXT,													
Ir	ntel Core i7-3840QM 2.80GHz 8MB	2.80 GHz, up to 3.80 GHz, 8 MB total cache,		х	$\vdash$	х	+	+	+	+	$\forall$	Ş	S26391-F1161-E384	619,00	
"	The state of the s	quad core/8 threads, technologies: VT-x, VT-d,												3.0,00	
		TXT,													
Ir	ntel Core i7-3920XM 2.9GHz 8MB	2.90 GHz, up to 3.80 GHz, 8 MB total cache,		х		Х						S	S26391-F1161-E392	1.195,00	
		quad core/8 threads, technologies: VT-x, VT-d,													
		TXT,				-	-	_	+						
Ir	ntel Core i7-3940XM 3.0GHz 8MB	3.00 GHz, up to 3.90 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, VT-d,		X		Х						8	S26391-F1161-E394	1.195,00	
		TXT,													
Ir	ntel Core i7-2640M 2.8GHz 4MB	Intel Core i7-2640M _ processor (, 2.8 GHz,			х	_	_	+	+			S	S26391-F981-E264	339,00	
"		SLC: 4 MB)			^								22000110012201	000,00	
Ir	ntel Core i5-2540M 2.6GHz 3MB	2.60 GHz, 3 MB total cache, dual core/4			х							S	S26391-F981-E254	290,00	
		threads, technologies: VT-x, TXT	-			-	-	_	+				200004 5004 5050	00400	
Ir	ntel Core i5-2520M 2.5GHz 3MB	2.50 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT			Х							S	S26391-F981-E252	264,00	
Ir	ntel Core i7-3540M up to 3.6GHz 4MB	3.00 GHz, up to 3.70 GHz, 4 MB total cache,		х		х	+	+	+			5	S26391-F1121-E354	405,00	
"	KOT COTO IT COTOM UP to C.OCT E TIME	dual core/4 threads, technologies: VT-x, VT-d,		^		^							220001111212004	400,00	
		TXT													
lr	ntel Core i7-3520M up to 3.6GHz 4MB	2.90 GHz, up to 3.60 GHz, 4 MB total cache,		х		Х						S	S26391-F1121-E352	405,00	
		dual core/4 threads, technologies: VT-x, VT-d,													
		TXT,	-			-	_	+	+	-			200004 54404 5000	000.00	
Ir	ntel Core i5-3380M 2.9GHz 3MB	2.90 GHz, up to 3.60 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, VT-d,		X		Х						5	S26391-F1121-E338	290,00	
		TXT,													
Ir	ntel Core i5-3360M up to 3.5GHz 3MB	2.80 GHz, up to 3.50 GHz, 3 MB total cache,		х		х	$\rightarrow$		+			S	S26391-F1121-E336	290,00	
		dual core/4 threads, technologies: VT-x, TXT,													
Ir	ntel Core i5-3340M up to 3.4GHz 3MB	2.70 GHz, up to 3.40 GHz, 3 MB total cache,		х		Х						S	S26391-F1121-E334	264,00	
		dual core/4 threads, technologies: VT-x, VT-d,													
	141 O-15 15 000011	TXT,		$\square$	$\square$	_	_	_	+	$\perp$	$\square$		200001 = 112 = 112		
Ir	ntel Core i5-3320M up to 3.3GHz 3MB	2.60 GHz, up to 3.30 GHz, 3 MB total cache,		Х		х						S	S26391-F1121-E332	264,00	
1.	ntel Core i7-2820QM 2.3GHz 8MB	dual core/4 threads, technologies: VT-x, TXT, 2.30 GHz, 8 MB total cache, quad core/8		$\vdash$	х	-	+	+	+	+	$\vdash$		S26391-F981-E282	610.00	Phased out
	ROI DOIG IT-ZUZUQIVI Z.JGFIZ OIVID	threads, technologies: VT-x, TXT			^								20031-1 301-EZ0Z	019,00	T Haseu Out
Ir	ntel Core i7-2860QM 2.5GHz 8MB	2.50 GHz, 8 MB total cache, quad core/8		$\Box$	х	$\neg$	$\top$	$\top$	$\top$	$\top$	$\Box$	S	S26391-F981-E286	619,00	Phased out
		threads, technologies: VT-x, TXT,													
	Geon E5-1603 2.80GHz 10MB	2.80 GHz, 10 MB Cache, 4 Cores,	1	$\Box$	П		Х	1	1	+	$\square$		\$26361-F4537-E603	290,00	
	(eon E5-1607 3.00GHz 10MB (eon E5-1620 3.60GHz 10MB Turbo Boost	3.00 GHz, 10 MB Cache, 4 Cores, 3.60 GHz, 10 MB Turbo Boost, 4 Cores,	-	$\vdash$	$\vdash$	-	X X	+	+	+	$\vdash$		S26361-F4537-E607 S26361-F4537-E620	336,00 408.00	
	Ceon E5-1620 3.80GHz 10MB Turbo Boost	3.20 GHz, 10 MB Turbo Boost, 4 Cores, 3.20 GHz, 12 MB Turbo Boost, 6 Cores,					X						S26361-F4537-E650	886,00	
X	Ceon E5-1660 3.30GHz 15MB Turbo Boost	3.30 GHz, 15 MB Turbo Boost, 6 Cores,					X						S26361-F4537-E660	1.610,00	
X	Geon E5-2603 1.80GHz 10MB	1.80 GHz, 10 MB Cache, 6.4 GT/s QPI, 4					X	x				S	S26361-F4536-E603	290,00	
-	nd Voor EE 2022	Cores,	-	$\vdash$	$\vdash$	-	+	_	+	+	$\vdash$	-	206264 54502 5002	000.00	
2	nd Xeon E5-2603	1.80 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores, ,						X				S	S26361-F4539-E603	290,00	
X	(eon E5-2609 2.40GHz 10MB	2.40 GHz, 10 MB Cache, 6.4 GT/s QPI, 4		$\Box$	$\vdash$	$\dashv$	х	x	+	+	$\forall$	Ş	S26361-F4536-E609	408,00	
(		Cores, ,												. 30,00	
2	nd Xeon E5-2609	2.40 GHz, 10 MB Cache, 6.4 GT/s QPI, 4						х				S	S26361-F4539-E609	408,00	
L		Cores, ,		Ш	Ш		_			$\perp$	Ш				
X	Geon E5-2620 2.0GHz 15MB Turbo Boost	2.00 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6					X	X				S	S26361-F4536-E620	523,00	
2	nd Xeon E5-2620	Cores, , 2.00 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6	-	$\vdash$	$\vdash$	-	+	Y	+	+	$\vdash$	-	S26361-F4539-E620	523,00	
2	TIM AGOIT LU-2020	Cores, ,						X				3	JZ0J01-1 4559-E0ZU	323,00	
X	Ceon E5-2630 2.3GHz 15MB Turbo Boost	2.30 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6		$\Box$	$\Box$	$\dashv$	х	x	+		$\Box$	S	S26361-F4536-E630	814,00	
		Cores, ,		Ш	Ш						Ш				
2	nd Xeon E5-2630	2.30 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6						x				S	S26361-F4539-E630	814,00	
V	(200 E5 2630) 2 0CHz 45MB	Cores, ,	-	$\vdash$	$\vdash$	-	+	_	+	+	$\vdash$		226261 E4525 E620	770.00	
X	(eon E5-2630L 2.0GHz 15MB	2.00 GHz, 15 MB Cache, 6.4 GT/s QPI, 6 Cores,					X	X				8	S26361-F4535-E630	779,00	
2	nd Xeon E5-2630L	2.00 GHz, 15 MB Cache, 6.4 GT/s QPI, 6		$\forall$	$\vdash$	$\dashv$	+	x	+	+	$\vdash$	Ş	S26361-F4538-E630	779,00	
		Cores, ,												. 5,55	
X	Ceon E5-2637 3.0GHz 5MB Turbo Boost	3.00 GHz, 5 MB Turbo Boost, 8.0 GT/s QPI, 2					Х	х				S	S26361-F4536-E637	1.159,00	
		Cores,	-	$\square$	$\square$	_	+	_	+	$\perp$	$\square$	-	200004 54555 5555	4 1== ==	
2	nd Xeon E5-2637	3.00 GHz, 5 MB Turbo Boost, 8.0 GT/s QPI, 2						X				S	S26361-F4539-E637	1.159,00	
		Cores,	1	1 1							ш			1	



UR	S Options															
			CELSIUS C620	CELSIUS H720	LSIUS H910	SIUS	LSIUS M720	SIUS	LSIUS W420	CELSIUS W520	CELSIUS W520power	LSIUS W530	CELSIUS W530power	Product Code	P (€)	mments
D atrix	escription	Details	빙	빙	E	빙	SEL	빙	GEL	빙	빙	GEL	빙	7 <b>.</b>	EUP	8
(C	continued) eon E5-2640 2.5GHz 15MB Turbo Boost	2.50.CHz 45.MD.T.::\cho.D.=== 7.0.CT/ 0.51.0												C2C2C4 F4F02 F242	1 404 00	
X	eon E5-2640 2.5GHZ 15MB Turbo Boost	2.50 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, ,					х	Х						S26361-F4536-E640	1.164,00	
2	nd Xeon E5-2640	2.50 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, ,						Х						S26361-F4539-E640	1.164,00	
X	eon E5-2643 3.3GHz 10MB Turbo Boost	3.30 GHz, 10 MB Turbo Boost, 8.0 GT/s QPI, 4 Cores.					х	Х						S26361-F4537-E643	1.164,00	
2	nd Xeon E5-2643	3.30 GHz, 10 MB Turbo Boost, 8.0 GT/s QPI, 4 Cores, ,						х						S26361-F4540-E643	1.164,00	
X	eon E5-2650 2.0GHz 20MB Turbo Boost	2.00 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,			Т		х	х	Т					S26361-F4536-E650	1.450,00	
2	nd Xeon E5-2650	2.00 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8						х						S26361-F4539-E650	1.450,00	
X	eon E5-2650L 1.8GHz 20MB Turbo Boost	Cores, 1.80 GHz, 20 MB Turbo Boost, 7.2 GT/s QPI, 8					х	х						S26361-F4535-E650	1.362,00	
2	nd Xeon E5-2650L	Cores 1.80 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 8			$\vdash$	+		х						S26361-F4538-E650	1.362,00	
X	eon E5-2660 2.2GHz 20MB Turbo Boost	Cores, 2.20 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8			$\vdash$	+	х	х	+		Н			S26361-F4536-E660	1.723,00	
2	nd Xeon E5-2660	Cores, , 2.20 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8			+	-		X	-		Н			S26361-F4539-E660	1.723,00	
L	eon E5-2665 2.4GHz 20MB Turbo Boost	Cores, ,  2.40 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8			-	-	y	X			$\vdash$			S26361-F4537-E665	1.885,00	
L	nd Xeon E5-2665	Cores,  2.40 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8			-	-	_		-					S26361-F4540-E665		
L		Cores,					_	X			Ш				1.885,00	
L	eon E5-2667 2.9GHz 15MB Turbo Boost	2.90 GHz, 15 MB Turbo Boost, 8.0 GT/s QPI, 6 Cores					X	х			Ш			S26361-F4537-E667	2.018,00	
2	nd Xeon E5-2667	2.90 GHz, 15 MB Turbo Boost, 8.0 GT/s QPI, 6 Cores,						Х						S26361-F4540-E667	2.018,00	
Х	eon E5-2670 2.6GHz 20MB Turbo Boost	2.60 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,					х	х						S26361-F4537-E670	2.018,00	
2	nd Xeon E5-2670	2.60 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores.						х						S26361-F4540-E670	2.018,00	
X	eon E5-2680 2.7GHz 20MB Turbo Boost	2.70 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,					х	х						S26361-F4537-E680	2.206,00	
2	nd Xeon E5-2680	2.70 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8						х						S26361-F4540-E680	2.206,00	
X	eon E5-2687W 3.1GHz 20MB Turbo Boost	Cores, 3.10 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8						х						S26361-F4537-E687	2.475,00	
2	nd Xeon E5-2687W	Cores, , 3.10 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8				+		х						S26361-F4540-E687	2.508,00	
X	eon E5-2690 2.9GHz 20MB Turbo Boost	Cores, 2.90 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8				+	X	Х						S26361-F4537-E690	2.693,00	
2	nd Xeon E5-2690	Cores, 2.90 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8			H	+		X	H				H	S26361-F4540-E690	2.726,00	
L	entium G870	Cores, incl. Intel HD Graphics, 3.10 GHz, 3 MB total				-			X					S26361-F4050-E870	73,00	
L	ore i3-3220	cache, dual core/2 threads, LGA1155, incl. Intel HD Graphics 2500, 3.30 GHz, 3 MB	Х							X	v			S26361-F4493-E322	134,00	
		total cache, dual core/4 threads, LGA1155, technologies: VT-x,	Î								^					
C	ore i5-3470	incl. Intel HD Graphics 2500, 3.20 GHz, up to 3.6 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-d, TXT							X					S26361-F4494-E348	235,00	
C	ore i5-3570	incl. Intel HD Graphics 2500, 3.40 GHz, up to 3.8 GHz, 6 MB total cache, quad core/4							х					S26361-F4494-E357	262,00	
C	ore i5-4570	threads, LGA1155, technologies: VT-d, TXT incl. Intel HD Graphics 4600, 3.20 GHz, up to								-	H	X	Y	S26361-F4494-E457	244,00	
	ore i5-4670	3.6 GHz, 6 MB total cache, 4C/4T, LGA1150, technologies: VT-d, TXT, inkl. Intel HD Graphics 4600, 3.40 GHz, bis zu												S26361-F4494-E467		
		3.8 GHz, 6 MB Total Cache, 4C/4T, LGA1150, Technologien: VT-d, TXT,										×	X		270,00	
	ore i7-3770	incl. Intel HD Graphics 4000, 3.40 GHz, up to 3.9 GHz, 8 MB total cache, quad core/8 threads, LGA1155, technologies: VT-d, TXT							X					S26361-F4495-E377	365,00	
С	ore i7-4770	incl. Intel HD Graphics 4600, 3.40 GHz, up to 3.9 GHz, 8 MB total cache, 4C/8T, LGA1150, technologies: VT-d, TXT,										х	х	S26361-F4495-E477	374,00	
X	eon E3-1220v2 3.10GHz 8MB Turbo Boost	3.10/3.50 GHz, 8MB Turbo Boost, 4 cores/4 threads, technologies: VT-x, TXT,	х							х	х			S26361-F4573-E220	264,00	
X	eon E3-1225v2 3.20GHz 8MB Turbo Boost	incl. Intel HD Graphics P4000, 3.20/3.60 GHz, 8 MB Turbo Boost, 4 cores/4 threads, technologies: VT-x, TXT,	x							х	х			S26361-F4573-E225	283,00	
X	eon E3-1230v2 3.30GHz 8MB Turbo Boost	3.30/3.70 GHz, 8MB Turbo Boost, 4 cores/8	Х							х	х			S26361-F4573-E230	300,00	
X	eon E3-1240v2 3.40GHz 8MB Turbo Boost	threads, technologies: VT-x, TXT, 3.40/3.80 GHz, 8MB Turbo Boost, 4 cores/8	Х			+				х	х			S26361-F4573-E240	325,00	
X	eon E3-1245v2 3.40GHz 8MB Turbo Boost	threads, technologies: VT-x, TXT, incl. Intel HD Graphics P4000, 3.40/3.80 GHz, 8 MB Turbo Boost, 4 cores/8 threads,	X							х	х			S26361-F4573-E245	339,00	
X	eon E3-1270v2 3.50GHz 8MB Turbo Boost	technologies: VT-x, TXT, 3.50/3.90 GHz, 8MB Turbo Boost, 4 cores/8	Х		$\vdash$	+		+	+	x	х	H		S26361-F4573-E270	418,00	
X	eon E3-1275v2 3.50GHz 8MB Turbo Boost	threads, technologies: VT-x, TXT, incl. Intel HD Graphics P4000, 3.50/3.90 GHz, 8 MB Turbo Boost, 4 cores/8 threads,	Х								х			S26361-F4573-E275	427,00	
L	eon E3-1280v2 3.60GHz 8MB Turbo Boost	technologies: VT-x, TXT, 3.60/4.00 GHz, 8MB Turbo Boost, 4 cores/8	Х			1					х		L	S26361-F4573-E280	759,00	



											-		-			
											W520power		CELSIUS W530power			
			C620	720	910	920	M720	920	W420	W520	/520	W530	/230	Code		
			SC	JS.	JS H	N H	S	JS R	S S	S	S	S   5	<u>s</u>	8		ents
			CELSIUS	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS	CELSIUS R920	CELSIUS	CELSIUS	CELSIUS	CELSIUS	LSI	Product	(€)	Comments
ory s ma	Description	Details	뜅	빙	뜅	R	<code-block></code-block>	빙	뜅	뜅	ᆼ	명   t	<u>В</u>	Ĕ	EUP	8
	(Continued)														ļ.	
	Xeon E3-1225v3 3.20GHz 8MB Turbo Boost	incl. Intel HD Graphics P4600, 3.20/3.60 GHz, 8										х	x S2	6361-F4590-E225	283,00	New product, Orderable from: 05/08/2
		MB Turbo Boost, 4 Cores/4 Threads, Technologies: VT-x, TXT, ,														
	Xeon E3-1245v3 3.40GHz 8MB Turbo Boost	incl. Intel HD Graphics P4600, 3.40/3.80 GHz, 8										х	x S2	6361-F4590-E245	339,00	New product, Orderable from: 05/08/
		MB Turbo Boost, 4 Cores/8 Threads, Technologies: VT-x, TXT, ,														
	Xeon E3-1275v3 3.50GHz 8MB Turbo Boost	incl. Intel HD Graphics P4600, 3.50/3.80 GHz, 8							$\forall$			х	x S2	6361-F4590-E275	427,00	New product, Orderable from: 05/08/
		MB Turbo Boost, 4 Cores/8 Threads, Technologies: VT-x, TXT, ,														
ry		Technologies. V1-X, TAT, ,														
	2GB DDR3-1600 PC3-12800			Х				$\Box$	$\Box$		$\Box$	$\blacksquare$		6391-F1162-E200	30,00	
	2GB DDR3-1600 PC3-12800 4GB DDR3-1600 PC3-12800			X					-					6391-F1162-E210 6391-F1162-E400	30,00 46,00	
	4GB DDR3-1600 PC3-12800			Х										6391-F1162-E410	46,00	
	8GB DDR3-1600 PC3-12800			Х					_					6391-F1162-E800	106,00	
	8GB DDR3-1600 PC3-12800 2GB DDR3-1600 PC3-12800			X		х		-	-	-	-	+		6391-F1162-E810 6391-F1172-E200	106,00 30,00	
	2GB DDR3-1600 PC3-12800					X								6391-F1172-E200	30,00	
	4GB DDR3-1600 PC3-12800					Х	П					_		6391-F1172-E400	46,00	
	4GB DDR3-1600 PC3-12800			-		X	$\vdash$	-	-		+	+		6391-F1172-E410	46,00	
	8GB DDR3-1600 PC3-12800 8GB DDR3-1600 PC3-12800					X	$\dashv$	-	-		$\dashv$	+		6391-F1172-E800 6391-F1172-E810	106,00 106,00	
	2GB DDR3-1333 PC3-10600				х							1	S2	6391-F892-E200	30,00	
	2GB DDR3-1333 PC3-10600		-		Х			-	-	-	-	-		6391-F892-E210	30,00	
	4GB DDR3-1333 PC3-10600 4GB DDR3-1333 PC3-10600				X									6391-F892-E400 6391-F892-E410	46,00 46,00	
	8GB DDR3-1333 PC3-10600				X									6391-F892-E800	106.00	
	8GB DDR3-1333 PC3-10600	4 dula DO 1000 DU 11	F	-	х		$\square$		_[	$\Box$		-		6391-F892-E810	106.00	
	2GB DDR3-1600 4GB DDR3-1600	1 module PC 1600, DIMM, 1 module PC 1600, DIMM,	X	_						X				6361-F3384-E2 6361-F3384-E3	28,00 43,00	
	8GB DDR3-1600	1 module PC 1600, DIMM,	X							Х				6361-F3384-E4	88,00	
	2GB DDR3-1600	1 module PC 1600, DIMM,												6361-F3386-E2		Orderable from: 03/06/2013
	4GB DDR3-1600 8GB DDR3-1600	1 module PC 1600, DIMM, , 1 module PC 1600, DIMM, ,							-					6361-F3386-E3 6361-F3386-E4		Orderable from: 03/06/2013  Orderable from: 03/06/2013
	2GB DDR3-1600	T module 1 o 1000, Brivini, ,					х					^		6361-F3383-E404	28,00	
	2GB DDR3-1600 ECC	1 module, same number of modules for each					х	х					S2	6361-F3383-E414	38,00	
	400 DDD0 4000 F00	processor necessary,							-	_	_	-	000	2204 52202 5445	05.00	
	4GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary,					Х	X					52	6361-F3383-E415	65,00	
	8GB DDR3-1600 ECC	1 module, same number of modules for each					х						S2	6361-F3383-E416	138,00	
		processor necessary,					Ш	_	_	_	_	4				
	2GB DDR3-1600 ECC	1 module, same number of modules for each	X							Х	Х		S20	6361-F3385-E2	38,00	
	4GB DDR3-1600 ECC	processor necessary,  1 module, same number of modules for each	x					$\dashv$	$\dashv$	х	х	+	S2	6361-F3385-E3	65,00	
		processor necessary, ,						_	_							
	8GB DDR3-1600 ECC	1 module, same number of modules for each	X							x	Х		S2	6361-F3385-E4	138,00	
	4GB DDR3-1600 ECC	processor necessary, ,  1 module, same number of modules for each						_	-	$\dashv$	+	x	x S2	6361-F3387-E3	65.00	New product, Orderable from: 05/08/
	100 00110 1000 200	processor necessary,											X   02		00,00	Their product, or deficient from the core of
	8GB DDR3-1600 ECC	1 module, same number of modules for each										Х	x S2	6361-F3387-E4	138,00	New product, Orderable from: 05/08/
	4CB DDB2 1600 rg ECC	processor necessary,  1 module, same number of modules for each						х	-		-	-	52	6361-F3383-E425	69.00	
	4GB DDR3-1600 rg ECC	processor necessary						X					32	0301-F3303-E425	68,00	
	8GB DDR3-1600 rg ECC	1 module, same number of modules for each					х	х	$\neg$		$\neg$		S2	6361-F3383-E426	149,00	
		processor necessary						_	_	_	_	_				
	16GB DDR3-1600 rg ECC	1 module, same number of modules for each					Х	Х					S20	6361-F3383-E427	255,00	
	32GB DDR3-1333 rg LR ECC	processor necessary,  1 module, same number of modules for each						х					S2	6361-F3382-E438	896,00	
		processor necessary, only in combination with													555,55	
		LRDIMM modules														
CS	NVIDIA Quadro K3000M, 2GB VRAM					х							52	6391-F1170-E730	605,00	
	NVIDIA Quadro K4000M, 2GB VRAM					X								6391-F1170-E730	1.099,00	
	NVIDIA Quadro 3000M				х						$\Box$	1	S2	6391-F891-E300	605,00	
	NVIDIA Quadro 4000M NVIDIA Quadro 5010M				X	$\vdash$	$\vdash$	-	-	-	$\dashv$	+		6391-F891-E400 6391-F891-E500	1.099,00	
	NVIDIA Quadro 5010M NVIDIA NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and			X		х	х	х	х	х	х		6361-F2748-E38	85,00	
		cables must be ordered separately					Ш								25,00	
	NVIDIA NVS 310 512MB	Connectors: 2x DP, PCIe x16, w/o adapters,	F	-										6361-F2748-E315		Orderable from: 14/06/2013
	2nd NVIDIA NVS 310 512MB 3rd NVIDIA NVS 310 512MB	Connectors: 2x DP, PCIe x16, w/o adapters, Connectors: 2x DP, PCIe x16, w/o adapters,	$\vdash$			$\vdash$	X	_	$\dashv$	Х	Х	Х		6361-F2748-E317 6361-F2748-E318		Orderable from: 14/06/2013  Orderable from: 14/06/2013
	NVIDIA NVS 510 372MB	Connectors: 4x miniDP, PCIe x16, containing 4x				П	_	_	х	х	х	х		6361-F2748-E515		Orderable from: 05/06/2013
	0.4 AN (IDIA AN (IDIA	miniDP/DP adapter cables,				Ш	$\square$	_	_	_	_			2004 =2= :: = :		Outside A STATE OF THE STATE OF
	2nd NVIDIA NVS 510 2GB	Connectors: 4x miniDP, PCIe x16, containing 4x miniDP/DP adapter cables					х	X				X	x  S2	6361-F2748-E517	373,00	Orderable from: 05/06/2013
	3rd NVIDIA NVS 510 2GB	miniDP/DP adapter cables, Connectors: 4x miniDP, PCIe x16, containing 4x				$\vdash$	х	х	$\dashv$	$\dashv$	$\dashv$	+	S2	6361-F2748-E518	373.00	Orderable from: 05/06/2013
		miniDP/DP adapter cables,	L													
	NVIDIA Quadro NVS 450 2x256MB 4xDP	Connectors: 4x DP or up to 4x DVI-D via					х	х	Х	Х	Х		S2	6361-F2748-E245	392,00	Phased out
		optional DP/DVI adapter cable, PCIe x16, w/o														
	NVIDIA Quadro 410 512MB	adapters  Connectors: 1x DVI-I and 1x DP, PCIe x16, w/o	v			$\vdash$	v	y	У	У	Y	y	x 52	6361-F2856-E941	93,00	
	TO DIZIVID	adapters,	, x				^	^	^	^	^	^	^  32	JJU 1-1 ZUJU-E941	93,00	
	NVIDIA Quadro 600 1GB	Connectors: 1x DVI-I dual link and 1x DP; PCIe	Х				х	х	Х	х	х	$\top$	S2	6361-F2856-E61	156,00	
	AN/IDIA O / 1/222 / 27	x16; w/o adapters	L				$\square$		_			$\perp$	-	2004 50005 500		
	NVIDIA Quadro K600 1GB	Connectors: 1x DVI-I dual link and 1x DP, PCIe x16, w/o adapters,	X				х	Х		Х	Х	X	x  S2	6361-F2222-E60	162,00	
	2nd NVIDIA Quadro K600 1GB	Connectors: 1x DVI-I dual link and 1x DP, PCIe				$\vdash$	х	х	+	$\dashv$	$\dashv$	+	S2	6361-F2222-E997	162,00	
		x16, w/o adapters,	L					_								
	NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe	Х				х	х	Х	Х	х		S2	6361-F2856-E201	459,00	
		x16; w/o adapters					Ш									
	2nd NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe					х						000	6361-F2856-E203	459,00	



LSIL															
	JS Options														
											'er	ŗ	5		
											W520power	W530			
			C620	H720	H910	H920	M720	R920	W420	W520	220	W530	<b>9</b>		
			ပ္တ	도	운	완	Z	S RS		Š	<u> </u>	3 3	Code		¥s
			SIUS	SIUS	SIUS	CELSIUS	CELSIUS	CELSIUS	SIINS	CELSIUS	CELSIUS	CELSIUS	털	€	Comments
			CELS	CELS	CELS	ELS	ELS	ELS	CELS	ELS	ELS		Product	EUP (	l lie
	Description	Details	ਹ	ਹ	ਹ	ਹ	ប	ប	ប	ប	ប	ס כ	5 6	Ш	ŭ
s mai	trix Continued)														
, CO	3rd NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe	Т	Т	П			х			П		S26361-F2856-E992	459,00	
		x16; w/o adapters,													
	4th NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe						Х					S26361-F2856-E993	459,00	
	NVIDIA Quadro K2000 2GB	x16; w/o adapters, Connectors: 1x DVI-I dual link and 2x DP, PCIe	×				х	x		x	Y	X X	S26361-F2222-E200	476,00	
		x16, w/o adapters,					^	^		^		. ,	02000112222200	,	
	2nd NVIDIA Quadro K2000 2GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe					х	Х					S26361-F2222-E202	476,00	
	3rd NVIDIA Quadro K2000 2GB	x16, w/o adapters, Connectors: 1x DVI-I dual link and 2x DP, PCIe		-				.,			-	-	S26361-F2222-E203	476.00	
	SIG INVIDIA QUAGIO RZ000 ZGB	x16, w/o adapters,						Х					320301-F2222-E203	476,00	
	4th NVIDIA Quadro K2000 2GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe						х					S26361-F2222-E204	476,00	
		x16, w/o adapters,	-	-				_	_	_	_				
	NVIDIA Quadro 2000D 1GB	Connectors: 2x DVI-I dual link, PCIe x16, w/o	Х				Х	Х	Х	Х	Х		S26361-F2856-E202	464,00	
	2nd NVIDIA Quadro 2000D 1GB	adapters, Connectors: 2x DVI-I dual link, PCIe x16, w/o					х	x					S26361-F2856-E204	464,00	
		adapters,												,	
	NVIDIA Quadro K2000D 2GB	Connectors: 2x DVI-I dual link, PCIe x16, w/o	х				х	Х		х	Х	x >	S26361-F2222-E201	480,00	
	2nd NVIDIA Quadro K2000D 2GB	adapters, Connectors: 2x DVI-I dual link, PCIe x16, w/o	-				Х	v	-	-	-		S26361-F2222-E998	480,00	
	ZIId IVIDIA Quadio R2000D 2GB	adapters					^	^					320301-1 2222-1990	400,00	
	NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe	х				х	х			х		S26361-F2856-E401	735,00	
		x16; w/o adapters	-	-				_	_	_	_				
	2nd NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,					Х	Х					S26361-F2856-E402	735,00	
	3rd NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe						х			$\dashv$		S26361-F2856-E994	735,00	
		x16; w/o adapters,												,	
	NVIDIA Quadro K4000 3GB	Connectors: 1x DVI-I dual link and 2x DP, 1x	Х				Х	Х			Х	>	S26361-F2222-E400	752,00	
	2nd NVIDIA Quadro K4000 3GB	6pin 12V Stecker, PCIe x16, w/o adapters, Connectors: 1x DVI-I dual link and 2x DP, 1x	$\vdash$	$\vdash$			~	Х			-	-	S26361-F2222-E402	752,00	
	ZIA WIBIN Quadro N4000 00B	6pin 12V Stecker, PCIe x16, w/o adapters,					^	^					02000112222 2402	702,00	
	3rd NVIDIA Quadro K4000 3GB	Connectors: 1x DVI-I dual link and 2x DP, 1x	П	П				Х					S26361-F2222-E403	752,00	
	NAME OF THE RESIDENCE AND ADD	6pin 12V Stecker, PCle x16, w/o adapters,											C00004 F0000 F500	4.077.00	
	NVIDIA Quadro K5000 4GB	Connectors: 1x DVI-I dual link, 1x DVI-D and 2x DP, SLI, stereo; PCIe x16; w/o adapters,					Х	X			Х		S26361-F2222-E500	1.677,00	
	2nd NVIDIA Quadro K5000 4GB	Connectors: 1x DVI-I dual link, 1x DVI-D and 2x					х	х					S26361-F2222-E502	1.677,00	
		DP, SLI, stereo; PCle x16; w/o adapters,													
	NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP,	Х				Х	Х					S26361-F2856-E601	3.590,00	
	2nd NVIDIA Quadro 6000 6GB	stereo, PCIe x16, w/o adapters  Connectors: 1x DVI-I dual link and 2x DP,	$\vdash$	$\vdash$			х	Y			-		S26361-F2856-E602	3.590,00	
	2114 1112111 Quadro 5555 552	stereo, PCIe x16, w/o adapters					^	^					02000112000 2002	0.000,00	
	3rd NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP,						Х					S26361-F2856-E995	3.590,00	
	AMD FirePro V3900 1 GB	stereo, PCIe x16, w/o adapters  Connectors: 1x DVI-I dual link, 1x DP; PCIe x16;		$\vdash$			_	_	v	v	_	<b>,</b>	S26361-F2530-E390	97,00	
	AND THEFTO V3900 T GB	w/o adapters,	'   ^				^	^	^	^	^	^ /	320301-12330-2390	97,00	
	AMD FirePro V4900 1 GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe	х				х	х	х	х	х	x >	S26361-F2530-E490	166,00	
	AMD Fire Dre WEGGG GGD	x16, w/o adapters,		-									. C00004 F0000 F500	400.00	
	AMD FirePro W5000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters,	X				X	X	X	Х	X	x ,	S26361-F3300-E500	433,00	
	AMD FirePro W7000 4GB	Connectors: 4x DP: PCIe x16; w/o adapter.					х	х			х	)	S26361-F3300-E700	822,00	
	2nd AMD FirePro W7000 4GB						Х						S26361-F3300-E702	822,00	
	AMD FirePro W8000 4GB	Connectors: 4x DP; PCIe x16, stereo; w/o adapter,						Х					S26361-F3300-E800	1.555,00	
	CELSIUS RemoteAccess Dual Card	Host for PCoIP, 2x miniDP, 10/100/1000 Mbps	x				х	х		х	х	x >	S26361-F3565-E2	236,00	
		LAN, PCIe x1; contains 2x miniDP/DP cable, 1x										.   .			
		internal on/off cable, 1x LAN cable; suited for													
		FUTRO L420 (S26361-K1062-V200)		-				_			_	_			
	CELSIUS RemoteAccess Quad Card	Host for PCoIP, 4x miniDP, 10/100/1000 Mbps LAN, PCIe x1; contains 4x miniDP/DP cable, 1x					Х	Х		Х	Х	x >	S26361-F3565-E4	406,00	
		internal on/off cable, 1x LAN cable; suited for													
		FUTRO L620 (S26361-K1062-V300)													
	NVIDIA Tesla C2075 Computing-Processor	Connectors: 1x DVI-I, PCIe x16,	Х				Х	Х					S26361-F2856-E209		Phased out
	2nd NVIDIA Tesla C2075	Computing-Processor, Connectors: 1x DVI-I,					Х	Х					S26361-F2856-E998	2.176,00	Phased out
	NVIDIA Tesla K20	PCIe x16, , Computing-processor, no connectors, PCIe x16	$\vdash$	$\vdash$			х	x			_	_	S26361-F2222-E20	3.162,00	
	TVVDIV FOSIA 1420	Companing processor, no connectors, i ele xio					^	^					02000112222 220	0.102,00	
	2nd NVIDIA Tesla K20	Computing-processor, no connectors, PCIe x16,					х	х					S26361-F2222-E999	3.162,00	
	Intel Xeon Phi Coprozessor 5110P	Computing-processor, no connectors, PCIe x16,	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$\vdash$				-	-	-	-	-	S26361-F4100-E51	2 629 00	New product,Orderable from: 01/07
	The Xeon Til Coprozessor 31101	only for Linux,	^										320301-1 4100-L31	3.020,00	New product, orderable from: 01/07/
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor	Х				Х	Х	х				S26361-F2391-E200	17,00	
	Mini Display Port/DVI-D adapter cable	additional Diantar Dark autout for the interreted	Х	$\vdash$			Х	Х	-	Х			S26361-F2391-E8		New product
	DisplayPort extension card	additional DisplayPort output for the integrated INTEL graphics, 3-monitor-support,										x   )	S26361-F2391-E210	33,00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires	х				х	х	Х	х	х	x >	S26361-F2391-E1	6,00	
	LEUROLO EVILLE	DVI-I connector	-	-			Ш				_		000001 == 1		
	LFH59/ 2x DVI-I adapter cable LFH59/ 2x DP adapter cable	for connection of two DVI-I monitors for connection of two Display Port monitors	$\vdash$	$\vdash$									S26361-F2391-E101 S26361-F2391-E102	17,00 19,00	
	SLI bridge for NVIDIA graphics	TO CONTROCTION TWO DISPLAY FOR THOUSE						X	^	^	^	^ )	S26361-F2542-E95	44,00	
	No graphics in system							Х		х	Х	X >	S26361-F2748-E998	2,00	
able	Media Drives Cable for 2nd ODD								х			ν .	S26361-F2581-E23	4,00	
	Cable for 2nd ODD						х	х	۸	х		^ )	S26361-F2581-E24	4,00	
	USB dongle bay module	Bay module for USB software licensing dongles		х									S26391-F1164-E700	18,00	
		to be put inside the housing., , If USB software													
		licensing dongles are attached to the outer USB ports they can be lost or damaged. This can be													
															· ·
		prevented by using this USB dongle bay													

DVD-RW Dual Double Layer Super Multi Blu-ray Triple Writer incl. Power DVD 10 S26391-F1174-E200 S26391-F1174-E400

39,00 219,00



		IUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	IUS K9Z0	CELSIOS W420	IUS W520	CELSIUS W3ZUpower	CELSIUS W530power	Product Code	(€)	Comments
Description	Details	CELSIUS	ELS	ELS	ELS	CELSIUS	CELSIUS		ELS P	בול ה	ELS ELS	rodt	EUP (	Comn
atrix	Details	_					J   C			,	, 0	ш.		
le Media Drives (Continued) DVD-RW Dual Double Layer Super Multi				х								S26391-F894-E100	39,00	
Blu-ray Triple Writer incl. Power DVD 10				Х								S26391-F894-E200	219,00	
DVD-RW Dual Double Layer Super Multi		-	Х		-	-	+	+	+	+	_	S26391-F1164-E200	39,00	
Blu-ray burner Weight saver for modular bay			X		+	_	+	+	+	+	+	S26391-F1164-E400 S26391-F984-E400	219,00 4,00	
2nd Battery 6cell 41Wh (3,800mAh)			Х									S26391-F984-E500	123.00	
DVD SATA	occupies accessible 5,25"- bay, DVD software						)	<b>X</b> :	x 2	x 2	х	S26361-F3418-E510	16,00	
DVD SuperMulti SATA	must be ordered separately occupies accessible 5,25"- bay,DVD software			Н	$\dashv$	+	,	x	x >	x :	x x	S26361-F3420-E510	23,00	
·	must be ordered separately			Ш										
Blu-ray Triple Writer SATA slim (tray)	occupies 5.25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately					X	x )	X :	X Z	x   3	x x	S26361-F3716-E100	73,00	
DVD SATA	occupies accessible 5,25"- bay,DVD software				$\dashv$	X :	х	+	+	+	+	S26361-F3418-E530	16,00	
	must be ordered separately			Ш				4		_				
DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD software					X	X					S26361-F3420-E530	23,00	
MultiCard Reader 24in1 USB 2.0 3.5"	must be ordered separately occupies accessible 3.5"- bay and requires			$\vdash$	_	X :	x >	x :	x x	x :	хх	S26361-F3077-E50	10,00	
	internal USB interface, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC,													
MCR 24in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Dicture Cord MD, SMC					x :	X					S26361-F3077-E51	13,00	
DVD SuperMulti SATA clim	Picture Card, MD, SMC ,	u u		$\vdash$	-	+	+	+	+	+	+	\$26261_E2420_E540	30.00	
DVD SuperMulti SATA slim	occupies accessible 5,25"- bay,DVD software must be ordered separately	Х										S26361-F3429-E510	30,00	
s														
SSD SATA III 128GB	2.5" solid state drive with SATA 6GB/s interface, no WinXP support									,	x x	S26361-F3679-E128	160,00	
SSD SATA III 256GB	2.5" solid state drive with SATA 6GB/s			$\vdash$	_		+	+	+	,	хх	S26361-F3679-E256	282,00	
	interface, no WinXP support,	L												
No Raid				H	Х		-	+		-	-	S26391-F1177-E500	2.00	
RAIDO - HDD SATA 2x 500GB 7.2k striping RAIDO - HDD SATA 2x 640GB 7.2k striping				$\vdash$	X	+	+	+	+	+	+	S26391-F1177-E501 S26391-F1177-E502	188,00 259,00	
RAID0 - HDD SATA 2x 750GB 7.2k striping					Х							S26391-F1177-E504	248,00	
RAIDO - HDD SATA 2x 1TB 5.4k striping					X	_	_	+	+	+	_	S26391-F1177-E503	280,00	
RAIDO - SSD SATA III 2x 128GB striping RAIDO - SSD SATA III 2x 256GB striping					X	+	+	+	+	+		S26391-F1177-E511 S26391-F1177-E512	370,00 697,00	
Win8 RAID0 SSD SATAIII 2x 128GB striping					Х			$\perp$				S26391-F1177-E516	370,00	
Win8 RAID0 SSD SATAIII 2x 256GB striping RAID1 - HDD SATA 2x 500GB 7.2k mirroring					X	+	+	+	+	+	-	S26391-F1177-E517 S26391-F1177-E601	697,00 188,00	
RAID1 - HDD SATA 2x 750GB 7.2k mirroring					X			$^{+}$	$\pm$			S26391-F1177-E604	248,00	
RAID1 - SSD SATA III 2x 128GB mirroring					Х			_				S26391-F1177-E611	370,00	
RAID1 - SSD SATA III 2x 256GB mirroring Win8 RAID1 SSD SATAIII 2x128GB mirroring					X	+	+	+	+	+	-	S26391-F1177-E612 S26391-F1177-E616	697,00 370,00	
Wind RAID1 SSD SATAIII 2x256GB mirroring					X							S26391-F1177-E617	697,00	
Bracket for mounting of 8x 2,5" HDD						X Z	Х	1				S26361-F4030-E8	4,00	
SSD SATA III 32GB Smart Response cache	mSATA module with SATA 6GB/s interface, occupies 2.5"-bay (internal). Installed as Smart Response cache, additional HDD necessary.									,	x x	S26361-F3794-E32	56,00	Orderable from: 03/06/2013
SSD SATA III 64GB Smart Response cache	Very fast 2.5" SSD with SATA 6GB/s interface, incl. easy rail, no WinXP support. Installed as Smart Response cache, additional HDD						)	x				S26361-F3742-E64	88,00	
	necessary.,			Ш				$\perp$	$\perp$					
SSD SATA III 64GB Smart Response cache	very fast 2.5" SSD with SATA 6GB/s interface, no WinXP support. Installed as Smart Response cache, additional HDD necessary.,								x 2	x		S26361-F3744-E64	88,00	
SSD SATA III 128GB Premium	2.5" solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,									,	х х	S26361-F3808-E128	170,00	
SSD SATA III 128GB	2.5" solid state drive with SATA 6GB/s						>	х				S26361-F3681-E128	160,00	
SSD SATA III 128GB Premium	interface, incl. easy rail, , no WinXP support occupies 2.5"-bay (internal), incl. easy rails, 2.5"	$\vdash$		$\vdash$	+	+	+,	X	+	+	+	S26361-F3810-E128	170.00	
	solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,						,					320301-1 3010-E 120		
SSD SATA III 128GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, , no WinXP support	х				х			x :			S26361-F3682-E128	160,00	
2nd SSD SATA III 128GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, , no WinXP support								x x			S26361-F3683-E128	160,00	
SSD SATA III 128GB Premium	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,	x				X :	x		x x	x		S26361-F3811-E128	170,00	



										ē		ē			
										W520power		wssupower			
		CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	W52	CELSIUS W530	W53	Code		ts
		SIIS	SIIS	SINS	SIUS	SIIS	SIIIS	SINS	SINS	CELSIUS 1	SINS	CELSIUS	Product Code	€	Comments
Description	Details	딩	GEL	GEL	핑		i E	팅	E	링	E E	<u> </u>	Proc	EUP	Com
rix (Continued)															
2nd SSD SATA III 128GB Premium	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,					X	х		X	х		S	26361-F3812-E128	170,00	)
SSD SATA III 128GB SED bay	Self-Encrypting Drive (hardware based data encryption), occupies 2.5"-bay (external), 2.5" solid state drive with SATA 6GB/s interface, no WinXP support					x	X					S	26361-F3806-E128	170,00	
2nd SSD SATA III 128GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, , no WinXP support					х	х					S	26361-F3759-E128	160,00	
SSD SATA III 128GB bay	occupies 2.5"-bay (external), solid state drive with SATA 6GB/s interface, no WinXP support,					х	х					S	26361-F3779-E128	160,00	
SSD SATA III 128GB Premium bay	occupies 2.5"-bay (external), solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,					x	х					S	26361-F3813-E128	170,00	
SSD SATA III 256GB Premium	2.5" solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,										x	x S	26361-F3808-E256	307,00	)
SSD SATA III 256GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, no WinXP support							х	$\uparrow$			S	26361-F3681-E256	282,00	
SSD SATA III 256GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, no WinXP support	х					х		x	х		S	26361-F3682-E256	282,00	
2nd SSD SATA III 256GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, no WinXP support								х	X		S	26361-F3683-E256	282,00	
SSD SATA III 256GB Premium	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,	X				х	х		X	X		S	26361-F3811-E256	307,00	
SSD SATA III 256GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, no WinXP support					x	х					S	26361-F3758-E256	282,00	
2nd SSD SATA III 256GB Premium	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,					х	х		х	x		S	26361-F3812-E256	307,00	
2nd SSD SATA III 256GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, no WinXP support					x	X					S	26361-F3759-E256	282,00	
SSD SATA III 256GB bay	occupies 2.5"-bay (external), solid state drive with SATA 6GB/s interface, no WinXP support,					x	х					S	26361-F3779-E256	282,00	
SSD SATA III 256GB Premium bay	occupies 2.5"-bay (external), solid state drive with SATA 6GB/s interface, improved sequential write performance, no WinXP support,					х	х					S	26361-F3813-E256	307,00	
SSD SATA III 512GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, , no WinXP support							х			х	x S	26361-F3681-E512	595,00	
SSD SATA III 512GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, , no WinXP support	х							x	х		S	26361-F3682-E512	595,00	
2nd SSD SATA III 512GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, , no WinXP support								х	х		S	26361-F3683-E512	595,00	
SSD SATA III 512GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, , no WinXP support					х	X					S	26361-F3758-E512	595,00	
2nd SSD SATA III 512GB	occupies 2.5"-bay (internal), solid state drive with SATA 6GB/s interface, , no WinXP support					x	x					S	26361-F3759-E512	595,00	
SSD SATA III 512GB bay	occupies 2.5"-bay (external), solid state drive with SATA 6GB/s interface, no WinXP support,					x	x					S	26361-F3779-E512	595,00	
WIN8 - SSD SATA III 64GB Smart Response	Very fast 2.5" SSD with SATA 6GB/s interface, incl. easy rail, no WinXP support. Installed as Smart Response cache, additional HDD necessary.,							X				S	26361-F3769-E64	88,00	Phased out
WIN8 - SSD SATA III 64GB Smart Response	very fast 2.5" SSD with SATA 6GB/s interface, no WinXP support. Installed as Smart Response cache, additional HDD necessary.,								х	x		S	26361-F3770-E64	88,00	Phased out
WIN8 - SSD SATA III 128GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support							х			$\uparrow$	S	26361-F3764-E128	160,00	Phased out
WIN8 - SSD SATA III 128GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support	х						1	x	х		S	26361-F3765-E128	160,00	Phased out



	Options							_		_			_			
			C620	CELSIUS H720	H910	Н920	M720	R920	W420	W520	CELSIUS W520power	W530	W530power	Code		a
			SIIIS	INS	INS	SIUS	CELSIUS I	CELSIUS	CELSIUS	CELSIUS	SIIS	SII	CELSIUS	nct C	€	Comments
n	escription	Details	CELSIUS	SELS	SELS	CELS	SELS	SELS	ELS	SELS	ELS	SELS	ELS	Product	EUP (	Comr
rix		Potano														
	Continued) /IN8 - SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state							x					S26361-F3764-E256	282.00	Phased out
		drive with SATA 6GB/s interface, no WinXP support														
V	/IN8 - SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support	х							х	х		:	S26361-F3765-E256	282,00	Phased out
V	/IN8 - 2nd SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support								х	х		:	S26361-F3766-E256	282,00	Phased out
V	/IN8 - SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support							х				:	S26361-F3764-E512	595,00	Phased out
V	/IN8 - SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support	х							х	Х		:	S26361-F3765-E512	595,00	Phased out
V	/IN8 - 2nd SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support								х	Х		:	S26361-F3766-E512	595,00	Phased out
	SD SATA III 128GB SED	- FF							х	$\perp$				S26361-F3772-E128	170,00	
	SD SATA III 128GB SED nd SSD SATA III 128GB SED		Х			$\vdash$	+	+	+	X X	_	Х		S26361-F3774-E128 S26361-F3775-E128	170,00 170,00	
S	SHD SATA III 500GB 5.4k 2.5'						$\Rightarrow$	$\downarrow$	$\Rightarrow$			х	Х	S26361-F3784-E500	95,00	
Н	DD SATA III 250GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)					Х	Х	х	Х	Х			S26361-F3660-E250	52,00	
Η	DD SATA III 500GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	х				х	х	х	х	х	х	x	S26361-F3660-E500	58,00	
Η	DD SATA III 1000GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512	х			$\vdash$	х	х	х	х	х	х	x	S26361-F3660-E100	84,00	
Η	DD SATA II 320GB 5.4k FDE	byte native or Advanced Format (AF) HDD SATA, 5400 rpm, 320 GB, 2.5-inch,		х			$\dashv$	+	$\dagger$	$\dashv$			-	S26391-F1163-E320	144,00	
Н	DD SATA 320GB 5.4k	S.M.A.R.T., full disk encryption HDD SATA, 5400 rpm, 320 GB, 2.5-inch,			х		+	+		+	$\forall$	+		S26391-F893-E320	137,00	
Н	DD SATA 320GB 5.4k XP optimized	S.M.A.R.T. HDD SATA, 5400 rpm, 320 GB, 2.5-inch,			х		+	+	+	+	+		-	S26391-F893-E321	170,00	
Н	DD SATA 320GB 5.4k FDE	S.M.A.R.T., XP optimized  Not for China!, HDD SATA, 5400 rpm, 320 GB,			х	$\vdash$	+		+	+				S26391-F893-E328	144,00	
Н	DD SATA III 2000GB 7.2k AF	2.5-inch, S.M.A.R.T., full disk encryption occupies 3.5"-bay (internal), Advanced Format	Х			H	х	X	х	х	х	х	x	S26361-F3660-E200	150,00	
Н	DD SATA II 320GB 7.2k 2.5"	(AF) supports NCQ and 3GB/s, compatible to SATA				H	+	_	х	х	х	х	x	S26361-F3721-E320	65,00	
Н	DD SATA II 500GB 7.2k	technology, HDD SATA, 7200 rpm, 500 GB, 2.5-inch,				х	+	_	+	+	+	+		S26391-F1173-E507	224,00	
	DD SATA II 500GB 7.2k	S.M.A.R.T. HDD SATA, 7200 rpm, 500 GB, 2.5-inch,		x	H	$\dashv$	+	+	+	+	_	$\dashv$		S26391-F1163-E507	224,00	
Н	DD SATA 500GB 7.2k	S.M.A.R.T. HDD SATA, 7200 rpm, 500 GB, 2.5-inch,			х		+	+	+	+	+		-	S26391-F893-E507	224,00	
2:	x HDD SATA 500GB 7.2k	S.M.A.R.T. 2 x HDD SATA, 7200 rpm, 500 GB, 2.5-inch,			X	H	+	+	+	+	+	-		S26391-F893-E509	287,00	
Н	DD SATA II 640GB 7.2k	S.M.A.R.T. HDD SATA, 7200 rpm, 640 GB, 2.5-inch,		X			+	+	+	+	+	+		S26391-F1163-E647	257,00	
	DD SATA II 640GB 7.2k	S.M.A.R.T. HDD SATA, 7200 rpm, 640 GB, 2.5-inch,				x	_	+	+	_	-			S26391-F1173-E647	257,00	
	DD SATA II 750GB 7.2	S.M.A.R.T.  HDD SATA, 7200 rpm, 640 GB, 2.5-inch,		x			4	+	4	+	+	-	_	S26391-F1163-E328	239,00	
	DD SATA II 1000GB 5.4k	S.M.A.R.T.  HDD SATA, 5400 rpm, 1000 GB, 2.5-inch,		X			4	+	4	+		_	_	S26391-F1163-E100	255,00	
	DD SATA II 750GB 7.2	S.M.A.R.T.		^		x	_	+	+	+	_	_		S26391-F1173-E707	239,00	
S	SD SATA III 128GB	SSD SATA III, 128 GB, 2.5-inch		Х			#		#	#				S26391-F1163-E820	217,00	
	/in8 - SSD SATA III 128GB SD SATA III 128GB FDE	SSD SATA III, 128 GB, 2.5-inch, SSD SATA III FDE, 128 GB, 2.5-inch		X	_	$\vdash$	+	+	+	+	+	$\dashv$		S26391-F1163-E821 S26391-F1163-E825	217,00 265,00	
V	/in8 - SSD SATA III 128GB FDE	SSD SATA III, FDE, 128 GB, 2.5-inch,		Х			$\Box$	#						S26391-F1163-E826	265.00	
	SD SATA III 256GB /in8 - SSD SATA III 256GB	SSD SATA III, 256 GB, 2.5-inch SSD SATA III, 256 GB, 2.5-inch,		X	_	$\vdash$	+	+	+	+	+	-	_	S26391-F1163-E835 S26391-F1163-E836	268,00 268,00	1
	SD SATA III 256GB	SSD SATA III, 256 GB, 2.5-inch.		X									_	S26391-F1163-E845	577.00	1
V	/in8 - SSD SATA III 512GB	SSD SATA III, 512 GB, 2.5-inch,		X		$\Box$	$\perp$	$\perp$	4		-			S26391-F1163-E846	577.00	
	ISATA SSD 32GB	Cache module mSATA 32GB for IRST & Express Cache		Х						_				S26391-F1163-E890	85,00	
	DD SATA II 1000GB 5.4k	HDD SATA, 5400 rpm, 1000 GB, 2.5-inch, S.M.A.R.T.				х	_		_	_				S26391-F1173-E100	255,00	
	DD SATA III 500GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology												S26361-F3497-E100	99,00	
	DD SATAIII 1000GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	х											S26361-F3521-E100	162,00	
Η	DD SATAII 2000GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology	Х				х	X	Х	х	х	Х	X	S26361-F3590-E100	277,00	
H	DD SATA III 3000GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, bootable only with UEFI-BIOS + 64bit OS, not bootable with RAID0,					X	X						S26361-F3590-E300	349,00	Orderable from: 21/06/2013
	DD SATA III 4000GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, bootable only with UEFI-BIOS + 64bit OS, not bootable with RAID0,					х	x		х	Х	х		S26361-F3590-E400	,	Orderable from: 21/06/2013
	DD SATA III 600GB 10k	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology					х	X		х				S26361-F3632-E100		Phased out
	DD SATA III 600GB 10k 2.5"	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology,	Х				х	Х		х	X		_	S26361-F3760-E600	388,00	
	nd HDD SATA III 600GB 10k 2.5"	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology,					х	X		х	4		_	S26361-F3761-E600	388,00	
н	DD SATA III 500GB 10k BC 2.5'	occupies 2.5"-bay (internal), supports NCQ and	x			ıΤ	х	х		x	х	х	x s	S26361-F3760-E500	248,00	



	JS Options			Т							اے	Ι.			
			CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	CELSIUS W530 CELSIUS W530power	Product Code	(€)	Comments
	Description	Details	핑	딩	딩	GE	E E	팅 į	팅	팅	E E	탱탱	Pro	EUP	Con
s mat Disks	trix (Continued)														
	2nd HDD SATA III 500GB 10k BC 2.5'	occupies 2.5"-bay (internal), supports NCQ and	Т	Т			х	x	Т	х	х		S26361-F3761-E500	248,00	
	HDD SATA III 1000GB 10k BC 2.5'	6GB/s, 10k rpm, business critical HDD, occupies 2.5"-bay (internal), supports NCQ and	X				х	x	+	х	x	x x	S26361-F3760-E100	450,00	
		6GB/s, 10k rpm, business critical HDD,			Ш			^	_	^	^	X X			
	2nd HDD SATA III 1000GB 10k BC 2.5'	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, 10k rpm, business critical HDD,					Х	Х		Х	Х		S26361-F3761-E100	450,00	
	HDD SAS 300GB 15k 6G 2.5"	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, 2.5-	х				х	х	$\forall$	$\top$	$\top$		S26361-F3738-E300	328,00	
	2nd HDD SAS 300GB 15k 6G 2.5"	inch, HDD SAS, 6 GB/s, 300 GB, 15000 rpm, 2.5-	╀	-		$\vdash$	Х	Y	+	+	+	-	S26361-F3738-E302	328,00	
		inch,						^							
	HDD SAS 300GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, 2.5-	х				х	x					S26361-F3737-E300	184,00	
	2nd HDD SAS 300GB 10k 6G 2.5"	inch, , HDD SAS, 6 GB/s, 300 GB, 10000 rpm, 2.5-	$\vdash$				х	х	$^{+}$	$\dashv$			S26361-F3737-E302	184,00	
	LIDD 040 4500D 401 00 0 5	inch, ,	-	-					4	_	_		000004 50707 5450	000.00	
	HDD SAS 450GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, 2.5-inch, ,	Х				х	Х					S26361-F3737-E450	268,00	
	2nd HDD SAS 450GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, 2.5-					х	х					S26361-F3737-E452	268,00	
	HDD SAS 600GB 10k 6G 2.5"	inch, , HDD SAS, 6 GB/s, 600 GB, 10000 rpm, 2.5-	X	-			х	x	+	$\dashv$	+	-	S26361-F3737-E600	328,00	
		inch, ,	^					^					020001101012000	020,00	
	2nd HDD SAS 600GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, 2.5-inch, .					х	х					S26361-F3737-E602	328,00	
	Upgrade preparation for 2.5' drive	ilicii, ,											S26361-F4035-E60	6,00	
	Mounting frame for 2.5' HDDs/SSDs SSD SATA 128GB FDE	Not for China!, SSD SATA, 128 GB, 2.5-inch,	-		Х		-	-	-	-	-	хх	S26361-F4035-E70 S26391-F893-E820	3,00 265,00	New product, Orderable from: 05/08/
	SSD SATA 120GB FDE	full disk encryption			^								320391-F093-E020	205,00	
	SSD SATA III 128GB	SSD SATA III, 128 GB, 2.5-inch				х	-	-	4	-	-		S26391-F1173-E820	217.00	
	SSD SATA III 128GB 2.5" SSD 128GB + HDD 750 GB	SSD SATA III, 128 GB, 2.5-inch 1x SSD SATA, 128 GB / 1x HDD SATA, 7200			X			+	$^{+}$		+		S26391-F893-E821 S26391-F893-E823	217,00 349,00	
	202 0474 # 4000 525	rpm 750 GB, S.M.A.R.T.	-	-			_	4	4	_	4	_	200004 54470 5005	205.00	
	SSD SATA III 128GB FDE SSD 128/HDD 500GB	SSD SATA III FDE, 128 GB, 2.5-inch 1x SSD SATA, 128 GB / 1x HDD SATA, 7200			х	Х	_	+	+	_	+		S26391-F1173-E825 S26391-F893-E825	265,00 322,00	
		rpm 500 GB, S.M.A.R.T.	-	-			_	4	4	_	4				
	SSD highspeed 128/HDD 500GB	1x SSD SATA III, 128 GB / 1x HDD SATA, 7200 rpm 500 GB, S.M.A.R.T.			Х								S26391-F893-E826	322,00	
	SSD SATA 256GB FDE	Not for China!, , , SSD SATA, 256 GB, 2.5-inch,			х				$\exists$				S26391-F893-E830	384,00	
	SSD SATA III 256GB 2.5"	full disk encryption SSD SATA III, 256 GB, 2.5-inch	+	-	х	$\vdash$	+	+	+	+	+		S26391-F893-E831	268,00	
	SSD 256GB + HDD 500 GB	1x SSD SATA, 256 GB / 1x HDD SATA, 7200			X			$\top$	$\forall$				S26391-F893-E832	427,00	
	SSD SATA III 256GB	rpm 500 GB, S.M.A.R.T. SSD SATA III, 256 GB, 2.5-inch	-			.,	_	-	+	-	-		S26391-F1173-E835	268.00	
	SSD SATA III 230GB SSD SATA 512GB (FDE)	Not for China!, , , SSD SATA 512 GB, 2.5-inch,	$\vdash$		х	Х	$\top$	$\top$	$\forall$	$\neg$	$\top$		S26391-F893-E840	1.210,00	
	SSD SATA III 512GB	full disk encryption SSD SATA III, 512 GB, 2.5-inch	-			Х	-	-	+	-	+		S26391-F1173-E845	577.00	
	2x SSD SATA 11 512GB (FDE)	2 x SSD SATA, 512 GB, 2.5-inch, full disk			х	^	$\top$	$\top$	$\forall$	$\dashv$	$\top$		S26391-F893-E849	2.360,00	
	Win8 - SSD SATA III 128GB	encryption, SSD SATA III, 512 GB, 2.5-inch	-	-		.,	-	+	+	-	+	_	S26391-F1173-E821	247.00	
	Win8 - SSD SATA III 128GB Win8 - SSD SATA III 128GB FDE	SSD SATA III, 512 GB, 2.5-Inch				X							S26391-F1173-E826	217,00 265,00	
	Win8 - SSD SATA III 256GB	SSD SATA III, 512 GB, 2.5-inch				Х			-	-			S26391-F1173-E836	268,00	
	Win8 - SSD SATA III 512GB 2nd HDD SATA II 500GB 7.2k	SSD SATA III, 512 GB, 2.5-inch				X							S26391-F1173-E846 S26391-F1173-E957	577,00 224,00	
	2nd HDD SATA II 640GB 7.2k	HDD SATA, 7200 rpm, 640 GB, 2.5-inch,				х							S26391-F1173-E967	257,00	
	2nd HDD SATA II 750GB 7.2	S.M.A.R.T.	+	+		х	+	+	+	+	+		S26391-F1173-E977	239,00	
	2nd HDD SATA II 1000GB 5.4k	HDD SATA, 5400 rpm, 1000 GB, 2.5-inch,				Х							S26391-F1173-E910	255,00	
	2nd SSD SATA III 128GB FDE	S.M.A.R.T. SSD SATA III FDE, 128 GB, 2.5-inch	+	+	Н	х	+	+	+	+	+	-	S26391-F1173-E980	265,00	
	2nd SSD SATA III 128GB	SSD SATA III, 128 GB, 2.5-inch				Х		#			#		S26391-F1173-E981	265,00	
	2nd SSD SATA III 256GB 2nd SSD SATA III 512GB	SSD SATA III, 256 GB, 2.5-inch SSD SATA III, 512 GB, 2.5-inch	+	+	Н	X	+	+	+	+	+	-	S26391-F1173-E982 S26391-F1173-E985	268,00 577,00	
	Win8 - 2nd SSD SATA III 128GB FDE	SSD SATA III, 512 GB, 2.5-inch				X			$\Rightarrow$		#		S26391-F1173-E990	265,00	
	Win8 - 2nd SSD SATA III 128GB Win8 - 2nd SSD SATA III 256GB	SSD SATA III, 512 GB, 2.5-inch SSD SATA III, 512 GB, 2.5-inch	+	$\vdash$		X	+	+	+	+	+	-	S26391-F1173-E991 S26391-F1173-E992	217,00 268,00	
	Win8 - 2nd SSD SATA III 512GB	SSD SATA III, 512 GB, 2.5-inch				x			#		#		S26391-F1173-E995	577.00	
	Cable for SATA HDD Cable for 4x SAS/SATA HDD	for 5th 8th HDD,	+	$\vdash$	Н		х		Х	+	+	-	S26361-F2581-E35 S26361-F4030-E23	3,00	
	Rails for 2x HDD 3.5"	TOT SUTTOUT IDD.					x	_		х	х		S26361-F4030-E20	4,00	
	Rails for 2x HDD 2.5" 2.5" Drive Slot Cover		X	-			Х	Х	+	х	Х	-	S26361-F4030-E40 S26361-F4030-E50	4,00 4,00	
	2.5" HDD Carrier		X						$\downarrow$				S26361-F4030-E51	7,00	
	3.5" Drive Slot Cover 3.5" HDD Carrier		X				+	+	+	+	+	+	S26361-F4030-E60 S26361-F4030-E61	4,00 7,00	
AID/	SAS controller														
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal					Х	X					S26361-F3976-E2	140,00	
		ports, RAID Levels 0, 1, and 10,													
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI	Х				х	Х			T		S26361-F3976-E3	238,00	
		MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports, RAID levels 0, 1, 5 and 6													
	RAID Contr BBU Upgrade RAID 5/6	RAID controller battery-backup-unit,	х		П		_	х	$\Rightarrow$		#		S26361-F3976-E99	107,00	
	4-Port SAS-UpgradeRom	upgrade of 4x onboard SATA to 4x onboard SAS (incl. RAID 0,1,10 license),					х						S26361-F2581-E49	29,00	
	8-Port SAS-UpgradeRom	upgrade of 4x onboard SATA to 8x onboard	$^{\dagger}$		П	$\forall$	$\dashv$	х	$\dashv$	$\dashv$	+	+	S26361-F2581-E43	50,00	
unica	ation/Network	SAS (incl. RAID 0,1,10 license)													
	Dual 1 Gigabit Ethernet PCIe x4		х				х	_					S26361-F3067-E80	100,00	
	USB 3.0 PCle x1	FTS D3305, connectors: 1x USB Typ A external, 1x USB Typ A internal; PCIe x1,					х	Х					S26361-F3060-E10	26,00	
	Gigabit Ethernet PCIe x1, DS	external, 1x USB Typ A Internal; PCIe x1, FTS D2907, 10/100/1000 Mbit/s, Dash	Х		$\vdash$	$\dashv$	х	х	х	х	х	+	S26361-F3067-E60	17,00	
	, ,	manageability for AMD platforms, RJ45, WoL,	1											,,,,,	



Description	Details	CELSIUS C620	CELSIUS H720	CELSIUS H910	SELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	SELSIUS W530	CELSIUS W530power	Product Code	EUP (€)	Comments
natrix	Johns	- 0			. J		J	J	J	J	J	J	<u>.</u>	ш	, J
ication/Network (Continued) Gigabit Ethernet PCIe x1, DS	FTS D2908, 10/100/1000 Mbit/s, Dash									х	х	х	S26361-F3067-E90	17,00	
	manageability, RJ45, WoL, autodetect, PXE														
No WLAN	Boot, PCI Express 2.0			Х									S26391-F955-E210	2,00	
Intel Centrino 6205 a/b/g/n			X	X	X							$\overline{}$	S26391-F955-E210 S26391-F1165-E200	18,00	
WLAN Advanced Intel Centrino 6205 a/b/g/					Х								S26391-F1175-E200	18,00	
WLAN Intel Centrino 2200 b/g/n WLAN Intel Centrino 2200 b/g/n		-	Х		х					-	-	-	S26391-F1165-E210 S26391-F1175-E210	12,00 12,00	
Intel Centrino 6205 802.11a\b\g\n (WW)				Х	^							_	S26391-F955-E240	22,00	
No Bluetooth			Х							_	_		S26391-F955-E310	2,00	
Bluetooth Module V4.0  Dual 10 Gigabit Ethernet PCIe x8	FTS D2755, w/o SFP+ modules, appropriate SFP+ modules: S26361-F3986-L3 or S26361- F3986-L4 SFP+ Module Single Mode Fiber 10GBE LC or SFP+ Twinax cables	х	Х			х	x					$\overline{}$	S26391-F1165-E320 S26361-F3067-E70	23,00 317,00	
InfiniBand HCA 40GB/s, 1-Port, QDR	Appropriate cables: Infiniband Cu Kabel 40GB, 4x QSFP, 1m (S26361-F3996-L101) or 3m (S26361-F3996-L103),	х					х						S26361-F3067-E100	526,00	Phased out
No UMTS/No LTE	no antennas in the system = no future upgrade		х		$\vdash$								S26391-F1165-E500	2,00	
	possible				Ш										
No UMTS/No LTE	only antonnos included in the system to accom-				Х		-						S26391-F1175-E500	2.00	
UMTS/LTE ready kit	only antennas included in the system to ensure future upgrade with UMTS/LTE module,		х										S26391-F1165-E510	12,00	
UMTS/LTE ready kit					х					$\Box$	$\Box$	-	S26391-F1175-E510	12,00	
No UMTS + No UMTS Antenna UMTS Sierra Wireless Gobi 3000			Х	Х	$\vdash$	$\vdash$	$\dashv$			$\dashv$	$\dashv$	_	S26391-F895-E510 S26391-F1165-E520	2,00 89,00	
UMTS Sierra Wireless Gobi 3000					х								S26391-F1175-E520	89.00	
Win8 - UMTS Sierra Wireless Gobi 3000 Win8 - UMTS Sierra Wireless Gobi 3000			Х		Х		-			-	-	_	S26391-F1165-E521 S26391-F1175-E521	89,00	
UMTS Sierra Wireless Gobi 3000	Not for China!,			х	_								S26391-F895-E525	89,00	
LTE module Sierra Wireless			Х										S26391-F1165-E530	145,00	
LTE module Sierra Wireless Win8 - LTE module Sierra Wireless			Х		Х					-	-		S26391-F1175-E530 S26391-F1165-E531	145,00 145,00	
Win8 - LTE module Sierra Wireless			,		х								S26391-F1175-E531	145,00	
No Bluetooth Bluetooth Module V4.0				Х	X								S26391-F895-E610 S26391-F1175-E320	2,00	
Bluetooth Module V3.0				х	-								S26391-F1175-E320 S26391-F895-E620	23,00	
WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface; only EMEA					Х	х	х	х	Х	Х	-	S26361-F3108-E5	14,00	
Parallel Interface FH	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height							х	х	х	х	х	S26361-F2542-E34	3,00	
eSATA Interface	for eSATA peripherals, occupies one internal				Н	Х	Х	Х	Х	Х	Х	х	S26361-F2542-E70	4,00	
Serial Interface FH	SATA interface and one slot; full height 1x 9 Pin RS-232, occupies internal serial				Н	х	х						S26361-F2542-E72	9,00	
Dual serial card PCIe x1	interface and one slot; full height,  Dual Port RS232 via splitter cabel				$\vdash$	х	Х	Х	х	Х	Х	х	S26361-F3316-E6	25,00	
Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cabel								X				S26361-F3316-E7	26,00	
ia Module 2x Digital array microphones			Х										S26391-F1160-E500	8.00	
2x Digital array mics + 2Mpix Webcam			X										S26391-F1160-E500 S26391-F1160-E510	26,00	
Digital microphone					X					_	_		S26391-F1170-E500	8,00	
Digital mic + Webcam Digital microphone				х	Х								S26391-F1170-E510 S26391-F890-E810	26,00 8,00	
Digital mic + Webcam				X									S26391-F890-E820	26,00	
TPM module					х								S26391-F1179-E100	8,00	
TPM module			х										S26391-F1169-E100	8.00	
TPM module EraseDisk	Not for China!.  Firmware-embedded, unique feature to erase		Х	X		$\vdash$	_			-	-	_	S26391-F989-E300 S26391-F993-E100	8,00 23,00	
	sensible data unrecoverable from the hard disk			*											
SystemLock3 SmartCase Logon+ 3.2.2	SystemLock3 Smartcard BIOS Pre-Boot Authentification Does not support Windows 8; supports secure		x		x								S26391-F993-E200 S26361-F2011-E740	18,00	
	authentication, password container, SSO, drive encrypt, smartcard, biometrics														
Kensington Lock cable astructure			X	X	X								S26391-F959-E400	55.00	
RMK-F1_DI_CMA_QRL	Telescopic drop-in rails, 781mm long with cable	Х											S26361-F2735-E145	85,00	
	management arm adapter, full extraction with extension length 815mm, with vario-carrier 1 for rack installation depth (19" pillar distance) between 714mm and 785m, pre-assembled with centre screw														
Mounting in symmetrical Racks	Rack server mounting in symmetrical racks without support bracket	х											S26361-F4530-E10	5,00	
Mounting 1U in asymmetrical Racks	Rack server mounting in asymmetrical rack with 1U support bracket	Х											S26361-F4530-E11	5,00	
Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.												S26361-F1647-E302	65,00	
Rack Cable Arm 1U	Cable management arm, dragged with bracket, can be used for PRIMERGY servers 1U. Can be mounted in PRIMECENTER party racks, can only be mounted at RMKs with CMA adapter.												S26361-F2735-E81	20,00	



Descripti.	Date Vie	CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	CELSIUS W420		CELSIUS W520power	CELSIUS W530 CELSIUS W530power	Product Code	EUP (€)	Comments
<b>Description</b> atrix	Details	O	O	O	O	O	S	ပ ၂	ပ <sub> </sub>	0   0	ა <sub> </sub> ა	<u> </u>	ш	U U
astructure (Continued) kits														
Country kit US-cable (INT)	incl. power cord (US), safety manuals (EU+, non	Х		П		Т	т	х	х	х	хх	S26361-F2930-E100	8,00	
	EU)	Ш				_	4	_	_	_	_			
Country kit (DE)	Germany; incl. power cord (Euro), safety manual (DE)	X				Х	Х	X	X	Х	X X	S26361-F2930-E101	8,00	
Country kit (IT)	Italy; incl. power cord (IT), safety manual (IT)	х				х						S26361-F2930-E104	8,00	
Country kit (GB)	United Kingdom; incl. power cord (GB), safety	Х				Х	х	х	X	Х	x x	S26361-F2930-E105	8,00	
Country kit GB-cable (non EU)	manual (EN) incl. power cord (GB),safety manual (INT)	х				х	х	х	х	х	хх	S26361-F2930-E110	8,00	
Country kit (JP)	Japan; incl. power cord (JP), safety manual						х					S26361-F2930-E113	8,00	
Country kit without power cord (INT)	(non EU), incl. Japan supplementary sheets without power cord, incl. safety manuals (EU+,					V	v	V	v	v	v v	S26361-F2930-E135	8,00	
Country kit without power cord (INT)	non EU)	X				X	<b>x</b>	<b>*</b>	<b>x</b>	<b>x</b>	X   X	320301-F2930-E133	0,00	
Country kit Euro-cable (EU+)	incl. power cord (Euro), safety manual (EU+)	Х				Х	х	х	х	х	хх	S26361-F2930-E141	8,00	
Country kit (DE) Country kit (INT)		$\vdash$	X			-	+	-	+	-	+	S26391-F1168-E100 S26391-F1168-E200	8,00 8,00	
Country kit (GB)			X									S26391-F1168-E300	8,00	
Country kit (DE)		Ш			Х	_	-	-	-	_		S26391-F1178-E100	8,00	
Country kit (INT) Country kit (GB)		H			X	_	+	+	+	+	+	S26391-F1178-E200 S26391-F1178-E300	8,00 8,00	
Country kit (D)		$\Box$		х				_	$\Box$			S26391-F898-E500	8.00	
Country Kit (INT)		$\vdash$		X	$\square$		+	+	+	-	+	S26391-F898-E600	8.00	
Country Kit (INT) Warranty Card Poland		$\Box$	х	X			$\pm$		_	_		S26391-F898-E700 S26391-F781-E500	8.00 2.00	
Made in Germany sticker	The "Made in Germany" sticker prominently	х				х	Х	х	х	х	х	S26391-F404-E911	2,00	
	displays this universally admired differentiating product value													
pply	product value													
Battery 6cell 6700mAh	Lithium-Ion, 10.8V, 72Wh,		Х									S26391-F1166-E100	59.00	
Battery 8cell 5800mAh 3pin AC Adapter 19V/210W	Lithium-Ion, 14.4V, 83Wh, , 3pin AC Adapter 19V/210W for use with H920	$\vdash$	Х		X	_	+	+	+	+	+	S26391-F1176-E100 S26391-F1176-E210	78.00 67,00	
Spirrac Adapter 199/21000	notebook system and/or CELSIUS		^		^							320391-1170-1210	67,00	
	portreplicator, desktop (DT) connector type, ;													
	3pin AC Adapter 19V/210W for use with													
	CELSIUS H920 or the portreplicator desktop connector type													
AC Adapter 19V/210W	connector type	$\vdash$		х		$\dashv$	+	$\dashv$	+	+	+	S26391-F896-E500	67,00	
Battery 8cell 5800mAh		$\Box$		х								S26391-F896-E700	78,00	
3pin AC Adapter 19V/150W (H720-MM)	3pin AC Adapter 19V/150W for use with H720 notebook system, Mickey Mouse (MM)		X									S26391-F1166-E220	55,00	
	connector type,													
3-pin Power cable EU	3pin power cable for EU, Mickey Mouse (MM)	Н	х			$\forall$	$\forall$	$\forall$	$\top$	$\top$		S26391-F878-E310	4,00	
<u> </u>	connector type (for H720),	Ш				_	4	_	_					
3-pin Power Cable US	3pin power cable for US, Mickey Mouse (MM)		Х									S26391-F878-E320	4,00	
3-pin Power Cable GB	connector type (for H720)  3pin power cable for GB, Mickey Mouse (MM)	$\vdash$	х			$\dashv$	+	$\dashv$	+	+		S26391-F878-E330	5,00	
- F	connector type (for H720)												5,55	
AC cable for 3-pin China	3pin power cable for China, Mickey Mouse		Х									S26391-F878-E340	7,00	
3-pin Power Cable CH	(MM) connector type (for H720)  3pin power cable for Switzerland, Mickey	$\vdash$	х			+	+	+	+	+	_	S26391-F878-E360	4,00	
o piiri olioi dasis orr	Mouse (MM) connector type (for H720),											02000110702000	1,00	
AC cable for 3-pin EU	3pin power cable for EU, DeskTop (DT)		х	х	х							S26391-F878-E410	7,00	
	connector type (for H920 and/or Portreplicator)													
AC cable for 3-pin US	3pin power cable for US, DeskTop (DT)	H	х		х	+	+	+	+	+	+	S26391-F878-E420	7,00	
	connector type (for H920 and/or Portreplicator)		^		^							32000110101420	.,500	
		Ш			Ш		_		_					
AC cable for 3-pin GB	3pin power cable for GB, DeskTop (DT)		х	х	Х		T		T			S26391-F878-E430	7,00	
	connector type (for H920 and/or Portreplicator)													
AC cable for 3-pin China	3pin power cable for China, DeskTop (DT)	$\forall$	Х		х	_	+	+	+	+	+	S26391-F878-E440	7,00	
, , ,	connector type (for H920 and/or Portreplicator)												,	
AC apple for Carlo Carlos	Only never and to Co. Co. St. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	$\square$		-		_	4	4	$\perp$	_	+	000004 5070 5455	7.00	
AC cable for 3-pin Switzerland	3pin power cable for Switzerland, DeskTop (DT) connector type (for H920 and/or Portreplicator),		X	Х	X							S26391-F878-E450	7,00	
	The state of the s													
icator Port Replicator			v									S26391-F1167-E100	78,00	
No Port Replicator			X									S26391-F1167-E200	4,00	
Port Replicator		$\Box$			х		7	1	7			S26391-F1177-E100	78,00	
Portreplicator  Keyboards				Х								S26391-F897-E100	78,00	
KBPC PX ECO US	KBPC PX ECO US, professional GreenIT	х				х	Х	х	Х	х	х	S26381-K341-E110	27,00	
	keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB													
KBPC PX ECO D	cable, palmrest  KBPC PX ECO D, professional GreenIT	X			$\vdash$	x	х	х	х	x	x v	S26381-K341-E120	27,00	
	keyboard, Layout German, 45% renewable	^				^	^	^	^	^	^   ^	525501 NOTI-E120	21,00	
	resources, PS2-USB, bright light grey/black,													
	additional 5 comfort-, 1 power-key, power-on													
	with PS2 and USB, comes with PVC free USB cable, palmrest													
KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT	х			$\square$	х	х	х	х	х	хх	S26381-K341-E165	27,00	
	keyboard, Layout Great Britain, 45% renewable										"		,	
	resources, PS2-USB, bright light grey/black,													
	additional 5 comfort-, 1 power-key, power-on	1 1												



											e		e			
			C620	1720	H910	Н920	M720	R920	W420	CELSIUS W520	V520pow	W530	W530power	e Po		
			SIUS	CELSIUS H720	LSIUS H	CELSIUS H	LSIUS N	CELSIUS R	LSIUS W	LSIUS M	LSIUS W	CELSIUS W	CELSIUS M	Product Code	(€)	mments
<b>De</b>	escription	Details	GEL	U	뜅	ü	<code-block></code-block>	<u>ც</u>	<code-block></code-block>	뜅	<u>ც</u>	<u>ც</u>	뜅	ğ	EUP	Š
eyb	ooards (Continued)	1477074														
KE	BPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black,	X				х	X	X	X	X	X	x	S26381-K341-E185	27,00	
		additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest														
KE	B410 USB GREY JP	KB410 USB, slim value keyboard with japanese layout on 108-key modul in grey. Fixed USB	х				х	х	х	х	х	х	x	S26381-K510-E174	13,00	
KE	B410 USB BLACK US	cable 1.8 m.  KB410 USB, slim value keyboard with US layout on 105-key modul in black. Fixed USB cable 1.8	х				х	х	х	х	х	х	x s	S26381-K510-E402	13,00	
KE	B410 USB BLACK US ENGLISH 104 key	m.  KB410 USB US 104 key US English layout, slim value keyboard with US layout on 104-key					х	х	х	х	+	х	x s	S26381-K510-E410	13,00	
KE	B410 USB BLACK DE	modul in black. Fixed USB cable 1.8 m. KB410 USB, slim value keyboard with german	х				х	х	х	х	х	х	x	S26381-K510-E420	13,00	
KE	B410 USB BLACK GB	layout on 105-key modul in black. Fixed USB cable 1.8 m.  KB410 USB, slim value keyboard with english	х				х	x	x	х	x	x	x s	S26381-K510-E465	13,00	
KF	B410 USB BLACK IT	layout on 105-key modul in black. Fixed USB cable 1.8 m.  KB410 USB, slim value keyboard with italian	x				x	х	x	x	x	x	x	S26381-K510-E485	13,00	
		layout on 105-key modul in black. Fixed USB cable 1.8 m.														
	B410 PS2 BLACK US	KB410 PS2, slim value keyboard with US layout on 105-key modul in black. PS2 cable 1.8 m.												S26381-K515-E402	13,00	
KE	B410 PS2 BLACK DE	KB410 PS2, slim value keyboard with german layout on 105-key modul in black. PS2 cable 1.8 m.					x	X	Х	X	х	х	x	S26381-K515-E420	13,00	
KE	B410 PS2 BLACK GB	KB410 PS2, slim value keyboard with english layout on 105-key modul in black. PS2 cable 1.8 m.					х	х	х	х	х	х	x	S26381-K515-E465	13,00	
KE	B410 PS2 BLACK IT	KB410 PS2, slim value keyboard with italian layout on 105-key modul in black. PS2 cable 1.8 m.					х	x	х	х	х	х	x s	S26381-K515-E485	13,00	
KE	B520 US	KB520 keyboard standard, marble grey, US,	х				Х	х	х	х	х	х	x s	S26381-K520-E102	12,00	
KE	B520 US ENGLISH 104 key	cable USB 2m, KB520 keyboard standard 104keys, marble	х				х	х	х	х	х	х	x S	S26381-K520-E110	12,00	
KE	B520 DE	grey, US, cable USB 2m, KB520 keyboard standard, marble grey,	х				х	х	х	х	х	х	x S	S26381-K520-E120	12,00	
L		Germany, cable USB 2m,														
	B520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,	Х											S26381-K520-E165	12,00	
K	B520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,	Х									Х	X	S26381-K520-E185	12,00	
L	B400 PS2 black D eyboard KB900 USB US	KB400 PS2 D, SLIM value Keyboard black Germany PS2 KB900 USB USA, american layout, spill-proof,	x					X				v		S26381-K551-E420 S26381-K560-E402	10,00	Phased out
L	eyboard KB900 USB D	black, 1.8 m USB cable  KB900 USB D, german layout, spill-proof, black,							_		_			S26381-K560-E402	15,00	
	eyboard KB900 USB GB	1.8 m USB cable KB900 USB GB, english layout, spill-proof,	x											S26381-K560-E465	15,00	
Ke	eyboard KB900 USB IT	black, 1.8 m USB cable KB900 USB I, italian layout, spill-proof, black, 1.8 m USB cable	х				х	х	х	х	х	х	x	S26381-K560-E485	15,00	
	eyboard w/ TS 10key DE eyboard w/ TS 10key IT				X			4	-	-	4	$\blacksquare$		S26391-F669-E121 S26391-F669-E123	39,00 39,00	
Κe	eyboard w/ TS 10key GB			Х	Х	Х		$\Rightarrow$			#	#		S26391-F669-E125	39,00	
	evboard w/ TS 10kev US evboard black w/ TS 10kev DE			X	Х	X			+				_	S26391-F669-E134 S26391-F901-E221	39,00 34,00	
Κe	eyboard black w/ TS 10key IT			Х		Х			$\Box$			4		S26391-F901-E223	34,00	
	evboard black w/ TS 10kev GB evboard black w/TS 10key US (enter key)			X		X								S26391-F901-E225 S26391-F901-E233	34,00 34,00	New product, Orderable from: 0
Κe	eyboard black w/ TS 10key US S2 Keyboard Cable 2,0m	Keyboardcable PS2 for KBPC PX ECO, ca. 2,0	H	Х	H	Х	V	_	V	_	v	v		S26391-F901-E234 T26139-Y4530-E1	34,00 4,00	
		m length					^	^	^	^	^	^	^	120100-1 <del>4</del> 000-E1	4,00	
	on-SW o Operating System				Х	Х								S26361-F2008-E100	4,00	
Po	ower DVD 10 Playback SW for DVD ower DVD 10 Playback SW for Blu-ray	Power DVD 10 SW for DVD playback, Playback SW for DVD Power DVD 10 SW for DVD playback, Playback												S26361-F2012-E180 S26361-F2012-E181	6,00 23,00	
	AG CAT Client WIN7 Jul12	SW for DVD preloaded XP Prof., short documentation	_			Ш		X		^				S26361-F2012-E181	4,00	
Lic	cense - Windows 8 Pro			х		х						1		S26361-F2218-E100	116,00	
Liz	zenz EU/MM - Windows 7 Ultimate	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	X				X	X	X	X	X			S26361-F2210-E325	166,00	
Lic	cense EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.					х		х	X	X		:	S26361-F2009-E243	85,00	
	cense - Windows 8	Recording software, SmartStart, DVD-video but	Į,	Х		Х	V					, I	_	S26361-F2218-E103	79,00	
INE	ero 12 Essentials XL	no Blu-ray playback, Kwik Media, Data BackUp	X				Х	Х	Х	Х	X	X	X	S26361-F1818-E899	10,00	



JS Options														
		CELSIUS C620	CELSIUS H720	CELSIUS H910	SIUS H920	SIUS R920	CELSIUS W420	SIUS W520	SIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	<b>(€</b> )	Comments
Description	Details	핑	핑	핑	핑   E			핑	핑	핑	핑	Pro	EUP	Ö
atrix ation-SW (Continued)														
License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	X				x x	x x	X	X			S26361-F2009-E253	122,00	
License EM - Windows 8 Load Win8 Pro (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.		x		x							S26361-F2218-E106 S26361-F2218-E200	60,00 4,00	Phased out
Load Win8 Pro (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.		x		x							S26361-F2218-E201	4,00	Phased out
Load Win8 (64) MAIN+Office2010t	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),		х		x							S26361-F2218-E207	4,00	Phased out
Load Win8 Pro (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, , Windows 8 Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro BIOS-setting does not support a network based installation. , A network based installation for a possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after changing BIOS setup options manually.		x		x							S26361-F2218-E202	4,00	Phased out
Load Win8 (64) NEE+Office2010t	North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,		х		х							S26361-F2218-E208	4,00	Phased out
Load Win8 (64) SEE+Office2010t	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,		x		х							S26361-F2218-E209	4,00	Phased out
Load Win8 (64) EM+Office2010t	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian,		х		X							S26361-F2218-E213	4,00	Phased out
Load Win8 Pro (64) MAIN+Office2013	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),		х		X							S26361-F2238-E200	4,00	
Load Win8 Pro (64) NEE+Office2013	North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,		х		X							S26361-F2238-E201	4,00	
Load Win8 Pro (64) SEE+Office2013	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,		х		X							S26361-F2238-E202	4,00	
Load Win8 (64) MAIN+Office2013	MAIN: German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),		х		X							S26361-F2238-E207	4,00	
Load Win8 (64) NEE+Office2013	North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,		х		х							S26361-F2238-E208	4,00	
Load Win8 (64) SEE+Office2013	South Eastern Europe: Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,		х		х							S26361-F2238-E209	4,00	
Load Win8 (64) EM+Office2013	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian,		х		х							S26361-F2238-E213	4,00	
OS RDVD Windows 8 Pro (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai,		x		x							S26361-F2218-E300	3,00	



S Options														
									/er		/er			
									W520power		W530power			
		3620	1720	910	1920	M720	W420	WE20	V52(	V53(	N53(	ode ode		40
		ns	US	Sn	NS F	S	US)	9 2	S S	ls)	US/	ŭ t	€	ents
		ILSI	ELSI	E S	ELSI	CELSIUS M720	CELSIUS		CELSIUS	ILS.	CELSIUS W530p	Product Code	EUP (6	Comments
Description rix	Details	ਹ	ਹ	ਹ	ਹ	ס ו	5   5	5   2	5   5	ਹ	ਹ	<u> </u>	ш	ၓ
tion-SW (Continued)								Ţ				200004 F0040 F000	0.00	
OS RDVD Windows 8 Pro (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish,		Х		Х							S26361-F2218-E302	3,00	
	Portuguese (for Brazil), Danish, Finish,													
	Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian,													
	Croatian, Hungarian, Romanian, Slovenian,													
	Serbian, Hebrew, Greek, Turkish, Arabic,													
	Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified													
OS RDVD Windows 8 (32)	German, English, Spanish, French, Italian,		х		х	$\top$	+	$^{\dagger}$	+	+		S26361-F2218-E304	3,00	
	Dutch, Portuguese, Czech, Slovak, Polish,													
	Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian,													
	Lithuanian, Estonian, Ukrainian, Bulgarian,													
	Croatian, Hungarian, Romanian, Slovenian,													
	Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai,													
	Chinese Simplified													
OS RDVD Windows 8 (64)	German, English, Spanish, French, Italian,		х		Х							S26361-F2218-E306	3,00	
	Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish,													
	Norwegian, Russian, Swedish, Latvian,													
	Lithuanian, Estonian, Ukrainian, Bulgarian,													
	Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,													
	Japanese, Chinese Traditional Hongkong, Thai,													
	Chinese Simplified				_	_	+	+	+	-	-	200001 50010 5000	2.22	
OS RDVD Windows 8 (32) EM	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian,		Х		Х							S26361-F2218-E308	3,00	
	Spanish, Thai, Turkish, Ukrainian													
					_	_	+	+	+	+	-	222221 52212 5212	2.22	
OS RDVD Windows 8 (64) EM	Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian,		X		Х							S26361-F2218-E310	3,00	
	Spanish, Thai, Turkish, Ukrainian													
						_	_	4						
Win7-Load Pro64 MAIN + Office2010t	Languages: DE (German), EN (English), ES (Spanish), FR (French), IT (Italian), NL (Dutch),		X		Х							S26361-F2218-E405	4,00	
	, The BIOS setting for Secure Boot is disabled.													
	, Secure and measured boot will not work with													
	Windows 7 Professional., A network based installation in enterprise environment is possible.													
	installation in enterprise environment is possible.													
Win7-Load Pro64 NORDIC+Office2010t	Languages: DA (Danish), EN (English), FI		х		х			Т				S26361-F2218-E406	4,00	
	(Finnish), NO (Norwegian), RU (Russian), SV (Swedish), The BIOS setting for Secure Boot													
	is disabled. , Secure and measured boot will not													
	work with Windows 7 Professional., A network													
	based installation in enterprise environment is possible.													
Win7-Load Pro64 EM-SE+Office2010t	Languages: AR (Arabic), DE (German), EL		х		х			$^{+}$				S26361-F2218-E407	4,00	
	(Greek), EN (English), FR (French), HE													
	(Hebrew), TR (Turkish), , , , The BIOS setting for Secure Boot is disabled. , Secure and													
	measured boot will not work with Windows 7													
	Professional., A network based installation in													
Min7 Lond DroC4 IDED NE (Office 2040)	enterprise environment is possible.					+	+	+	+	+	-	C26264 F2240 F400	4.00	
Win7-Load Pro64 IBER-NE+Office2010t	Languages: CS (Czech), EN (English), ES (Spanish), FR (French), PL (Polish), PT		Х		Х							S26361-F2218-E408	4,00	
	(Portuguese), SK (Slovak), , , The BIOS setting													
	for Secure Boot is disabled. , Secure and													
	measured boot will not work with Windows 7 Professional., A network based installation in													
	enterprise environment is possible.													
Win7-Load Pro64 SEE (Office 2040)	Languagos PC (Pulgovion) EN (Frank-b) LID		l u			_	+	+	-	+	-	\$26364 E2240 E402	4.00	
Win7-Load Pro64 SEE+Office2010t	Languages: BG (Bulgarian), EN (English), HR (Croatian), HU (Hungarian), RO (Romanian), SL		Х		Х							S26361-F2218-E409	4,00	
	(Slovenian), SR (Serbian), , , , The BIOS setting													
	for Secure Boot is disabled. , Secure and													
	measured boot will not work with Windows 7 Professional., A network based installation in													
	enterprise environment is possible.													
Win7 Lood Pro04 MAINL: 000-2010	Longuesca: DE EN EO ED IT Nº					_	+	+	+	-	-	Pagaga Faaga F 107	4.00	
Win7-Load Pro64 MAIN + Office2013 Win7-Load Pro64 NORDIC+Office2013	Languages: DE, EN, ES, FR, IT, NL, Languages: DA, EN, FI, NO, RU, SV,		X	$\overline{}$	X			+				S26361-F2238-E405 S26361-F2238-E406	4,00 4,00	
Win7-Load Pro64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR,		Х		Х			T				S26361-F2238-E407	4,00	
Win7-Load Pro64 IBER-NE+Office2013 Win7-Load Pro64 SEE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK, Languages: BG, EN, HR, HU, RO, SL, SR,	$\vdash$	X	$\overline{}$	X	+	+	+	+	+	+	S26361-F2238-E408 S26361-F2238-E409	4,00 4,00	
License RUS - Windows 7 Home Basic	RU/CIS. Select for shipments to Russia and CIS						х	(				S26361-F2009-E232	66,00	
	countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova,													
	Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).													
	<u> </u>	L		Ш				$\perp$						
RDVD Downgrade Win7 Pro (32/64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR,		Х		Х							S26361-F2218-E500	6,00	
	HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR													
RDVD Downgrade Win7 Pro (32)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR,	$\vdash$	х	$\Box$	х		+	+				S26361-F2218-E501	6,00	
- '	HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL,	1		1 1									'	



S Options															
ο οριίστο		US C620	US H720	US H910	CELSIUS H920	US M720	US R920	US W420	US W520	US W520power	CELSIUS W530	US W530power	ct Code	(€)	Comments
		CELSIUS	ELSI			ELSI	ELSI	ELSI	ELSI	ELSI	ELS	ELSI	Product	EUP (4	n mc
Description ix	Details	ប៊	ច	ច	ច	ប	ប	ប	ប	ប៊	ច	ວ	<u>r</u>	面	ŭ
on-SW (Continued)															
RDVD Downgrade Win7 Pro (64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR		х		х								S26361-F2218-E502	6,00	
License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova,					Х		х	х	х			S26361-F2009-E242	85,00	
	Tajikistan, Turkmenistan, Ukraine, Uzbekistan).														
License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).	х				x	x	x	x	x			S26361-F2009-E252	122,00	
icense - Windows 8 Pro	License - Windows 8 Pro,	х						х	х	х	х	х	S26361-F2208-E100	116,00	)
License - Windows 8 Pro ZT Taiwan													S26361-F2208-E101	116.00	
License - Windows 8 Pro ZT Hongkong License - Windows 8		Х						v		v			S26361-F2208-E102 S26361-F2208-E103	116,00 79,00	
License - Windows 8 ZT Taiwan		X						X	X	Х			S26361-F2208-E103	79.00	
icense - Windows 8 ZT Hongkong											Х	Х	S26361-F2208-E105	79.00	)
License EM - Windows 8	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro, Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates,	x						x	x	x	x	x	S26361-F2208-E106	60,00	
icense EM - Windows 8 ZH icense EM - Windows 7 Home Basic	Yemen, Zambia, Zimbabwe, India and China  EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West							x			x	x	S26361-F2208-E107 S26361-F2009-E234	60,00 66,00	
icense EM - Windows 7 Home Premium	Bank & Gaza, Yugoslav Republic of Montenegro  EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West					x		x	х	х			S26361-F2009-E244	85,00	
icense EM - Windows 7 Professional	Bank & Gaza, Yugoslav Republic of Montenegro  EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West	х				х	х	х	х	х			S26361-F2009-E254	122,00	
	Bank & Gaza, Yugoslav Republic of Montenegro														
License EM-MEA - Windows 7 Home Basic	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia,							x					S26361-F2009-E235	66,00	



Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote	EUP (€)	Comments
natrix  cation-SW (Continued)  License EM-MEA - Windows 7 Home Premium  EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote		ents
License EM-MEA - Windows 7 Home Premium  EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote		ents
License EM-MEA - Windows 7 Home Premium  EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote		ents
natrix  cation-SW (Continued)  License EM-MEA - Windows 7 Home Premium  EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote		e u
natrix  cation-SW (Continued)  License EM-MEA - Windows 7 Home Premium  EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote		Ě
License EM-MEA - Windows 7 Home Premium  EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote	Ш	E O
License EM-MEA - Windows 7 Home Premium  EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote		Ŏ
Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote		
Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote	85,00	1
Central African Republic, Chad, Comoros, Cote		
d'Ivoire, Democratic Republic of the Congo,		
Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana,		
Guinea, Guinea-Bissau, Iraq, Jordan, Kenya,		
Kuwait, Lebanon, Lesotho, Liberia, Libya,		
Madagascar, Malawi, Mali, Mauritania,		
Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman,		
Pakistan, Qatar, Republic of the Congo,		
Reunion, Rwanda, Western Sahara, Saint		
Helena, São Tomé and Príncipe, Saudi Arabia,		
Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia,		
Togo, Tunisia, Turkey, Uganda, United Arab		
Emirates, Yemen, Zambia, Zimbabwe		
Lead Miles Day (OA) MAINLOW, 200404		Discord
Load Win8 Pro (64) MAIN+Office2010t MAIN: German, English, Spanish, French, x x x x S26361-F2208-E200 Italian, Dutch, Portuguese, Czech, Slovak,	4,00	Phased out
Polish, Portuguese (for Brazil), , Windows 8		
Secure Boot is activated., Secure and		
measured boot will work. , The Windows 8 Pro		
BIOS-setting does not support a network based installation. A network based installation for a		
possible Downgrade Right usage to e.g.		
Windows 7 Professional is only possible after		
changing BIOS setup options manually.		
Load Win8 Pro (64) NEE+Office2010t North Eastern Europe: Danish, English, Finish, x x x x S26361-F2208-E201	4,00	Phased out
Norwegian, Russian, Swedish, Latvian,		
Lithuanian, Estonian, Ukrainian, , Windows 8		
Secure Boot is activated., Secure and measured boot will work. , The Windows 8 Pro		
BIOS-setting does not support a network based		
installation. , A network based installation for a		
possible Downgrade Right usage to e.g. Windows 7 Professional is only possible after		
changing BIOS setup options manually.		
Load Win8 Pro (64) SEE+Office2010t South Eastern Europe: Bulgarian, English, x x x x S26361-F2208-E202 Croatian, Hungarian, Romanian, Slovenian,	4,00	Phased out
Serbian, Hebrew, Greek, Turkish, Arabic, ,		
Windows 8 Secure Boot is activated., Secure		
and measured boot will work. , The Windows 8		
Pro BIOS-setting does not support a network based installation. , A network based installation		
for a possible Downgrade Right usage to e.g.		
Windows 7 Professional is only possible after		
changing BIOS setup options manually.		
Load Win8 (64) MAIN+Office2010t MAIN: German, English, Spanish, French, x x x x S26361-F2208-E207	4,00	Phased out
Italian, Dutch, Portuguese, Czech, Slovak,		
Polish, Portuguese (for Brazil),  Load Win8 (64) NEE+Office2010t  North Eastern Europe: Danish, English, Finish, x x x x S26361-F2208-E208	4 00	Phased out
Norwegian, Russian, Swedish, Latvian,	7,00	
Lithuanian, Estonian, Ukrainian,		
Load Win8 (64) SEE+Office2010t South Eastern Europe: Bulgarian, English, x x x x S26361-F2208-E209	4,00	Phased out
Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,		
Load Win8 (64) EM+Office2010t Single languages: Arabic, Portuguese (Brazil), x x x x S26361-F2208-E213	4,00	Phased out
English, French, Portuguese, Russian, Serbian,	,	
Spanish, Thai, Turkish, Ukrainian,		
Load Win8 Pro (64) MAIN+Office2013 MAIN: German, English, Spanish, French, x x x x x x S26361-F2228-E200	4,00	
Italian, Dutch, Portuguese, Czech, Slovak,	.,00	
Polish, Portuguese (for Brazil),		
Load Win8 Pro (64) NEE+Office2013 North Eastern Europe: Danish, English, Finish, x x x x x x x x x x x x x x x x x x x	4,00	
Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,		
Load Win8 Pro (64) SEE+Office2013 South Eastern Europe: Bulgarian, English, x x x x x x x S26361-F2228-E202	4,00	
Croatian, Hungarian, Romanian, Slovenian,		
Serbian, Hebrew, Greek, Turkish, Arabic,  Load Wins Pro (64) 7T Taiwan Office 2012 Chicago Traditional Taiwan English	4.00	1
Load Win8 Pro (64) ZT Taiwan+Office2013 Chinese Traditional Taiwan, English, x x S26361-F2228-E203 Load Win8 Pro (64) ZT HK+Office2013 Chinese Traditional Hongkong, x x S26361-F2228-E204	4,00 4,00	
Load Win8 Pro (64) TH+Office2013 Single language: Thai, English, x x S26361-F2228-E205	4,00	)
H 1MF-0 (0.0) MAINLOW	4,00	
Load Win8 (64) MAIN+Office2013 MAIN: German, English, Spanish, French, x x x x x x x x S26361-F2228-E207		
Italian, Dutch, Portuguese, Czech, Slovak,		)
	4,00	
Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),  Load Win8 (64) NEE+Office2013  North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian,  Norwegian, Russian, Swedish, Latvian,	4,00	
Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),  Load Win8 (64) NEE+Office2013  North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,		
Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),  Load Win8 (64) NEE+Office2013  North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,  Load Win8 (64) SEE+Office2013  South Eastern Europe: Bulgarian, English,  x x x x x x x x x x x x x x x x x x x	4,00	
Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil),  Load Win8 (64) NEE+Office2013  North Eastern Europe: Danish, English, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian,		



IS Options															
		CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	SIUS M720	CELSIUS R920	SIUS W420	CELSIUS W520	CELSIUS W520power	CELSIUS W530	CELSIUS W530power	Product Code	(€)	Comments
Description	Details	핑	SEL	뜅	GEL	CEL	ijij	뜅	GEL	팅	딩	팅	Pro	EUP	Con
rix ion-SW (Continued)															
Load Win8 (64) ZT HK+Office2013	Chinese Traditional Hongkong,										х	x S	S26361-F2228-E211	4,00	
Load Win8 (64) TH+Office2013 Load Win8 (64) EM+Office2013	Thai, English, Single languages: Arabic, Portuguese (Brazil), English, French, Portuguese, Russian, Serbian, Spanish, Thai, Turkish, Ukrainian,	X						x	X				S26361-F2228-E212 S26361-F2228-E213	4,00 4,00	
Load Win8 (64) EM ZH+Office2013 License EM-MEA - Windows 7 Professional	Single language: Chinese simplified, EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe					x	x	x	x	_	X	_	S26361-F2228-E214 S26361-F2009-E255	4,00	
	Emilates, Terrieri, Zambia, Zimbabwe														
License EM-SEA - Windows 7 Home Basic	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam							x				S	S26361-F2009-E236	66,00	
License EM-SEA - Windows 7 Home Premium	EM-SEA. Select for shipments in: Bangladesh,					x	+	v	х	v	+		S26361-F2009-E246	85,00	<u> </u>
	Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam														
OEM Office Home and Student 2013 MPI MM			х	х	Х		+	$\dashv$	$\dashv$	$\dashv$	+	5	S26361-F2010-E291	100,00	
License EM-SEA - Windows 7 Professional	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam	х				x	X	X	X	X			S26361-F2009-E256	122,00	
OEM Office Home and Business 2013 MPI MM				х			$\Rightarrow$					_	S26361-F2010-E292	188.00	
OEM Office Professional 2013 MPI MM Drivers&Utilities DVD Mobile H	incl. Nero Essentials S, Norton Internet Security		X	X	X	$\vdash$	+	+	+	+	+	_	S26361-F2010-E293 S26361-F2010-E199	355,00 3,00	
	Trial 90 days			Ĺ											
OS RDVD Windows 8 Pro (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai, Chinese Simplified	X						X	X	X	X		S26361-F2208-E300	3,00	
Drivers&Utilities DVD Mobile H Win7/8 OS RDVD Windows 8 Pro (32) ZT Taiwan	Chinese Traditional Taiwan, English	-	Х		Х	$\vdash$	+	+	$\dashv$	+	v		S26361-F2012-E103 S26361-F2208-E301	3,00	
OS RDVD Windows 8 Pro (32) ZT Hongkong							$\pm$				Х	x S	S26361-F2208-E312	3,00	New product
OS RDVD Windows 8 Pro (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic,	X						X	X	X	X	x   5	S26361-F2208-E302	3,00	
	Japanese, Chinese Traditional Hongkong, Thai,														
	Chinese Simplified											$\perp$			
OS RDVD Windows 8 Pro (64) ZT Taiwan							4	4	4		v	v	S26361-F2208-E303	3,00	

OS RDVD Windows 8 Pro (64) ZT Taiwan OS RDVD Windows 8 Pro (64) ZT Hongkong

Chinese Traditional Taiwan, English

x x S26361-F2208-E303 x x S26361-F2208-E313 3.00 | 3.00 | New product



JS Options											١.			
									W520power		W530power			
		IUS C620	CELSIUS H720	IUS H910	SIUS H920	CELSIUS M720	IUS W420	US W520	IUS W520	CELSIUS W530	SIUS W530		<b>(€</b> )	Comments
Description	Details	CELSIUS	CELS	CELS	CELS		S E	CELS	CELSIUS	CELS	CELS	Product	EUP (	Comr
trix tion-SW (Continued)														
OS RDVD Windows 8 (32)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish,	х			T	T	×	c x	x	x	×	S26361-F2208-E304	3,00	
	Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai													
OS RDVD Windows 8 (32) ZT Taiwan	Chinese Traditional Taiwan, English											S26361-F2208-E305	3,00	
OS RDVD Windows 8 (32) ZT Hongkong OS RDVD Windows 8 (64)	German, English, Spanish, French, Italian, Dutch, Portuguese, Czech, Slovak, Polish, Portuguese (for Brazil), Danish, Finish, Norwegian, Russian, Swedish, Latvian, Lithuanian, Estonian, Ukrainian, Bulgarian, Croatian, Hungarian, Romanian, Slovenian, Serbian, Hebrew, Greek, Turkish, Arabic, Japanese, Chinese Traditional Hongkong, Thai	X					×	c x	x	X	_	S26361-F2208-E314 S26361-F2208-E306	3,00	New product
OS RDVD Windows 8 (64) ZT Taiwan	Chinese Traditional Taiwan, English											S26361-F2208-E307	3,00	
OS RDVD Windows 8 (64) ZT Hongkong OS RDVD Windows 8 (32) EM		Х			+	+	x	( X	×			S26361-F2208-E315 S26361-F2208-E308	3,00	New product
OS RDVD Windows 8 (32) EM ZH										Х	X	S26361-F2208-E309	3,00	
OEM Office Home and Student 2013 MPI MM OEM Office Home and Business 2013 MPI MM		X				x >	( X	( X	X	X	X	S26361-F2009-E281 S26361-F2009-E282	100,00 188,00	
OEM Office Professional 2013 MPI MM OS RDVD Windows 8 (64) EM		X		$\dashv$	+	x >						S26361-F2009-E283 S26361-F2208-E310	355,00 3,00	
OS RDVD Windows 8 (64) EM ZH		Â										S26361-F2208-E311	3,00	
License EM-INDIA Windows 7 Home Basic License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India EM-INDIA. Select for shipments to: India				+	x	X	C X	x			S26361-F2009-E238 S26361-F2009-E248	66,00 85,00	
License EM-INDIA Windows 7 Professional Win7-Load Pro32 MAIN+Office2010t	EM-INDIA. Select for shipments to: India Languages: DE (German), EN (English), ES	X				x >	_	( X	_	_	F	S26361-F2009-E258 S26361-F2208-E400	122,00 4,00	
WIIII-LOAU F1032 WAIN-OIIICE2010t	(Spanish), FR (French), IT (Italian), NL (Dutch), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	^								•		S20301-1 2200-L400	4,00	
Win7-Load Pro32 NORDIC+Office2010t	Languages: DA (Danish), EN (English), FI (Finnish), NO (Norwegian), RU (Russian), SV (Swedish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x					×	( x	x			S26361-F2208-E401	4,00	
Win7-Load Pro32 EM-SE+Office2010t	Languages: AR (Arabic), DE (German), EL (Greek), EN (English), FR (French), HE (Hebrew), TR (Turkish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x					X	( x	x			S26361-F2208-E402	4,00	
Win7-Load Pro32 IBER-NE+Office2010t	Languages: CS (Czech), EN (English), ES (Spanish), FR (French), PL (Polish), PT (Portuguese), SK (Slovak), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	х					х	( X	X			S26361-F2208-E403	4,00	
Win7-Load Pro32 SEE+Office2010t	Languages: BG (Bulgarian), EN (English), HR (Croatian), HU (Hungarian), RO (Romanian), SL (Slovenian), SR (Serbian), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional. , A network based installation in enterprise environment is possible.	x					X	c x	×			S26361-F2208-E404	4,00	
Win7-Load Pro64 MAIN + Office2010t	Languages: DE (German), EN (English), ES (Spanish), FR (French), IT (Italian), NL (Dutch), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x					×	( x	x			S26361-F2208-E405	4,00	
Win7-Load Pro64 NORDIC+Office2010t	Languages: DA (Danish), EN (English), FI (Finnish), NO (Norwegian), RU (Russian), SV (Swedish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	х					x	( x	x			S26361-F2208-E406	4,00	
Win7-Load Pro64 EM-SE+Office2010t	Languages: AR (Arabic), DE (German), EL (Greek), EN (English), FR (French), HE (Hebrew), TR (Turkish), , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7	х					×	c x	x			S26361-F2208-E407	4,00	



J	S Options														
			SIUS C620	CELSIUS H720	SIUS H910	SIUS H920	CELSIUS M720	SIUS R920	-SIUS W420	SIUS W520	SIUS W520power	CELSIUS W530	-SIUS W530power	(€)	Comments
	Description	Details	핑	핑	핑	SEL!	핑 [	ਤ   ਦ	5   i	핑 [	<u>₩</u>	IJ į	<u>P</u> 5	EUP	ទី
-	ix on-SW (Continued)														
	Vin7-Load Pro64 IBER-NE+Office2010t	Languages: CS (Czech), EN (English), ES	х				Т	,	х	х	х	Т	S26361-F2208-E408	4,00	
		(Spanish), FR (French), PL (Polish), PT (Portuguese), SK (Slovak), , , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.													
V	Vin7-Load Pro64 SEE+Office2010t	Languages: BG (Bulgarian), EN (English), HR (Croatian), HU (Hungarian), RO (Romanian), SL (Slovenian), SR (Serbian), , , The BIOS setting for Secure Boot is disabled. , Secure and measured boot will not work with Windows 7 Professional., A network based installation in enterprise environment is possible.	x						x	х	x		S26361-F2208-E409	4,00	
٧	Vin7-Load Pro32 MAIN+Office2013	Languages: DE, EN, ES, FR, IT, NL,	х					,	x	х	х	х	x S26361-F2228-E400	4,00	
_	Vin7-Load Pro32 NORDIC+Office2013	Languages: DA, EN, FI, NO, RU, SV,	Х						Х	х	Х	Х	x S26361-F2228-E401	4,00	
-	Nin7-Load Pro32 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR,	X			-	-						x S26361-F2228-E402	4,00	
$\overline{}$	Win7-Load Pro32 IBER-NE+Office2013 Win7-Load Pro32 SEE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK, Languages: BG, EN, HR, HU, RO, SL, SR,	X		H	-	+						x S26361-F2228-E403 x S26361-F2228-E404	4,00 4,00	
_	Win7-Load Pro32 SEE+Office2013 Win7-Load Pro64 MAIN + Office2013	Languages, DO, LIV, IIIV, IIV, NO, SL, SK,	X										x S26361-F2248-E405	4,00	
	Vin7-Load Pro64 NORDIC+Office2013		Х				4		_		_		x S26361-F2248-E406	4.00	
	Win7-Load Pro64 EM-SE+Office2013 Win7-Load Pro64 IBER-NE+Office2013		X		$\square$		+						x S26361-F2248-E407 x S26361-F2248-E408	4,00 4,00	
	Win7-Load Pro64 IBER-NE+Office2013 Win7-Load Pro64 SEE+Office2013		X										x S26361-F2248-E408 x S26361-F2248-E409	4,00	
۷	Vin7-Load Pro64 ZT TW+Office2013	Chinese Traditional Taiwan, English,									$\perp$	Х	x S26361-F2228-E411	4,00	
	Nin7-Load Pro64 ZH+Office2013 Nin7-Load Pro64 ZT HK+Office2013	Chinese simplified, Chinese Traditional Hongkong, English,	-			-	-	+	+	+			x S26361-F2228-E412 x S26361-F2228-E413	4,00 4,00	
	Win7-Load Pro64 ZT HK+Office2013 Win7-Load Pro64 KO+Office2013	Korean,						,	х		+	X	S26361-F2228-E413	4,00	
	Nero 12 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp		х		х							S26361-F2008-E898	10,00	
F	Power DVD 10 Playback SW for DVD	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp		x		x							S26361-F2012-E190	10,00	
	No Operating System Win7 HomePremium64 MAIN+Office2010t	MuLi MAIN (Main European MuLi), Languages:	Х				Х		_	X X		Х	x S26361-F1818-E100 S26361-F2109-E441	2,00 4,00	
		DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.													
٧	Vin7 HomePremium64 NORDIC+Office2010t	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x		x	x	x		S26361-F2109-E442	4,00	
V	Nin7 HomePremium64 EM-SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					X		x	X	x		S26361-F2109-E443	4,00	
V	Nin7 HomePremium64 IBER-NE+Office2010t	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					X	,	x	х	x		S26361-F2109-E444	4,00	
	Vin7 HomePremium64 SEE+Office2010t	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x	,	X	x	x		S26361-F2109-E445	4,00	
V	Vin7 HomePremium64 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries). Language: RU, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from					х	)	х	x	х		S26361-F2109-E446	4,00	



	S Options														
Ī											ver				
			۰				0		0	0	W520power	0	ode ( )		
			CELSIUS C620	H720	CELSIUS H910	H920	M720	R920	W420	W520	W25	CELSIUS W530	Code		ţ
			SIIS	CELSIUS I	SINS	CELSIUS	CELSIUS	CELSIUS	CELSIUS	CELSIUS	CELSIUS	SINS	Product C	€	Comments
ı	Description	Details	핅	CEL	E.	핑	GEL	CEL	핑	GEL	GEL	핑	Product	픱	Сош
atr	rix														
	ion-SW (Continued) Win7 Pro32 MAIN+Office2010t	MuLi MAIN (Main European MuLi), Languages:	х					Т	х	х	х	Т	S26361-F2109-E351	4,00	
		DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included													
		Office 2010 is a 32bit application., For													
		Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload													
		works also for Office 2010 PKC (Product Key													
		Cards) products from channel.													
١	Win7 Pro32 NORDIC+Office2010t	Preload: MuLi NORDICS (Nordic Region),	х						х	х	х		S26361-F2109-E352	4,00	
		Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish),													
		Note: Included Office 2010 is a 32bit application., For Activation of Office 2010													
		products Fujitsu OEM Office 2010 MPI licenses													
		are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from													
	W = D = 0.511 05 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	channel.				Ш		_		_	_	4	000001 70100 701		
	Win7 Pro32 EM+SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN,	Х						Х	х	Х		S26361-F2109-E353	4,00	
		FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office													
		2010 is a 32bit application., For Activation of													
		Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also													
		for Office 2010 PKC (Product Key Cards)													
١	Win7 Pro32 IBER-NE+Office2010t	products from channel.  Preload: MuLi IBER-NE (Iberia and Northern	х			Н	-	+	х	х	Х	+	S26361-F2109-E354	4,00	
		Europe), Languages: CS, EN, ES, FR, PL, PT,												,,,,,	
		SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office													
		2010 is a 32bit application., For Activation of													
		Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also													
		for Office 2010 PKC (Product Key Cards) products from channel.													
١	Win7 Pro32 SEE+Office2010t	MuLi SEE (South Eastern Europe), Languages:	х						х	х	х	$\top$	S26361-F2109-E355	4,00	
		BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian,													
		Slovenian, Serbian), Note: Included Office 2010													
		is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI													
		licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products													
		from channel.													
١	Win7 Pro 32 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a	х						х	Х	Х		S26361-F2109-E356	4,00	
		32bit application., For Activation of Office 2010													
		products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010													
		PKC (Product Key Cards) products from													
,	Win7 Pro64 MAIN + Office2010t	channel.  MuLi MAIN (Main European MuLi), Languages:	Х			$\vdash$	х	х	Х	х	х	+	S26361-F2109-E451	4,00	
		DE, EN, ES, FR, IT, NL (German, English,													
		Spanish, French, Italian, Dutch), Note: Included Office 2010 is a 32bit application., For													
		Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload													
		works also for Office 2010 PKC (Product Key													
		Cards) products from channel.													
1	Win7 Pro64 NORDIC+Office2010t	Preload: MuLi NORDICS (Nordic Region),	х			П	х	х	х	х	х	$\top$	S26361-F2109-E452	4,00	
		Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish),													
		Note: Included Office 2010 is a 32bit													
		application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses													
		are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from													
		channel.													
١	Win7 Pro64 EM-SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN,	х				х	х	х	х	X		S26361-F2109-E453	4,00	
		FR, HE, TR (Arabic, German, Greek, English,													
		French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of													
		Office 2010 products Fujitsu OEM Office 2010													
		MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards)													
-1		products from channel.		1	1	1						- 1		1	



Ī	S Options					1								1	
			CELSIUS C620	CELSIUS H720	CELSIUS H910	SIUS H920 SIUS M720	SIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	SINS	SIUS W530power	Product Code	(€)	Comments
	Description	Details	핑	핑	뜅병	평   평	핑	핑	핑	핑	딩	CEL	Pro	EUP	 
	ix ion-SW (Continued)														
1	Win7 Pro64 IBER-NE+Office2010t	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	х			X	X	х	х	X			S26361-F2109-E454	4,00	
•	Nin7 Pro64 SEE+Office2010t	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	X			X	X	X	X	X			S26361-F2109-E455	4,00	
	Nin7 Pro 64 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x			х	х	x	x	x			S26361-F2109-E456	4,00	
Ī	RDVD Downgrade Win7 Pro (32/64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	х					х	х	х			S26361-F2208-E500	6,00	
	RDVD Downgrade Win7 Pro (32/64) RDVD Downgrade Win7 Pro (32)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	х					x	х	х	X		S26361-F2208-E550 S26361-F2208-E501	6,00 6,00	
	RDVD Downgrade Win7 Pro (32) RDVD Downgrade Win7 Pro (64)	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	х					х	х	х	X		S26361-F2208-E551 S26361-F2208-E502	6,00 6,00	
-	RDVD Downgrade Win7 Pro (64)												S26361-F2208-E552	6,00	
	RDVD Downgrade Win7 Pro (64) ZT-TW RDVD Downgrade Win7 Pro (64) ZH												S26361-F2208-E504 S26361-F2208-E505	6,00	
	RDVD Downgrade Win7 Pro (64) ZT-HK Win7 HomeBasic32 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						х			Х		S26361-F2208-E506 S26361-F2109-E336	3,00	
`	Win7 HomeBasic32 EM+SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						х					S26361-F2109-E333	3,00	
'	Nin7 Ultimate64 + Office2010t	Preload: MuLi Ultimate DE/EN, Languages: DE, EN (German, English), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	х			x	X	х	х	x			S26361-F2210-E305	4,00	
ĺ	Drivers&Utilities DVD (WIN7 + WIN8) CELS	incl. Nero Essentials S, Norton Internet Security Trial 90 days	х			х	Х	Х	Х	х	х	x	S26361-F2007-E909	3,00	
	Drivers&Utilities DVD (XP) CELSIUS		х		Ħ	х	Х		х	х			S26361-F2007-E912	3,00	
-	REC-DVD Win7 HomeBasic 32bit RUS REC-DVD Win7 Home Premium 64 RUS	RU RU		$\vdash$		х		X	Х	Х			S26361-F2009-E532 S26361-F2009-E642	3,00	
į	REC-DVD Win7 Professional 32 RUS	RU	х	_				Х	Х	х			S26361-F2009-E552	3.00	
	REC-DVD Win7 Professional 64 RUS REC-DVD Win7 HomeBasic 32bit All MuLi	RU AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR,	Х	$\vdash$		X	Х	X	Х	Х			S26361-F2009-E652 S26361-F2009-E533	3,00	
	REC-DVD Win7 Ultimate 64bit	HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR  AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR,	Х			v	Y		У	x			S26361-F2210-E315	3,00	
L	REC-DVD Win7 Home Premium 64 All MuLi	HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR  AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR,				x				x			S26361-F2009-E643	3,00	
		HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR		Ш										,	
	REC-DVD Win7 Professional 32 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	Х							х			S26361-F2009-E553	3,00	
	REC-DVD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	Х							х			S26361-F2009-E653	3,00	
I	REC-DVD Win7 Prof. 32+64bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	х			х	Х	X	X	Х			S26361-F2009-E753	3,00	



JS Options							Т		Т	_				
		CELSIUS C620	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M720	CELSIUS R920	SIUS W420	CELSIUS W520	CELSIUS W520power	CELSIUS W530 CELSIUS W530power	uct Code	<b>(€)</b>	Comments
Description	Details	GELS	GELS	CELS	CELS	CELS		ELS	ELS ELS	ELS	SE SE	Product	EUP	Com
atrix														
ation-SW (Continued) Win7 Pro32 MAIN+Office2013	Languages: DE, EN, ES, FR, IT, NL,	Х						х	х	Х		S26361-F2227-E351	4,00	
Win7 Pro32 NORDIC+Office2013	Languages: DK, EN, FI, NO, RU, SV,	Х				_			Х		_	S26361-F2227-E352	4,00	
Win7 Pro32 EM-SE+Office2013 Win7 Pro32 IBER-NE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR,	X				-			X		_	S26361-F2227-E353 S26361-F2227-E354	4,00 4,00	
Win7 Pro32 IBER-NE+Office2013 Win7 Pro32 SEE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK, Languages: BG, EN, HR, HU, RO, SL, SR,	X				-	_	_	X X	_	_	S26361-F2227-E354 S26361-F2227-E355	4,00	
Win7 Pro32 RU+Office2013	Language: RU, .	Х				$\rightarrow$			X			S26361-F2227-E356	4,00	
Win7 Pro64 MAIN + Office2013	Languages: DE, EN, ES, FR, IT, NL,	Х				х						S26361-F2247-E451	4,00	
Win7 Pro64 NORDIC+Office2013	Languages: DK, EN, FI, NO, RU, SV,	Х				Х						S26361-F2247-E452	4,00	
Win7 Pro64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR,	Х				Х					_	S26361-F2247-E453	4,00	
Win7 Pro64 IBER-NE+Office2013 Win7 Pro64 SEE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK, Languages: BG, EN, HR, HU, RO, SL, SR,	X				X						S26361-F2247-E454 S26361-F2247-E455	4,00 4,00	
Win7 Pro64 RU+Office2013	Languages: RU,	X				X						S26361-F2247-E455	4,00	
License EU/MM - Windows 7 Home Premium	This license is a global product (Mature	^	х	Х	Х	^	^	^	^	^		S26361-F2010-E243	85,00	
	Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.													
License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund		х	х	X							S26361-F2010-E253	122,00	
License RUS - Windows 7 Home Premium	advantages (Jumpstart) in your region.  RU/CIS. Select for shipments to Russia and CIS		Х	х	v	-	-	-	+	-		S26361-F2010-E242	85,00	
Election (Controller)	countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)		^	^	^							52555772010 22.12	30,00	
License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)		х	x	x							S26361-F2010-E252	122,00	
License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro		х	х	x							S26361-F2010-E244	85,00	
License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro		х	х	х							S26361-F2010-E254	122,00	
License EM-MEA - Windows 7 Home Premium  License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, , Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe		x									S26361-F2010-E245	85,00	
	Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, , Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe													



US Options														
										wer				
		US C620	CELSIUS H720	US H910	CELSIUS H920	US M720	US R920	CELSIUS W420	US W520	US W520power	US W530	Product Code	6	ents
Description	Details	CELSIUS	CELSI	CELSIUS	CELSI	CELSIUS	CELSIUS	CELSI	CELSIUS	CELSIUS	CELSIUS	Produ	EUP (€)	Comments
atrix ation-SW (Continued) Win7 HomePremium64 MAIN+Office2	010t MuLi MAIN (Main European MuLi), Languages	,.		х								S26361-F2110-E441	4,00	
Will Figure 1 children with Children	DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Includer Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEN Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	d M			^							02000112110 2441	4,00	
Win7 HomePremium64 NORDIC+Offi	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI license are needed! Preload works also for Office 207 PKC (Product Key Cards) products from channel.	es	х	x	x							S26361-F2110-E442	4,00	
Win7 HomePremium64 EM-SE+Office	2010t Preload: MuLi EM-SE (Emerging Markets and		х	х	x					+	+	S26361-F2110-E443	4,00	
	Southern Europe), Languages: AR, DE, EL, El, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	ce O												
Win7 HomePremium64 IBER-NE+Offi	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	0	x	X	x							S26361-F2110-E444	4,00	
Win7 HomePremium64 SEE+Office20	·	0	x	x	x							S26361-F2110-E445	4,00	
Win7 HomePremium64 RUS+Office20		a 10 es	x	x	x							S26361-F2110-E446	4,00	
Win7 Pro64 MAIN+Office2010t	Muli Maln (Main European Muli), Languages DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Includer Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEN Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	d M	x	x	x							S26361-F2110-E451	4,00	
Win7 Pro64 NORDIC+Office2010t	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI license are needed! Preload works also for Office 2019 PKC (Product Key Cards) products from channel.	n), es	x	x	x							S26361-F2110-E452	4,00	
Win7 Pro64 EM-SE+Office2010t	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, El FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Offic 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	N, ce	x	x	x							S26361-F2110-E453	4,00	



	JS Options										<u>.</u>		_			
			SIUS C620	CELSIUS H720	SIUS H910	SIUS H920	CELSIUS M720	SIUS R920	CELSIUS W420	SIUS W520	SIUS W520power	CELSIUS W530	SIUS W530power	Product Code	(€)	Comments
	Description	Details	GEL	딩	딩	핑	핑	팅	팅	뜅	GEL	딩 딩 딩	핑	P.	E E	Con
s mat	trix tion-SW (Continued)															
	Win7 Pro64 IBER-NE+Office2010t	Preload: MuLi IBER-NE (Iberia and Northern		х	х	х		П	П			Т	S2	6361-F2110-E454	4,00	
		Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.														
	Win7 Pro64 SEE+Office2010t	MuLi SEE (South Eastern Europe), Languages:		х	х	х							S2	6361-F2110-E455	4,00	
		BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 is a 32bit application., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.														
	Win7 Pro64 RUS+Office2010t	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 is a 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from		X	х	х							S2	6361-F2110-E456	4,00	
	Win7 Pro64 MAIN+Office2013	channel.  Languages: DE, EN, ES, FR, IT, NL,		Х		Х		-	-			+	52	6361-F2237-E451	4,00	
	Win7 Pro64 NORDIC+Office2013	Languages: DK, EN, FI, NO, RU, SV,		X		X						$\pm$	S2	6361-F2237-E452	4,00	
	Win7 Pro64 EM-SE+Office2013	Languages: AR, DE, EL, EN, FR, HE, TR,	F	Х		Х	H		-		-		S2	6361-F2237-E453 6361-F2237-E454	4,00	
	Win7 Pro64 IBER-NE+Office2013 Win7 Pro64 SEE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK, Languages: BG, EN, HR, HU, RO, SL, SR,		X		X								6361-F2237-E454 6361-F2237-E455	4,00 4,00	
	Win7 Pro64 RU+Office2013	Languages: RU,		Х		х						1	S2	6361-F2237-E456	4,00	
	REC-DVD Win7 Home Premium 64 All MuLi REC-DVD Win7 Home Premium 64 RUS	RU	$\vdash$		X			-				+		6361-F2010-E643 6361-F2010-E642	3,00 3,00	
	REC-DVD Win7 Professional 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish		x	×	х							S2	6361-F2010-E553	3,00	
	REC-DVD Win7 Professional 32 RUS	RU		х		х						#		6361-F2010-E552	3,00	
	REC-DVD Win7 Professional 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish		x	x	Х							S2	6361-F2010-E653	3,00	
	REC-DVD Win7 Professional 64 RUS	RU Arabia Bulgarian Creation Creat Panish			Х	_						_		6361-F2010-E652	3.00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish		x	x	X							52	6361-F2010-E753	3,00	
	Win7 HomePremium64 MAIN+Office2013	Languages: DE, EN, ES, FR, IT, NL,		х		х						_		6361-F2237-E441	4,00	
	Win7 HomePremium64 NORDIC+Office2013 Win7 HomePremium64 EM-SE+Office2013	Languages: DK, EN, FI, NO, RU, SV, Languages: AR, DE, EL, EN, FR, HE, TR,	$\vdash$	X		X	$\vdash$	-	$\dashv$			+		6361-F2237-E442 6361-F2237-E443	4,00 4,00	
	Win7 HomePremium64 IBER-NE+Office2013	Languages: CS, EN, ES, FR, PL, PT, SK,		Х		Х	口					#	S2	6361-F2237-E444	4,00	
	Win7 HomePremium64 SEE+Office2013 Win7 HomePremium64 RU+Office2013	Languages: BG, EN, HR, HU, RO, SL, SR, Languages: RU,	$\vdash$	X		X	H	-	$\dashv$	_	-	+		6361-F2237-E445 6361-F2237-E446	4,00 4,00	
ty	With Fromer ternium04 NOTOMCe2013			X		X							32	.0001-1 2231-E440	4,00	
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk, e.g. if the system will be sold. Please notice, that SSD (Solid State Disk) cannot be deleted in a secure method.							x			X	x S2	6361-F2542-E435	30,00	
	SmartCase Logon+ 3.2.2	Does not support Windows 8; supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics					х	X						6361-F2727-E740	14,00	
	SystemLock3	SystemLock3 is a UEFI BIOS smartcard pre- boot authentication (PBA) feature.					T		Х	Х	х	х	x S2	6361-F2727-E745	18,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista/Win7 compatible, USB					х	х	х	х	х	х	x S2	6381-F331-E220	23,00	
	KB SCR USA	interface , black, USB cable SmartCard Keyboard USA 104-key layout with	$\vdash$				H	$\dashv$	$\dashv$			х	x S2	6381-K528-E110	34,00	
	KB SCR GB	class 2 reader on the top. Without security seal.VOL up, VOL down, Play/Pause and calculator function keys, fixed USB cable 1.8m, manual, driver DVD, USB 2.0.  SmartCard Keyboard english layout with class 2										v	v 52	6381-K528-E165	34,00	
		reader on the top. Without security seal.VOL up, VOL down, Play/Pause and calculator function keys, fixed USB cable 1.8m, manual, driver DVD, USB 2.0.														
	KB SCR BLACK GB	SmartCard Keyboard black english layout with class 2 reader on the top. Without security seal.VOL up, VOL down, Play/Pause and calculator function keys, fixed USB cable 1.8m,										X	x S2	6381-K528-E465	34,00	
		manual, driver DVD, USB 2.0.														



	JS Options															
											er		ē			
											CELSIUS W520power		W530power			
			0	စ္က	0	0	ຂ	0	20	20	20p	30	30p	0		
			C620	42	H910	H920	M720	R920	W420	W520	N2	W530	<b>N</b> 2	90		φ
			ι	<u>S</u>	S	S	<u>S</u>	<u>S</u>	S	S	S	S	S	U #		ents
			S.	<u>S</u>	S.	S	돐	등	돐	S.	돐	SINS	돐	Product Code	(€)	Ĕ
gorv	Description	Details	CELSIUS	CELSIUS H720	CELSIUS	CELSIUS	CELSIUS	CELSIUS	CELSIUS	CELSIUS	팅	CEL	CELSIUS	Pro	EUP	Comments
ons mat		, - 0.0												_		
	ntinued)	_														
	Upgrade Mouse Grey USB instead of Black		X	_	-									S26361-F2542-E221	6,00	
	Upgrade Mouse M440 ECO Black Upgrade Mouse GL9000 Blue LED		X			+	X							S26361-F2542-E222 S26361-F2542-E231	16,00 17,00	
	Mouse 400NB Black		^	_	Х	Х	^	<u> </u>	^	^	^	^	^	S26391-F428-E100	17,00	
	MOUSE M410NB BLACK			Х	_	Х								S26391-F453-E100	17.00	
	Upgrade Mouse Laser Grey USB/PS2	upgrade mouse for system unit, Logitech, USB	Х				х	Х	Х	Х	х	Х	Х	S26361-F2542-E217	13,00	
		2.0 interface incl.adapter to PS/2, allows														
ellaned	Nue .	horizontal scrolling														
	Med-Kit ESPRIMO/CELSIUS	Manual and product compliant to IEC 60601-1-			П		х	х	х	х	х	х	х	S26361-F2542-E250	26,00	
		Preparation for further medical certifications					''	''								
		and relevant for integration into medical														
		products.														
	Key lock in side door	for lock of housing					Х	Х		Х	Х			S26361-F2542-E331	6,00	
	Key lock in side door	for last of her	Х								Ш			S26361-F2542-E339	6,00	
	Key lock in side door Intrusion switch	for lock of housing,			$\vdash$	-			-		$\vdash$			S26361-F2542-E342 S26361-F2542-E426	6,00	
	Med Kit CELSIUS H			x					Х		Н	X	X	S26391-F2542-E426 S26391-F1169-E500	4,00 6,00	
	Med Kit CELSIUS H920			_^		х								S26391-F1179-E500	6.00	
	MAC Address WLAN on PC & delivery note	media access control address printed on the		Х	х									S26391-F782-E200	2,00	
	_	type rating plate of the PC, packinglabel and the														
		delivery note									Ш					
	Med Kit CELSIUS H910	Declarate 170			Х						$\square$			S26391-F898-E910	6,00	
	No RMK	no Rackmount-Kit - only with loose server order	X											S26361-F2735-E111	5,00	
	Power cord for monitor (CH)	without rack mounting ex factory			-	-	Х	v	v	v	v	v	v	S26361-F2542-E59	4,00	
	Cable for second internal USB device													S26361-F2581-E10	4,00	
	Key lock in side door	for lock of housing							Х	~	~	~	~	S26361-F2542-E323	6,00	
	MAC-address on PC & delivery note	media access control address printed on the	Х				Х	Х	Х	Х	х	Х	Х	S26361-F2542-E90	4,00	
		type rating plate of the PC, packinglabel and the														
		delivery note									Ш					
	No TPM/ TLS	for countries with import regulations	X				Х	Х	Х	X	Х	Χ	Х	S26361-F3436-E2	3,00	
	Services DeskView Load Basic	With DeskView Load Basic you are able to offer	V				v	v	v	v	v	v	v	DVI:DVL_PACK_BAS	21,00	
	Deskview Load Basic	customers DeskView Load as a defined	×				Х	X	X	X	X	X	X	DVI.DVL_PACK_BAS	21,00	
		package., Customers benefit of, Easy														
		Windows® 7 downgrade, A clean and														
		unsponsored operating system, Full driver														
		support, Minimum preparation lead-time,														
		Information about hardware components e.g.														
		MAC - address, serial number at time of														
		production via email, , Limitations for the DVL packages are projects greater than 150 clients														
		and maximum 5 order codes p.a.,														
	DeskView Load Expert	With DeskView Load Expert you are able to	х				х	x	х	х	х	х	x	DVI:DVL_PACK_EXP	38,50	
		offer customers DeskView Load as a defined														
		package., Customers benefit of, Easy														
		Windows® 7 downgrade, A clean and														
		unsponsored operating system, Full driver														
		support, Minimum preparation lead-time, , In														
		addition to DeskView Load Basic the customer														
		gets, Information about hardware components														
		e.g. MAC - address, serial number at time of														
		production via email or web service, First boot in	1													
		factory enables ready2run systems, Individual hard disk partition, ISO image for easy														
		recovery, Specified Operating system														
		customizing, Extended recovery scenario,														
		Limitations for the DVL packages are projects														
		greater than 150 clients and maximum 5 order														
		codes p.a.,														
	DeskView Load Professional	With DeskView Load Professional you are able	х				х	Х	Х	х	Х	Х	х	DVI:DVL_PACK_PRO	47,25	
		to offer customers DeskView Load as a defined														
		package., Customers benefit of, Easy														
		Windows® 7 downgrade, A clean and														
		unsponsored operating system, Full driver														
		support, Minimum preparation lead-time, , In addition to DeskView Load Basic the customer														
		gets, Information about hardware components														
		e.g. MAC - address, serial number at time of														
		production via email, First boot in factory														
		enables ready2run systems, Individual hard disk														
		partition, ISO image for easy recovery, ,														
		Limitations for the DVL packages are projects														
		greater than 150 clients and maximum 5 order														
		codes p.a.,														
														S26361-F2542-E329	10,00	



#### **Positioning Displays**



P Line



**XL Line** 



**B** Line



**SL Line** 



A/E Line



Superior Displays - P Line and XL Line A feast for your eyes and a pleasure to use for work or multimedia:

- Ultra wide viewing angle and outstanding color performance
- 0.0 watt standby (P Line)
- Maximum connectivity
- Most advanced technical features

Advanced Displays - B Line and SL Line

Efficiency for intensive office or entertainment usage:

- Optimum ergonomics (B Line) with height adjust, tilt, swivel and on standard formats as well rotation
- Energy efficient: power save panel EPA 5.0, ECO button, EPEAT Silver
- Ultra high contrast (SL Line)
- High-flexible connectivity:
  e.g. 2 x HDMI (on selected models),
  DVI (HDCP) for wide screen displays

All-round Displays - A/E Line and L Line Enter the world of LCD displays at an affordable price:

- Ergonomic or lifestyle design
- TCO'03 or TCO Displays 5.0
- Energy efficient EPA 5.0, EPEAT Silver



#### Displays

#### ine

to Brightness Control\* /A (Ultra Wide Viewing gle)\* hanced ergonomic ght adjust stand )MI for wide screen dels ady for Manageability n generation models in new sign language on sleected models

Natt power save mode\*

#### Line

vanced contrast ratio CR) up to 20,000:1 O control button deo inputs HDMI, DVI d analog

atured on selected models

#### **B** Line

- Energy saving solutions (as of Summer 2009)
- Cut energy cost by half (versus Energy Star 4.1)
- ECO operation mode for
- Energy Star 5.0
   ECO button direct access to ECO mode
- Flexible ergonomic stand
- Height Adjust, Tilt, Swivel, Rotation\*
- DVI-D and analog interface
- Manageability

#### **SL Line**

- High ACR up to 10,000:1
- 2 x HDMI\*, DVI\*, analog interface
- Glossy black lifestyle design
- Full HD 1080P support\*
- 16:9 ideal video format\*
- Headphone jack\*

#### **A Line**

- Energy saving solutions (as of Autumn 2009)
- Energy Star 5.0
- Tilt stand
- Analog interface
- Ergonomic Design

#### L Line

- Extra high ACR up to 10,000:17
- 16:9\* ideal video format
- Fast 5 ms response time
- Lifetime extender
- Theme Mode
- Glossy black lifestyle design

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Displays					
	DISPLAY P23T-6 FPR 3D, UK Cable	DISPLAY P23T-6 FPR 3D, UK Cable , DISPLAY P23T-6 FPR 3D, UK Kabel,	BDL:K1370V170-UK	#####	
	DISPLAY B19-6 LED, China	DISPLAY B19-6 LED, China for China, incl. Chinese Power Cord and CEL Label, DISPLAY B19-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1374V140-CHN	#####	
	DISPLAY B19-6 LED, Indonesia	DISPLAY B19-6 LED, Indonesia incl. EU Power Cord and Import Labels, DISPLAY B19-6-6 LED, Indonesia incl. EU Power Cord and Import Labels,	BDL:K1374V140-ID	#####	
	DISPLAY B19-6 LED, without Power Cord	DISPLAY B19-6 LED, without Power Cord, DISPLAY B19-6 LED without Power Cord	BDL:K1374V140-INT	#####	
	DISPLAY B19-6 LED, UK Cable	DISPLAY B19-6 LED, UK Cable , DISPLAY B19-6 LED, UK Cable	BDL:K1374V140-UK	#####	
	DISPLAY B22W-6 LED, China	DISPLAY B22W-6 LED, China for China, incl. Chinese Power Cord and CEL Label, Display B22W-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1375V140-CHN	#####	
	DISPLAY B22W-6 LED, Indonesia	DISPLAY B22W-6 LED, Indonesia incl. EU Power Cord and Import Labels, DISPLAY B22W-6 LED, Indonesia incl. EU Power Cord and Import Labels	BDL:K1375V140-ID	#####	
	DISPLAY B22W-6 LED, w/o power cable	DISPLAY B22W-6 LED, w/o power cable , DISPLAY B22W-6 LED, w/o power cable, without Power Cord	BDL:K1375V140-INT	#####	
	DISPLAY B22W-6 LED, UK Cable	DISPLAY B22W-6 LED, UK Cable , DISPLAY B22W-6 LED, UK Cable	BDL:K1375V140-UK	#####	
	DISPLAY E22W-6 LED, UK Cable	DISPLAY E22W-6 LED, UK Cable , DISPLAY E22W-6 LED, UK Cable	BDL:K1377V160-UK	#####	
	DISPLAY B23T-6 LED, China	DISPLAY B23T-6 LED, China for China, incl. Chinese Power Cord and CEL Label , DISPLAY B23T-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1388V140-CHN	#####	
	DISPLAY B23T-6 LED, w/o power cable	DISPLAY B23T-6 LED, w/o power cable , DISPLAY B23T-6 LED, w/o power cable	BDL:K1388V140-INT	#####	
	DISPLAY B23T-6 LED, UK Cable	DISPLAY B23T-6 LED, UK Cable , DISPLAY B23T-6 LED, UK Cable	BDL:K1388V140-UK	#####	



Displa	ys				
Category	Description	Details	Product Code	EUP (€)	Comments

Peripherals

Displays (Cor

Description	Details	Proc	EUP	Con
s				
(Continued)	DIADLAY FOOT OLED LIK OLL DIADLAY FOOT OLED	DDI 14400014400 LII4		D
DISPLAY E23T-6 LED, UK Cable	DISPLAY E23T-6 LED, UK Cable , DISPLAY E23T-6 LED, UK Cable	BDL:K1389V160-UK		Phased out
DISPLAY B22W-6 LED proGREEN, w/o cab	B22W-6 LED proGREEN, w/o cable	BDL:K1392V160-INT	#####	
DISPLAY B22W-6 LED proGREEN, UK Cab	ble DISPLAY B22W-6 LED proGREEN, UK Cable , DISPLAY B22W-6 LED proGREEN, UK Cable	BDL:K1392V160-UK	#####	
DISPLAY B20T-6 LED, China	DISPLAY B20T-6 LED, China for China, incl. Chinese Power Cord and CEL Label, Display B20T-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1416V140-CHN	#####	
DISPLAY B20T-6 LED, Indonesien	DISPLAY B20T-6 LED, Indonesien incl. EU Power Cord and Import Labels, DISPLAY B20T-6 LED, Indonesien incl. EU Power Cord and Import Labels,	BDL:K1416V140-ID	#####	
DISPLAY B20T-6 LED, w/o power cable	DISPLAY B20T-6 LED, w/o power cable , DISPLAY B20T-6 LED, w/o power cable	BDL:K1416V140-INT	#####	
DISPLAY B20T-6 LED, UK Cable	DISPLAY B20T-6 LED, UK Cable , DISPLAY B20T-6 LED, UK Cable	BDL:K1416V140-UK	#####	
DISPLAY B24W-6 LED, China	DISPLAY B24W-6 LED, China for China, incl. Chinese Power Cord and CEL Label, DISPLAY B24W-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1427V140-CHN	#####	
DISPLAY B24W-6 LED, w/o power cable	DISPLAY B24W-6 LED, w/o power cable , DISPLAY B24W-6 LED, w/o power cable	BDL:K1427V140-INT	#####	
DISPLAY B24W-6 LED , UK Cable	DISPLAY B24W-6 LED , UK Cable , DISPLAY B24W-6 LED , UK Cable	BDL:K1427V140-UK	#####	
DISPLAY P24W-6 LED, China	DISPLAY P24W-6 LED, China for China, incl. Chinese Power Cord and CEL Label, Display P24W-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1428V140-CHN	#####	
DISPLAY P24W-6 LED, Indonesia	DISPLAY P24W-6 LED, Indonesia incl. EU Power Cord and Import Labels , DISPLAY P24W-6 LED, Indonesia incl. EU Power Cord and Import Labels	BDL:K1428V140-ID	#####	
DISPLAY P24W-6 LED, w/o power cable	DISPLAY P24W-6 LED, w/o power cable , Display P24W-6 LED without Power Cord	BDL:K1428V140-INT	#####	
DISPLAY P24W-6 LED, UK Cable	DISPLAY P24W-6 LED, UK Cable , DISPLAY P24W-6 LED, UK Cable	BDL:K1428V140-UK	#####	
DISPLAY E20T-6 LED, China	DISPLAY E20T-6 LED, China for China, incl. Chinese Power Cord and CEL Label, DISPLAY E20T-6 LED for China, incl. Chinese Power Cord and CEL Label	BDL:K1432V160-CHN	#####	
DISPLAY E20T-6 LED, Indonesia	DISPLAY E20T-6 LED, Indonesia incl. EU Power Cord and Import Labels , DISPLAY E20T-6 LED, Indonesien incl. EU Power Cord and Import Labels	BDL:K1432V160-ID	#####	
DISPLAY E20T-6 LED, w/o power cable	DISPLAY E20T-6 LED, w/o power cable , DISPLAY E20T-6 LED, w/o power cable	BDL:K1432V160-INT	#####	
DISPLAY E20T-6 LED UK, UK cable	DISPLAY E20T-6 LED UK, UK cable Cable Powercord (UK), 1.8m, black, DISPLAY E20T-6 LED UK, UK cable, Cable Powercord (UK), 1.8m, black,	BDL:K1432V160-UK	#####	
DISPLAY P27T-7 LED (IPS), China	DISPLAY P27T-7 LED (IPS), China for China, incl. Chinese Power Cord and CEL Label, DISPLAY P27T-7 LED (IPS),for China, incl. Chinese Power Cord and CEL Label	BDL:K1442V140-CHN	#####	
DISPLAY P27T-7 LED (IPS), Indonesien	DISPLAY P27T-7 LED (IPS), Indonesien incl. EU Power Cord and Import Labels , DISPLAY P27T-7 LED (IPS), for Indonesia incl. EU Power Cord and Import Labels	BDL:K1442V140-ID	#####	
DISPLAY P27T-7 LED (IPS),w/o powercable		BDL:K1442V140-INT	#####	
DISPLAY P27T-7 LED IPS, UK Cable	DISPLAY P27T-7 LED IPS, UK Cable , AY P27T-7 LED IPS, UK Cable , AY P27T-7 LED	BDL:K1442V140-UK	#####	
DISPLAY X23T-1 MHL UK cable	DISPLAY X23T-1 MHL UK cable Cable Powercord (UK), 1.8m, black, DISPLAY X23T-1 MHL UK cable, Cable Powercord (UK), 1.8m, black,,,,,	BDL:K1444V160-UK	#####	
DISPLAY B22T-7 LED, China	DISPLAY B22T-7 LED, China for China, incl. Chinese Power Cord and CEL Label, DISPLAY B22T-7 LED,for China, incl. Chinese Power Cord and CEL Label	BDL:K1453V160-CHN	#####	



Display	'S				
Category	Description	Details	Product Code	EUP (€)	Comments

Peripherals

Displays (Cor

,	Description	Details	Produ	EUP (	Сошп
ıls (2	d 10				
	ontinued) DISPLAY B22T-7 LED proGREEN, Indonesien	DISPLAY B22T-7 LED proGREEN, Indonesien incl. EU Power Cord and Import Labels , DISPLAY B22T-7 LED proGREEN for Indonesia, incl. EU Power Cord and Import Labels , , ,	BDL:K1453V160-ID	#####	
	DISPLAY B22T-7LED proGREEN,w/o pwcable	DISPLAY B22T-7LED proGREEN,w/o pwcable , DISPLAY B22T-7 LED proGREEN, w/o power cable,	BDL:K1453V160-INT	#####	
L	DISPLAY B22T-7 LED PG, UK Cable	DISPLAY B22T-7 LED PG, UK Cable , DISPLAY B22T-7 LED PG, UK Cable,	BDL:K1453V160-UK	#####	
	DISPLAY B24T-7 LED proGREEN, China	DISPLAY B24T-7 LED proGREEN, China for China, incl. Chinese Power Cord and CEL Label, DISPLAY B24T-7 LED proGREEN, for China, incl. Chinese Power Cord and CEL Label,	BDL:K1454V160-CHN	#####	
	DISPLAY B24T-7 LED proGREEN, Indonesien	DISPLAY B24T-7 LED proGREEN, Indonesien incl. EU Power Cord and Import Labels , DISPLAY B24T-7 LED proGREEN , IMP LBL B24T-7 DY /CUZ:IMPDY_B24T7-ID , IMP LBL B24T-7 BOX/CUZ:IMPBX_B24T7-ID	BDL:K1454V160-ID	#####	
	DISPLAY B24T-7LED proGREEN,w/o pw.cable	DISPLAY B24T-7LED proGREEN,w/o pw.cable , DISPLAY B24T-7 LED proGREEN, w/o power cable	BDL:K1454V160-INT	#####	
	DISPLAY B24T-7 LED PG, UK Cable	DISPLAY B24T-7 LED PG, UK Cable , DISPLAY B24T-7 LED PG, UK Cable,	BDL:K1454V160-UK	#####	
	DISPLAY P23T-6 LED (NSN Project)	DISPLAY P23T-6 LED (NSN Project) EU Kabel, Premium Line 58,4cm(23") wide Display, IPS Panel, LED DP,DVI,VGA,USB, 4-in-1 stand, DISPLAY B23T-6 LED (NSN Project, EU Kabel, Business Line 58.4cm(23")wide, Display, USB,DP,DVI,VGA 4-in-1 stand, LED Backlight	BDL:SAG-NSNSTD-MON	#####	
	DISPLAY B19-6 LED	DISPLAY B19-6 LED Business Line 48.3cm(19") Display VGA, DVI, 4-in-1 stand LED Backlight, DISPLAY B19-6 LED Business Line 48.3cm(19") Display VGA, DVI, 4-in-1 stand LED Backlight	BDL:TOP-B19-6-LED	#####	
	DISPLAY B22W-6 LED	DISPLAY B22W-6 LED Business Line 55.9cm(22")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight, DISPLAY B22W-6 LED Business Line 55.9cm(22")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	BDL:TOP-B22W-6-LED	#####	
	DISPLAY B23T-6 LED	DISPLAY B23T-6 LED Business Line 58.4cm(23")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight, Business Line 58.4cm(23")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	BDL:TOP-B23T-6-LED	#####	
	DISPLAY B24W-6 LED	DISPLAY B24W-6 LED Bussines Line 61cm(24")wide Display LED Backlight DP,DVI,VGA,USB, 4-in-1 stand, DISPLAY B24W-6 LED Bussines Line 61cm(24")wide Display LED Backlight DP,DVI,VGA,USB, 4-in-1 stand	BDL:TOP-B24W-6-LED	#####	
	Display E19-6 LED R	Display E19-6 LED R E-Line 48cm (19") Display VGA, DVI, matt black , DISPLAY E19-6 LED E Line 48.3cm(19") schwarz , VGA, DVI, matt schwarz LED Backlight	BDL:TOP-E19-6-LED	#####	
1	Display E22W-6 LED R	Display E22W-6 LED R E-Line Runrate 55,9cm (22")wide VGA, DVI, matt black , DISPLAY E22W-6 LED E-Line 55.9cm(22")wide schwarz, VGA, DVI, matt schwarz, LED Backlight	BDL:TOP-E22W-6-LED	#####	
	DISPLAY P23T-6 LED (IPS)	DISPLAY P23T-6 LED (IPS) Premium Line 58,4cm(23')wide Display IPS Panel, LED DP,DVI,VGA,USB, 4-in-1 stand, DISPLAY P23T-6 LED (IPS) Premium Line 58,4cm(23")wide Display IPS Panel, LED DP,DVI,VGA,USB, 4-in-1 stand	BDL:TOP-P23T6-LED	#####	
	DISPLAY P24W-6 LED	DISPLAY P24W-6 LED Premium Line 61cm(24")wide Display IPS Panel. LED Backlight DP,DVI,VGA,USB, 4-in-1 stand, DISPLAY P24W-6 LED Premium Line 61cm(24")wide Display IPS Panel, LED Backlight DP,DVI,VGA,USB, 4-in-1 stand	BDL:TOP-P24W6L-IPS	#####	



# Displays oduct Code Catego Periphe Display

	Description	Details	Prod	EUP	Сош
s	·		_		
	continued)				
	DISPLAY P27T-7 LED (IPS) EU cable	DISPLAY P27T-7 LED (IPS) EU cable Premium Line 69cm(27")wide Display IPS Panel, LED Backlight, marble grey DP,HDMI,DVI,VGA,USB, 4-in-1 stand, DISPLAY P27T-7 LED (IPS) EU cable Premium Line 69cm(27")wide Display, IPS Panel, LED Backlight, marble grey DP,HDMI,DVI,VGA,USB, 4-in-1 stand, , ,	BDL:TOP-P27T-7-LED	#####	
ŀ	FJ-3D- Glasses	FJ-3D- Glasses 3D Polarization glasses REAL D compatible	FTS:FJ-3D-GLASSES	17,00	
ľ	DISPLAY CBL DVI-D	DISPLAY CBL DVI-D DVI cable single link 1.8m minimum order quantity 100 pcs.	S26361-F1115-V1	5,00	
ľ	DY CBL DisplayPort	DY CBL DisplayPort DisplayPort cable 1.8m minimum order quantity 90 pcs.	S26361-F4527-V1	8,00	
ľ	DISPLAY SL27T-1LED, EU cable	DISPLAY SL27T-1LED, EU cable, SL-Serie 68.6 cm (27"T), VGA, 2x HDMI, glossy black, LED Backlight	S26361-K1369-V160	#####	
	DISPLAY P23T-6 FPR 3D, EU cable	DISPLAY P23T-6 FPR 3D, EU cable, P-Serie 58,4 cm (23"T), DP, DVI, VGA, USB-Hub, schwarzes Gehäuse, 3D-Display mit Polarisationsfilterbrille	S26361-K1370-V170	#####	
	DISPLAY P27T-6 IPS, EU cable	DISPLAY P27T-6 IPS, EU cable, Premium Line 69cm(27")wide Display IPS Panel DP,HDMI,DVI,VGA,USB, 4-in-1 stand	S26361-K1372-V140	#####	Phased out
	DISPLAY B19-6 LED, EU cable	DISPLAY B19-6 LED, EU Kabel, Business Line 48.3cm(19") Display VGA, DVI, 4-in-1 stand LED Backlight	S26361-K1374-V140	#####	
	DISPLAY B22W-6 LED, EU cable	DISPLAY B22W-6 LED,EU cable, Business Line 55.9cm(22")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	S26361-K1375-V140	#####	
	DISPLAY E19-6 LED, EU cable	DISPLAY E19-6 LED, EU cable, E Line 48.3cm(19") black VGA, DVI, matt black LED Backlight	S26361-K1376-V160	#####	
ľ	DISPLAY E22W-6 LED, EU cable	DISPLAY E22W-6 LED, EU cable, E-Line 55.9cm(22")wide black VGA, DVI, matt black, LED Backlight	S26361-K1377-V160	#####	
	DISPLAY B23T-6 LED, EU cable	DISPLAY B23T-6 LED, EU cable, Business Line 58.4cm(23")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	S26361-K1388-V140	#####	
	DISPLAY B22W-6 LED proGREEN, EU cable	DISPLAY B22W-6 LED proGREEN, EU cable, B-Line 55.9cm(22")wide matt black, DVI, VGA, 4-in-1 stand, LED Backlight	S26361-K1392-V160	#####	
	DISPLAY B20T-6 LED, EU cable	DISPLAY B20T-6 LED, EU Kabel, Business Line 50.8cm(20")wide Display USB,DVI,VGA 4-in-1 stand LED Backlight	S26361-K1416-V140	#####	
ľ	DISPLAY B24W-6 LED, EU cable	DISPLAY B24W-6 LED, EU cable, Bussines Line 61cm(24")wide Display LED Backlight DP,DVI,VGA,USB, 4- in-1 stand	S26361-K1427-V140	#####	
ľ	DISPLAY P24W-6 LED, EU cable	DISPLAY P24W-6 LED, EU cable, Premium Line 61cm(24")wide Display IPS Panel. LED Backlight DP,DVI,VGA,USB, 4-in-1 stand	S26361-K1428-V140	#####	
ŀ	DISPLAY E20T-6 LED, EU cable	DISPLAY E20T-6 LED, EU cable, E-Line 50.8cm(20")wide black VGA, DVI, matt black LED Backlight	S26361-K1432-V160	#####	
	DISPLAY P23T-6P FPR 3D, EU cable	DISPLAY P23T-6P FPR 3D, EU cable, P-Serie 58,4 cm (23"T) DP, DVI, VGA, USB-hub, black housing 3D-display w.polarization filter glasses	S26361-K1433-V170	#####	
	DISPLAY P23T-6 LED (IPS), EU cable	DISPLAY P23T-6 LED (IPS), EU cable, Premium Line 58,4cm(23")wide Display IPS Panel, LED DP,DVI,VGA,USB, 4-in-1 stand	S26361-K1441-V141	#####	
	DISPLAY P27T-7 LED (IPS), EU cable	DISPLAY P27T-7 LED (IPS), EU cable Premium Line 69cm(27")wide Display IPS Panel, LED Backlight, marble grey, DP,HDMI,DVI,VGA,USB, 4-in-1 stand	S26361-K1442-V140	#####	
ĺ	DISPLAY X23T-1 MHL, EU cable		S26361-K1444-V160	#####	
	DISPLAY B22T-7 LED proGREEN, EU cable	DISPLAY B22T-7 LED proGREEN, EU cable, Bussines Line 54.6cm(21.5")wide Display, LED Backlight, matt black housing, HDMI,DVI,VGA,USB, 4-in-1 stand	S26361-K1453-V160	#####	
	DISPLAY B24T-7 LED proGREEN, EU cable	DISPLAY B24T-7 LED proGREEN, EU cable, Bussines Line 61cm(24")wide Display, LED Backlight, matt black housing, HDMI,DVI,VGA,USB, 4-in-1 stand	S26361-K1454-V160	#####	
	DISPLAY E22T-7 LED, EU cable	DISPLAY E22T-7 LED, EU cable, E-Line 54.6cm(21,5")wide Display, LED Backlight, matt black, HDMI, DVI, VGA, tilt stand, , , ,	S26361-K1473-V160	#####	New product



# Positioning Input Devices & Security devices



Keyboards & Security



Keyboards & mice



**Security devices** 

The keyboard is the most important interface between humans and the computer. Our keyboards are designed according to the latest ergonomic development and the non-abrasive laser inscription lasts a lifetime. The security keyboards conform to current market requirements and offer an perfect platform for security applications.

Please look for your favourite keyboard amongst a vast choice of different types. We have the right keyboard for you, no matter if you only need basic functionality or enhanced business typing. For office and a long days work, our Premium Line keyboards are the right ones.

Choose the perfect mouse for your environment: small when on the road, regular sizes for the desk, left and right hand usage, wired or unwired, four way scroll function, high-precise optical or laser technology - whatever you desire!

To serve and protect - we take care. There is no choice than our security devices if you want to protect your valuable data from beeing stolen, changed or copied. SmartCard technology helps to protect your data. Accompanying software completes the functionality of your SmartCard.







### Input devices and Security

#### Keyboards

A keyboard is the most important interface between user and computer. All our keyboards are designed to do the job. Reliable, effective and persevering. But what's more: they come in attractive and stylish designs to highlight every working place. There is a choice between wired and wireless keyboards, and also of features like e.g. quick touch buttons or 2 additional USB Ports.

#### Mice

Mice for every working or private environment. Great choice in different sizes, with or without cable, high precision technology, ergonomic and easy to use.

#### Security devices

Data are often inestimable worths. But they can be deleted, copied and changed in a short time by anyone. With Fujitsu security devices the access to mobile and stationary systems is effectively secured.

0-1	Provide to the second s		Product Code	EUP (€)	Comments
<b>Category</b> Peripheral:		Details	<u> </u>	Ш	ŭ
Keyboard					
	Bluetooth Mouse V470	Bluetooth Mouse V470, 3 button Wheel Mouse, Laser, Tilt-Wheel-Function, without Dongle, 10m range, pouch, Software (no BT software), batteries, brown box, manual.	LTC:M-RCQ142	35,00	Phased out
	KBPC E USB USA	Ergonomic keyboard USA, MF-II-keyboard, 3 add. Windows keys, fixed USB cable 2m	S26381-K261-L710	50,00	
	KBPC E USB D	Ergonomic keyboard German, MF-II-keyboard, 3 add. Windows keys, fixed USB cable 2m	S26381-K261-L720	50,00	
	KBPC E USB GB	Ergonomic keyboard english, MF-II-keyboard, 3 add. Windows keys, fixed USB cable 2m	S26381-K261-L765	50,00	
	KBPC E USB I	Ergonomic keyboard italian, MF-II-keyboard, 3 add. Windows keys, fixed USB cable 2m	S26381-K261-L785	50,00	
	KB NUM CALC US	Numeric keybaord USB with integrated calculator in retail box	S26381-K272-L410	23,00	Phased out
	KB NUM CALC D	Numeric keybaord USB with integrated calculator in retail box	S26381-K272-L420		Phased out
	KBPC PX ECO US	keyboard professional USB, USA, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED	S26381-K341-L110	36,00	
	KBPC PX ECO D	keyboard professional USB, Germany, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED	S26381-K341-L120	36,00	
	KBPC PX ECO GB	keyboard professional USB, Great Britain, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED	S26381-K341-L165	36,00	
	KBPC PX ECO I	keyboard professional USB, Italy, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED	S26381-K341-L185	36,00	
	SPACE EXPLORER	3D motion controller USB, manual, software, case, brown box.	S26381-K425-L100	299,00	Phased out
	Notebook Mouse 400NB Black Retail	Notebook Mouse 400NB Black retail optical 1000 dpi tilt-wheel-function, USB cable 0,85, retail package blister	S26381-K428-L100	9,00	Phased out
	Laser Mouse Combo USB PS2	Laser Mouse Combo USB PS2, 3 button Wheel Mouse with Tilt-Wheel-Function (wheel is 3rd button), 1100 dpi laser sensor, with PS2 adatper, grey with anthracite buttom, 1.8 m USB cable, manual, CD, brown box packed.	S26381-K430-L100	19,00	
	Laser Mouse Combo USB PS2 Black	Laser Mouse Combo USB PS2 black, 3 button Wheel Mouse with Tilt-Wheel-Function (wheel is 3rd button), 1100 dpi laser sensor, with PS2 adatper, 1.8 m USB cable, manual, brown box packed.	S26381-K430-L101	19,00	
	Wireless Laser Mouse WI400	Wireless Laser Mouse WI400, 2.4 GHz technology, interference-free usage among other 2.4 GHz products and extremly reliable due to specially generated IDs. Micro receiver and slot, 2 buttons, Wheel, switchable resolution 800, 1200 and 1600 dpi, Power on / off button, 2 x AAA batteries, manual, Retail box.	S26381-K433-L100	15,00	Phased out
	Blue LED MOUSE GL9000	Blue LED Mouse GL9000, programmable10 button mouse, Tilt Wheel Technology, adjustable 1000 up to 2000 dpi, USB cable 1.8m, Software	S26381-K438-L100	19,00	

CD. manual. Retail box







			<del>р</del>	
			Product Code	EUP (€)
ls	Description	Details	Ę.	EU
_	Mouse (Continued)			
	MOUSE M440 ECO BL	MOUSE M440 ECO Black, optical wheel mouse, black ,wood based	S26381-K450-L200	15,00
		material, 1000 dpi, PVC free USB cable 1.8 m, white box		
-	Notebook Mouse M410	Notebook Mouse M410. Super compact desing for right and left-	S26381-K453-L100	10,00
		handers. Black glossy design. 2 Buttons and 1 wheel. 1000 DPI, USB		
		cable 1 m lenght. USB Plug & Play. Retail packed.		
- 1-	Remote Control RC900	Remote Control RC900, micro receiver, manual, batteries	S26381-K456-L100	17,00
ľ	Mouse M510 Black	optical mouse with 3 keys, black, 1000 dpi, USB cable 1,8m, white box	S26381-K457-L100	13,00
	Mouse M510 Grey	optical mouse with 3 keys, marble grey, 1000 dpi, USB cable 1,8m,	S26381-K457-L101	13,00
ď	Mode Moto Grey	white box	020301-10437-2101	10,00
	SpaceMouse(TM) Pro	3D motion controller USB, manual, software	S26381-K459-L100	323,00
- 6	Wireless Notebook Mouse WI610	Wireless Notebook Mouse WI610, 2.4 GHz radio frequency, USB nano	S26381-K460-L100	19,00
		receiver, 5 programmable keys with SW, 1000/1500/2000 dpi, tilt		
		function, receiver slot, 1 x AA battery, retail packed.		
1	Wireless Notebook Mouse WI200	Wireless Notebook Mouse WI200, 1000 DPI optical sensor, 2.4 GHz RF	S26381-K462-L100	13,00
		technology, works in multi-user environment. USB nano receiver which		
		is stowable in the mouse. On/Off switch, 1 x AAA battery, Quick Start		
		Guide, Retail package.		
	Mouse MC200	Mouse MC200, glossy black, 3 buttons, optical sensor 1.000 DPI, USB	S26381-K463-L100	12,00
J,	Wasters Natal and March 201440	cable 1,8 m, retail packed.	000004 1/404 1 400	45.00
ľ	Wireless Notebook Mouse WI410	Wireless Notebook Mouse WI410, Mini-Design glossy black, 3 buttons, 1.000 DPI optical sensor, 2.4 GHz frequenzy with 10m range, stowable	S26381-K464-L100	15,00
		USB Micro receiver, ON/OFF switch, 1 x AAA battery, retail packed.		
		OSB Milcio receiver, ON/OFF SWIICH, 1 X AAA battery, retail packed.		
,	Wireless Mouse Touch WI910	Wireless Mouse Touch WI910, Carbon look, switch able DPI up to 2.000	\$26381_K/65_L100	22,00
	Wheless Mouse Touch Wis to	DPI, optical Sensor, 2.4 GHz frequency with up to 10 m range, stow able	320301-R403-L100	22,00
		USB Micro receiver, ON/OFF switch, 2 x AA batteries, retail packed.		
		See Milete (See No.), 514611 Switch, 2 x781 Satterior, 18tail packed.		
Ī	KB410 USB Black US	KB410 USB, slim value keyboard with US layout on 105-key modul in	S26381-K510-L402	16,00
L		black. Fixed USB cable 1.8 m.		
	KB410 USB BLACK US ENGLISH 104 key	KB410 USB, slim value keyboard with US layout on 104-key modul in	S26381-K510-L410	16,00
		black. Fixed USB cable 1.8 m.		
ľ	KB410 USB Black DE	KB410 USB, slim value keyboard with layout Germany on 105-key	S26381-K510-L420	16,00
ŀ	KB410 USB Black GB	modul in black. Fixed USB cable 1.8 m.  KB410 USB, slim value keyboard with layout UK 105-key modul in	S26381-K510-L465	16,00
ľ	ND410 03D Black OB	black. Fixed USB cable 1.8 m.	320301-R310-L403	10,00
ı	KB410 USB Black IT	KB410 USB, slim value keyboard with layout Italy 105-key modul in	S26381-K510-L485	16,00
		black. Fixed USB cable 1.8 m.		
- 10	KB410 PS2 BLACK US	KB410 PS2 BLACK US, SLIM value Keyboard black USA, PS2	S26381-K515-L402	17,00
	KB410 PS2 BLACK DE	KB410 PS2 BLACK DE, SLIM value Keyboard black with german layout,	S26381-K515-L420	17,00
-	KD440 DC2 DL ACK DE/LIC	PS2  KP410 DS2 PLACK DE US. SUM value Keyboord block with garman	C06204 VE4E L 400	47.00
	KB410 PS2 BLACK DE/US	KB410 PS2 BLACK DE US, SLIM value Keyboard black with german and US layout, PS2	S26381-K515-L422	17,00
ŀ	KB410 PS2 BLACK GB	KB410 PS2 BLACK GB, SLIM value Keyboard black with english, PS2	S26381-K515-L465	17,00
- [				17,00
Ī	KB410 PS2 BLACK IT	KB410 PS2 BLACK IT, SLIM value Keyboard black with italian layout,	S26381-K515-L485	17,00
		PS2		
	KB520 US	KB520 USB USA, standard keyboard USA, marble grey	S26381-K520-L102	18,00
	KB520 US ENGLISH 104 key	KB520 USB USA, standard keyboard USA 104 keys , marble grey	S26381-K520-L110	18,00
	KB520 DE KB520 GB	KB520 USB, standard keyboard german , marble grey KB520 USB, standard keyboard Greatbritain UK , marble grey	S26381-K520-L120 S26381-K520-L165	18,00 18,00
	KB520 IT	KB520 USB, standard keyboard Italy , marble grey	S26381-K520-L185	18,00
	KB SCR USA	SmartCard keyboard USA with class 2 reader on the top. Without	S26381-K528-L110	38,00
ľ		security seal. VOL up, VOL down, Play/Pause and calculator	111111111111111111111111111111111111111	25,00
		multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0		
Ī	KB SCR D	SmartCard keyboard german with class 2 reader on the top. Without	S26381-K528-L120	38,00
		security seal. VOL up, VOL down, Play/Pause and calculator		
		multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0		
_		Concert Cord keyboard anglish with along 2 reader on the ten Without	S26381-K528-L165	38,00
	KB SCR GB	SmartCard keyboard english with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator	320301-N320-L103	30,00







у	Description	Details	Product Code	EUP (€)	Comments
als	Mouse (Continued)				
i u /i	KB SCR I	SmartCard keyboard italian with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K528-L185	38,00	
	KB SCR BLACK US	SmartCard keyboard black USA with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0 105 keys	S26381-K528-L402	38,00	
	KB SCR BLACK DE	SmartCard keyboard black german with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K528-L420	38,00	
	KB SCR BLACK GB	SmartCard keyboard black english with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K528-L465	38,00	
	KB SCR BLACK IT	SmartCard keyboard black italian with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K528-L485	38,00	
	KB SCR eSIG USA	SmartCard keyboard USA with class 2 reader on the top, CCID, Secure Pin Entry, Common Criteria EAL 3+, SigG, VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K529-L110	45,00	
	KB SCR eSIG D	SmartCard keyboard german with class 2 reader on the top, CCID, Secure Pin Entry, Common Criteria EAL 3+, SigG, VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K529-L120	45,00	
	KB SCR eSIG GB	SmartCard keyboard english with class 2 reader on the top, CCID, Secure Pin Entry, Common Criteria EAL 3+, SigG, VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K529-L165	45,00	
	KB SCR eSIG I	SmartCard keyboard italian with class 2 reader on the top, CCID, Secure Pin Entry, Common Criteria EAL 3+, SigG, VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0	S26381-K529-L185	45,00	
	Touchpad TP400	Touchpad TP400 Bluetooth Multitouch Touchpad for gesture input specially for Windows 8, brown box packed,	S26381-K530-L200	35,00	
	KB BT LX360 US		S26381-K540-L402	39,00	
	KB BT LX360 DE	Funktastatur Bluetooth LX360 DE, BT 2.1 HID standard,80-keys without receiver, this must be integrated in the system, 2 x AAA batteries, manual and safety notes, brown box	S26381-K540-L420	39,00	
	KB BT LX360 GB	Funktastatur Bluetooth LX360 GB, BT 2.1 HID standard,80-keys without receiver, this must be integrated in the system, 2 x AAA batteries, manual and safety notes, brown box	S26381-K540-L465	39,00	
	KB BT LX360 IT	Funktastatur Bluetooth LX360 IT, BT 2.1 HID standard,80-keys without receiver, this must be integrated in the system, 2 x AAA batteries, manual and safety notes, brown box	S26381-K540-L485	39,00	
	KB400 PS2 D Keyboard KB900 USB USA	KB400 PS2 D, SLIM value Keyboard black Germany, PS2 Keyboard KB900 american layout, spill proof. Multifunction panel with 12	S26381-K551-L420 S26381-K560-L402	15,00 22,00	
	Keyboard KB900 USB D	hotkeys, black with silver rim. Red LED, 1.8m USB cable.  Keyboard KB900 german layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	S26381-K560-L420	22,00	
	Keyboard KB900 USB GB	Keyboard KB900 english layout, spill proof. Multifunction panel with 12	S26381-K560-L465	22,00	
	Keyboard KB900 USB I	hotkeys, black with silver rim. Red LED, 1.8m USB cable.  Keyboard KB900 italian layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	S26381-K560-L485	22,00	
	Keyboard KB910 Backlight USA	Keyboard KB910 US layout, backlight keys, brightness adjustable in 3 steps, spill proof. multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	S26381-K562-L402	30,00	







T26139-Y4530-V1

7,00

			Product Code	EUP (€)
ry rals	Description	Details	P	Щ
	/Mouse (Continued)			
	Keyboard KB900 Backlight D	Keyboard KB910 German layout, backlight keys, brightness adjustable in 3 steps, spill proof. multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	S26381-K562-L420	30,00
	Wireless Keyboard Set LX900 US	Wireless Keyboard Set LX900 US, 128AES bit-encryption, spill-proof, micro receiver, programmable lasermouse, CD, manual, batteries, retailbox	S26381-K564-L402	44,00
	Wireless Keyboard Set LX900 DE	Wireless Keyboard Set LX900 Germany, 128AES bit-encryption, spill-proof, micro receiver, programmable lasermouse, CD, manual, batteries, retailbox	S26381-K564-L420	44,00
	Wireless Keyboard Set LX900 GB	Wireless Keyboard Set LX900 GB, 128AES bit-encryption, spill-proof, micro receiver, programmable lasermouse, CD, manual, batteries, retailbox	S26381-K564-L465	44,00
	Wireless Keyboard Set LX900 IT	Wireless Keyboard Set LX900 Italy, 128AES bit-encryption, spill-proof, micro receiver, programmable lasermouse, CD, manual, batteries, retailbox	S26381-K564-L485	44,00
	Wireless KB Mouse Set LX390 US	Wireless keyboard & mouse set LX390 US black, optical RF Mouse 1.000 dpi, 2.4 GHz frequency, micro receiver, 1 x AAA and 1 x AA batteries enclosed. QuickStart guide. Safety and recycling notes, CE declaration for R&TTE devices, retailbox.	S26381-K590-L402	18,00
	Wireless KB Mouse Set LX390 DE	Wireless keyboard & mouse set LX390 DE black, optical RF Mouse 1.000 dpi, 2.4 GHz frequency, micro receiver, 1 x AAA and 1 x AA batteries enclosed. QuickStart guide. Safety and recycling notes, CE declaration for R&TTE devices, retailbox.	S26381-K590-L420	18,00
	Wireless KB Mouse Set LX390 DE/US	Wireless keyboard & mouse set LX390 DE US black, optical RF Mouse 1.000 dpi, 2.4 GHz frequency, micro receiver, 1 x AAA and 1 x AA batteries enclosed. QuickStart guide. Safety and recycling notes, CE declaration for R&TTE devices, retailbox.	S26381-K590-L422	18,00
	Wireless KB Mouse Set LX390 GB	Wireless keyboard & mouse set LX390 GB black, optical RF Mouse 1.000 dpi, 2.4 GHz frequency, micro receiver, 1 x AAA and 1 x AA batteries enclosed. QuickStart guide. Safety and recycling notes, CE declaration for R&TTE devices, retailbox.	S26381-K590-L465	18,00
	Wireless KB Mouse Set LX390 IT	Wireless keyboard & mouse set LX390 IT black, optical RF Mouse 1.000 dpi, 2.4 GHz frequency, micro receiver, 1 x AAA and 1 x AA batteries enclosed. QuickStart guide. Safety and recycling notes, CE declaration for R&TTE devices, retailbox.	S26381-K590-L485	18,00
	KB410 PS2 BLACK US MED	KB410 PS2 BLACK US MED Siemens HC Project keyboard	TAV:X515BL402MD3	18,00
	KB410 PS2 BLACK DE MED	KB410 PS2 BLACK DE MED Siemens HC Project keyboard	TAV:X515BL420MD3	18,00
	KB410 PS2 BLACK GB MED	KB410 PS2 BLACK GB MED Siemens HC Project keyboard	TAV:X515BL465MD3	18,00
	KB410 PS2 BLACK IT MED	KB410 PS2 BLACK IT MED Siemens HC Project keyboard	TAV:X515BL485MD3	18,00
	KB900 MED US	KB900 MED US Siemens HC Variant 4m Leitung USB, white box	TAV:X560BL402MD3	25,00
	KB900 MED DE	KB900 MED DE Siemens HC Variant 4m Leitung USB, white box	TAV:X560BL420MD3	25,00
	KB900 MED IT	KB900 MED GB Siemens HC Variant 4m Leitung USB, white box	TAV:X560BL465MD3	25,00
	KB900 MED IT Keyboard cable PS2 4m round	KB900 MED IT Siemens HC Variant 4m Leitung USB, white box	TAV:X560BL485MD3	25,00
	Keyboard cable with USB connector	with PS/2 plug; length 4m; for KBPC B,S,P,E,N,C,HK,P2 Keyboard cable with USB and Western Plug lenght 2m; for KBPC SX, KBPC PX, KBPC NX	T26139-Y2530-V104 T26139-Y3812-V1	7,00
	Keyboard cable with PS2 connector	Keyboard cable with PS/2 plug: length 2m; for KBPC PX	T26139-Y4530-V1	7.00

Keyboard cable with PS/2 plug; length 2m; for KBPC PX

Keyboard cable with PS2 connector



# Positioning PRIMERGY Tower Servers





PRIMERGY TX industry standard tower servers: efficient, rock solid, record-breaking performance. PRIMERGY TX servers benefit from over 20 years pioneering work in the field of Green IT. That is how TX servers reach industry – leading performance per watt ratios, lowering the environmental impact and running costs. TX servers can easily be managed locally or remotely via the PRIMERGY ServerView Suite, saving IT admin costs. That's efficient performance. Our made-to-measure service packages take care of your system every step of the way. Rest assured, PRIMERGY TX servers are put through 5000 boot cycles - that's rock solid performance. PRIMERGY TX servers are flexible systems capable of using up to two processors and up to 20 hard disks. Tower to rack mounting kits are available to move to a consolidated rack infrastructure. TX servers have a tradition of setting record-breaking performance levels. So, whether you use them as tower or rack servers, for file, print or application purposes, you will benefit from record-breaking performance. PRIMERGY TX: a tower of strength.



### PRIMERGY TX100S3p

### PRIMERGY TX100 S3p

The PRIMERGY TX100 S3p is ideal for SMEs, looking for a first server with Intel® Xeon® support. With a maximum of 32 GB of RAM, and excellent processor performance, it offers more than enough performance for all classic server tasks, such as file, print, web or office applications. The dual onboard gigabit LAN, makes it easier to do business 24x7. Moreover, the TX100 S3p is incredibly silent making it an excellent choice for any office environment. With its optional 0-Watt functionality and a choice of two highly efficient power supply units, the TX100 S3p minimizes costs and the environmental impact.

Model	<b>Description</b> it configurations	Details	Product Code	EUP (€)	Comments
	RGY TX100 S3p				
	PY TX100S3p/LFF/Standard PSU	"Floorstand BU without processor and RAM, incl. standard power supply module, standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; onboard. graphics controller; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD + Backup) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for easy change 3.5" SATA HDDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates., ",	S26361-K1410-V103	330,00	
	PY TX100S3p/LFF/0-Watt PSU	"Floorstand BU without processor and RAM, incl. 0-Watt power supply module, standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; onboard. graphics controller; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD + Backup) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for easy change 3.5" SATA HDDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates., "	S26361-K1410-V203	350,00	



### PRIMERGY TX120 S3p

PRIMERGY TX120 S3p: For small environments with high demands. It is the perfect server for environments where space, high server functionality and low TCO are crucial. The TX120 S3p is an excellent choice for smaller retail premises, branch offices, or in other contexts where strict legal controls apply, e.g. medical, legal or financial services. Besides sporting a power supply with 94% efficiency and 0-watt functionality, the TX120 S3p keeps running costs and the environmental impacts low. The unique combination of ultra-compact form factor, Intel® Xeon® processor E3 series performance, high availability features and low TCO, make it ideal for demanding environments where space is scarce.

Model	Description	Details	Product Code	EUP (€)	Comments
	nit configurations				
PRIME	R <b>GY TX120 S3p</b>  PY TX120S3p/SFF	Floorstand BU without processor and RAM, incl. standard power supply module, lockable covers, standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 2,5" hot plug HDD + DVD + Backup) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 2.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1380-V103	#####	
	PY TX120S3p/LFF	Floorstand BU without processor and RAM, incl. standard power supply module, lockable covers, standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 2x 3.5" SATA HDD + DVD + Backup) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 2 drive bays for easy change 3.5" SATA HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1380-V203	#####	



### PRIMERGY TX140 S1p

PRIMERGY TX140 S1p

PRIMERGY TX140 S1p: the expandable SME allrounder. It is ideal for SME or branch customers looking for a classic file, print, mail, or database server, with high scalability, and best availability through optional redundant power supplies. As the company evolves, so too does the TX140 S1p. Storing up to 12 TB of data, the TX140 S1p can easily handle large files. At a later stage, the TX140 S1p can be included in a rack cabinet with dedicated storage systems. From here, customers can fully take advantage of the extensive connectivity options, Intel® Xeon® E3 series performance, and high serviceability via the optional front service LAN port. The TX140 S1p: an excellent long-term investment.

del	Description	Details	Product Code	EUP (€)	Comments
	t configurations				
MER	RGY TX140 S1p				
	PY TX140S1p/f/LFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V103	440,00	
	PY TX140S1p/f/SFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller mandatory; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V203	460,00	
	PY TX140S1p/r/LFF/Standard PSU	Rack based server 19" (5U) BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V303	450,00	
	PY TX140S1p/r/SFF/standard PSU	Rack based server 19" (5U) BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller mandatory; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V403	460,00	
	PY TX140S1p/f/LFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller for SAS, otherwise optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V503	540,00	
	PY TX140S1p/f/SFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 2.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller for more than 4 HDs or SAS, otherwise optional; 8 drive bays for hot plug 2.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V603	580,00	



PRIM	IERGY TX140 S1p				
Model	Description	Details	Product Code	EUP (€)	Comments
	it configurations				
PRIME	RGY TX140 S1p (Continued) PY TX140S1p/r/LFF/hot plug PSU	Rack BU 19" (5U) without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller for SAS, otherwise optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V703	560,00	
	PY TX140S1p/r/SFF/hot plug PSU	rack based BU 19" (5U) without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 2.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller for more than 4 HDs or SAS, otherwise optional; 8 drive bays for hot plug 2.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V803	600,00	



### PRIMERGY TX150 S7

The PRIMERGY TX150 S7: the right system for SMEs or non-mission-critical decentralized infrastructures where the main focus is on expandability and availability. The expandability and availability come from the 6 expansion slots (5 of which PCIe Gen 2) and up to 8x 2.5" hot-plug hard disks. Increase the system's availability and energy efficiency through the use of optional redundant power supplies boasting up to 89% energy efficiency. The TX150 S7 also offers up to the latest generation Intel® Xeon® processor 3400 series single processor platform, delivering excellent energy-efficient performance at an attractive price. The PRIMERGY TX150 S7: the one processor tower server – maximized.

Model	Description	Details	Product Code	EUP (€)	Comments
	it configurations	Details	<u> </u>	ш	<u> </u>
PRIMER	RGY TX150 S7				
	PY TX150S7f/LFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V101	560,00	Phased out
	PY TX150S7f/LFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V201	585,00	Phased out
	PY TX150S7f/SFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V301	600,00	Phased out
	PY TX150S7f/SFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V401	625,00	Phased out
	PY TX150S7/r/LFF/hot plug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V601	605,00	Phased out
	PY TX150S7r/SFF/hot plug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V801	645,00	Phased out



# **PRIMERGY TX150 S8**

The PRIMERGY TX150 S8 stands for reliable and expandable server performance for SMEs, branch offices and virtualized environments. New to the PRIMERGY TX150 platform: The Intel® Xeon® E5 processor family provides a maximum of expandability in an one-socket server. Future demand is perfectly covered by 5 PCIe Gen2/3 expansion slots, up to 96 GB of memory and up to 16 hard disk drives. At the same time the optional redundant power supply units and fans ensure stable and reliable computing. And of course: Fujitsu's innovative Cool-safe™ concept together with processors of the Intel® Xeon® E5-1400 and E5-2400 family guarantee best energy efficient performance.

del	Description	Details	Product Code	EUP (€)	Comments
	t configurations				
	PY TX150 S8 PY TX150S8f/LFF/Standard PSU	Floorstand BU without processor and memory, incl. 1 standard power supply, lockable front bezel, 3 standard fans; Systemboard for 4 Core Pentium or 4 Core, 6 Core, 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 3,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 4 slots for hot plug 3,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1424-V101	665,00	
	PY TX150S8f/LFF/for hot-plug PSU	Floorstand BU without processor and memory and without a power supply, lockable front bezel, 3 standard fans + 1 fan for redundancy; Systemboard for 4 Core Pentium or 4 Core, 6 Core, 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 3,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 4 slots for hot plug 3,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1424-V201	550,00	
	PY TX150S8f/SFF/Standard PSU	Floorstand BU without processor and memory, incl. 1 standard power supply, lockable front bezel, 3 standard fans; Systemboard for 4 Core Pentium or 4 Core, 6 Core, 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 2,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 8 slots for hot plug 2,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1424-V301	695,00	
	PY TX150S8f/SFF/for hot-plug PSU	Floorstand BU without processor and memory and without power supply, lockable front bezel, 3 standard fans + 1 fan for redundancy; Systemboard for 4 Core Pentium or 4 Core, 6 Core, 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 2,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 8 slots for hot plug 2,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1424-V401	580,00	
	PY TX150S8r/LFF/Standard PSU	Rack optimized BU without processor and memory, incl. 1 standard power supply, 3 standard fans; Systemboard for 4 Core Pentium or 4 Core, 6 Core, 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 3,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 4 slots for hot plug 3,5" SATA/SAS HD´s, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1424-V501	680,00	



PRIN	IERGY TX150 S8				
	Description	Details	Product Code	EUP (€)	Comments
	it configurations				
PRIME	RGY TX150 S8 (Continued)				
	PY TX150S8r/LFF/for hot-plug PSU	Rack optimized BU without processor and memory and without a power supply, 3 standard fans + 1 fan for redundancy; Systemboard for 4 Core Pentium or 4 Core, 6 Core, 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 3,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 4 slots for hot plug 3,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1424-V601	565,00	
	PY TX150S8r/SFF/Standard PSU	Rack optimized BU without processor and memory incl. 1 standard power supply, 3 standard fans; Systemboard for 4 Core Pentium or 4 Core, 6 Core, 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 2,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 8 slots for hot plug 2,5" SATA/SAS HD´s, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1424-V701	710,00	
	PY TX150S8r/SFF/for hot-plug PSU	Rack optimized BU without processor, memory and without power supply, 3 standard fans; Systemboard for 4 Core Pentium or 4 Core, 6 Core, 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 2,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 8 slots for hot plug 2,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1424-V801	600,00	



#### **PRIMERGY TX200 S7**

The PRIMERGY TX200 S7: a perfect server for SMEs, branch offices or virtualized environments in an attractive design. It offers dual processor performance combined with expandability and energy efficiency. With up to 16 2.5-inch hard disk drives, you can save on an external storage unit. The high energy efficiency minimizes costs. Moreover, a maximum of 192 GB of memory, redundancy features, and the Intel® Xeon® E5-2400 processor family performance allow you to make a great start into virtualization. The PRIMERGY FX200 S7 also lends itself as a database or communication server.

A tower to rack conversion kit protects your investment's lifetime. This great system strikes the right balance between price and performance.

el l	Description	Details	Product Code	EUP (€)	Comments
unit	configurations	Details	ш.		
	GY TX200 S7		-		
	PY TX200S7f/LFF/Standard PSU	Floorstand BU without processor and memory, incl. 1 standard power supply, lockable front bezel, 3 standard fans; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 3,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 4 slots for hot plug 3,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1404-V101	825,00	
	PY TX200S7f/LFF/ for hot-plug PSU	Floorstand BU without processor and memory and without a power supply, lockable front bezel, 3 standard fans + 1 fan for redundancy; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 3,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 4 slots for hot plug 3,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1404-V201	710,00	
	PY TX200S7f/SFF/Standard PSU	Floorstand BU without processor and memory, incl. 1 standard power supply, lockable front bezel, 3 standard fans; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 2,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 8 slots for hot plug 2,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1404-V301	855,00	
	PY TX200S7f/SFF/for hot-plug PSU	Floorstand BU without processor and memory and without power supply, lockable front bezel, 3 standard fans + 1 fan for redundancy; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 2,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 8 slots for hot plug 2,5" SATA/SAS HD´s, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1404-V401	740,00	
	PY TX200S7r/LFF/Standard PSU	Rack optimized BU without processor and memory; with 1 standard power supply, 3 standard fans; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 3,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 4 slots for hot plug 3,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates	S26361-K1404-V501	840,00	
	PY TX200S7r/LFF/for hot-plug PSU	Rack optimized BU without processor and memory and without a power supply, 3 standard fans + 1 fan for redundancy; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 3,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 4 slots for hot plug 3,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1404-V601	725,00	



PRIM	ERGY TX200 S7				
Model	Description	Details	Product Code	EUP (€)	Comments
	t configurations				
<b>PRIMER</b>	GY TX200 S7 (Continued)				
	PY TX200S7r/SFF/Standard PSU	Rack optimized BU without processor and memory, incl. 1 standard power supply, 3 standard fans; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 2,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 8 slots for hot plug 2,5" SATA/SAS HD's, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates.		870,00	
	PY TX200S7r/SFF/for hot-plug PSU	Rack optimized BU without processor and memory and without a power supply, 3 standard fans + 1 fan for redundancy; Systemboard for 4 Core, 6 Core or 8 Core Xeon processor and DDR3 RDIMM or UDIMM; iRMC S3 Server Management with grafic Controller and 10/100Mbit Service LAN-Port; 6 Port SATA Controller (for 4x 2,5" SATA HDD + DVD) and 2x1 GBit Ethernet Controller onboard; 4 port SAS onboard Controller and modular 8-Port RAID Controller optional; 8 slots for hot plug 2,5" SATA/SAS HD´s, ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software and Updates	S26361-K1404-V801	760,00	



### **PRIMERGY TX300 S7**

The PRIMERGY TX300 S7 is a no compromise tower server with maximum levels of performance, expandability and availability. It combines the performance of Intel® Xeon® processors E5 family with up to two 6GB general-purpose computing on graphics processing units (GPGPU) for computationally intensive applications.

The expandability is excellent thanks to the 10 expansion slots and up to 24 2.5-inch hard disks. Thanks to the high availability offered by a choice of LAN cards, redundant fans and up to 4 hot-plug power supplies, the TX300 S7 is suited to database, virtualization or high performance computing scenarios. Moreover, the TX300 S7 power supplies reach energy efficiency levels of 94%, minimizing running costs and the environmental impact.

Model Base un	<b>Description</b> it configurations	Details	Product Code	EUP (€)	Comments
	RGY TX300 S7				
	PY TX300S7 LFF	Floorstand BU without processor and RAM, without hot plug power supply module, 6 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 4 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1390-V101	1.080,00	
	PY TX300S7 SFF	Floorstand BU without processor and RAM, without hot plug power supply module, 6 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAIDO/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1390-V201	1.080,00	



**Tower Servers Accessories** TX100 (\$71,0 (€) Category Description Details Accessories & services matrix Processor Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB Intel Xeon processor E5504 (4C/4T, 2.00 S26361-F3278-L20( 460,00 Phased out GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink Intel Xeon processor E5506 (4C/4T, 2.13 S26361-F3278-L21; 430,00 Phased out Intel Xeon E5506 4C/4T 2.13 GHz 4 MB х х GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB Intel Xeon processor E5520 (4C/8T, 2.26 S26361-F3279-L22( 745,00 Phased out GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB Intel Xeon processor E5540 (4C/8T, 2.53 S26361-F3279-L25 1.445,00 Phased out GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB Intel Xeon processor X5550 (4C/8T, 2.66 S26361-F3280-L26 1.870,00 Phased out GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon E5620 4C/8T 2.40 GHz 12 MB Intel Xeon processor E5620 (4C/8T, 2.40 S26361-F3618-L24( 640,00 Phased out GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon E5630 4C/8T 2.53 GHz 12 MB Intel Xeon processor E5630 (4C/8T, 2.53 S26361-F3618-L25 935,00 Phased out GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon E5640 4C/8T 2.66 GHz 12 MB Intel Xeon processor E5640 (4C/8T, 2.66 S26361-F3618-L26( 1.140,00 Phased out GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon X5650 6C/12T 2.66 GHz 12 MB Intel Xeon processor X5650 (6C/12T, 2.66 S26361-F3619-L26( 1.360,00 Phased out GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon X5660 6C/12T 2.80 GHz 12 MB Intel Xeon processor X5660 (6C/12T, 2.80 S26361-F3619-L28( 1.645,00 Phased out GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon X5675 6C/12T 3.06 GHz 12 MB Intel Xeon processor X5675 (6C/12T, 3.06 S26361-F3619-L30( 1.900,00 Phased out GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon X5690 6C/12T 3.46 GHz 12 MB S26361-F3619-L34( 2.300,00 Phased out Intel Xeon processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink Intel Xeon X5687 4C/8T 3.60 GHz 12 MB Intel Xeon processor X5687 (4C/8T, 3.60 S26361-F3620-L36( 2.300,00 Phased out GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) Intel Xeon L5630 4C/8T 2.13 GHz 12 MB Intel Xeon processor L5630 (4C/8T, 2.13 S26361-F3622-L21; 838,00 Phased out GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink Intel Xeon L5640 6C/12T 2.26 GHz 12 MB Intel Xeon processor L5640 (6C/12T, 2.26 S26361-F3622-L22( 1.430,00 Phased out Х GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink Intel Xeon E5645 6C/12T 2.40 GHz 12 MB Intel Xeon processor E5645 (6C/12T, 2.40 S26361-F3633-L24( 810,00 Phased out GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink Intel Xeon E5603 4C/4T 1.60 GHz 4 MB Intel Xeon processor E5603 (4C/4T, 1.60 S26361-F3648-L16( 260,00 Phased out GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. S26361-F3648-L21; 420,00 Phased out Intel Xeon E5606 4C/4T 2.13 GHz 8 MB Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s. Mem bus: 1066 MHz. 80 W) incl. S26361-F3649-L25; 1.115,00 Phased out Intel Xeon E5649 6C/12T 2.53 GHz 12 MB Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB Intel Xeon processor E5-2620 (6C/12T, S26361-F3676-L20( 540,00 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB Intel Xeon processor E5-2630 (6C/12T, S26361-F3676-L23( 775,00 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB Intel Xeon processor E5-2640 (6C/12T, S26361-F3676-L25( 1.105,00 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. Intel Xeon E5-2403 4C/4T 1.80 GHz 10 MB Intel Xeon processor E5-2403 (4C/4T, 1.80 S26361-F3684-L18( 260,00 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon E5-2407 4C/4T 2.20 GHz 10 MB Intel Xeon processor E5-2407 (4C/4T, 2.20 S26361-F3684-L22( 320,00 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB Intel Xeon processor E5-2603 (4C/4T, 1.80 S26361-F3685-L18( 295,00 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB Intel Xeon processor E5-2609 (4C/4T, 2.40 S26361-F3685-L24( 400,00 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink S26361-F3687-L30( 1.105,00 Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 80 W) incl. heat sink Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB Intel Xeon processor E5-2643 (4C/8T, 3.30 S26361-F3687-L33( 1.105,00 GHz. TLC: 10 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink Intel Xeon E5-2420 6C/12T 1.90 GHz 15 MB Intel Xeon processor E5-2420 (6C/12T, S26361-F3723-L19( 490,00 1.90 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. Intel Xeon E5-2430 6C/12T 2.20 GHz 15 MB Intel Xeon processor E5-2430 (6C/12T, S26361-F3723-L22( 660,00 2.20 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. Intel Xeon E5-2440 6C/12T 2.40 GHz 15 MB Intel Xeon processor E5-2440 (6C/12T, S26361-F3723-L24( 1.000,00 2.40 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. Intel Xeon E5-2450 8C/16T 2.10 GHz 20 MB Intel Xeon processor E5-2450 (8C/16T, S26361-F3724-L21( 1.210,00 2.10 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. Intel Xeon E5-2470 8C/16T 2.30 GHz 20 MB Intel Xeon processor E5-2470 (8C/16T, S26361-F3724-L23( 1.655,00 2.30 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. Intel Xeon E5-2430L 6C/12T 2.00GHz 15MB Intel Xeon processor E5-2430L (6C/12T, S26361-F3725-L20( 790.00 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB Intel Xeon processor E5-2650 (8C/16T, S26361-F3686-L20( 1.320,00 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB Intel Xeon processor E5-2660 (8C/16T, S26361-F3686-L22( 1.590,00 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. S26361-F3686-L26( 1.830,00 Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 115 W) incl. Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB Intel Xeon processor E5-2680 (8C/16T, S26361-F3686-L27( 2.055,00 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB Intel Xeon processor E5-2690 (8C/16T, S26361-F3686-L29( 2.420,00 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 135 W) incl. Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB Intel Xeon processor E5-2667 (6C/12T, S26361-F3687-L29( 1.830,00 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB Intel Xeon processor E5-2650L (8C/16T, S26361-F3688-L18( 1.320,00 1.80 GHz, TLC: 20 MB, Turbo: Yes. 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB Intel Xeon processor E5-2630L (6C/12T S26361-F3688-L20( 845,00 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 60 W) incl.



		MERGY TX100 S1	TX100 TX100	PRIMERGY TX120 S2 PRIMERGY TX120 S3		PRIMERGY TX140 S1p PRIMERGY TX140 S2	XX	PRIMERGY TX150 S3 PRIMERGY TX150 S4 PRIMERGY TX150 S5	PRIMERGY TX150 S6 PRIMERGY TX150 S7	PRIMERGY TX150 S8 PRIMERGY TX150 SAT			RIMERGY TX300 S2	PRIMERGY TX300 S3 PRIMERGY TX300 S4 PRIMERGY TX300 S5	MERGY TX300 S6	MERGY TX300 S7 MERGY TX300 S8	MERGY TX600 MERGY TX600 S2	ERGY TX600	(€) nments	
Description ries & services matrix	Details	PRI			PRI	PRI	PRI				PRI PRI			PRI PRI	PR	PR B	PRI PRI	P P P P P P P P P P P P P P P P P P P	COm	
sor (Continued) / MEM 2GB DDR2-533 PC2-4200 ub ECC (1	Mo 1 module, unbuffered DDR2-533							V V	,									S26361-F3000-L51	165,00 Phased out	
2 GB DDR3 1333 MHz PC3-10600 ub s/d E		х						X X	Х									S26361-F3000-L31	50,00 Phased out	
4 GB DDR3 1333 MHz PC3-10600 ub d EC	unbuffered, ECC, 1333 MHz, PC3-10600,	х							х									S26361-F3335-L51	75,00 Phased out	
2 GB DDR3 1333 MHz PC3-10600 ub s EC	unbuffered, ECC, 1333 MHz, PC3-10600,		Х	х														S26361-F3335-L524	50,00 Phased out	
4 GB DDR3 1333 MHz PC3-10600 ub d EC	unbuffered, ECC, 1333 MHz, PC3-10600,		Х	x														S26361-F3335-L52	75,00 Phased out	
8 GB DDR3 1333 MHz PC3-10600 ub d EC	unbuffered, ECC, 1333 MHz, PC3-10600,		X	Х														S26361-F3335-L520	205,00 Phased out	
2GB (1x2GB) 1Rx8 DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800,		X		X	X												S26361-F3719-L51	45,00	
4GB (1x4GB) 2Rx8 DDR3-1600 U ECC 8GB (1x8GB) 2Rx8 DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, 8 GB (1 module(s) 8 GB) DDR3,		X		X	X												S26361-F3719-L514	75,00 165,00	
2GB DDR2-800 PC2-6400 ub d ECC 1 MO	unbuffered, ECC, 1600 MHz, PC3-12800,				^	^			X									S26361-F3719-L51;	105,00 Phased out	
2 GB DDR3 1333 MHz PC3-10600 rg s/d E									Х									S26361-F3336-L51	60,00 Phased out	
4 GB DDR3 1333 MHz PC3-10600 rg d EC0	registered, ECC, 1333 MHz, PC3-10600,								х									S26361-F3336-L51	105,00 Phased out	
8 GB DDR3 1066 MHz PC3-8500 rg q ECC	registered, ECC, 1066 MHz, PC3-8500,								х									S26361-F3336-L510	180,00 Phased out	
2GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM	X																S26361-F3373-L414	120,00 Phased out	
PY NVIDIA Tesla K20 GPGPU	NVIDIA Tesla K20 PCIe-x16 GPGPU card for TX300 S7ff; RX350 S7ff; for HPC puroses no Graphic Output															XX		S26361-F2222-L22	4.475,00	
PY NVIDIA Tesla K20X GPGPU	NVIDIA Tesla K20X PCIe-x16 GPGPU card for TX300 S7ff; RX350 S7ff; for HPC															хх		S26361-F2222-L24	6.450,00	
Front-VGA Interface	puroses no Graphic Output  2nd optional VGA interface front side															хх		S26361-F2571-L26	20,00	
PY VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCle-x1 graphic card	х	хх		х	хх			х	х		X >	(			XX		S26361-F2748-L53	135,00	
PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCle-x1 graphic card, low profile			x x	х													S26361-F2748-L63	135,00	
PY NVIDIA Tesla C2075 GPGPU	NVIDIA Tesla C2075 PCIe-x16 GPGPU Karte for TX300 S7 / RX350 S7															х		S26361-F2856-L99	·	
PY K20 / K20X mounting kit	Mounting and Cable Kit to install up to 2 NVIDIA K20 or K20X GPGPU cards;															хх		S26361-F3736-L2	95,00	
	Includes an Air Duct plus cable set and the PCI card holder inclusive all screws for up																			
PY Intel Xeon Phi mounting kit	to 2x GPGPU K20 or K20X  Mounting and Cable Kit to install up to 2															хх		S26361-F3736-L5	95,00	
	Intel Xeon Phi 5110P or 7120P Co- Processor cards; Includes an Air Duct plus																			
	cable set and the PCI card holder inclusive all screws for up to 2x Xeon Phi 5110P or																	000000	0.005.50	_
Intel Xeon Phi Co-Processor 5110P	Intel Xeon Phi 5110P PCIe-x16 Co- Processor card for CX270 S2; TX300 S7ff; RX350 S7ff; for HPC puroses no Graphic															X X		S26361-F4100-L51	3.895,00	
able Media Drives	for slim DVD, 1x Local Service Display, 2x															<b>.</b>		S06264 F2826 L40	05.00	
MountingKit DVD(sI)+LSD+2x SAS LFF HDI	HDD									x			,			х х		S26361-F2826-L109	90,00	
MountingKit DVD(sI)+LSD+2x SAS LFF HDI	HDD for slim DVD, 1x Local Service Display, 2x HFDD									X		,				хх		S26361-F2826-L10(	30,00	
ExtensionKit 8x SAS SFF HDD  ExtensionKit 4x SAS LFF HDD	HDD Extension for 8x SFF hotplug HDD HDD Extension for 4x LFF hotplug HDD															X X X X		S26361-F2826-L20 S26361-F2826-L32 S26361-F2826-L33	90,00 80,00	
MountingKit 8x SAS SFF HDD Mounting Kit for 8x SAS SFF HDD	Extension Box for 8x 2,5" hotplug HDD for slim DVD, 1x Local Service Display, 2x									x		>	(			x x		S26361-F2826-L429 S26361-F2826-L429	90,00 130,00	
MountingKit DVD(sl)+4x SAS LFF HDD	HDD for slim DVD, 4x HDD															хх		S26361-F2826-L43	90,00	
MountingKit DVD(sI)+4x SAS LFF HDD Blu-ray Triple Writer slimline SATA	for slim DVD, 4x HDD  Read: 6x BD-ROM, 8x DVD, 24x CD, Write:		хх		Х	хх				x		>	<u> </u>					S26361-F2826-L436 S26361-F3641-L4	110,00 165,00	
CAC Firenander 2nd la / Grid Out	6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height																	506264 F2669 I 4	255.00	
SAS Expander 2x4 In / 6x4 Out Adapter Kit for 2nd RAID Controller USB3.0 PCle x1 adapter card	SAS Expander 2x4 In / 6x4 Out Adapter Kit for 2nd RAID Controller USB 3.0 adapter card to connect one	Y	x x	X X	V V	V V			X	Y		X	,			x x x x x x		S26361-F3668-L1 S26361-F3673-L1 S26361-F3749-L50	255,00 20,00 25,00	
SOBS. OT OIC XT adaptor card	internal USB 3.0 RDX drive and one external USB 3.0 device		^ ^															02030113743 200	25,00	
F-D-L-HDD-Box2 MountingKit DVD(sl)+LSP/LSD	for slim FDD or LocalView and DVD, 2x for slim DVD, 1x Local Service Panel or								х		>	x x		x x x	X			S26361-F2826-L10 S26361-F2826-L20	100,00 Phased out 30,00	
F-D-L-HDD-Box2	Display for slim DVD, 1x Local Service Panel or														X			S26361-F2826-L10	100,00 Phased out	
MountingKit DVD(sl)+LSP/LSD +SAS LFF H	Display, 2x HDD DD for slim DVD, 1x Local Service Panel or											x x						S26361-F2826-L104	85,00	
F-D-L-HDD-Box2	Display, 2x HDD for slim FDD or LocalView or CSS and							X	x x									S26361-F2826-L102	100,00 Phased out	
DVD-RW supermulti slimline SATA	DVD, 2x HDD all CD/DVD formats, DUAL/DL, DVD-			x x	X				X	x		x x x	(	X	x	хх		S26361-F3269-L2	95,00	
SFF 8xSAS HDD Box	RAM,slimline 0.5" fitting height, black Extension Box for 8 pc. 2.5" hotplug HDD											x x		X	X			S26361-F2826-L114	165,00	
Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all			X	X				X	×								S26361-F3641-L2	165,00	
DVD-ROM 1.6" SATA	CD/DVD formats, slimline 0,5" fitting height 16x DVD, 48x CD, 1.6" fitting height, black bezel	x x	хх		Х	хх			X	x		x x x	(	x	х	хх		S26361-F3266-L2	35,00	
DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel	хх	хх		х	хх			х	х		x x x		x	x	х х		S26361-F3267-L2	60,00	
RDX 320 5.25'	RDX Drive USB 3.0 100MB/s 5.25" intern with 320 GB cartridge., USB Connector:	x	хх		х	хх			x	х		X X	(		x	х х		S26361-F3750-L324	285,00	
	USB 3.0 "B", with USB3.0 "A" to "B" cable, 1.6" fitting height, black bezel.																			
RDX 320 3.5'	RDX Drive USB3.0 100MB/s 3.5" intern with 320GB Cartridge, USB Connector: USB 3.0			х	х													S26361-F3750-L32	285,00	
	"B" with USB3.0 "A" to "B" cable , 1.6" fitting height, black bezel.																			
RDX 500 5.25'	RDX Drive USB 3.0 100MB/s 5.25" intern with 500 GB cartridge., USB Connector:	x	хх		x	x x			х	х		x >			x	хх		S26361-F3750-L504	375,00	
	USB 3.0 "B", with USB3.0 "A" to "B" cable, 1.6" fitting height, black bezel.																			
RDX 500 3.5'	RDX Drive USB3.0 100MB/s 3.5" intern with 500GB Cartridge, USB Connector: USB 3.0			X	х													S26361-F3750-L50	375,00	
	"B" with USB3.0 "A" to "B" cable , 1.6" fitting height, black bezel.																			
RDX 1000 5.25'	RDX Drive USB 3.0 100MB/s 5.25" intern with 1000 GB cartridge., USB Connector:	X	хх		X	x x			X	X		X >			X	хх		S26361-F3750-L604	420,00	
	USB 3.0 "B", with USB3.0 "A" to "B" cable , 1.6" fitting height, black bezel.																			_
RDX 1000 3.5'	RDX Drive USB3.0 100MB/s 3.5" intern with 1000GB Cartridge, USB Connector: USB			X	х													S26361-F3750-L60	420,00	
	3.0 "B" with USB3.0 "A" to "B" cable , 1.6" fitting height, black bezel.																			
RDX Drive USB2.0 cable set	Necessary for the RDX USB3.0 drive, if the USB3.0 adapter card is not used!,		x x	X		x x			X			X >				хх		S26361-F3750-L20	20,00	
RDX Drive USB3.0 5.25" internal	RDX Drive USB 3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B", with USB3.0	X	x x		X	x x			X	X		X			X	X X		S26361-F3750-L4	210,00	
Tara Managara	"A" to "B" cable , 1.6" fitting height, black bezel.																	000001	505.00	
Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with USB cables for Econel, TX150,	x x	x x		X	x x		x x	x x	X	X	( x x )		x x x	X	X X		S26361-F3324-L4	505,00	
DDVD-1 197	TX200 and TX300, with description (G/US) and cleaning cartridge																	000001	040.00	
RDX Drive USB 3.0 3.5" internal	RDX Drive USB3.0 100MB/s 3.5" intern, , USB Connector: USB 3.0 "B" with USB3.0			X X	X													S26361-F3750-L5	210,00	
Tone 1/4 DDO Corresponding	"A" to "B" cable , 1.6" fitting height, black bezel.																	P00004 F0001	E0E 00	
Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with			X	x													S26361-F3324-L5	505,00	
Tape Kit DDS Gen6 80GB USB 5.25" int.	description (G/US) and cleaning cartridge DDS Gen6 80GB 6MB/s 5.25" intern, USB	хх	x x		X	x x			X	X		x x >		x	X	хх		S26361-F3325-L4	735,00	
	2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with																			
Tape Kit DDS Gen6 80GB USB 3.5" intern	cleaning cartridge  DDS Gen6 80GB 6MB/s 3.5" intern, USB			x	X													S26361-F3325-L2	735,00	
	2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with																			
Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	cleaning cartridge SAS 3GB Interface, mini-SAS connector,				x	x x			хх	х		x x >		x	x	хх		S26361-F3561-L4	1.410,00	
	1.6" fitting height, black, with SAS cable, with cleaning cartridge																			
Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with				X	x x			хх	X	)	( x x )		хх	Х	х х		S26361-F3626-L2	1.825,00	



			0 S3p	0 S2				0 S2		9S 0	0 S8		0 83		0 S6 0 S7	) S2	3 S4 3 S5	9S 0	88	0 0 S2			
		MERGY TX100 MERGY TX100	PRIMERGY TX100 PRIMERGY TX100		PRIMERGY TX120	Σ	PRIMERGY TX140 PRIMERGY TX150	ΣΣ	PRIMERGY TX150 PRIMERGY TX150	PRIMERGY TX150 PRIMERGY TX150	PRIMERGY TX150	2 2 2	RIMERGY TX200		Y   X	PRIMERGY TX300 PRIMERGY TX300	MERGY TX300 MERGY TX300	MERGY TX300 MERGY TX300	MERGY TX300	MERGY TX600 MERGY TX600	MERGY TX600	(€)	Comments
ry Description ries & services matrix	Details	PR P			PR		PR PR	PR PR	PR P	PRI II	PR PR			PR PR				PR	PR	PR P	Pro	EUP	Co
Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with				X	x x	X			X	x		П		x x			x x	x		S26361-F3627-L1	2.220,00	
ND/SAS controller	cleaning cartridge																				000004 5004410	05.00	Dhandad
68-Pin Kit for accessible drives RAID Ctrl BBU Upgrade 8344ELP LSI RAID Contr BBU Upgrade for RAID 5/6	Cable with terminator BBU Upgrade for LSI 8344ELP BBU Upgrade for Fujitsu SAS/SATA RAID						X	X X	х	X	)	K X	X X	XX			x x x x x			X	S26361-F2814-L6 x S26361-F3215-L10 S26361-F3257-L10	220,00	Phased out Phased out Phased out
RAID Contr BBU Upgrade for RAID 5/6	Controller for RAID Ctrl. F3257 256MB and 512MB BBU Upgrade for "RAID Ctrl SAS 6G 5/6			X										х			x				S26361-F3257-L11(	165,00	
	512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI" incl. cable 16cm, 55cm, 70cm																						
RAID Contr BBU Upgrade for RAID 5/6 C	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI" incl. cable 16cm,		x x	X	X X	X	X			х	X				x x			x x	X		S26361-F3257-L21(	165,00	
RAID 0/1 SAS based on LSI MegaRAID 4Port	55cm, 70cm,  RAID-Ctrl, LSI MegaRAID SAS1064, PCle x4, 4 internal ports			х	×	( X				хх				хх	x		хх	X			S26361-F3257-L4	110,00	
SCSI Ctrl U320 1ch int/ext PCle SCSI Ctrl U320 1ch int/ext PCle lp	Adaptec 29320LPE, 1x U320 SCSI Adaptec 29320LPE, 1x U320 SCSI, low			x						хх				хх	x		хх	X			S26361-F3270-L1 S26361-F3270-L20		Phased out Phased out
SAS Ctrl 3GB/s 4int/4ext PCle	profile SAS Controller 3GB/s 8 port, LSI SAS3442E-R									хх				хх	X		x x	X			S26361-F3271-L1	265,00	Phased out
SAS Ctrl 3GB/s 4int/4ext PCle lp SAS Ctrl 6G 8ext PCle FH/LP	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile SAS Controller 6GB/s 8 port, based on			X	V V	( X	v				v				x x			V V	, v		S26361-F3271-L20 <sup>-</sup> S26361-F3628-L50 <sup>-</sup>		Phased out
RAID CABLE TX100 S3	chip LSI SAS2008		x x	X	XX	X	X			X	X				X X			XX	X		S26361-F3659-L2	25,00	
TFM Module for FBU option on D3116  RAID Ctrl FBU option w/ 25/55/70cm cable	TFM module for "RAID Ctrl SAS 6G 1GB (D3116)"  FBU option for "RAID Ctrl SAS 6G 1GB		X		X	X					x				X				x x		S26361-F3669-L100		
NAID CHI FBO OPHOTI W 23/33/70CHI Cable	(D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 25/55/70cm cable				*	^	^				^				^			^	`		320301-F3009-L110	113,00	
RAID Ctrl SAS 6G 8Port ex 1GB LSI V3	RAID-Ctrl, LSI MegaRAID SAS 9286CV-8e, PCle3.0 x8, 1GB Cache with ECC, , 8 external ports, optional FBU, FH and LP														X			X	X		S26361-F3713-L50	800,00	New product,Orderable from: 15/06/2013
RAID Ctrl SAS 8Port opt remote BBU LSI	bracket optional BBU for LSI MegaRAID SAS8880E									X				х			х				S26361-F3890-L11		Phased out
RAID Ctrl SAS 8Port 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCle x4, 512MB Cache, 8 external ports, without iBBU									X				x x			x x				S26361-F3890-L50 <sup>4</sup>	745,00	Phased out
RAID Ctrl SAS 6G 8Port ex 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID based on Controller SAS2108, PCle x4, 512MB				х					x	х		$\dagger \dagger$	х	хх		x	x x	(		S26361-F3593-L50 <sup>-</sup>	595,00	
RAID Ctrl SAS 6G 0/1 (D2607)	Cache with ECC, 8 external ports, without SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8			x x	x x	x x	X			х	x		+	X	x x			x x	( X		S26361-F3554-L8	175,00	
RAID CABLE TX100 S2	internal ports für nachträgliche Hochrüstung mit einem	X																			S26361-F3659-L1	25,00	
RAID Ctrl SAS 6G 8Port ex 1GB FH/LP LSI	RAID Kontroller RAID-Ctrl, LSI MegaRAID SAS9285-8e,														x			X	(		S26361-F3713-L50 <sup>-</sup>		
	PCle2.0 x8, 1GB Cache with ECC, , 8 external ports, optional FBU, FH and LP bracket																						
RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8	х	хх	хх	х	X	х			х	x			х	хх			х	X		S26361-F3554-L512	390,00	
RAID Ctrl SAS 6G 1GB (D3116)	internal port SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8										х				x			X	(		S26361-F3669-L1	435,00	
RAID Ctrl SAS 6G 1GB (D3116)	internal ports SAS/SATA RAID Controller based on LSI		X		X	X															S26361-F3669-L2	435,00	
RAID Ctrl SAS 6G 1GB (D3116C)	MegaRAID SAS2208, PCle 2.0 x8, 8 internal ports  SAS/SATA RAID Controller based on LSI		X		X	X	v .				X				X				( X		S26361-F3669-L3	435,00	
NAID OUT OAD OF TOD (BSTTOO)	MegaRAID SAS2208, PCle 3.0 x8, 8 internal ports				^	^	^				^							^			320301-1 3003-23	433,00	
SAS Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS,										x				x			X	X		S26361-F3674-L1	85,00	
hannel FC Ctrl 2x4GBit/s QLE2462 MMF LC	QLE2462 , 4GBit/s, 2 channel FC												X	x x	x		x x x	X			x   S26361-F3483-L2	1.915,00	Phased out
	controller, PCle x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.																						
FC CTRL 8GBIT/S LPE1250 MMF LC FH	1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, , Optics: 8GB short													x x	хх		хх	хх	×		S26361-F3961-L1	860,00	
FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	wave lasers with LC type connectors  2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, , Optics: 8GB short													x x	хх		хх	x x	( X		S26361-F3961-L2	1.385,00	
PFC EP LPe16000	wave lasers with LC type connectors  1 channel 16GBit/s FC controller, PCI														x			x	x x		S26361-F4994-L50 <sup>-</sup>	1.525,00	
	intergace: PCle 3.0 x8; backwards compatible to PCle 2.0, Optics: 16GB short wave lasers with LC type connectors,																						
	Bracket: low profile bracket mounted, full height bracket attached																						
PFC EP LPe16002	2 channel 16GBit/s FC controller, PCI intergace: PCIe 3.0 x8; backwards														х			X	X		S26361-F4994-L502	2.375,00	
	compatible to PCle 2.0, Optics: 16GB short wave lasers with LC type connectors, Bracket: low profile bracket mounted, full																						
FC Ctrl 4GBit/s LPe1150 MMF LC	height bracket attached  LPe1150, 4GBit/s, 1-channel FC controller,												x	x x	x		x x x	X		×	x S26361-F3306-L1	1.180,00	Phased out
FC Ctrl 8GB/s 1 channel QLE2560 MMF LC	PCle x4, MMF LC inferface 1 channel 8GBit/s FC controller, , PCl intergace: PCle 2.0 x8, ; backwards														хх			x x	x		S26361-F3631-L1	955,00	
	compatible to PCle Gen1, Optics: 8GB short wave lasers with LC type connectors																				22224 5224 12	4.540.00	
FC Ctrl 8GB/s 2 channel QLE2562 MMF LC	2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB														X X			x x	X		S26361-F3631-L2	1.540,00	
nication/Network Eth Ctrl 2x1GBit PCle PRO/1000PT Cu	short wave lasers with LC type connectors  Intel Pro 1000PT 2 Port Server Adapter	x																			x   S26361-F3228-L1	475.00	Phased out
Eth Ctrl 2x1GBit PCle PRO/1000PT Cu lp Eth Ctrl 1x1GBit PCle Pro/1000PT Cu	Intel Pro 1000PT 2 Port Server Adapter Intel® Pro 1000PT 1 Port Server Adapter	X X		(						хх			X	X X			x x x x	Х			S26361-F3228-L20 x S26361-F3241-L1	175,00 90,00	Phased out
Eth Ctrl 1x1GBit PCle Pro/1000PF LC Eth Ctrl 1x1GBit PCle Pro/1000PF LC lp Eth Ctrl 4x1GBit PCle x4 PRO/1000PT Cu	Intel® Pro 1000PF 1 Port Server Adapter Intel® Pro 1000PF 1 Port Server Adapter Intel Pro 1000PT Quad Port Server			X			X			X X				X X	X		x x x x x x		X		x S26361-F3242-L1 S26361-F3242-L20' x S26361-F3462-L1		
Eth Ctrl 4x1GBit PClex4 PRO/1000PT Cu lp	Adapter with full hight bracket Intel Pro 1000PT Quad Port Server Adapter with low profile bracket		2	<																	S26361-F3462-L20 <sup>-/</sup>	495,00	Phased out
Eth Ctrl 1x1GBit PCle CT Desktop Cu Eth Ctrl 4x1GBit Cu PCle x4 D3045	Intel® GBit CT 1 Port Desktop Adapter Ethernet Server Adapter Eth Ctrl 4x1GBit	хх	хх	X	X X	X X				x x	X			x x	X X X X		хх	x x x	_		S26361-F3516-L1 S26361-F3739-L50	45,00 390,00	
	Cu PCle x4 D3045, Based on Intel LAN controller chip I350-AM4, Usable with original Intel driver kit																						
Eth Ctrl 2x1GBit Cu PCle x4 D3035	Ethernet Server Adapter Eth Ctrl 2x1GBit Cu PCle x4 D3035, Based on Intel LAN	х	хх	x x	хх	x x	x			x	х				хх			x x	X		S26361-F3740-L50 <sup>-</sup>	210,00	
Eth Ctrl 2:d 0CDasa T DOIs v0 VE 40 T2	controller chip I350-AM2, Usable with original Intel driver kit										.,										C2C2C4 F27F2 L F0′	800.00	
Eth Ctrl 2x10GBase-T PCle x8 X540-T2	Ethernet Server Adapter Eth Ctrl 2x10GBase-T PCle x8 X540-T2, Based on Intel LAN controller chip Twinville, Usable				XX	X	X				X				X			X	( X		S26361-F3752-L502	890,00	
Eth Ctrl 1x1GBit PCle CT Desktop Cu lp	with original Intel driver kit Intel® GBit CT 1 Port Desktop Adapter lp			X X	X																\$26361-F3516-L20' \$26361-F3241-L20'		
Eth Ctrl 1x1GBit PCle Pro/1000PT Cu lp FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2.0 x 8, SFP+ for opt. module or Twinax		7	( X											x			x x	x		S26361-F3241-L201 S26361-F3592-L2		Phased out
Eth Ctrl 2x10GBit PCle x8 X520-DA2 SFP+	cable Intel® Ethernet Server Adapter X520-DA2									X					X		x	X			S26361-F3555-L50 <sup>-</sup>	820,00	Phased out
Eth Ctrl 2x10GBit PCle x8 D2755 SFP+	for SFP+ modules and SFP+ twinax cables Ethernet Server Adapter Eth Ctrl 2x10GBit PCle x8 D2755 SFP+				х	x x	Х			Х	x				хх			x x	x		S26361-F3629-L502	525,00	
Shared 10GB Management LAN kit SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102																	x x	x x		S26361-F3629-L750 S26361-F3592-L108		
IB HCA 40GB 1 Kanal QDR	InfiniBand HCA 40GB/s, 1-port, QDR, , Appropriate cables: Infiniband Cu Kabel																	x	( X		S26361-F4475-L102	625,00	
	40GB, 4x QSFP, 1m (S26361-F3996- L101) or 3m (S26361-F3996-L103)																		,		C2C2C4 F4475 1 10	605.00	
ID HOA 400D 4 CCC	InfiniDanal LIOA 400D/	1 1	100	1 1		1 [			1 1									X	X		S26361-F4475-L101	685,00	
IB HCA 40GB 1 port QDR enhanced  IB HCA 40GB 2 port QDR enhanced	InfiniBand HCA 40GB/s, 1-port, QDR, enhanced InfiniBand HCA 40GB/s, 2-port, QDR,																	У	ίX		S26361-F4475-L20	1.060.00	



			83 83b	) S2	S3p	3 S1p		) S2		9S C	) S8		) S2	S S S S S S S S S S S S S S S S S S S	9S (	82	S	86	88	) ) ) S2				
		MERGY TX100	PRIMERGY TX100 PRIMERGY TX100		PRIMERGY TX120	Σ	PRIMERGY TX140	PRIMERGY TX150 PRIMERGY TX150	PRIMERGY TX150 PRIMERGY TX150	PRIMERGY TX150 PRIMERGY TX150	PRIMERGY TX150	-    -	PRIMERGY TX200 PRIMERGY TX200	$\vdash \mid \vdash \mid$	PRIMERGY TX200 PRIMERGY TX200	PRIMERGY TX300 PRIMERGY TX300	MERGY 1X300 MERGY TX300 MERGY TX300	MERGY TX300	IMERGY 1X300 IMERGY TX300	IMERGY TX600	MERGY TX600	duct Code	P (€)	Comments
Description es & services matrix	Details	<u>R</u> R					<u> </u>	<u>R</u> <u>R</u>	<u>R</u> R	PR BR				<u>R</u> <u>R</u>	조 조		X   X   X		Z Z	<u>R</u> <u>R</u>	<u>R</u>	<b>P</b>	EUP	Ö
ication/Network (Continued) castructure Conversion kit TX300 S6 Floor -> Rack	for conversion of a floorstand BU to rack																	х			S2636	61-F1729-L2	5( 125	5,00 Phased out
Conversion kit Floor BU to Rack BU Conversionkit PRY TX200 S5 Floor -> Rack RMK-F2_3-xU-Servers_13mm-Drop-in Rails	for conversion of a floorstand BU to rack for conversion of a floorstand BU to rack Telescopic full extract. drop-in mount.; vario-carrier for toolless mounting, max.					x x				X				X X					x x		S2636 S2636	61-F1729-L2 61-F2618-L2 61-F2735-L2	6( 100 6( 100	0,00 0,00 5,00
Rack Mount Kit F2-C S7 LV	load 50 kg, , Rack installation depth (19" pillar distance) between 714mm and Rack Mount Kit (RMK) for server more than 2 height units (U) or max. 50 Kg (F2) with										х				x				хх		S2636	61-F2735-L2	8: 100	0,00
	Quick-Release-Lever (QRL). Drop in telesope rails (DI) 781mm long, full extraction 815mm, with cable management adapter (CMA) for toolless mounting of cable management arms. Vario carrier 2																							
	for mounting in PRIMECENTER and 3rd- party racks. Toolless adjustable rack mounting depth (rack pillar distance) between 559 and 914 mm depth. Pre-																							
Rack Mount Kit F2 S7 LV	Rack Mount Kit (RMK) for server max. 2 height units (U) or max. 35 Kg (F1) with Quick-Release-Lever (QRL). Drop in telesope rails (DI) 736mm long, full														х				х х		S2636	61-F2735-L2	8( 100	0,00
	extraction 815mm. Vario carrier 2 for mounting in PRIMECENTER and 3rd-party racks. Toolless adjustable rack mounting depth (rack pillar distance) between 559 and 914 mm depth. Pre-adjustment pos. 3																							
Adapter angle PC/DC-Rack, 3U till 200Kg cage nut set, M5, t=2,5mm Conversion Kit TX200S7/150S8 std.to red. Cable mgmt. lateral for asym. PC racks	Adapter angle PC/DC-Rack, 3U till 200Kg Content: 50 pieces for conversion of a std. BU to red. BU Cable management for server or storage				)	x	X		x x	хх	X		x x	X	X X X X	X	x x	x x	x x		x S2636 S2636	61-F2735-L3 61-F2735-L5 61-F3699-L1 61-F2735-L7	0( 50 110	0,00 0,00 0,00 0,00
	subsystem 2U or higher mounted into asymmetrical PRIMECENTER racks																							
1 U cable arm, dragged  Rack Cable Management Arm 2U	cable arm for PRIMERGY server, dragged for PRIMECENTER- and 3rd-party racks Loose Delivery: Cable management arm, dragged with bracket, can be used for PRIMERGY servers 2U or higher. Can be								x x		x		x x		x	X	x		x x			61-F2735-L8 61-F2735-L8		0,00
cable arm 2U PCR M1 S and 3rd partyracks	mounted in PRIMECENTER and 3rd-party racks, can only be mounted at RMKs with CMA adapter.  Cable arm 2U to be mounted at right or left				)	x	x x			x x		x	x	хх	x	x x	x x	x x		X	S2636	61-F2201-L2	0 50	0,00
	rack pillar behind servers higher oder equal 2U. Released for symmetrical PRIMECENTER M1 or 3rd party racks.																							
GY-Software IRMC advanced pack	, On top of standard iRMC features, the iRMC Advanced Pack additionally provides			x					X				x				x				S2636	61-F1790-L2	4( 305	5,00
	the functions Advanced Video Redirection (AVR) and Remote Storage, , Advanced Video Redirection (AVR) , - System-independent graphics and text console redirection, including the keyboard and mouse, - Remote access to permit boot																							
	monitoring, BIOS administration and interaction with the operating system, , Remote Storage , Remote Storage makes available to the managed server a "virtual" drive which is located elsewhere in the network. , The "virtual drives" provided by																							
	Remote Storage are as easy to use as local drives and offer the following options:, - Reading/writing of data, - Booting from Remote Storage, - Installation of drivers or																							
	small applications, - Remote BIOS update (BIOS update via USB), , Remote Storage permits simultaneous connection of up to two "virtual" drives and supports the following types of device:, - Floppy disk, -																							
iRMC S2 advanced pack	CD-ROM / DVD-ROM USB memory , On top of standard iRMC features, the iRMC Advanced Pack additionally provides the functions Advanced Video Redirection (AVR) and Remote Storage, , Advanced Video Redirection (AVR) , - System-			x						x x				x x	X		x x	x x			S2636	61-F1790-L2 <sup>,</sup>	4 305	5,00
	independent graphics and text console redirection, including the keyboard and mouse, - Remote access to permit boot monitoring, BIOS administration and interaction with the operating system, , Remote Storage, Remote Storage makes																							
	available to the managed server a "virtual" drive which is located elsewhere in the network. , The "virtual drives" provided by Remote Storage are as easy to use as local drives and offer the following options:,																							
	- Reading/writing of data, - Booting from Remote Storage, - Installation of drivers or small applications, - Remote BIOS update (BIOS update via USB), , Remote Storage permits simultaneous connection of up to																							
iRMC S3 advanced pack	two "virtual" drives and supports the following types of device:, - Floppy disk, - CD-ROM / DVD-ROM USB memory ", On top of standard iRMC features, the				( X )	x					X				X				x x		S2636	61-F1790-L2	42 305	5.00
The second secon	iRMC Advanced Pack additionally provides the functions Advanced Video Redirection (AVR) and Remote Storage, , Advanced Video Redirection (AVR) , - System- independent graphics and text console																							
	redirection, including the keyboard and mouse, - Remote access to permit boot monitoring, BIOS administration and interaction with the operating system,																							
	Remote Storage, Remote Storage makes available to the managed server a "virtual" drive which is located elsewhere in the network., The "virtual drives" provided by Remote Storage are as easy to use as																							
	local drives and offer the following options:, - Reading/writing of data, - Booting from Remote Storage, - Installation of drivers or small applications, - Remote BIOS update (BIOS update via USB), , Remote Storage																							
VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	permits simultaneous connection of up to two "virtual" drives and supports the following types of device:, - Floppy disk, - CD-ROM / DVD-ROM USB memory VMware vSphere ENT Acceleration Kit for				)	x	x			х	x				x			x			S2636	61-F2341-D7	6 15.750	0,00 Deliverable from: 01/03/2013,Orderable fro
VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	6 CPU inc VC-STD + VSA , , , - Mandatory 1 year Service Pack needed! VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory				)	x	x			х	х				x			X			S2636	61-F2341-D7	6 15.750	0,00 Deliverable from: 01/03/2013,Orderable fro
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1	3 year ServicePack needed!				)	x	x			x	X				x			X			S2636	61-F2341-D7	6 19.750	0,00 Deliverable from: 01/03/2013,Orderable fro
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3	Mandatory 1 year Service Pack needed!				)	x	x			х	х				х			x			S2636	61-F2341-D7	6 19.750	0,00 Deliverable from: 01/03/2013,Orderable fro
VMware vCloud Suite STD w/o SP-1yr	Mandatory 3 year Service Pack needed!  Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and				>	x	x			X	x				x			x			S2636	61-F2341-D7	6 4.495	5,00
VMware vCloud Suite STD w/o SP-3 yr	vCloud Networking and Security Standard Mandatory 1 year Support Pack needed! Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud				)	X	x			x	x				X			X			S2636	61-F2341-D7	6 4.495	5,00
VMware vCloud Suite ADV w/o SP-1yr	Connector Advanced, vCloud Director and vCloud Networking and Security StandardMandatory 3 years Support Pack needed!  Each vCloud Advanced Suite contains vSphere 5 Enterprise Plus, vCloud				)	x	x			X	x				x			X			S2636	61-F2341-D7	6 6.745	5,00
	Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite Advanced. Mandatory 1 year Support																							



er Servers Accessories																														
		100 S1				120 S3p 140 S1		140 S2	150 S2	150 S3		150 S6 150 S7		150 SATA	X200 X200 S2		X200 S5	X200 S6 X200 S7	X300 X300 S2	X300 S3 X300 S4	X300 S5	300 S7	X300 S8	TX600 TX600 S2						
		MERGY TX	MERGY TX	RIMERGY TX	PRIMERGY TX	PRIMERGY TX PRIMERGY TX	RIMERGY TX	PRIMERGY TX	PRIMERGY TX	11-11	<u> </u>	$\vdash$	PRIMERGY TX	<b>-</b>   <b>-</b>	<b>-</b>   <b>-</b>	PRIMERGY TX:	RIMERGY TX	MERGY TX	MERGY TX		PRIMERGY TX	911C+ Code		9	( <del>€</del> )	Comments				
ry Description ories & services matrix	Details	<u>R</u> R			집	집	집		P. B.	PR E	Z Z		<u>R</u>	R I	집		조 조	찚	<u>R</u> R	<u>R</u> R		PR	<u>R</u> i		PR	<u>0</u>	2		EUP	Ö
RGY-Software (Continued)  VMware vCloud Suite ADV w/o SP-3 yr	Each vCloud Advanced Suite contains					х	х	х				X	( X					х			<b>\</b>	:			S	26361-F	2341-E	076 6.7	45,00	
	vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite Advanced., Mandatory 3 years																													
VMware vCloud Suite ENT w/o SP-1yr	Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning, vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud					x	x	X				x	X					x			>				S	26361-F	2341-□	077 10.3	350,00	
VMware vCloud Suite ENT w/o SP-3 yr	Automation Center. Mandatory 1 year  Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning, vCenter Operations Management Suite Enterprise, Site					x	x	X				x	x x					X			>	\$			Si	26361-F	2341-Г	077 10.3	350,00	
VMware STD AK(6CPU+VC-STD)w/o SP-1yr	6 CPU inc VC-STD + VSA , , , - Mandatory					x	X	X				X	( X					X			>	x	X		S	26361-F	2341-L	.76( 6.6 <sub>4</sub>	645,00	
VMware STD AK(6CPU+VC-STD)w/o SP-3yr	1 year Service Pack needed!  VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA , , - Mandatory 3					x	х	х				X	( X					х			>	x	х		S	26361-F	2341-L	.76 <sup>-</sup> 6.6	345,00	
VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	year Service Pack needed!  VMware vSphere ENT Acceleration Kit for					x	x	x				X	( X					X			>	x x	Х		S	26361-F	2341-L	.762 16.60	65,00	Deliverable from: 01/03/2013,Orderable from: 0
VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	6 CPU inc VC-STD + VSA,,, - Mandatory					x	x	x				X	x x					X			>	x	X		S	26361-F	2341-L	.76: 16.6 <u>0</u>	65,00	Deliverable from: 01/03/2013,Orderable from: 0
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-	3 year ServicePack needed!  1) VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD + VSA , , , -					x	x	х				X	( X					X			>	x	х		S	26361-F	2341-L	.764 20.90	900,00	Deliverable from: 01/03/2013,Orderable from: 0
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-	Mandatory 1 year Service Pack needed!  3y VMware vSphere ENT-PL Acceleration Kit					X	X	x				x	x x					х			>	x	X		S	26361-F	2341-L	.76: 20.9	900,00	Deliverable from: 01/03/2013,Orderable from: 0
VMware vCloud Suite STD w/o SP-1yr	for 6 CPU inc VC-STD + VSA , , , - Mandatory 3 year Service Pack needed! Each vCloud Standard Suite contains					•	X	x					( X					X				x	х		0	26361-F	2341-	.76( 4.7 <del>)</del>	755 NA	
viviware voloda cuite of 2 vive of Tryi	Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and vCloud Networking and Security StandardMandatory 1 year Support Pack needed!					^	^	^				^						^								.00011	2041 2	4.70	00,00	
VMware vCloud Suite STD w/o SP-3 yr	Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and vCloud Networking and Security Standard					х	x	x				×	x					X			>	x	X		S	26361-F	2341-L	.767 4.78	755,00	
VMware vCloud Suite ADV w/o SP-1yr	Mandatory 3 years Support Pack needed!  Each vCloud Advanced Suite includes					×	x	х				X	( X					X			>	x	х		S	26361-F	2341-L	.76( 7.1)	35,00	
	Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking und Security Advanced and vCenter Operations Management																													
VMware vCloud Suite ADV w/o SP-3 yr	Suite Advanced Mandatory 1 year  Each vCloud Advanced Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management					X	x	X				X	x x					X			>	x	X		S	26361-F	2341-L	.769 7.13	35,00	
VMware vCloud Suite ENT w/o SP-1yr	Suite Advanced., Mandatory 3 years  Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning, vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud					x	x	X				x	x x					x			>	x x	X		S	26361-F	2341-L	.77( 10.99	950,00	
VMware vCloud Suite ENT w/o SP-3 yr	Automation Center. Mandatory 1 year  Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning, vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud					X	X	x				X	X X					x			>	x	X		S	26361-F	2341-L	.77 <sup>-</sup> 10.9	950,00	
FSE KVM Standard Support 1 year	Automation Center. Mandatory 3 years FSE KVM Standard Support 1 year, for DEBIAN/UBUNTU, incl. support guest OS UBUNTU/DEBIAN FSE, requires FSE standard support 1 year, The support is provided by Bytec GmbH. (https://www.bytec.de/de/software/debian4y ou/)											×	(					x			>				S	26361-F	2346-L	.43( 1	95,00	
FSE KVM Standard Support 3 years	FSE KVM Standard Support 3 years, for DEBIAN/UBUNTU, incl. support guest OS UBUNTU/DEBIAN FSE, requires FSE standard support 3 years, The support is provided by Bytec GmbH. (https://www.bytec.de/de/software/debian4y ou/)											X	•					x			>				Si	26361-F	2346-L	_43 4:	195,00	
FSE KVM Premium Support 1 year	FSE KVM Premium Support 1 year, for DEBIAN/UBUNTU, incl. support guest OS UBUNTU/DEBIAN FSE, requires FSE premium support 1 year, The support is provided by Bytec GmbH. (https://www.bytec.de/de/software/debian4y											x	(					X			>				S	26361-F	2346-L	_432 59	595,00	
FSE KVM Premium Support 3 years	ou/)  FSE KVM Premium Support 3 years, for DEBIAN/UBUNTU, incl. support guest OS UBUNTU/DEBIAN FSE, requires FSE premium support 3 years, The support is provided by Bytec GmbH.  (https://www.bytec.de/de/software/debian4y											X	•					X			>				Si	26361-F	2346-L	.43; 1.4	195,00	
WinSvr 2012 Datacenter 2CPU ROK	our)  Reseller Option Kit, only for Fujitsu Broadline Distributors with a valid ROK amendment. WinSvr 2012 Datacenter 2CPU ROK. Multilingual. Requires Windows Server CAL 2012, not included. ROK DVD, COA License. End User		>	<b>C</b>	x	x x	X	X				x	x x					x x				x	X		S	26361-F.	2567-□	041 3.6	379,00	
WinSvr 2012 Standard 2CPU/2VM ROK	Reseller Option Kit, only for Fujitsu Broadline Distributors with a valid ROK amendment. WinSvr 2012 Standard 2CPU&2VM ROK. Multilingual. Requires Windows Server CAL 2012, not included. ROK DVD, COA License. End User		<b>&gt;</b>	K	X	x x	x	X				x	x x					x x				x	X		S	26361-F.	2567-D	042 78	787,00	
WinSvr 2012 Standard AddLic 2CPU/2VM Ro	Of Reseller Option Kit, only for Fujitsu Broadline Distributors with a valid ROK amendment. WinSvr 2012 Standard Additional License 2CPU&2VM No		<b>)</b>	K	x	хх	X	X				×	( X					хх				X	X		S	26361-F	2567-C	D42 5	550,00	
WinSvr 2012 Essentials 2CPU ROK MUL	Media/Key ROK. SACOA License. End Reseller Option Kit, only for Fujitsu Broadline Distributors with a valid ROK Amendment., WinSrv 2012 Essentials, ROK, Multilingual, DVD Media, COA, License., Languages: English (default language), German, Japanese, French, Spanish, Italian, Dutch, Polish, Portuguese.		x >	K	x	x x	x	X				X	X X					X							S	26361-F	2567-D	043 4	118,00	
WinSvr 2012 Foundation 1CPU ROK	Reseller Option Kit, only for Fujitsu Broadline Distributors with a valid ROK amendment. WinSvr 2012 Foundation 1CPU ROK. Multilingual. ROK DVD, COA		>	<b>K</b>	x	x x	X	X				X	( X												S	26361-F	2567-E	044 1	75,00	
WinStorageSvr 2012 Std 2CPU/2VM ROK	License. End User License Terms.  Windows Storage Server 2012 Standard 2CPU&2VM ROK. Multilingual. OEM DVD, COA License. End User License Terms. No CALs required		>	<b>(</b>		х	X	X					X					х				X	X		S	26361-F	2567-D	D45 4	130,00	



**Tower Servers Accessories** S3 S5 S6 S7 1X100 1X100 1X100 1X120 1X120 1X120 1X140 1X140 1X140 1X140 1X150 (€ Category Description Details Accessories & services matrix PRIMERGY-Software (Continued) WinStorageSvr 2012 Std AddLic 2CPU ROK | Windows Storage Server 2012 Standard S26361-F2567-D45 430,00 Additional License 2CPU&2VM ROK. Stepup license to add 2 CPU sockets / 2 VMs. No media/kev MS SysCtr VMM 2008 R2 WorkGroupEdtn RO Microsoft System Center Virtual Machine x x x x x x x x x x S26361-F2567-L20 385,00 Phased out x x x x x x x Manager 2008 R2 Workgroup Edition., English. ROK DVD, License. MS SysCtr Essntls 2010 ROK MS System Center Essentials 2010. S26361-F2567-L30 115,00 Phased out x x x x x x x x x x x x x x x  $X \mid X \mid X \mid X$ English. ROK DVD, License. MS SysCtr Essntls 2010 Server ML 1-OSE MS System Center Essentials 2010 x x x x x x x x x x S26361-F2567-L31 90,00 Phased out X X X X X Managed Server License 1 OSE Pack., OSE = Operating System Environment MS System Center Essentials 2010 MS SysCtr Essntls 2010 Server ML 5-OSE S26361-F2567-L32 435,00 Phased out x | x | x | x | x  $X \mid X \mid X \mid X$ x x x  $X \mid X \mid X \mid X$ x x x Managed Server License 5 OSE Pack., OSE = Operating System Environment MS System Center Essentials 2010 MS SysCtr Essntls 2010 Client ML 5-Pack  $X \mid X \mid X \mid X$ x x x x x  $X \mid X \mid X$ x x x x x x x S26361-F2567-L33 75,00 Phased out Managed Client License 5 Pack. MS SysCtr Essntls 2010 Client ML 20-Pack MS System Center Essentials 2010 S26361-F2567-L34 300,00 Phased out x x x x x x x x x x x x x x x Managed Client License 20 Pack. S26361-F2567-L40( 25,00 S26361-F2567-L46( 1.045,00 WinSvr 2012 Language Pack DVD WinSvr 2012 Language Pack DVD  $X \mid X \mid X \mid X \mid X$ WinSvr CAL 2012 50Device Windows Server 2012 CAL 50 Device X X X X X X X WinSvr CAL 2012 50User Windows Server 2012 CAL 50 User x x x x x X X X X S26361-F2567-L46 1.210,00 Windows Server 2012 CAL 10 Device WinSvr CAL 2012 10Device S26361-F2567-L462 215,00 X X X X X X X X X X X WinSvr CAL 2012 10User Windows Server 2012 CAL 10 User S26361-F2567-L46 245,00 x x x x x X X X X XX WinSvr CAL 2012 5Device Windows Server 2012 CAL 5 Device S26361-F2567-L464 110,00 | x | x | x | x | x X X X X Windows Server 2012 CAL 5 User, WinSvr CAL 2012 5User S26361-F2567-L469 130,00 x | x | x | x | x X X XX X X WinSvr CAL 2012 1Device Windows Server 2012 CAL 1 Device S26361-F2567-L466  $X \mid X \mid X \mid X \mid X$ 25.00 X X X X X X Windows Server 2012 CAL 1 User S26361-F2567-L467 WinSvr CAL 2012 1User X X X X X ХХ X X 29,00 WinSvr RDS CAL 2012 5Device 415,00 Windows Server 2012 RDS CAL 5 Device S26361-F2567-L47( x x x x x X X X X WinSvr RDS CAL 2012 5User Windows Server 2012 RDS CAL 5 User, x x x x x X X X X x x S26361-F2567-L47 480,00 WinSvr RDS CAL 2012 1Device Windows Server 2012 RDS CAL 1 Device, S26361-F2567-L472 83,00 x x x x x X X X X X X WinSvr RDS CAL 2012 1User Windows Server 2012 RDS CAL 1 User S26361-F2567-L47; X X X X X X X X X XX DG/DE Kit WinSvr 2008 R2 SP1 Datacenter DG/DE Kit WinSvr 2008 R2 SP1 x x x S26361-F2567-L480 70,00 X X Datacenter DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA. Please send your Request for Special Release to DG/DE Kit WinSvr 2008 R2 SP1 Enterprise DG/DE Kit WinSvr 2008 R2 SP1 Enterprise x x x x x S26361-F2567-L48 70,00 DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA. Please send your Request for Special Release to DG/DE Kit WinSvr 2008 R2 SP1 Standard DG/DE Kit WinSvr 2008 R2 SP1 Standard 70,00 S26361-F2567-L482 X X X X х х DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA. Please send your Request for Special Release to DG/DE Kit WinSvr 2008 SP2 Datacenter DG/DE Kit WinSvr 2008 SP2 Datacenter S26361-F2567-L48 70,00 X X X X DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA. Please send your Request for Special Release to DG/DE Kit WinSvr 2008 SP2 Enterprise DG/DE Kit WinSvr 2008 SP2 Enterprise S26361-F2567-L484 70,00 X X DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requir original purchase of licensed software. EULA. Please send your Request for Special Release to DG/DE Kit WinSvr 2008 SP2 Standard DG/DE Kit WinSvr 2008 SP2 Standard S26361-F2567-L48! 70,00 x x x X X DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA. Please send your Request for Special Release to ServerView Deployment Mgr 6 Single Lic. Single license for operation of one client x U15000-C302 140,00 x | x | x | x | x | x X | X | X | X | X | X | X | X | X | X x x x  $X \mid X \mid X \mid X$ server (managed node) - no software! ServerView Depl. Mgr. 6 Single Upgrade for upgrades of one 5.x single license to x x x x x x U15000-C303 70,00 x x x  $X \mid X \mid X \mid X$ version 6.x - no software! Win Server 2008 CAL (1 Device) (1 Device) Access License Pack for S26361-F2565-L340 24,00 Phased out x x x x x x x x x x x x | x | x | x | x | x | x | x | x Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual (5 Device) Access License Pack for Win Server 2008 CAL (5 Device) S26361-F2565-L34 105,00 Phased out x | x | x | x | x | x | x | x | x | x x x x  $X \mid X \mid X \mid X$  $X \mid X \mid X \mid X$ Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual Win Server 2008 CAL (1 User) S26361-F2565-L342 28,00 Phased out x x x x x x x x x x x Windows Server 2008 Standard, Enterprise, Datacenter, multilingual Win Server 2008 CAL (5 User) x x x x x x x  $X \mid X \mid X \mid X$ S26361-F2565-L34; 122,00 Phased out Windows Server 2008 Standard, Enterprise, Datacenter, multilingual S26361-F2565-L592 445,00 x x x x x x X X X previous version of PRIMERGY MultiPath MPIO. CD-ROM and License. PRIMERGY MultiPath MPIO 5.01 S26361-F2565-L593 885,00 x x x x x x x x x ROM and License. PRIMERGY MultiPath Upgrade to 5.01 S26361-F2565-L594 445,00 x x x x x x x x x previous version of PRIMERGY MultiPath. CD-ROM and License. PRIMERGY MultiPath 5.01 S26361-F2565-L59 885,00  $x \mid x \mid x$  $X \mid X \mid X$ x x x ROM and License. Win Svr 2008 R2 SP1 Foundation 1CPU ROK Only for Fujitsu Broadline Distributors. Win x x x x S26361-F2567-L30 175,00 | x | x | x | x | x | x x x Srv 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License. Win Svr 2008 R2 SP1 Datactr 2CPU ROK Only for Fujitsu Broadline Distributors. Win | x | x | x | S26361-F2567-L33 2.885,00 Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License. Remote Desktop Services Client Access, | x | x | x | x Win Server 2008 RDS CAL (1 Device) S26361-F2567-L34( 85,00 x x x  $X \mid X \mid X \mid X$  $\mathbf{x} \mid \mathbf{x} \mid \mathbf{x} \mid \mathbf{x} \mid \mathbf{x}$ | x | x | x | x | x | x License für 1 device, License. Remote Desktop Services Client Access, Win Server 2008 RDS CAL (5 Device) S26361-F2567-L34 390,00 X X X  $X \mid X \mid X \mid X$  $X \mid X \mid X \mid X \mid X$ License für 5 devices, License. Win Server 2008 RDS CAL (1 User) Remote Desktop Services Client Access, x x x x S26361-F2567-L342 98,00 | X | X | X | X | X | X X X X  $X \mid X \mid X \mid X$  $X \mid X \mid X \mid X \mid X$ License für 1 user, License. Win Server 2008 RDS CAL (5 User) Remote Desktop Services Client Access, x x x x S26361-F2567-L34 450,00 x x x  $X \mid X \mid X \mid X$ x x x x x | X | X | X | X | X | X License für 5 users. License. Win HPC Srv 2008 R2 Suite ROK Only for Fujitsu Distributors. Win HPC Srv S26361-F2567-L360 760,00 X X 2008 R2 Suite (1-4 CPU) ROK EN, JA, XT. ROK Recovery DVD Media Kit, COA, Win Srv 2008 R2 SP1 Enterpr w/10CAL ROK Only for Fujitsu Broadline Distributors. Win x x x x S26361-F2567-L32 1.840,00 | X | X | X | X | X | X X X X X x x x Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License. Win Srv 2008 R2 SP1 Standard w/5CAL ROK Only for Fujitsu Broadline Distributors. Win x x x x S26361-F2567-L31 550,00 | X | X | X | X | X | X X X X X X X X Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and woldwide language packs. ROK DVD, License. Win SBS Standard 2011 w/5CAL ROK EN Windows Small Business Server Standard S26361-F2567-L35( 640,00 X X X | X | X | X | X | X | X X X x x x 2011 with 5 CAL, ROK, English, DVD Media set, COA, License Windows Small Business Server Standard Win SBS Standard 2011 w/5CAL ROK DE S26361-F2567-L35 640,00 | x | x | x | x | x | x X X X X x x x 2011 with 5 CAL, ROK, German, DVD Media set, COA, License Windows Small Business Server Standard Win SBS Standard 2011 w/5CAL ROK IT S26361-F2567-L352 849,00 | x | x | x | x | x X X X X x x x 2011 with 5 CAL, ROK, Italian, DVD Media set, COA, License Win SBS Standard 2011 w/5CAL ROK FR Windows Small Business Server Standard x x x x x x S26361-F2567-L35( 640,00 X X 2011 with 5 CAL, ROK, French, DVD Media set, COA, License Win SBS Standard 2011 w/5CAL ROK ES Windows Small Business Server Standard S26361-F2567-L354 640,00 x x x x x x x X X X X x x x 2011 with 5 CAL, ROK, Spanish, DVD Media set, COA, License Windows Small Business Server Standard Win SBS Standard 2011 w/5CAL ROK CS | x | x | x | x | x | x x x X X x x x S26361-F2567-L35! 640,00 2011 with 5 CAL, ROK, Czech, DVD Media set, COA, License Win SBS Standard 2011 w/5CAL ROK PT Windows Small Business Server Standard S26361-F2567-L35( 640,00 x x x x x x X X X X x x x 2011 with 5 CAL, ROK, Portuguese, DVD Media set, COA, License Win SBS Standard 2011 w/5CAL ROK NL Windows Small Business Server Standard S26361-F2567-L35 640,00 x x x x x x X X x x x 2011 with 5 CAL, ROK, Dutch, DVD Media set, COA, License



Servers Accessories																					
		RGY TX100 S1 RGY TX100 S2 RGY TX100 S3	RGY TX100 S3p	RGY TX120 RGY TX120 S2 RGY TX120 S3	RGY TX120 S3p	RGY TX140 S1p	RGY TX140 S2 RGY TX150	RGY TX150 S2 RGY TX150 S3 RGY TX150 S4 RGY TX150 S5	RGY TX150 S6 RGY TX150 S7	RGY TX150 S8	RGY TX200 S2 RGY TX200 S2 RGY TX200 S3	RGY TX200 S4 RGY TX200 S5	RGY TX200 S7	RGY TX300 S2	RGY TX300 S4 RGY TX300 S5	RGY TX300 S6	3GY TX300 S8	RGY TX600	:RGY TX600 S3		ents
Description	Details	RIME	RIME	PRIMER PRIMER PRIMER	PRIMER	KIME	PRIMER	PRIMER PRIMER PRIMER	PRIME	PRIMER	PRIMER PRIMER	PRIME	RIME	PRIMER	PRIME	RIME		PRIME	roduc	EUP (€)	òmmé
s & services matrix Y-Software (Continued)		<u> </u>	_   &	≖ ¦Œ ∣Œ	it   0	-   th   (	-   a	- L	<u> </u>	<u>   0</u>		<u> </u>	-   ii   i	-   <del>-</del>   -	<u> </u>	<b>L</b>   <b>L</b>	_   0			_	
Win SBS Standard 2011 w/5CAL ROK TR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Turkish, DVD	×	( X	x x	x	K X	x		X	х			хх			X	x x		S26361-F2567-L358	640,00	
Win SBS Standard 2011 w/5CAL ROK HU	Media set, COA, License Windows Small Business Server Standard	X	( X	x x	x x	κ x	x		x	x			x x			X X	x x	[	S26361-F2567-L359	640,00	
	2011 with 5 CAL, ROK, Hungarian, DVD Media set, COA, License		( X		X X	, ,	~		X	_			x x			XX		,	S26361-F2567-L37(	940,00	
	Premium Add-on with 5 CAL, ROK, English, DVD Media set, COA, License	^	\				^			^			^				^   ^	`	320301-1 2307-237	940,00	,
Win SBS 2011 Prem Add-On w/5CAL ROK DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK,	x	( X	хх	x x	K X	x		х	х			хх			X X	x x		S26361-F2567-L37	940,00	
Win SBS 2011 Prem Add-On w/5CAL ROK IT		x	<b>х</b> х	x x	x x	κ x	x		x	х			x x			X X	x x		S26361-F2567-L372	940,00	
	Premium Add-on with 5 CAL, ROK, Italian, DVD Media set, COA, License		, ,																S26361-F2567-L37	940,00	
	Premium Add-on with 5 CAL, ROK, French, DVD Media set, COA, License	×	( X	X X	X X	X X	X		X	X			x x			X	x x		526361-F2567-L37.	940,00	
Win SBS 2011 Prem Add-On w/5CAL ROK ES		×	( X	x x	x x	x x	х		x	х			хх			X X	x x		S26361-F2567-L374	940,00	
Win SBS Essentials 2011 ROK MUL-Set1	Spanish, DVD Media set, COA, License Windows Small Business Server Essentials 2011, ROK, MUL set 1, DVD Media, COA, License, Language set 1: English (default	x x	c x	x	x x	x x			X	X									S26361-F2567-L37	418,00	Phased out
	language), German, Japanese, French, Spanish, Italian, Dutch, Polish, Portuguese.																				
	Windows Small Business Server Essentials 2011, ROK, MUL set 2, DVD Media, COA, License, Language set 2: English (default language), Chinese simplified (for PRC), Hungarian, Russian, Turkish, Swedish,	x x	K X	X	X X	K X			X	X									S26361-F2567-L379	310,00	Phased out
	Czech, Korean, Brazilian Portuguese.  Microsoft Windows Small Business Server	X	( X	x x	x x	( X	X		X	X			x x			X X	x x		S26361-F2567-L38(	47,00	
, , ,	2011 Client Access License Suite (1 Device); multi-language CAL; Microsoft Windows Small Business Server		,			,							<b>,</b>						926264 F0507 L00	47.0	
` ,	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 User); multi-language CAL;		( X	X X	X X	X	X		X	X			X X			X	x   X		S26361-F2567-L38	47,00	
Win SBS 2011 CAL Suite (5 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (5	X	¢ χ	x x	x x	x x	х		X	X			хх			X X	x x		S26361-F2567-L382	215,00	
Win SBS 2011 CAL Suite (5 User)	Devices); multi-language CAL; Microsoft Windows Small Business Server	x	( X	x x	x x	( X	x		X	x			x x			X X	x x		S26361-F2567-L383	215,00	
	2011 Client Access License Suite (5 Users); multi-language CAL; Microsoft Windows Small Business Server		,		V	, , ,													\$26264 F0507 L02	EQ C	
, ,	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (1 Device); multi-language CAL;		( X	X X	X X	X	X		X	X			х х			X	x   X		S26361-F2567-L384	58,00	
Win SBS 2011 Prem Add-on CAL (1 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access	×	( X	хх	x x	κ x	х		X	х			хх			X X	x x		S26361-F2567-L38	58,00	
	License (1 User); multi-language CAL; Microsoft Windows Small Business Server	×	( X	x x	x x	<b>х</b> х	X		X	x			x x			X X	x x	1	S26361-F2567-L386	275,00	
	2011 Premium Add-on Client Access License (5 Devices); multi-language CAL;																				
,	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Users); multi-language CAL;	×	( X	x x	XX	K X	x		X	X			x x			X	x x		S26361-F2567-L38	275,00	
Win Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.	x x x	( X	x x	x x	x x			x	х			хх			X X	x		S26361-F2567-L39	25,00	
Win Srvs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows	x x x	( X	x x	x x	( X	x		x	х			хх			X	x x		S26361-F2567-L390	25,00	
PRIMERGY ServerView Suite subscription.	Servers 2008 R2 SP1. Subscription for 1 year with about 10	x x x	( X	x x x	x x	κ x	x x		x x	x >	x x x x	хх	x x	x x x	x x	x	×	x	U15000-C176	215,00	
	releases., The subscription is licensed only for PRIMERGY servers.  Latest ServerView Suite Edition - including		, ,			, ,	v v			<u> </u>	v v v v	V V	v v	, , ,					U15000-C289	25,00	
	Installation Manager Debian FSE Standard Support 1 year, up	X X X	X	X	X X	× ×	X X		X	× ,	x x x x		X X	x x x	XX	X	×	X	S26361-F2346-L420	57,00	
	to 4 sockets, 1 year phone or email support (2h RT), incl. 30 days installation support, The support is provided by Bytec GmbH.																		52555       20   10   2   12	07,00	
Debian FSE Standard Support 3 years	(https://www.bytec.de/de/software/debian4y Debian FSE Standard Support 3 years, up to 4 sockets, 3 years phone or email support (2h RT), incl. 30 days installation support, The support is provided by Bytec GmbH.								x				x			X			S26361-F2346-L42	95,00	
Debian FSE Priority Support 1 year	(https://www.bytec.de/de/software/debian4y Debian FSE Priority Support 1 year, up to								X				x			X			S26361-F2346-L422	195,00	
	4 sockets, 1 year phone or email support (1h RT), incl. 30 days installation support, The support is provided by Bytec GmbH. (https://www.bytec.de/de/software/debian4y																				
Debian FSE Priority Support 3 years	ou/) Debian FSE Priority Support 3 years, up to 4 sockets, 3 years phone or email support (1h RT), incl. 30 days installation support, The support is provided by Bytec GmbH. (https://www.bytec.de/de/software/debian4y ou/)								X				x			X			S26361-F2346-L42	495,00	
UBUNTU FSE Standard Support 1 year	UBUNTU FSE Standard Support 1 year, up to 4 sockets, 1 year phone or email								Х				x			x			S26361-F2346-L424	57,00	
	support (2h RT), incl. 30 days installation support, The support is provided by Bytec GmbH. (https://www.bytec.de/de/software/debian4y																				
	UBUNTU FSE Standard Support 3 years, up to 4 sockets, 3 years phone or email support (2h RT), incl. 30 days installation support., The support is provided by Bytec GmbH.								X				x			X			S26361-F2346-L42	95,00	
UBUNTU FSE Priority Support 1 year	(https://www.bytec.de/de/software/debian4y UBUNTU FSE Priority Support 1 year, up to 4 sockets, 1 year phone or email support (1h RT), incl. 30 days installation support, The support is provided by Bytec GmbH. (https://www.bytec.de/de/software/debian4y								x				x			X			S26361-F2346-L42(	195,00	
UBUNTU FSE Priority Support 3 years	ou/) UBUNTU FSE Priority Support 3 years, up to 4 sockets, 3 years phone or email support (1h RT), incl. 30 days installation support, The support is provided by Bytec GmbH. (https://www.bytec.de/de/software/debian4y								x				x			X			S26361-F2346-L42	495,00	
VMware Upgrade ESXi to STD w/o SP-1yr	VMware Upgrade ESXi to STD for 1 CPU - Mandatory 1 year Service Pack needed!								X	X			хх		x	X X	x x		S26361-F2341-S70	895,00	
VMware Upgrade ESXi to STD w/o SP-3yr	VMware Upgrade ESXi to STD for 1 CPU - Mandatory 3 year Service Pack needed!								X				x x			X >				895,00	
	VMware Upgrade ESXi to ENT for 1 CPU - Mandatory 1 year Service Pack needed!								X				X X			X			S26361-F2341-S70		
	VMware Upgrade ESXi to ENT for 1 CPU - Mandatory 3 year Service Pack needed! VMware Upgrade ESXi to ENT-Plus for 1								X				x x			XXX			\$26361-F2341-\$70 3		
VMware Upgrade ESXi to ENT-PL w/o SP-3yr	CPU - Mandatory 1 year Service Pack VMware Upgrade ESXi to ENT-Plus for 1								X				X			X X			S26361-F2341-S70		
VMware vSphere STD w/o SP-1yr	CPU - Mandatory 3 year Service Pack VMware vSphere Standard for 1 CPU -				X	<b>х</b> х	X		X	X			x x			X X			S26361-F2341-L70	950,00	
VMware vSphere STD w/o SP-3yr	Mandatory 1 year Service Pack needed!  VMware vSphere Standard for 1 CPU - Mandatory 3 year Service Pack needed!				X	x x	X		X	X			x x			X X	x x		S26361-F2341-L708	950,00	
VMware vSphere ENT w/o SP-1yr	Wandatory 3 year Service Pack needed!  VMware vSphere Enterprise for 1 CPU -  Mandatory 1 year Service Pack needed!				X	( X	х		х	X			x x			X X	x x		S26361-F2341-L709	2.735,00	
VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU - Mandatory 3 year Service Pack needed!					κ x			х				хх			X X			S26361-F2341-L71( 2		
· · · · · · · · · · · · · · · · · · ·	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 1 year Service Pack					( X			X				x x			X			S26361-F2341-L711		
·	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 3 year Service Pack VMware vSphere ENT Acceleration Kit for					K X			X				x x			XX			S26361-F2341-L73/16		
VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	6 CPU inc VC-STD - Mandatory 1 year Service Pack needed! VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year					K X			X				X			X X			S26361-F2341-L73, 16		



**Tower Servers Accessories** (€ **Category Description** Details Accessories & services matrix PRIMERGY-Software (Continued) VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1y VMware vSphere ENT-PL Acceleration Kit S26361-F2341-L734 20.900,00 x x x x x x for 6 CPU inc VC-STD - Mandatory 1 year Service Pack needed! VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3y VMware vSphere ENT-PL Acceleration Kit S26361-F2341-L73! 20.900,00 x x x x x x хх for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed! VMware Essentials Plus for 6 CPU inc VC-VMware Essentials-PL w/o SP-1yr x x x хх Χ x x x S26361-F2341-L74( 3.285,00 FND-E - Mandatory 1 year Service Pack needed! VMware Essentials-PL w/o SP-3yr VMware Essentials Plus for 6 CPU inc VC-S26361-F2341-L74 3.285,00 x x x x x x X X FND-E - Mandatory 3 year Service Pack needed! VMware Upgrade STD to ENT w/o SP-1yr VMware Upgrade vSphere STD to ENT for S26361-F2341-S71 1.855,00 x x  $X \mid X \mid X \mid X$ 1 CPU - Mandatory 1 year Service Pack needed! VMware Upgrade STD to ENT w/o SP-3yr VMware Upgrade vSphere STD to ENT for S26361-F2341-S71 1.855,00 X X X X  $X \mid X \mid X \mid X$ 1 CPU - Mandatory 3 year Service Pack VMware Upgrade STD to ENT-PL w/o SP-1yr | VMware Upgrade vSphere STD to ENT-PL S26361-F2341-S71 2.475,00  $X \mid X \mid X \mid X$ for 1 CPU - Mandatory 1 year Service Pack VMware Upgrade STD to ENT-PL w/o SP-3yr | VMware Upgrade vSphere STD to ENT-PL S26361-F2341-S71 2.475,00 х х X X  $X \mid X \mid X \mid X$ for 1 CPU - Mandatory 3 year Service Pack VMware Upgrade ENT to ENT-PL w/o SP-1yr | VMware Upgrade vSphere ENT to ENT-PL S26361-F2341-S72 614,00 x x х х  $X \mid X \mid X \mid X$ for 1 CPU - Mandatory 1 year Service Pack VMware Upgrade ENT to ENT-PL w/o SP-3yr | VMware Upgrade vSphere ENT to ENT-PL S26361-F2341-S72 614,00  $X \mid X \mid X \mid X$ X X for 1 CPU - Mandatory 3 year Service Pack VMware Upgrade VCS FND to STD w/o SP-1yr VMware Upgrade vCenter FND to STD for S26361-F2341-S72 3.465,00 x x х х x x x x 1 Instance of vCenter - Mandatory 1 year Service Pack needed! VMware Upgrade VCS FND to STD w/o SP-3yr VMware Upgrade vCenter FND to STD for S26361-F2341-S72 3.465,00 X X  $X \mid X \mid X \mid X$ 1 Instance of vCenter - Mandatory 3 year Service Pack needed! VMware vSphere 5 Media Kit OEM VMware vSphere 5 Media Kit OEM w/ ESX x S26361-F2341-L300 x x x хх x x x x | x | x | x | x | x | x 4,vCenter 5,vShield,Backup-Restore, VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore - No License VMware vSphere Embedded UFM Device DIS VMware vSphere Embedded UFM Device S26361-F2341-D43 60,00 x x x x x x  $X \mid X \mid X \mid X$ X X Embedded UFM Storage Device , inc. ESXi Single SRV Lic. (w/o SP) S26361-F2341-D70 VMware vSphere STD w/o SP-1yr VMware vSphere Standard for 1 CPU хх x x x Mandatory 1 year Service Pack needed! VMware vSphere STD w/o SP-3yr VMware vSphere Standard for 1 CPU x x x x x S26361-F2341-D70 895,00 Mandatory 3 year Service Pack needed! S26361-F2341-D70 2.585,00 VMware vSphere ENT w/o SP-1yr VMware vSphere Enterprise for 1 CPU x x x x x Mandatory 1 year Service Pack needed! VMware vSphere Enterprise for 1 CPU -VMware vSphere ENT w/o SP-3yr S26361-F2341-D71 2.585,00 x x x X X Mandatory 3 year Service Pack needed! VMware vSphere ENT-PL w/o SP-1vr VMware vSphere Enterprise-Plus for 1 S26361-F2341-D71 3.145,00 X X Х  $X \mid X \mid X$ CPU - Mandatory 1 year Service Pack VMware vSphere Enterprise-Plus for 1 S26361-F2341-D71 3.145,00 VMware vSphere ENT-PL w/o SP-3yr x x x X X CPU - Mandatory 3 year Service Pack S26361-F2341-D73 15.750.00 VMware ENT AK(6CPU+VC-STD)w/o SP-1yr VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service Pack needed! VMware ENT AK(6CPU+VC-STD)w/o SP-3yr VMware vSphere ENT Acceleration Kit for S26361-F2341-D73 15.750,00 x x x X X 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed! VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1y VMware vSphere ENT-PL Acceleration Kit S26361-F2341-D73 19.750,00 x x x x x for 6 CPU inc VC-STD - Mandatory 1 year Service Pack needed! VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3y VMware vSphere ENT-PL Acceleration Kit S26361-F2341-D73 19.750,00 x x x x x for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed! VMware Essentials-PL w/o SP-1yr VMware Essentials Plus for 6 CPU inc VCx x x хх S26361-F2341-D74 3.105,00 FND-E - Mandatory 1 year Service Pack needed! VMware Essentials Plus for 6 CPU inc VC-S26361-F2341-D74 3.105,00 VMware Essentials-PL w/o SP-3yr x x x x x FND-E - Mandatory 3 year Service Pack needed! VMware STD AK(6CPU+VC-STD)w/o SP-1yr VMware vSphere STD Acceleration Kit for S26361-F2341-D76 6.295,00 x x x X X 6 CPU inc VC-STD + VSA , , , , -Mandatory 1 year Service Pack needed! VMware STD AK(6CPU+VC-STD)w/o SP-3yr VMware vSphere STD Acceleration Kit for S26361-F2341-D76 6.295,00 x x x X X 6 CPU inc VC-STD + VSA , , , , -Mandatory 3 years Service Pack needed! OS/Application-SW **CA Client Automation** U24552-C418 63,98 CA Client Automation - Licensing per managed System CA Server Automation Base Configuration CA Server Automation Base Configuration -U24552-C424 52.686,90 x x x x x x x | X | X | X | X | X | X Licensing: 100 Physical Socket Pack CA AutomSuite for DataCenters BaseConfig CA AutomSuite for DataCenters U24552-C428 ####### | x | x | x | x | x | x X X X X  $X \mid X \mid X$ BaseConfig - Licensing: 100 Physical CA ServiceDeskManager Full LicenseConcur | CA ServiceDeskManager Full U24581-C150 4.516,02 | x | x | x | x | x x x LicenseConcur - Licensing: Minimum Licensing Requirements apply to New Sales and Capacity: Minimum purchase of 15 Concurrent Users required for Full ARCserve r11.5 Client Agent for UNIX; ARCserve r11.5 WIN Client Agent UNIX x U15355-C720 395,00 x x x x x x x x x x works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/stor age/infodocs/basb115win/basb115win\_cdl. asp,, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/stor age/infodocs/basb115win/basb115wincompmatrix.asp ARCserve r11.5 WIN Client Agent Windows ARCserve r11.5 Client Agent for Windows x  $X \quad X \quad X \quad X \quad X \quad X$ x x x x x U15355-C723 250,00 Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/stor age/infodocs/basb115win/basb115win\_cdl. asp, , CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/stor age/infodocs/basb115win/basb115win-U24533-C405 ManageNow® for NSM Base | X | X | X | X | X 20.600,00 U24533-C406 ManageNow® for NSM Remote Manager 12.875,00 x x x x x x x x x X X ManageNow® for NSM Portal x x x x x x x x U24533-C407 9.270,00 x x x ManageNow® for NSM AglessMoni HostResMIB U24533-C425 9.270,00 | X | X | X | X | X | X X X ManageNow® for NSM CA Agent Integration U24533-C421 3.090,00 | X | X | X | X | X XX ManageNow® for NSM HP InsightMgr Integr. U24533-C408 5.150,00 x x x x x x X X X X X U24533-C404 ManageNow® for NSM ETERNUS Storage Monit 4.635,00 x x x | x | x | x | x | x | x X X U24533-C410 ManageNow® for NSM ETERNUS CS Monit. x x x x x x X X 5.150,00 ManageNow® for NSM NetApp Monitoring U24533-C411 4.635,00 X X ManageNow® for NSM SAN Monit up to 64p x x x x x x U24533-C409 3.090,00 X X ManageNow® for NSM SAN Monit.more as 64p x x x x x x x x U24533-C412 6.438,00 x x x ManageNow® for NSM VMware U24533-C413 4.635,00 x x x x x x X X X X X ManageNow® for NSM UPS U24533-C414 5.150,00 | X | X | X | X | X | X XX ManageNow® for NSM Microsoft Cluster U24533-C415 4.635,00 | x | x | x | x | x | x X X X X X U24533-C416 ManageNow® for NSM BladeFrameMonit BF200 x x x x x x 9.270.00 X X X X X ManageNow® for NSM BladeFrameMonit BF400 U24533-C424 20.600,00 x x x X X X X X X ХХ ManageNow® for NSM Connector CA eHealth X X U24533-C417 5.150,00 ManageNow® for NSM Connector MS SCOM U24533-C418 5.150,00 x x x x x x x x x X X ManageNow® for NSM Connector HP OV NNM x x x x x x x x U24533-C419 5.150,00 x x x ManageNow® for NSM Connector Lotus Notes U24533-C420 5.150,00 X X X X X X X X X X X ManageNow® for NSM Con. 3rd PartyManager U24533-C422 5.150,00 | X | X | X | X | X X X X X X ManageNow® for NSM Connector QoS U24533-C433 5.150,00 X X X | X | X | X | X | X | X X X U24533-C434 ManageNow® for NSM Connector EMC CC 5.150.00 x x x X X X X X X X X ManageNow® for NSM Connector NetApp OM U24533-C435 | X | X | X | X | X 5.150,00 ManageNow® for NSM Data Media x x x x x x U24533-C423 41,00 X X X ManageNow® for ITCM ManagedObjectsLicens | X | X | X | X | X U24533-C400 2.060,00 x x x ManageNow® for ITCM Manager License x x x x x x U24533-C401 5.150,00 x x x X X X X ManageNow® for ITCM Win7 OS Install Lic. U24533-C402 3.090,00 X X X X X ManageNow® for ITCM Vista OS Install Lic U24533-C426 3.090,00 x x x x x x x x x ManageNow® for ITCM WinXP Prof OSInstLic U24533-C427 3.090,00 X X X X X X X X X X X ManageNow® for ITCM Win2003Svr OSInstLic 3.090,00



		RIMERGY TX100 S1	RIMERGY TX100 S3	TX120 TX120	TX120	PRIMERGY TX140 S1 PRIMERGY TX140 S1p PRIMERGY TX140 S2	TX150	PRIMERGY TX150 S3 PRIMERGY TX150 S4 DDIMEDGY TX150 S5	PRIMERGY TX150 S6 PRIMERGY TX150 S7	PRIMERGY TX150 S8 PRIMERGY TX150 SAT	PRIMERGY TX200 S2 PRIMERGY TX200 S3	PRIMERGY TX200 S4 PRIMERGY TX200 S5 PRIMERGY TX200 S6	·    -    -	RIMERGY TX300 S2 RIMERGY TX300 S3 RIMERGY TX300 S4	SIMERGY TX300 S5	SIMERGY TX300 S8	PRIMERGY TX600 S2		EUP (€)	mments
escription & services matrix ion-SW (Continued)	Details				#   #													<u>.</u>	<u> </u>	<u> </u>
lanageNow® for ITCM Win2008Svr OSInstLic lanageNow® for ITCM Win2008R2SvrOSInsL lanageNow® for ITCM SUSE10.1 OS Inst Lic	ic	х	X X X X	( X	хх	x x x x x x x x x x x x x x x x x x x			Х	X X		x x x x			X X X			U24533-C429 U24533-C436 U24533-C432	3.090,00 3.090,00 3.090,00	
lanageNow® for ITCM SLES9.0 OS Inst Lic lanageNow® for ITCM data medium		X	X X	( X	хх	x x x x x			Х	X		x x			X			U24533-C430 U24533-C403	3.090,00	
	conversion standard into hot plug PSU for optional PS redundancy								X									S26113-F540-L1 S26113-F540-L11	260,00 170,00	
ower Supply Module 800W (hot plug) an and PSU upgrade kit	for optional PS redundancy conversion standard into hot plug PSU and											x x	:		X			S26113-F541-L10 S26113-F541-L11		Phased out
ower Supply Module 800W HE (hot plug)	conversion standard into redundant fans 2nd gold PS hp for redundancy 800W modular Power Supply Module , hot											X	X		X	x		S26113-F556-L10 S26113-F574-L10	215,00 260,00	
· ·	plug, platinum (94% efficiency) 450W modular Power Supply Module , hot					X X	:			x			X			x		S26113-F575-L10	225,00	
onversion kit standard to hot-plug PSU	plug, platinum (94% efficiency)  Conversion kit standard to hot plug PSU consists of two additional fans for fan					XX										x x		S26113-F575-L141 S26361-F3667-L1	315,00 45,00	
	redundancy suitable for D, A, B, F, NL, FIN, N, S, E, P,	хх	X >	(	x x	x x x	x x	x x x	(	x x x	x x x	x x x	x	x x x		^		T26139-Y1740-L10	15,00	
able powercord (USA), 1.8m, grey	RUS, TR suitable for USA, Cnd						x x							x x x	хх	X		T26139-Y1742-L10	15,00	
	with connector IEC320 C19->C20 suitable for UK, IR suitable for I						x x x							x x x x x x		X		X S26361-F3151-L300 T26139-Y1744-L10 T26139-Y1745-L10	30,00 15,00 15,00	
	with connector IEC320 C19-> CEE 7/7 (Schuko)																	S26361-F3151-L10(	30,00	
ower cord 16A IEC320 C19->16A CEE Blue ower cord IEC320 C19 -> US NEMA L6-20p	with connector IEC320 C19->16A CEE (IEC309) Length: 3,5m																	<ul> <li>S26361-F3151-L200</li> <li>S26361-F3151-L500</li> </ul>	30,00	
pus	20p																			
ocalView Option Kit S2	LCD display with adapter LCD display with installation kit Support for Customer Self Service (CSS),					x x x x			X	X		x x	X		x x x x x x x			S26361-F2557-L10( S26361-F2557-L10( S26361-F2557-L20)	70,00	
sustomer Self Service Module RX Server	incl. adapter Support for Customer Self Service (CSS),					, ,						x x			x x			S26361-F2557-L20		
ervice LAN Option	incl. mounting kit integrated in the front operating panel Cable for 2nd RS-232-C 9 pin interface				x x	хх				X		x x	X			x x		S26361-F2571-L27 S26361-F3120-L3	20,00	
PM Module add-on kit	Trusted Platform Module on motherboard, be aware of import restrictions!	x	x >	(	x x				x			X X			x x	x x		S26361-F3552-L1	50,00	
erial port option	Cable with 9 pin D-SUB interface Support for Customer Self Service (CSS)							)	X X			х		х				S26361-F2571-L10 S26361-F2557-L204	,	
AT72 cleaning cartridge no label	DAT160 cleaning cartridge without label DAT72 cleaning cartridge without label	X X		хх	хх		x x	x x x		x x z	x x		x x	x x x				D:CL-DAT160-MX-0 C D:CL-DAT72-MX-01	6,00	
	Cleaning cartridge with random label from Fuji for LTO drives DAT160 data cartridge without label	x				x x x			x x			x x x			x x	x x x	X	D:CL-LTO-01L D:CR-DAT160-MX-0	36,00 21,00	
AT72 data cartridge no label TO-3 CR media,5pack random label,Fuji	DAT72 data cartridge without label 5 pieces LTO-3 data cartridge with random	X		хх	хх		x x	x x x		x x	x x		x x	x x x				D:CR-DAT160-MX-0 C D:CR-DAT72-MX-01 C D:CR-LTO3-05L	14,00 102,00	
	barcode label from Fuji400 GB native capacity,																	D.OD   TO4.05	404.00	
	5 pieces LTO-4 data cartridge with random barcode label from Fuji 800 GB native capacity,				XX	X X X		,	X X X	X	X X	x x x	×	x x x	X X	x x	X	D:CR-LTO4-05L	101,00	
TO-5 CR media,5pack random label,Fuji	5 pieces LTO-5 data cartridge with random barcode label from Fuji 1500 GB native				хх	ххх		)	x x	х	хх	x x x	×	x x x	хх	хх	X X	D:CR-LTO5-05L	141,00	
TO-6 CR media,5pack random label,Fuji	capacity, 5 pieces LTO-6 data cartridge with random				x x	x x x	:	)	x x x	X	x x	x x x	:	x x x	x x		x 2	D:CR-LTO6-05L-BF	575,00	
	barcode label from Fuji 2500 GB native capacity,  Barcode label cassettes defined by the																	C D:CR-LTO-LAB	5,00	
	customer., For LTO-3, LTO-4, LTO-5, LTO 6 and LTO Cleaning tape to use when no random barcode label is desired! For details of the Code please read the work order sheet.,	-			* *	x x x			x x	*	* *	x x x		x x x	* *			D.OR-ETO-LAB	3,00	
DX Cartridge 320/640GB	RDX Cartridge 320GB uncompressed / 640GB compressed	x x	X	x x	хх	x x x	:	)	x x	x	X	x x x	×	хх	x x	хх	,	S26361-F3857-L320	155,00	
DX Cartridge Pack 10x 320/640GB	Package 10x RDX Cartridge 320GB uncompressed / 640GB compressed	хх	X >	x x	хх	ххх		)	x x	х	х	x x x	×	хх	хх	хх		S26361-F3857-L329	1.475,00	
DX Cartridge 500GB/1000GB	RDX Cartridge 500GB uncompressed / 1000GB compressed					x x x			x x			x x x			x x			S26361-F3857-L500		
DX Cartridge 1TB	RDX Cartridge 1TB uncompressed / 2TB compressed	XX	X	X X X	X   X	XXXX		,	(   X   X	X	X	x x x	X	XX	X X	x x	,	S26361-F3857-L600	280,00	
able powercord rack, 4m	suitable for (Taiwan), 1,8m with Euro socket connector Brocade 10GB Ethernet copper cable		>	(	X	X X			х		X		x x	X		x x x		T26139-Y1757-L10 T26139-Y1968-L10 S26361-F3873-L50	15,00	New product
	(Twinax active), length 1m, SFP+ plugs at Brocade 10GB Ethernet copper cable				X	x x				X			×			x x		S26361-F3873-L50		
FP+ active Twinax Cable Brocade 5m	(Twinax active), length 3m, SFP+ plugs at Brocade 10GB Ethernet copper cable				X	X X	:		X	x		×	x			x x		S26361-F3873-L50	195,00	
Software PENFT-CR (Unix systems) V12.0	(Twinax active), length 5m, SFP+ plugs at  CD-ROM openFT-CR V12.0, Cryptographic module, for openFT V12.0, Attention export restrictions	x x	x >	x x	x x	x x x	x x x	x x x	x x	x   x   3	x x x	x x	x	x x x	x x	X	x	U10987-C599	15,00	
, , ,	Medium for UNIX systems, CD-ROM openFT-SW V12.0						xx							x x x			х	U10987-C600	36,00	
	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	XX	X	X X X	X X	XXX	X X X	XXXX	X X X	XXX	X X X	X X	×	x x x	X	X	X	U10987-C601	1.348,00	
PENFT-2 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode;	x x	x >	(			x x	хх		x 2	х		x	х	X	x	х	U10987-C602	2.193,00	
PENFT-3 (Unix systems) V12.0	system extendable up to 8 CPU License openFT (UNIX systems) V12.0; for	x x	x >	(			x x	x x		x :	x x		X	x		x	x	U10987-C603	4.387,00	
	using in automated, unattended mode; system extendable up to 24 CPU License openFT (UNIX systems) V12.0; for	x	x ,				x x	X Y		V ,	x x		X	x			X	U10987-C604	5.080,00	
	using in automated, unattended mode; system extendable up to 32 CPU						^	^								^			,	
	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU	хх	X	(			хх	x x		X 3	x		X	x		X	x	U10987-C605	6.580,00	
PENFT-FTAM-1 (Unix systems) V12.0	License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended	x x	X >	x x	x x	x x x	x x	x x x	x x	x x	x x x	хх	X	x x x	x	X	X	U10987-C613	1.348,00	
PENFT-FTAM-2 (Unix systems) V12.0	mode; system with 1 to 4 CPUs License openFT-FTAM (UNIX systems)	x x	x >	(			x x	x x		x 2	x x		X	x	X	x	x	U10987-C614	2.193,00	
	V12.0; for using in automated, unattended mode; system extendable up to 8 CPU						V	<b>V</b>			, ,			•				I 110007 CC45	A 207 00	
, , ,	License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU	x x	x   >				X X	XX			X		X	*		X	X	U10987-C615	4.387,00	
PENFT-FTAM-4 (Unix systems) V12.0	License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended	x x	x >	(			хх	хх		X 2	x		х	x		x	х	U10987-C616	5.080,00	
	mode; system extendable up to 32 CPU License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended	x x	X >	(			хх	хх		X   2	x x		х	x		x	X	U10987-C617	6.580,00	
	mode; system extendable up to 64 CPU  License openFT-FTP (UNIX systems)	x x	X >	(	x x	x x x	x x x	x x x	(	x x	x x x	x x	x	x x x	X	x	X	U10987-C625	550,00	
	V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs																			
, ,	License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended	x x	X	(			x x	x x		X	X		X	x	X	X	х	U10987-C626	895,00	
PENFT-FTP-3 (Unix systems) V12.0	mode; system extendable up to 8 CPU License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended	хх	X >	(			хх	хх		x :	x		X	x		x	X	U10987-C627	1.791,00	
PENFT-FTP-4 (Unix systems) V12.0	mode; system extendable up to 24 CPU License openFT-FTP (UNIX systems)	хх	X >	(			хх	хх		x   x	x x		X	x		x	X	U10987-C628	2.074,00	
	V12.0; for using in automated, unattended mode; system extendable up to 32 CPU																			
	License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU	x x	X	(			x x	х х		X   3	X		х	X		X	X	U10987-C629	2.686,00	
	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption,	хх	x >	(			хх	хх		x :	X		х	x		x	x	U11081-C157	15,00	
PENFT-CR (WINDOWS) V8.0		1 1 1											x	Y		X	X	U11081-C171	1.125,00	
PENFT-CR (WINDOWS) V8.0  PENFT-FTAM-2 (WINDOWS) V8.0		хх	x >	(			x x	x x		X   2	(   X		X	^		1 ***	4 1	The second secon		
PENFT-CR (WINDOWS) V8.0 PENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs																	H11004 C477	E60.00	
PENFT-CR (WINDOWS) V8.0 PENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x x					x x			x x			x				x	U11081-C177	562,00	



er Servers Accessories																									
ory Description ories & services matrix	Details	PRIMERGY TX100 S1	ERGY TX100 ERGY TX100	PRIMERGY TX100 S3p PRIMERGY TX120	PRIMERGY TX120 S2 PRIMERGY TX120 S3	TX120 TX140	PRIMERGY TX140 S1p PRIMERGY TX140 S2	PRIMERGY TX150	PRIMERGY TX150 S3	TX150	PRIMERGY TX150 S6 PRIMERGY TX150 S7	3Y TX150	PRIMERGY TX150 SATA PRIMERGY TX200	PRIMERGY TX200 S2 PRIMERGY TX200 S3	PRIMERGY TX200 S4 PRIMERGY TX200 S5	PRIMERGY TX200 S6 PRIMERGY TX200 S7	PRIMERGY TX300	PRIMERGY 1X300 S2 PRIMERGY TX300 S3	PRIMERGY TX300 S4 PRIMERGY TX300 S5	PRIMERGY TX300 S6 PRIMERGY TX300 S7		PRIMERGY TX600 S3	Product Code	EUP (€)	Comments
nal Software (Continued) OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use	v	хх	v				V .	x x	v			хх	v			x :	v			X X	,	U11081-C186	1.125,00	
OF ENT 1 2 (WINDOWS) VO. 1	for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	^	^ ^	^					^	^			^ ^	^			^	^					011001-0100	1.123,00	
OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right	х	хх	Х				X X	x x	х			хх	Х			x :	х			хх	(	U11081-C192	451,00	
	to Use from V8.0 to V8.1 for usage in automated unattended mode, system with																								
OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0;	X	х х	X				X   2	x x	X			х х	X			<b>x</b>	X			X	(	U11081-C199	15,00	
OPENFT-SW-CD (WINDOWS) V10.0	Attention export restrictions  Medium for Windows systems; CD-ROM	X	хх	X				X 2	x x	X			хх	X			X	x			X X	(	U11081-C201	30,00	
OPENFT-1 (WINDOWS) V10.0	openFT-SW V10.0 License openFT (WINDOWS) V10.0; for	X	хх	X				X X	x x	X			хх	X			X :	x			X X	(	U11081-C202	1.225,00	
	using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-	-																							
OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	х	Х					X X	х	X			хх	x			X	х			X	1	U11081-C203	1.994,00	
OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x x	x				x 2	x x	X			хх	x			X	x			x	(	U11081-C204	3.988,00	
OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended							x x	x x	x			хх	х			x	х			x x	(	U11081-C207	710,00	
OPENFT-FTAM-1 (WINDOWS) V10.0	mode; system with 1 to 4 CPUs; required: U11081-C201  License openFT-FTAM (WINDOWS)	X	хх	X				X X	x x	X			x x	X			x	x			X X	4	U11081-C212	1.225,00	
, ,	V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202																								
OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	X	х	X				X	x x	X			x x	X			x	X			X		U11081-C213	1.994,00	
OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	х	хх	х				X X	х х	X			хх	x			x	х			X	(	U11081-C214	3.988,00	
OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	хх	X				X 3	x x	X			хх	X			×	X			X	(	U11081-C217	710,00	
OPENFT-CR (WINDOWS) V12.0	CD-ROM openFT-CR V12.0, Cryptographic module, Attention export	х	х х	хх	хх	хх	хх	X X	x x	х х	х х	( X	хх	хх	хх	х	x	хх	х х	х	X X	х	U11081-C399	15,00	
OPENFT-SW-CD (WINDOWS) V12.0	Medium for Windows systems, CD-ROM openFT-SW V12.0	х	х х	хх	хх	хх	хх	X X	x x	х х	х х	( X	хх	хх	хх	х	x	хх	х х	х	X X	х	U11081-C400	30,00	
OPENFT-1 (WINDOWS) V12.0	License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	X	х х	хх	хх	x x	х х	x	× ×	хх	х	( X	x x	хх	хх		X	x x	x x		x	1	U11081-C401	1.348,00	
OPENFT-2 (WINDOWS) V12.0	License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	х х	x				x	x x	X			хх	x			X :	x		X	X		U11081-C402	2.193,00	
OPENFT-3 (WINDOWS) V12.0	License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU		х						x x				x x				X				x		U11081-C403	4.387,00	
OPENET ETAM ( (WINDOWS) V12.0	License openFT-FTAM (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs				X X	X X	x x				x x				X X			x x	x x		XX		U11081-C411	1.348,00	
OPENET ETAM 2 (WINDOWS) V12.0	License openFT-FTAM (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU		XX						x x				x x				X			X	XX		U11081-C412	2.193,00	
OPENFT-FTAM-3 (WINDOWS) V12.0	License openFT-FTAM (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU		x x						x x				x x				X				XX		U11081-C413	4.387,00	
OPENFT-FTP-1 (WINDOWS) V12.0	License openFT-FTP (WINDOWS) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs				X X	X X	x x	X	××	x x	x x	( X	x x	X X	X X		X	x x	x x		X		U11081-C421	550,00	
OPENET ETP 2 (WINDOWS) V12.0	License openFT-FTP (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU								x x				x x				X			X	XX		U11081-C422	895,00	
OPENFT-FTP-3 (WINDOWS) V12.0  OPENFT-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT (WINDOWS) V11.0; for				V	V	V		XX				X X		V		X		v		XX		U11081-C423 U11081-C301	1.791,00	
OPENFT-1 (WINDOWS) V11.0  OPENFT-FTAM-1 (WINDOWS) V11.0	using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTAM (WINDOWS)				x x													x x x			X X		U11081-C301	1.225,00	
OPENFT-2 (WINDOWS) V11.0	V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs License openFT (WINDOWS) V11.0; for		хх						x x				x x				x			x	X X		U11081-C302	1.994,00	
, ,	using in automated, unattended mode; system extendable up to 8 CPU																								
OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU		хх						x x				x x				×			x	X		U11081-C312	1.994,00	
OPENET STAMO (MINDOMO) V(44.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU		X X						x x				x x				x				X		U11081-C303	3.988,00	
OPENFT-FTAM-3 (WINDOWS) V11.0  OPENFT-SW-CD (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU Medium for Windows systems, CD-ROM		X X		x x	y v	y v		X X		y		X X		Y	Y	X	x x	x v	×	XX		U11081-C313 U11081-C300	3.988,00	
OPENFT-CR (WINDOWS) V11.0	openFT-SW V11.0  CD-ROM openFT-CR V11.0,				x x													x x					U11081-C300	15,00	
OPENFT-1 (UNIX systems) V11.0	Cryptographic module, Attention export License openFT (UNIX systems) V11.0; for using in automated, unattended mode;																	x x			x >		U10987-C501	1.225,00	
OPENFT-FTAM-1 (UNIX systems) V11.0	system with 1 to 4 CPUs  License openFT-FTAM (UNIX systems)  V11.0; for using in automated, unattended	X	x x	x x	x x	x x	x x	X X	x x	x x	x x	( X	x x	x x	x x		x	x x	x x		X X	(	U10987-C513	1.225,00	
OPENFT-2 (UNIX systems) V11.0	mode; system with 1 to 4 CPUs  License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	X	хх	X				X	x x	х			хх	X			×	x		X	X X	1	U10987-C502	1.994,00	Phased out
OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	X	хх	х				x	x x	X			x x	x			x	X			X X		U10987-C503	,	Phased out
OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	Х	х х	x x	x x	x x	x x	X X	x x	х	х	X	x x	x x	x x		X	x x	х х	X	X X		U10987-C500	36,00	
OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	X	x x	хх	хх	x x	x x	X	x x	XX	XX	X	x x	x x	xx		X	xx	x x	X	X		U10987-C499	15,00	



-	St.											
S	Servers Options		TX100 S3p	TX120	TX140	TX150 S/	TX200	TX200	TX300	ep ep		
			PRIMERGY	PRIMERGY	PRIMERGY	EKGY FRGY	ERGY	PRIMERGY	PRIMERGY	Product Code	( <del>(</del> )	nments
	Description	Details	짪	쭚	<u>R</u> 2	7 7 X	<u>R</u>	R	쭚	o G	EUP	Co
	ependencies											
	NABLING LOW NOISE MODE TX150 TX200 NABLING LOW NOISE MODE TX300					<b>×</b>		Х		S26361-F3776-E2 S26361-F3776-E3	3,00 3,00	
Ir	ntel Pentium G640 2C/2T 2.80 GHz 3 MB	Intel Pentium processor G640 (2C/2T, 2.80 GHz, TLC: 3 MB, Turbo: No, 1066 MHz, 65 W)	x	x	x					S26361-F3579-E264	105,00	Phased out
lr	ntel Pentium G2120 2C/2T 3.10 GHz 3 MB	without heat sink  Intel Pentium processor G2120 (2C/2T, 3.10 GHz, TLC: 3 MB, Turbo: No, 1600 MHz, 55 W)	х	х	Х					S26361-F3580-E221	125,00	
lr	ntel Core i3-3220 2C/4T 3.30 GHz 3 MB	without heat sink  Intel Core i3-3220 processor (2C/4T, 3.30 GHz, TLC: 3 MB, Turbo: No, 1600 MHz, 55 W) without heat sink	х	х	х					S26361-F3580-E222	190,00	
lr	ntel Xeon E3-1220Lv2 2C/4T 2.30GHz 3MB	Intel Xeon processor E3-1220Lv2 (2C/4T, 2.30 GHz, TLC: 3 MB, Turbo: Yes, 1600 MHz, 17 W) without heat sink		х						S26361-F3580-E312	295,00	
lr	ntel Xeon E3-1265Lv2 4C/8T 2.50GHz 8 MB	Intel Xeon processor E3-1265Lv2 (4C/8T, 2.50 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 45 W) without heat sink		х	х					S26361-F3580-E316	480,00	
r	ntel Xeon E3-1220v2 4C/4T 3.10 GHz 8 MB	Intel Xeon processor E3-1220v2 (4C/4T, 3.10 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink		х	х					S26361-F3580-E322	335,00	
r	ntel Xeon E3-1230v2 4C/8T 3.30 GHz 8 MB	Intel Xeon processor E3-1230v2 (4C/8T, 3.30 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink		x	х					S26361-F3580-E323	370,00	
r	ntel Xeon E3-1270v2 4C/8T 3.50 GHz 8 MB	Intel Xeon processor E3-1270v2 (4C/8T, 3.50 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink			х					S26361-F3580-E327	530,00	
r	ntel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink					х			S26361-F3618-E240	515,00	Phased out
r	ntel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl.					Х			S26361-F3618-E266	915,00	Phased out
r	ntel Xeon X5650 6C/12T 2.66 GHz 12 MB	heat sink  Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95					х			S26361-F3619-E266	1.090,00	Phased out
r	ntel Xeon L5630 4C/8T 2.13 GHz 12 MB	W) incl. heat sink Intel Xeon processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink					х			S26361-F3622-E213	670,00	Phased out
r	ntel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink					х			S26361-F3633-E240	650,00	Phased out
lr	ntel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Membus: 1066 MHz, 80 W) incl. heat sink					х			S26361-F3648-E160	260,00	Phased out
lr	ntel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink					х			S26361-F3648-E213	335,00	Phased out
r	ntel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink					х			S26361-F3649-E253	890,00	Phased out
r	ntel Xeon E5-2403 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2403 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Membus: 1066 MHz, 80 W) incl. heat sink				×		х		S26361-F3684-E180	260,00	
r	ntel Xeon E5-2407 4C/4T 2.20 GHz 10 MB	Intel Xeon processor E5-2407 (4C/4T, 2.20 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Membus: 1066 MHz, 80 W) incl. heat sink				×		х		S26361-F3684-E220	320,00	
r	ntel Xeon E5-2420 6C/12T 1.90 GHz 15 MB	Intel Xeon processor E5-2420 (6C/12T, 1.90 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Membus: 1333 MHz, 95 W) incl. heat sink				×		х		S26361-F3723-E190	490,00	
r	ntel Xeon E5-2430 6C/12T 2.20 GHz 15 MB	Intel Xeon processor E5-2430 (6C/12T, 2.20 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Membus: 1333 MHz, 95 W) incl. heat sink				×		х		S26361-F3723-E220	660,00	
r	ntel Xeon E5-2440 6C/12T 2.40 GHz 15 MB	Intel Xeon processor E5-2440 (6C/12T, 2.40 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Membus: 1333 MHz, 95 W) incl. heat sink				Х		х		S26361-F3723-E240	1.000,00	
r	ntel Xeon E5-2450 8C/16T 2.10 GHz 20 MB	Intel Xeon processor E5-2450 (8C/16T, 2.10 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Membus: 1600 MHz, 95 W) incl. heat sink				Х		х		S26361-F3724-E210	1.210,00	
r	ntel Xeon E5-2470 8C/16T 2.30 GHz 20 MB	Intel Xeon processor E5-2470 (8C/16T, 2.30 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Membus: 1600 MHz, 95 W) incl. heat sink						х		S26361-F3724-E230	1.655,00	
	ntel Xeon E5-2430L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2430L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Membus: 1333 MHz, 60 W) incl. heat sink				×	L	х		S26361-F3725-E200	790,00	
	ntel Pentium 1403 2C/2T 2.60 GHz 5 MB	Intel Pentium processor 1403 (2C/2T, 2.60 GHz, TLC: 5 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink				<b>X</b>	L			S26361-F3726-E260	290,00	
r	ntel Xeon E5-1410 4C/8T 2.80 GHz 10 MB	Intel Xeon processor E5-1410 (4C/8T, 2.80 GHz, TLC: 10 MB, Turbo: Yes, 6.4 GT/s, Membus: 1333 MHz, 80 W) incl. heat sink				×				S26361-F3751-E280	550,00	
۱r	ntel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80							Y	S26361-F3685-E180	295,00	

Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Membus: 1066 MHz, 80 W) incl. heat sink



Tower	Servers Options												
			S3p	S3p	S1p		_	, <u> </u>					
			0 83	လ	0 S1	0 S7	0 88	0 S6	0.87				
			X10	TX120	TX140	TX150	LX150	TX200	TX200	TX300	Φ		
			Ϋ́				<u>≻</u>	<u> </u>	<u>-</u>   ;	<u>≻</u>	Code		<u>v</u>
			PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	ERG	PRIMERGY	PRIMERGY	ERG	<u>i</u>	€	Comments
_			N	\ <u>₹</u>	Z Z	N N	PRIMER		2	<u>≅</u>	Product	EUP (	uu o
Category Options mat	Description rix	Details	Δ	Δ.	_	Δ.	Δ	<b>□</b> (	<b>ጔ</b>	Δ.	<u> </u>	Ш	Ö
Processor	(Continued)												
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem								Х	S26361-F3685-E240	400,00	
		bus: 1066 MHz, 80 W) incl. heat sink											
	Intel Pentium G6950 2C 2.80 GHz 3 MB	Intel Pentium processor G6950 (2C, 2.80 GHz,				х			T		S26361-F3588-E280	170,00	Phased out
		TLC: 3 MB, Turbo: No, 1066 MHz, 73 W) without heat sink											
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00					_	+	+	х	S26361-F3676-E200	540,00	
		GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem										·	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon processor E5-2630 (6C/12T, 2.30					-	-	+	v	S26361-F3676-E230	775,00	
	THE TACOT ES 2000 00/121 2.00 GTZ 10 MD	GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem								^	020301-1 3070-L230	773,00	
	1	bus: 1333 MHz, 95 W) incl. heat sink			Ш	_	4	4	4		000004 50070 5050	4 405 00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem								Х	S26361-F3676-E250	1.105,00	
		bus: 1333 MHz, 95 W) incl. heat sink											
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00								х	S26361-F3686-E200	1.320,00	
		GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Membus: 1600 MHz, 95 W) incl. heat sink											
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20								х	S26361-F3686-E220	1.590,00	
		GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Membus: 1600 MHz, 95 W) incl. heat sink											
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60				-	-	+	+	х	S26361-F3686-E260	1.830,00	
		GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem											
	Intel Year EE 2000 90/46T 2 70 01 5 20 MB	bus: 1600 MHz, 115 W) incl. heat sink			$\square$	4	-	+	_	Ų	S26361-F3686-E270	2 OFF 00	
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem								X	JZUJU 1-F3000-E2/U	2.055,00	
		bus: 1600 MHz, 130 W) incl. heat sink			Ш			$\perp$					
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem								х	S26361-F3686-E290	2.420,00	
		bus: 1600 MHz, 135 W) incl. heat sink											
	Intel Core i3-540 2C/4T 3.06 GHz 4 MB	Intel Core i3-540 processor (2C/4T, 3.06 GHz,				х					S26361-F3587-E306	215,00	Phased out
		TLC: 4 MB, Turbo: No, 1333 MHz, 73 W) without heat sink											
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90					_	_	$^{+}$	х	S26361-F3687-E290	1.830,00	
		GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s, Mem											
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	bus: 1600 MHz, 130 W) incl. heat sink Intel Xeon processor E5-2637 (2C/4T, 3.00				-	-	+	+	Y	S26361-F3687-E300	1.105,00	
	THEO 7.000 CO 20 MID	GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s, Mem								^	02000110007 2000	1.100,00	
	1	bus: 1600 MHz, 80 W) incl. heat sink			Ш	_	4	4	4		000004 50007 5000	4 405 00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s, Mem								Х	S26361-F3687-E330	1.105,00	
		bus: 1600 MHz, 130 W) incl. heat sink											
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80								х	S26361-F3688-E180	1.320,00	
		GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Membus: 1600 MHz, 70 W) incl. heat sink											
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00								х	S26361-F3688-E200	845,00	
		GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Membus: 1333 MHz, 60 W) incl. heat sink											
	Intel Xeon X3430 4C/4T 2.40 GHz 8 MB	Intel Xeon processor X3430 (4C/4T, 2.40 GHz,				х	+	+	+	$\dashv$	S26361-F3578-E343	370,00	Phased out
		TLC: 8 MB, Turbo: 1/1/2/3, 1333 MHz, 95 W)										,	
	Intel Xeon X3450 4C/8T 2.66 GHz 8 MB	without heat sink Intel Xeon processor X3450 (4C/8T, 2.66 GHz,				Х	-	+	+	-	S26361-F3578-E345	455.00	Phased out
	THE RESTRICT ACTOR 2.00 GHZ 6 WID	TLC: 8 MB, Turbo: 1/1/4/4, 1333 MHz, 95 W)				^					320301-1 3370-L343	455,00	Thased out
		without heat sink											
Memory	2GB (1x2GB) 1Rx8 DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered,	х	х	х			т	Т		S26361-F3719-E513	45,00	
	,	ECC, 1600 MHz, PC3-12800, DIMM							4				
	4GB (1x4GB) 2Rx8 DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM	Х	х	Х						S26361-F3719-E514	75,00	
	8GB (1x8GB) 2Rx8 DDR3-1600 U ECC	8 GB (1 module(s) 8 GB) DDR3, unbuffered,	Х	х	Х		$\dashv$		$\top$		S26361-F3719-E515	165,00	
	0.00 DDD0 4000 MH, D00 40000 J. / LEO	ECC, 1600 MHz, PC3-12800, DIMM				_	_	_	4		000004 50005 5544	40.00	Discoule
	2 GB DDR3 1333 MHz PC3-10600 ub s/d ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM				Х					S26361-F3335-E514	40,00	Phased out
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered,				х			T		S26361-F3335-E515	60,00	Phased out
	2 GB DDR3 1333 MHz PC3-10600 rg s/d ECC	ECC, 1333 MHz, PC3-10600, DIMM 2 GB (1 module(s) 2 GB) DDR3, registered,			$\vdash$	Х	+	+	+		S26361-F3336-E514	45.00	Phased out
	2 OB BBING 1993 WII 21 CO-10000 1g 3/d 200	ECC, 1333 MHz, PC3-10600, DIMM									020301-1 3330-1314	43,00	Thasea out
	4 GB DDR3 1333 MHz PC3-10600 rg d ECC	4 GB (1 module(s) 4 GB) DDR3, registered,				Х					S26361-F3336-E515	85,00	Phased out
	8 GB DDR3 1066 MHz PC3-8500 rg q ECC	ECC, 1333 MHz, PC3-10600, DIMM 8 GB (1 module(s) 8 GB) DDR3, registered,				х	+	+	+	$\dashv$	S26361-F3336-E516	145,00	Phased out
	• •	ECC, 1066 MHz, PC3-8500, DIMM							Ш			,	
Memory Mo	odules Spare Channel Mode Installation	BIOS setup for spare mode, preinstallation ex						х	7		S26361-F3284-E1	5.00	Phased out
	•	factory			Ш							,	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation						х			S26361-F3284-E3	5,00	Phased out
	Independent Mode Installation	ex factory  No specific memory RAS features are defined					Х		х	х	S26361-F3694-E10	5,00	
	Performance Mode Installation	BIOS setup for performance mode,						х	T		S26361-F3284-E2		Phased out
	Performance Mode Installation	preinstallation ex factory BIOS setup for performance mode,			$\vdash$	-	+		+	х	S26361-F3694-E2	5,00	
		preinstallation ex factory			Ш				_				
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory					Х		х		S26361-F3695-E2	5,00	
	MM 8GB 2x4 DDR31333 MHz PC3-10600 rg s/d	2 modules 4GB 1333MHz, Registered DDR3			$\forall$		$\dashv$	х	$\dashv$	$\dashv$	S26361-F3604-E524	170,00	Phased out
	_	DIMM with SDDC = Chipkill, , MM = 4GB											
	2 GB DDR3 1333 MHz PC3-10600 ub d	usable memory for Mirrored Mode  1 module 2GB 1333MHz, unbufferes DDR3			$\vdash$	_	$\dashv$	Х	+	$\dashv$	S26361-F3606-E513	40 00	Phased out
	_ 55 55.75 1000 William to 10000 db d	DIMM with SDDC = Chipkill, Single modules for						^			2_0001 1 0000-E010	70,00	
	Donk Charing Mada Last 11	Independent Mode			$\square$	_	4	_	4	$\perp$	C06064 F0004 F4		
	Rank Sparing Mode Installation	BIOS setup for rank sparing mode, preinstallation ex factory								Х	S26361-F3694-E1	5,00	
	Rank Sparing Mode Installation	BIOS setup for rank sparing mode,			П		Х	$\neg$	х		S26361-F3695-E1	5,00	
		preinstallation ex factory											



r Servers Options											
		PRIMERGY TX100 S3p	TX120	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	TX200		TX300	Product Code	(€)	nments
y Description	Details	쮼	쭙	<u>R</u> 1		쭙	집	R	Pro	EUP	Com
matrix Modules (Continued)											
MM 16GB 2x8 DDR3 1333 MHz PC3-10600 rg d	2 modules 8GB 1333MHz, Registered DDR3					х			S26361-F3604-E525	250,00	Phased out
	DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode										
Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation						T	х	S26361-F3694-E3	5,00	
Mirrored Channel Mode Installation	ex factory, BIOS setup for mirrored mode, preinstallation				×	+	Х	₩	S26361-F3695-E3	5,00	
Will Orea Charliel Wode Installation	ex factory,				^		^		320301-1 3033-L3	3,00	
4 GB DDR3 1333 MHz PC3-10600 rg s/d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode					х			S26361-F3604-E514	85,00	Phased out
8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode					х			S26361-F3604-E515	125,00	Phased out
SP12GB 3x4 DDR3 1333MHz PC3-10600 rg s/d	3 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode					х			S26361-F3604-E534	255,00	
MM 8GB 2x4 DDR3LV 1333 MHz 10600 rg s/d	2 LV modules 4GB 1366MHz, Registered DDR3					х			S26361-F3605-E524	170,00	Phased out
SP 24GB 3x8 DDR3 1333 MHz PC3-10600 rg d	DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode  3 modules 8GB 1333MHz, Registered DDR3					x	L		S26361-F3604-E535	375.00	Phased out
	DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode									ŕ	
MM 16GB 2x8 DDR3 LV 1333 MHz 10600 rg d	2 LV modules 8GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode					X			S26361-F3605-E525	250,00	Phased out
4 GB DDR3 LV 1333 MHz PC3-10600 rg s/d	1 LV module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode					х			S26361-F3605-E514	85,00	Phased out
SP12GB 3x4 DDR3 LV1333 MHz 10600 rg s/d	3 LV modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode					x			S26361-F3605-E534	255,00	Phased out
8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 LV module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode					х			S26361-F3605-E515	125,00	Phased out
SP 24GB 3x8 DDR3 LV 1333 MHz 10600 rg d	3 LV modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare					х			S26361-F3605-E535	375,00	Phased out
2GB (1x2GB) 1Rx8 L DDR3-1600 U ECC	or 24GB Performance Mode  2 GB (1 module(s) 2 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM				X		X	Х	S26361-F3694-E513	45,00	
4GB (1x4GB) 2Rx8 L DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM				X		X	X	S26361-F3694-E514	75,00	
4GB (1x4GB) 2Rx8 L DDR3-1600 R ECC 4GB (1x4GB) 1Rx4 L DDR3-1333 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							_	S26361-F3695-E514 S26361-F3696-E514	95,00 85,00	
8GB (1x8GB) 2Rx4 L DDR3-1333 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							х	S26361-F3696-E515	125,00	
4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM				×		X	X	S26361-F3697-E514	95,00	
8GB (1x8GB) 2Rx4 L DDR3-1600 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM				×		X	x	S26361-F3697-E515	145,00	
16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC	16 GB (1 module(s) 16 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM				X		X	X	S26361-F3697-E516	260,00	
16GB (1x16GB) 4Rx4 L DDR3-1333 LR ECC	16 GB (1 module(s) 16 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600,							X	S26361-F3698-E516	400,00	
32GB (1x32GB) 4Rx4 L DDR3-1333 LR ECC	LRDIMM  32 GB (1 module(s) 32 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600,							х	S26361-F3698-E517	915,00	
S	LRDIMM										
PY NVIDIA Tesla K20 GPGPU	NVIDIA Tesla K20 PCIe-x16 GPGPU card for TX300 S7ff; RX350 S7ff; for HPC puroses no Graphic Output							Х	S26361-F2222-E22	4.475,00	
PY NVIDIA Tesla K20X GPGPU	NVIDIA Tesla K20X PCIe-x16 GPGPU card for TX300 S7ff; RX350 S7ff; for HPC puroses no Graphic Output							x	S26361-F2222-E24	6.450,00	
Front-VGA Interface	2nd optional VGA interface front side			<del> </del>					S26361-F2571-E26	20,00	
PY VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card	Х		х	x x	X	Х	X	S26361-F2748-E537	135,00	
PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card,		Х	$\dashv$	+		+		S26361-F2748-E637	135,00	
PY NVIDIA Tesla C2075 GPGPU	low profile  NVIDIA Tesla C2075 PCIe-x16 GPGPU Karte		Н	$\dashv$	+	+	+		S26361-F2856-E997	2.675,00	
PY GPGPU Cable Kit	for TX300 S7 / RX350 S7  Cable Kit to install up to 2 GPGPUs;, Includes an universal PCI card holder and screws				+	+	+		S26361-F3736-E1	80,00	
PY K20 / K20X mounting kit	Mounting and Cable Kit to install up to 2 NVIDIA		Н	$\dashv$	-	+	-	x	S26361-F3736-E2	95,00	
<b></b>	K20 or K20X GPGPU cards; Includes an Air Duct plus cable set and the PCI card holder inclusive all screws for up to 2x GPGPU K20 or									22,00	
DV latel Vana Disassative Lit	K20X		Ш	$\dashv$	+		-	-	C00004 F0700 F-	25.55	
PY Intel Xeon Phi mounting kit	Mounting and Cable Kit to install up to 2 Intel Xeon Phi 5110P or 7120P Co-Processor cards; Includes an Air Duct plus cable set and the PCI							X	S26361-F3736-E5	95,00	



	ervers Options		88 87 S7									
			PRIMERGY TX100 S3	TX120	PRIMERGY TX140 S1	PRIMERGY TX150 SA	TX200	TX200	PRIMERGY TX300 S7	ct Code	( <del>(</del> )	ents
/ Description		Details	RIME	RIME	RIME	K K	RIME	RIME	RIME	Product	EUP (4	Comments
natrix		Details		ш.	ш , с							
(Continued) Intel Xeon Phi Co-Proces	sor 5110P	Intel Xeon Phi 5110P PCIe-x16 Co-Processor card for CX270 S2; TX300 S7ff; RX350 S7ff; for HPC puroses no Graphic Output							X	S26361-F4100-E511	3.895,00	
ble Media Drives MountingKit DVD(sl)+LSI	0+2x SAS LFF HDD	for slim DVD, 1x Local Service Display, 2x HDD				Х		х		S26361-F2826-E106	90,00	
Mounting Kit for 8x SAS \$	SEE HDD	Extension Box for 8x 2,5" hotplug HDD			_	X		х		S26361-F2826-E426	130,00	
MountingKit DVD(sl)+4x S Blu-ray Triple Writer sliml	SAS/SATA LFF HDD	for slim DVD, 4x HDD  Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height	х		X	x		X		S26361-F2826-E436 S26361-F3641-E4	110,00 165,00	
USB3.0 PCle x1 adapter	card	USB 3.0 adapter card to connect one internal USB 3.0 RDX drive and one external USB 3.0 device.	х		Х	х	×	X	х	S26361-F3749-E1	25,00	
MountingKit DVD(sl) + LS MountingKit DVD(sl)+LSF		for slim DVD, 1x Local Service Display for slim DVD, 1x Local Service Panel or Display				X	×			S26361-F2826-E205 S26361-F2826-E204	30,00 30,00	
ExtensionKit 4x SAS LFF MountingKit DVD(sl)+LSF		HDD Extension for 4x LFF hotplug HDD for slim DVD, 1x Local Service Panel or Display					Х		Х	S26361-F2826-E335 S26361-F2826-E104	80,00 85,00	
MountingKit DVD(sl)+LSI		2x HDD for slim DVD, 1x Local Service Display, 2x HDD		Н		+	+	+	Y	S26361-F2826-E105	65,00	
. , ,				Щ	_		1	-				
ExtensionKit 8x SAS SFF DVD-RW supermulti sliml	ine SATA	HDD Extension for 8x SFF hotplug HDD all CD/DVD formats, DUAL/DL, DVD- RAM,slimline 0.5" fitting height, black		х		x x	x	x	х	S26361-F2826-E325 S26361-F3269-E2	90.00 95,00	
MountingKit 8x SAS SFF MountingKit DVD(sl)+4x S		Extension Box for 8x 2,5" hotplug HDD for slim DVD, 4x HDD							Х	S26361-F2826-E425 S26361-F2826-E435	90,00	
SAS Expander 2x4 In / 6x Adapter Kit for 2nd RAID		SAS Expander 2x4 In / 6x4 Out Adapter Kit for 2nd RAID Controller					+	+		S26361-F3668-E1 S26361-F3673-E1	255,00 20,00	
USB3.0 PCIe x1 adapter	·	USB 3.0 adapter card to connect one internal USB 3.0 RDX drive and one external USB 3.0 device		х						S26361-F3749-E201	25,00	
Blu-ray Triple Writer sliml	ine SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height		Х						S26361-F3641-E2	165,00	
DVD-ROM 1.6" SATA		16x DVD, 48x CD, 1.6" fitting height, black beze	l x		х	x x	×	x	Х	S26361-F3266-E2	35,00	
DVD-RW supermulti 1.6"	SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6"	х		х	х	х	х	х	S26361-F3267-E2	60,00	
RDX 320 5.25'		fitting height, black bezel  RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel., With	X		х	x x	X	X	х	S26361-F3750-E324	285,00	
RDX 320 3.5'		320GB Cartridge  RDX Drive USB 3.0 100MB/s 3.5" intern with 320GB cartridge, USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height,		х						S26361-F3750-E325	285,00	
RDX 500 5.25'		black bezel.  RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel., With 500GB Cartridge	X		X	х	X	x	х	S26361-F3750-E504	375,00	
RDX 500 3.5'		RDX Drive USB 3.0 100MB/s 3.5" intern with 500GB cartridge, USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel.		х						S26361-F3750-E505	375,00	
RDX 1000 5.25'		RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel., With 1000GB Cartridge	X		X	х	X	x	x	S26361-F3750-E604	420,00	
RDX 1000 3.5'		RDX Drive USB 3.0 100MB/s 3.5" intern with 1000GB cartridge, USB Connector: USB 3.0 "B' with matching USB cable , 1.6" fitting height, black bezel.		X						S26361-F3750-E605	420,00	
RDX Drive USB3.0 5.25"	internal	RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel.	X		Х	x x	X	X	х	S26361-F3750-E4	210,00	
RDX Drive USB 3.0 3.5"		RDX Drive USB 3.0 100MB/s 3.5" intern, , USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black beze.		х						S26361-F3750-E5	210,00	
Tape Kit DDS Gen5 36G		USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, black bezel, with description (G/US) and cleaning cartridge			X	х	X	X	х	S26361-F3324-E4	505,00	
Tape Kit DDS Gen5 36G		USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US) and cleaning cartridge		х						S26361-F3324-E5	505,00	
Tape Kit DDS Gen6 80G	B USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge	X		X	x x	×	X	X	S26361-F3325-E4	735,00	
Tape Kit DDS Gen6 80G	B USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge		х						S26361-F3325-E2	735,00	
Tape Kit LTO3HH Ultr 40	0GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge			х	x x	X	x	х	S26361-F3561-E4	1.410,00	
Tape Kit LTO4HH 800GE		SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge								S26361-F3626-E2	1.825,00	
Tape Kit LTO5HH 1500G	B 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge			х	х	×	X	х	S26361-F3627-E1	2.220,00	



**Tower Servers Options** PRIMERGY TX200 PRIMERGY oduct **(** EUP Category Description **Details** Options matrix Hard Disks (Continued) HD SATA 3G 250GB 7.2K HOT PL 3.5" ECO S26361-F3293-E250 HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-160,00 plug, 3.5-inch, economic HD SATA 6G 4TB 7.2K NO HOT P 3.5' BC HDD SATA, 6 GB/s, 3 TB, 7200 rpm, non hot S26361-F3671-E400 670,00 New product, Orderable from: 11/07/2013 х х plug, 3.5-inch, business critical HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-S26361-F3700-E250 160,00 plug, 3.5-inch, economic S26361-F3700-E500 HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot- $X \mid X \mid X \mid X$ 205,00 plug, 3.5-inch, economic HD SATA 6G 250GB 7.2K NO HOT PL 3.5" ECO HDD SATA, 6 GB/s, 250 GB, 7200 rpm, non-S26361-F3701-E250 160.00 ХХ hot-plug, 3.5-inch, economic HD SATA 6G 500GB 7.2K NO HOT PL 3.5" ECO HDD SATA, 6 GB/s, 500 GB, 7200 rpm, non-S26361-F3701-E500 205,00 Χ hot-plug, 3.5-inch, economic HD SATA 6G 500GB 7.2K HOT PL 3.5" BC x | x | S26361-F3670-E500 HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-Х 210,00 plug, 3.5-inch, business critical HD SATA 6G 250GB 7.2K HOT PL 2.5" BC HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hotx x S26361-F3708-E250 225.00 X X Х plug, 2.5-inch, business critical HD SATA 6G 500GB 7.2K HOT PL 2.5" BC HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hotx S26361-F3708-E500 255.00 х х plug, 2.5-inch, business critical HD SAS 6G 1TB 7.2K HOT PL 3.5' BC HDD SAS, 6 GB/s, 3 TB, 7200 rpm, hot-plug, x x S26361-F5241-E100 325,00 Orderable from: 04/07/2013 3.5-inch, business critical HD SAS 6G 2TB 7.2K HOT PL 3.5' BC 485,00 Orderable from: 04/07/2013 HDD SAS, 6 GB/s, 3 TB, 7200 rpm, hot-plug, x x S26361-F5241-E200 Х Х 3.5-inch, business critical HD SAS 6G 3TB 7.2K HOT PL 3.5' BC HDD SAS, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 760,00 Orderable from: 04/07/2013 x S26361-F5241-E300 Х 3.5-inch, business critical HD SAS 6G 4TB 7.2K HOT PL 3.5' BC HDD SAS, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 870,00 Orderable from: 04/07/2013 Х x x S26361-F5241-E400 3.5-inch, business critical HD SATA 6G 1TB 7.2K HOT PL 3.5" BC x x S26361-F3670-E100 HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 255,00 Х Х 3.5-inch, business critical HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, HD SATA 6G 1TB 7.2K HOT PL 2.5" BC x S26361-F3708-E100 410,00 Х 2.5-inch, business critical HD SATA 6G 2TB 7.2K HOT PL 3.5" BC HDD SATA, 6 GB/s, 2 TB, 7200 rpm, hot-plug, x x S26361-F3670-E200 440,00 3.5-inch, business critical SSD SATA 6G 100GB MLC HOT P 2.5" EP MAIN SSD SATA, 6 GB/s, 100 GB, MLC, hot-plug, x x S26361-F5225-E100 465,00 х х 2.5-inch, enterprise SSD SATA 6G 200GB MLC HOT P 2.5" EP MAIN x x S26361-F5225-E200 SSD SATA, 6 GB/s, 200 GB, MLC, hot-plug, 995.00 хх Χ Х Х 2.5-inch, enterprise SSD SATA 6G 400GB MLC HOT P 2.5" EP MAIN SSD SATA, 6 GB/s, 400 GB, MLC, hot-plug, хх Х x x S26361-F5225-E400 2.670,00 2.5-inch, enterprise HD SAS 6G 300GB 10K HOT PL 2.5" EP HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hotx S26361-F5247-E130 255,00 plug, 2.5-inch, enterprise HD SAS 6G 450GB 10K HOT PL 2.5" EP HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-370,00 x S26361-F5247-E145 Х plug, 2.5-inch, enterprise HD SAS 6G 600GB 10K HOT PL 2.5" EP HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hotx x S26361-F5247-E160 475,00 Х plug, 2.5-inch, enterprise HD SAS 6G 900GB 10K HOT PL 2.5" EP HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hotx S26361-F5247-E190 680,00 plug, 2.5-inch, enterprise HD SATA 6G 3TB 7.2K HOT PL 3.5" BC x S26361-F3670-E300 HDD SATA, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 600,00 3.5-inch, business critical HD SATA 6G 4TB 7.2K HOT PL 3.5' BC HDD SATA, 6 GB/s, 3 TB, 7200 rpm, hot-plug, x x S26361-F3670-E400 670,00 New product, Orderable from: 11/07/2013 Х Х 3.5-inch, business critical HD SATA 6G 500GB 7.2K NO HOT PL 3.5" BC HDD SATA, 6 GB/s, 500 GB, 7200 rpm, non S26361-F3671-E500 210,00 hot plug, 3.5-inch, business critical HD SAS 6G 500GB 7.2K HOT PL 2.5" BC 270,00 HDD SAS, 6 GB/s, 500 GB, 7200 rpm, hotх х x S26361-F5228-E500 plug, 2.5-inch, business critical HD SATA 3G 500GB 7.2K HOT PL 3.5" BC HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-S26361-F3294-E500 210,00 Х Х Х plug, 3.5-inch, business critical HD SATA 6G 1TB 7.2K NO HOT PL 3.5" BC HDD SATA, 6 GB/s, 1 TB, 7200 rpm, non hot S26361-F3671-E100 250,00 plug. 3.5-inch, business critical x | x | S26361-F5228-E100 HD SAS 6G 1TB 7.2K HOT PL 2.5" BC HDD SAS, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 450,00 ХХ 2.5-inch, business critical HD SATA 6G 2TB 7.2K NO HOT PL 3.5" BC HDD SATA, 6 GB/s, 2 TB, 7200 rpm, non hot S26361-F3671-F200 440.00 ХХ plug, 3.5-inch, business critical HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, HD SATA 3G 1TB 7.2K HOT PL 3.5" BC S26361-F3294-E100 250,00 Χ Х 3.5-inch, business critical HD SATA 6G 3TB 7.2K NO HOT PL 3.5" BC HDD SATA, 6 GB/s, 3 TB, 7200 rpm, non hot S26361-F3671-E300 600,00 plug, 3.5-inch, business critical HD SATA 3G 2TB 7.2K HOT PL 3.5" BC x S26361-F3294-E200 440,00 HDD SATA, 3 GB/s, 2 TB, 7200 rpm, hot-plug, Х Х 3.5-inch, business critical HD SATA 3G 250GB 7.2K HOT PL 2.5" BC S26361-F3601-E250 225,00 HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-Х Х plug, 2.5-inch, business critical HD SATA 3G 500GB 7.2K HOT PL 2.5" BC HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-S26361-F3601-E500 255,00 plug, 2.5-inch, business critical HD SATA 3G 1TB 7.2K HOT PL 2.5" BC HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, S26361-F3601-E100 410,00 Х Х 2.5-inch, business critical x x x x S26361-F4005-E530 HD SAS 6G 300GB 15K HOT PL 3.5" EP 370,00 HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hotplug, 3.5-inch, enterprise HD SAS 6G 450GB 15K HOT PL 3.5" EP HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hotx | x | x | x | x | x | S26361-F4005-E545 395,00 plug, 3.5-inch, enterprise HD SAS 6G 600GB 15K HOT PL 3.5" EP HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hotx | x | x | x | x | x | S26361-F4005-E560 475,00 plug, 3.5-inch, enterprise HD SAS 6G 300GB 10K HOT PL 2.5" EP HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-S26361-F4482-E130 255,00 x x x x plug, 2.5-inch, enterprise HD SAS 6G 450GB 10K HOT PL 2.5" EP HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-S26361-F4482-E145 370,00  $X \mid X \mid X \mid X \mid X \mid X$ plug, 2.5-inch, enterprise HD SAS 6G 600GB 10K HOT PL 2.5" EP S26361-F4482-E160 475,00 HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot- $X \mid X \mid X \mid X \mid X \mid X$ plug, 2.5-inch, enterprise HD SAS 6G 900GB 10K HOT PL 2.5" EP x | x | x | x | x | x | x | S26361-F4482-E190 HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot-680,00 plug, 2.5-inch, enterprise HD SAS 6G 146GB 15K HOT PL 2.5" EP HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hotx x x x x x x x S26361-F4482-E514 295,00 plug, 2.5-inch, enterprise HD SAS 6G 300GB 15K HOT PL 2.5" EP HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hotx x x x x S26361-F4482-E530 535,00 plug, 2.5-inch, enterprise x x x x S26361-F4541-E100 SSD SAS 6G 100GB SLC HOT P 2.5" EP PERF SSD SAS, 6 GB/s, 100 GB, SLC, hot-plug, 2.5-1.795,00 Phased out inch, enterprise



Tower	Servers Options												
			S3p	S3p	S1p		, o	١٥	, ,	_			
			00 S	20 S	40 S	PRIMERGY 1X150 S/	20.00	PRIMERGY 1X200 SO	00 37	2			
			TX100	PRIMERGY TX120	TX140	֡֓֓֓֟֝֓֓֓֓֟֝֓֓֓֓֓֓֓֓֟֟֓֓֓֓֟֟֓֓֓֓֓֓֓֓֓֟֟֓֓֓֟֟֓֓֓֟֟֓֓֓֟֟֓֓֓֓	1 X 150	7 2	1 7 200	1 X300	မှ		
			ERGY	КGY	PRIMERGY	ָבָּל פֿל	PRIMERGY	בי פלי		PRIMERGY	t Code		ents
			Ä	Ä	ME				֓֞֞֟֞֞֞֞֞֞֞֞֞֞֞֞֓֓֞֞֞֞֞֞֞֞֞֞֞֞֞֞֞֞֞֞֞֞		Product	P (€)	Comments
	Description	Details	PRIM	R	R 8	7 6	7 6	F 6	ך נ	ř K	P 2	EUP	Ö
Options mat Hard Disks	(Continued)												
	SSD SAS 6G 400GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, SLC, hot-plug, 2.5-inch, enterprise					Х	<b>X</b>	х	x s	S26361-F4541-E400	6.180,00	
	SSD SAS 6G 100GB MLC HOT PL 2.5" EP PERF	SSD SAS, 6 GB/s, 100 GB, MLC, hot-plug, 2.5-					х	<b>X</b>	х	x :	S26361-F4581-E100	1.060,00	
	SSD SAS 6G 200GB MLC HOT PL 2.5" EP PERF	inch, enterprise SSD SAS, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-				+	х	<b>X</b> :	x	x :	S26361-F4581-E200	1.880,00	
	SSD SAS SC 400CB MI C HOT DL 2 5" ED DEDE	inch, enterprise					v/				S26361-F4581-E400	2 610 00	
	SSD SAS 6G 400GB MLC HOT PL 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, MLC, hot-plug, 2.5-inch, enterprise					Х	Χ .	X	Χ,	520301-F4501-E400	3.610,00	
	SAS controller SATA-HDD Upgrade 58. HDD	Trigger to the request of a PCI based SAS			х						S26361-F2826-E140	5,00	
		controller			^	4	4	4	4				
	RAID Contr BBU Upgrade for RAID 5/6 C16	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"					X		x		S26361-F3257-E216	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 C55	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"	Х	х	Х	х		x		:	S26361-F3257-E255	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 C70	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"								x :	S26361-F3257-E270	165,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCle x4,		х	Х	х	+	х	+	:	S26361-F3257-E4	110,00	
	SAS Ctrl 6G 8ext PCIe	4 internal ports SAS Controller 6GB/s 8 port, LSI SAS 9200-8e		$\vdash$	х	х	х	х	x	x :	S26361-F3628-E1	265,00	
		· ·	_		1	4	4	4	4				
	SAS Ctrl 6G 8ext PCIe lp	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e LP		Х						4	S26361-F3628-E201	265,00	
	TFM Module for FBU option on D3116	TFM module for "RAID Ctrl SAS 6G 1GB (D3116)",	х	х	х		х		х	x :	S26361-F3669-E100	170,00	
	RAID Ctrl FBU option with 25cm cable	FBU option for "RAID Ctrl SAS 6G 1GB (D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 25cm cable	х				х		х	;	S26361-F3669-E125	115,00	
	RAID Ctrl FBU option with 70cm cable	FBU option for "RAID Ctrl SAS 6G 1GB (D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 70, cm cable								x	S26361-F3669-E170	115,00	
	RAID Ctrl SAS 6G 8Port ex 1GB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9285-8e,		Н					х	x :	S26361-F3713-E1	800,00	
		PCIe2.0 x8, 1GB Cache with ECC, , 8 external ports, optional FBU, FH bracket											
	RAID Ctrl SAS 6G 8Port ex 1GB FH LSI V3	RAID-Ctrl, LSI MegaRAID SAS 9286CV-8e, PCIe3.0 x8, 1GB Cache with ECC, , 8 external ports, optional FBU, FH bracket							x	x	S26361-F3713-E3	800,00	New product,Orderable from: 15/06/2013
	SAS Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS,					х		x	x	S26361-F3674-E1	85,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal		х	Х	х	х	X :	x	x	S26361-F3554-E8	175,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	ports SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal	Х	х	х	х	х	X :	х	x	S26361-F3554-E512	390,00	
	RAID Ctrl SAS 6G 1GB (D3116)	ports SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal					х		x	x	S26361-F3669-E1	435,00	
	RAID Ctrl SAS 6G 8Port ex 512MB FH LSI	Ports  RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports,			х	х	х	X :	x	x :	S26361-F3593-E1	595,00	
	RAID Ctrl SAS 6G 8Port ex 512MB LP LSI	without iBBU  RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports,		х						:	S26361-F3593-E201	595,00	
		without iBBU											
	RAID Ctrl SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports	х	x	X					;	S26361-F3669-E2	435,00	
	RAID Ctrl SAS 6G 1GB (D3116C)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 3.0 x8, 8 internal ports	Х	х	Х		х		x	x	S26361-F3669-E3	435,00	
	RAID Ctrl FBU option with 55cm cable	FBU option for "RAID Ctrl SAS 6G 1GB (D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 5, 5cm cable		х	х					;	S26361-F3669-E155	115,00	
Fibre Chan											Daege4 F0004 F4	000.00	
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC	1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, , Optics: 8GB short wave lasers with LC type connectors						<b>X</b> :	X	x	S26361-F3961-E1	860,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, , Optics: 8GB short wave lasers with LC type connectors						X :	х	x	S26361-F3961-E2	1.385,00	
	PFC EP LPe16000	1 channel 16GBit/s FC controller, PCI intergace: PCIe 3.0 x8; backwards compatible to PCIe 2.0, Optics: 16GB short wave lasers with LC type connectors							х	x	S26361-F4994-E1	1.525,00	
	PFC EP LPe16002	2 channel 16GBit/s FC controller, PCI intergace: PCIe 3.0 x8; backwards compatible to PCIe 2.0, Optics: 16GB short wave lasers with LC type connectors							х	x	S26361-F4994-E2	2.375,00	
	FC Ctrl 8GB/s 1 channel QLE2560 MMF LC	1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers						x :	x	x :	S26361-F3631-E1	955,00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LC	with LC type connectors 2 channel 8GBit/s FC controller, , PCI		$\forall$	$\dashv$	+	+	X :	х	х	S26361-F3631-E2	1.540,00	
		intergace: PCle 2.0 x8, ; backwards compatible to PCle Gen1, Optics: 8GB short wave lasers with LC type connectors											
Connection	Blades												



Tower	Servers Options											
			ď	đ	<u>a</u>							
			0 S3p	0 S3p	PRIMERGY TX140 S1p	88 0	PRIMERGY TX200 S6	S 27	S 2			
			TX100	(120	746	TX150	500	TX200	TX300	_		
			Ϋ́	Ϋ́	\(\frac{1}{2}\)	-   <del> </del>   <del> </del>	-   <del> </del>   <del> </del>	i L	Ϋ́	Code		Ø
			PRIMERGY	PRIMERGY TX120	PRIMERGY TX140	PRIMERGY	RG (	RG	PRIMERGY.	, <u>, , , , , , , , , , , , , , , , , , </u>	(€	Comments
			ME	ME			Ξ	M	M	Product	<u> </u>	E E
	Description	Details	<u>R</u>	<u>R</u>	E 6		_ <u>K</u>	<b>E</b>	<u>R</u>	<u> </u>	E E	ပိ
Options ma	n Blades (Continued)											
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode		х	x :	х	Х	х	х	S26361-F3986-E3	410,00	
		fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN										
		connection blades, 1GB LAN connection blades										
		with 10GB SFP+ uplink and the Fujitsu 10GBE										
		Server Adapter D2755., For multi-mode short-										
		range fiber optic cables up to 300m.										
	SFP+ Module Single Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for single mode		х	х	хх	x	: x	х	S26361-F3986-E4	1.190,00	
	g	fiber with LC connector (jack) for Fujitsu									,	
		PRIMERGY BX400/BX900 10GB LAN										
		connection blade and LAN adapter D2755., For single-mode long-range fiber optic cables up to										
		10km.										
Communic	ation/Network											
	Upgrade-Kit to 4x GBit on-board	Upgrade-Kit to 4x GBit on-board, Based on Intel							Х	S26361-F3740-E701	210,00	
		LAN controller chip I350-AM2, Usable with original Intel driver kit, Extends the available two										
		onboard 1GB LAN connectors with two										
		additional 1GB LAN connectors.				4						
	Upgrade-Kit to 6x GBit on-board	Upgrade-Kit to 6x GBit on-board, Based on Intel							X	S26361-F3739-E701	390,00	
		LAN controller chip I350-AM4, Usable with original Intel driver kit., Extends the available										
		two onboard 1GB LAN connectors with four										
	H 1 (C)	additional 1GB LAN connectors.		Ш	$\perp$	4	_	_		000004 50000 ==		
	Upgrade-Kit to 2xGB and 2x10GB on-board	Upgrade-Kit to 2x GBit and 2x 10GBit on-board, Based on Intel LAN controller chip 82599,							X	S26361-F3629-E702	525,00	
		Usable with original Intel driver kit., Extends the										
		available two onboard 1GB LAN connectors										
		with two additional 10GB LAN connectors										
	Shared 10GB Management LAN kit	(SFP+).				+	+		Y	S26361-F3629-E750	25,00	
	Eth Ctrl 4x1GBit Cu PCle x4 D3045	Ethernet Server Adapter Eth Ctrl 4x1GBit Cu			x :	хх	ίх	х	_	S26361-F3739-E1	390,00	
		PCIe x4 D3045, Based on Intel LAN controller										
		chip I350-AM4, Usable with original Intel driver kit										
	Eth Ctrl 4x1GBit Cu PCle x4 D3045 lp	Ethernet Server Adapter Eth Ctrl 4x1GBit Cu		Х		+				S26361-F3739-E201	390,00	
	<u>'</u>	PCIe x4 D3045 lp, Based on Intel LAN controller									,	
		chip I350-AM4, Usable with original Intel driver										
	Eth Ctrl 2x1GBit Cu PCle x4 D3035	kit Ethernet Server Adapter Eth Ctrl 2x1GBit Cu	Х		x	x x	x	. x	x	S26361-F3740-E1	210,00	
	Zur dur zwi dar die xr beese	PCIe x4 D3035, Based on Intel LAN controller	^			^   ^	`   ^			0200011011021	210,00	
		chip I350-AM2, Usable with original Intel driver										
	Eth Ctrl 2x1GBit Cu PCle x4 D3035 lp	kit Ethernet Server Adapter Eth Ctrl 2x1GBit Cu		х		+	+	+	-	S26361-F3740-E201	210,00	
	Eth oth 2x10bit out ole x4 b3033 ip	PCIe x4 D3035 lp, Based on Intel LAN controller		^						320301-1 3740-L201	210,00	
		chip I350-AM2, Usable with original Intel driver										
	Fit Out A AOD'S DOL. Do. (4000DT O	kit				+	+	+	-	000004 50044 54	00.00	
	Eth Ctrl 1x1GBit PCle Pro/1000PT Cu Eth Ctrl 1x1GBit PCle Pro/1000PF LC	Intel® Pro 1000PT 1 Port Server Adapter Intel® Pro 1000PF 1 Port Server Adapter				X X	X		Х	S26361-F3241-E1 S26361-F3242-E1	90,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel® GBit CT 1 Port Desktop Adapter	х	_	X :			_		S26361-F3516-E1	45,00	
	Eth Ctrl 1x1GBit PCle CT Desktop Cu lp Eth Ctrl 2x10GBit PCle x8 D2755 SFP+	Intel® GBit CT 1 Port Desktop Adapter Ip Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe		Х		v v	, v		v	S26361-F3516-E201 S26361-F3629-E2	45,00 525,00	
	Eth oth 2x100Bit 1 die x0 B2733 di 1 +	x8 D2755 SFP+			^   .	^   ^	` ^	`   ^	^	320301-1 3029-L2	323,00	
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+ lp	Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe		Х						S26361-F3629-E202	525,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	x8 D2755 SFP+ lp 2 Channel 10GBit/s FCoE Controller , PCIe 2.0				-			v	S26361-F3592-E2	1.335,00	
	FCOE CIT 10GB/S 2 CHAITIEL OCE 10102 WIVIF	x 8, SFP+ for opt. module or Twinax cable							^	320301-13392-12	1.333,00	
		· ·										
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl							Х	S26361-F3592-E108	405,00	
	Eth Ctrl 2x10GBase-T PCIe x8 X540-T2	OCe10102 Ethernet Server Adapter Eth Ctrl 2x10GBase-T			х	X	+	x	Х	S26361-F3752-E2	890,00	
		PCIe x8 X540-T2, Based on Intel LAN controller				^		^	"		230,00	
		chip Twinville, Usable with original Intel driver kit										
	Eth Ctrl 2x10GBase-T PCle x8 X540-T2	Ethernet Server Adapter Eth Ctrl 2x10GBase-T		х		+	+	+		S26361-F3752-E202	890,00	
		PCIe x8 X540-T2, Based on Intel LAN controller		^						020001-1 0/0Z-EZUZ	090,00	
		chip Twinville, Usable with original Intel driver kit										
	IR HCA 40CR 4 mort CDD	InfiniDand LICA 400D/s 4 seed ODD				+	-	-	-	P06964 E4475 E400	605.00	
	IB HCA 40GB 1 port QDR IB HCA 40GB 1 port QDR enhanced	InfiniBand HCA 40GB/s, 1-port, QDR InfiniBand HCA 40GB/s, 1-port, QDR, enhanced			+	+	+	+	_	S26361-F4475-E102 S26361-F4475-E103	625,00 685,00	
		· ·					4	_				
	IB HCA 40GB 2 port QDR enhanced	InfiniBand HCA 40GB/s, 2-port, QDR, enhanced							X	S26361-F4475-E203	1.060,00	
	IB HCA 56GB 1 port FDR	InfiniBand HCA 56GB/s, 1-port, FDR					+	_	Х	S26361-F4533-E102	1.040,00	
D	IB HCA 56GB 2 port FDR	InfiniBand HCA 56GB/s, 2-port, FDR								S26361-F4533-E202	1.605,00	
Rack-Infras	structure Rack Mount Kit F2-C S7 LV	Rack Mount Kit (RMK) for server more than 2				V		х		S26361-F2735-E285	100,00	
		height units (U) or max. 50 Kg (F2) with Quick-				^		^		2.2.1.2.30 2200	, 55,50	
		Release-Lever (QRL). Drop in telesope rails										
		(DI) 781mm long, full extraction 815mm, with cable management adapter (CMA) for toolless										
		mounting of cable management arms. Vario										
		carrier 2 for mounting in PRIMECENTER and										
		3rd-party racks. Toolless adjustable rack										
		mounting depth (rack pillar distance) between 559 and 914 mm depth. Pre-adjustment pos. 3										
		(701-775mm).										
	Mounting in symmetrical Racks	Rack server mounting in symmetrical racks				x	(	х		S26361-F4530-E10	5,00	
	Mounting 2U in asymmetrical racks	without support bracket  Rack server mounting in asymmetrical rack with		$\square$		X	_	Х		S26361-F4530-E12	5,00	
		2U support bracket				_   ^		_  ^		5200011 7000°E12	3,00	
		, , , , , , , , , , , , , , , , , , , ,		-	_	-	_		_			



Tower	Servers Options												
			S3p	S3p	S1p	S7	88	9S	S7	S7			
			TX100	120	TX140	150	TX150	TX200	TX200	TX300			
				PRIMERGY TX120	Ě	PRIMERGY TX150	Ϋ́	Ť	Ĭ	Ϋ́	Code		
			RG	RG	RG	RG	RG	RG	RG	RG	ŏ 8	<u></u>	ents
			PRIMERGY	₩.	PRIMERGY.	N ME	PRIMERGY	PRIMERGY	PRIMERGY.	NE NE	Product	EUP (€)	Comments
Category Options ma	Description	Details	4	<u>F</u>	<u>F</u>	<u>F</u>	<u>F</u>	<u>K</u>	<u>R</u>	4	ğ	Щ	8
	structure (Continued)												
	Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the			X	Х	х	х	Х		SNP:SY-F1647E301-P	130,00	
		12/24/38U rack will be delivered completely											
		premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get											
		the mounting kits and the cables installed.											
					Ш						000004 50705 500	22.22	
	Rack Cable Arm 2U	Cable management arm, dragged with bracket, can be used for PRIMERGY servers 2U or					Х		Х		S26361-F2735-E82	30,00	
		higher. Can be mounted in PRIMECENTER											
		party racks, can only be mounted at RMKs with CMA adapter.											
	Cable mgmt. lateral for asym. PC racks	Cable management for server or storage			х	х		х		П	S26361-F2735-E7	30,00	
		subsystem 2U or higher mounted into											
	Cable mgmt. lateral for asym. PC racks M	asymmetrical PRIMECENTER racks  Cable management for server or storage					х		Х	Н	S26361-F2735-E71	30,00	
	, , , , , , , , , , , , , , , , , , , ,	subsystem 2U or higher mounted into										,	
	cable arm 2U PCR M1 S and 3rd partyracks	asymmetrical PRIMECENTER M1 racks  Cable arm 2U to be mounted at right or left rack			Х	Х		Х			S26361-F2201-E20	50,00	
	cable anni 20 FCR Wit 3 and 3rd partyracks	pillar behind servers higher oder equal 2U.			^	^		^			320301-12201-120	50,00	
		Released for symmetrical PRIMECENTER M1											
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	or 3rd party racks. telescopic full extraction, drop-in mount.; vario-		-	х	Х		Х		Н	S26361-F2735-E202	65,00	
	Table   1   1   1   1   1   1   1   1   1	carrier for toolless mounting;, max. load 50 kg,,				"					02000: 12:00 2202	00,00	
		Rack installation depth (19" pillar distance) between 714mm and 785mm											
Country ki		between 714mm and 765mm											
	CCC Certification for China region kit APAC/EMEA/India	CCC Certification for China Region-kit APAC/EMEA/ India		X			X	Х			S26361-F3301-E120 S26361-F1452-E100	10,00 10,00	
	region-kit America	Region-kit America		Х			Х				S26361-F1452-E130	10,00	
OneBox-K	kBPC PX ECO US	KBPC PX ECO US, professional GreenIT	х	х	х	Х	х	х	х	Х	S26381-K341-E110	27,00	
		keyboard, US-English, 45% renewable										,	
		resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on											
		with PS2 and USB, comes with PVC free USB											
	KBPC PX ECO D	cable, palmrest KBPC PX ECO D, professional GreenIT	v		v	v	v	v	v	v	S26381-K341-E120	27,00	
	NBFC FX ECO D	keyboard, Layout German, 45% renewable	^	^	^	^	^	^	^	^	320301-N341-L120	27,00	
		resources, PS2-USB, bright light grey/black,											
		additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB											
	V270 7V 700 07	cable, palmrest								Ш	22224 1/244 5425		
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable	Х	X	X	X	Х	X	Х	Х	S26381-K341-E165	27,00	
		resources, PS2-USB, bright light grey/black,											
		additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB											
		cable, palmrest											
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable	Х	Х	Х	Х	х	х	Х	Х	S26381-K341-E185	27,00	
		resources, PS2-USB, bright light grey/black,											
		additional 5 comfort-, 1 power-key, power-on											
		with PS2 and USB, comes with PVC free USB cable, palmrest											
	KB520 US	KB520 keyboard standard, marble grey, US,	х	х	х	х	х	х	Х	х	S26381-K520-E102	12,00	
	KB520 DE	cable USB 2m, KB520 keyboard standard, marble grey,	Х	X	X	X	Х	Х	х	х	S26381-K520-E120	12,00	
		Germany, cable USB 2m,								Ш			
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,	Х	Х	X	Х	Х	Х	Х	Х	S26381-K520-E165	12,00	
	KB520 IT	KB520 keyboard standard, marble grey, Italy,	Х	х	х	х	х	х	Х	х	S26381-K520-E185	12,00	
PRIMERGY	/-Software	cable USB 2m,											
I KINILKO I	iRMC S2 advanced pack	", On top of standard iRMC features, the iRMC				х		х			S26361-F1790-E241	305,00	
		Advanced Pack additionally provides the functions Advanced Video Redirection (AVR)											
		and Remote Storage, , Advanced Video											
		Redirection (AVR), - System-independent											
		graphics and text console redirection, including the keyboard and mouse, - Remote access to											
		permit boot monitoring, BIOS administration and											
		interaction with the operating system, , Remote Storage , Remote Storage makes available to											
		the managed server a "virtual" drive which is											
		located elsewhere in the network. , The "virtual drives" provided by Remote Storage are as											
		easy to use as local drives and offer the											
		following options:, - Reading/writing of data, -											
		Booting from Remote Storage, - Installation of drivers or small applications, - Remote BIOS											
		update (BIOS update via USB), , Remote											
		Storage permits simultaneous connection of up to two "virtual" drives and supports the following											
		types of device:, - Floppy disk, - CD-ROM /											
		DVD-ROM, - USB memory device (e.g. Memory Stick), - ISO image"											
		Jacky, 100 inage											



	Servers Options												
			330	S3p	S1p	S7	88	တ္တ	S7	S7			
			TX100 S3p	20 S	40 8	50 8	50 8		00	00			
			ž	TX120	TX140	TX150	TX150	2	TX200	TX300	<u>e</u>		
				<b>├</b>	Ğ	Ğ	Ğ	ğ	₹	₹G	Code		nts
			PRIMERGY	PRIMERG	PRIMERGY	Ä	PRIMERGY.	PRIMERGY TX200	PRIMERGY.	PRIMERGY	Product	(€)	Comments
	Description	Details	짬	쮼	짬	쮼	쮼	쮼	쮼	쮼	Pro	EUP	Ç
natri:	x Software (Continued)												
	RMC S3 advanced pack	, On top of standard iRMC features, the iRMC		х	х		Х		х	х	S26361-F1790-E242	305,00	
		Advanced Pack additionally provides the functions Advanced Video Redirection (AVR)											
		and Remote Storage, , Advanced Video											
		Redirection (AVR), - System-independent											
		graphics and text console redirection, including the keyboard and mouse, - Remote access to											
		permit boot monitoring, BIOS administration and											
		interaction with the operating system, , Remote Storage , Remote Storage makes available to											
		the managed server a "virtual" drive which is											
		located elsewhere in the network. , The "virtual											
		drives" provided by Remote Storage are as easy to use as local drives and offer the											
		following options:, - Reading/writing of data, -											
		Booting from Remote Storage, - Installation of											
		drivers or small applications, - Remote BIOS update (BIOS update via USB), , Remote											
		Storage permits simultaneous connection of up											
		to two "virtual" drives and supports the following types of device:, - Floppy disk, - CD-ROM /											
		DVD-ROM, - USB memory device (e.g. Memory											
_	DRIMEDOV Durlay Data Manager 5 04	Stick), - ISO image									000004 F0505 L500	0.770.00	
P	RIMERGY DuplexDataManager 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	X	X	X	X	X	X	X	X	S26361-F2565-L596	2.770,00	
N	/IS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine	х	Х	х	х	х		Х	х	S26361-F2567-E20	385,00	Phased out
		Manager 2008 R2 Workgroup Edition., English. OEM DVD, License.											
N	//S SysCtr Essntls 2010 OEM	MS System Center Essentials 2010. English.	х	Х	х	х	Х	х	х	Х	S26361-F2567-E30	115,00	Phased out
	·	OEM DVD, License.											
	VinSvr 2012 Language Pack DVD VinSvr 2012 Datacenter 2CPU OEM	WinSvr 2012 Language Pack DVD WinSvr 2012 Datacenter 2CPU OEM.		X							S26361-F2567-E400 S26361-F2567-E410	25,00 2.895,00	
ľ	VIIIOVI 2012 Datacentel 201 0 OLIVI	Multilingual. Requires Windows Server CAL	^	^	^	^	^	^	^	^	020301-12307-2410	2.055,00	
		2012, not included. OEM DVD, COA License.											
V	VinSvr 2012 Standard 2CPU/2VM OEM	End User License Terms. WinSvr 2012 Standard 2CPU&2VM OEM.	x	X	x	x	x	x	X	x	S26361-F2567-E420	570,00	
ľ	THEN 2012 GRAINGIN ZON GLZVIII OLIN	Multilingual. Requires Windows Server CAL			^	^	^	^			020001120012120	0,000	
		2012, not included. OEM DVD, COA License.											
٧	VinSvr 2012 Standard AddLic 2CPU/2VM OEM	End User License Terms.  WinSvr 2012 Standard Additional License	х	Х	х	х	х	х	х	х	S26361-F2567-E421	570,00	
ľ		2CPU&2VM No Media/Key OEM. SACOA	^	,		*		^	"	"	020001120012121	0.0,00	
14	Nino: n 0040 Farantiala 00DH 05M MH	License. End User License Terms.						-			C00004 F0F07 F400	205.00	
V	VinSvr 2012 Essentials 2CPU OEM MUL	Windows Server 2012 Essentials, OEM, Multilingual, DVD Media, COA, License,	X	Х	X	X	X		Х		S26361-F2567-E430	305,00	
		Languages: English (default language), German,											
		Japanese, French, Spanish, Italian, Dutch, Polish, Portuguese.											
٧	VinSvr 2012 Foundation 1CPU OEM	WinSvr 2012 Foundation 1CPU OEM.	х	Х	х	х	х				S26361-F2567-E440	175,00	
		Multilingual. OEM DVD, COA License. End User										,	
1/	WinStorageSur 2012 Std 20DLI/2\/M OEM	License Terms. Windows Storage Server 2012 Standard	v	v	V		V		v	v	S26361-F2567-E450	430,00	
V	VinStorageSvr 2012 Std 2CPU/2VM OEM	2CPU&2VM OEM. Multilingual. OEM DVD,	X	Х	×		Х		X	X	526361-F2567-E450	430,00	
		COA License. End User License Terms. No											
1/	VinStorageSvr 2012 Std AddLic 2CPU OEM	CALs required Windows Storage Server 2012 Standard	v	Х	v		Х		v	v	S26361-F2567-E451	430,00	
V	VIIISIOIAGESVI 2012 Sid Addelic 20F0 OEIVI	Additional License 2CPU&2VM OEM. Step-up	^	^	^		^		^	^	320301-F2307-E431	430,00	
		license to add 2 CPU sockets / 2 VMs. No											
1/	VinSvr CAL 2012 50Device	media/key Windows Server 2012 CAL 50 Device	v	v	v	v	v	v	v	v	S26361-F2567-E460	1.045,00	
٧	VinSvr CAL 2012 50User	Windows Server 2012 CAL 50 User	Х	х	х	Х	х	Х	Х	х	S26361-F2567-E461	1.210,00	
	VinSvr CAL 2012 10Device VinSvr CAL 2012 10User	Windows Server 2012 CAL 10 Device Windows Server 2012 CAL 10 User									S26361-F2567-E462 S26361-F2567-E463	215,00 245,00	
	VinSvr CAL 2012 1003Cl	Windows Server 2012 CAL 5 Device	Х	Х	Х	Х	Х	Х	Х	Х	S26361-F2567-E464	110,00	
	VinSvr CAL 2012 5User VinSvr CAL 2012 1Device	Windows Server 2012 CAL 5 User Windows Server 2012 CAL 1 Device									S26361-F2567-E465 S26361-F2567-E466	130,00 25,00	
٧	VinSvr CAL 2012 1User	Windows Server 2012 CAL 1 User	Х	Х	Х	Х	Х	Х	Х	Х	S26361-F2567-E467	29,00	
	VinSvr RDS CAL 2012 5Device VinSvr RDS CAL 2012 5User	Windows Server 2012 RDS CAL 5 Device Windows Server 2012 RDS CAL 5 User,									S26361-F2567-E470 S26361-F2567-E471	415,00 480,00	
٧	VinSvr RDS CAL 2012 1Device	Windows Server 2012 RDS CAL 1 Device,	Х	Х	Х	Х	Х	Х	Х	Х	S26361-F2567-E472	83.00	
	VinSvr RDS CAL 2012 1User DG/DE Kit WinSvr 2008 R2 SP1 Datacenter	Windows Server 2012 RDS CAL 1 User, DG/DE Kit WinSvr 2008 R2 SP1 Datacenter		X							S26361-F2567-E473 S26361-F2567-E480	96,00 35,00	
	DG/DE NIL WIIIGVI 2006 KZ GF I Datacetilei	DOWNGRADE AND DOWN-EDITION DVD	^	^	^	^	^		^	^	320301-F2307-E400	33,00	
		Media and Product Key Card. Requires original											
Г	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise	purchase of licensed software. EULA.  DG/DE Kit WinSvr 2008 R2 SP1 Enterprise	x	Х	x	x	x		X	x	S26361-F2567-E481	35,00	
		DOWNGRADE AND DOWN-EDITION DVD											
		Media and Product Key Card. Requires original purchase of licensed software. EULA.											
D	DG/DE Kit WinSvr 2008 R2 SP1 Standard	DG/DE Kit WinSvr 2008 R2 SP1 Standard	х	Х	х	Х	Х		Х	Х	S26361-F2567-E482	35,00	
		DOWNGRADE AND DOWN-EDITION DVD											
		Media and Product Key Card. Requires original purchase of licensed software. EULA.											
D	DG/DE Kit WinSvr 2008 SP2 Datacenter	DG/DE Kit WinSvr 2008 SP2 Datacenter	х	Х	х	х	х		х	х	S26361-F2567-E483	35,00	
		DOWNGRADE AND DOWN-EDITION DVD											
		Media and Product Key Card. Requires original purchase of licensed software. EULA.											
D	DG/DE Kit WinSvr 2008 SP2 Enterprise	DG/DE Kit WinSvr 2008 SP2 Enterprise	х	Х	х	х	х		Х	х	S26361-F2567-E484	35,00	
		DOWNGRADE AND DOWN-EDITION DVD											
		Media and Product Key Card. Requires original purchase of licensed software. EULA.											
	OG/DE Kit WinSvr 2008 SP2 Standard	DG/DE Kit WinSvr 2008 SP2 Standard	х	Х	х	х	х		х	х	S26361-F2567-E485	35,00	
D					1	1	1	1	1	1	I		
C		DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original											



· (C)	Convers Options												
r S	ervers Options												
			0 S3p	0 S3p	0 S1p	0 S7	0 S8	9S 0	0 S7	0 S7			
			TX100	TX120	TX140	TX150	TX150	X20	TX200	TX300	<b>c</b> b		
					3≺ Т	3Y⊤	3Y.T	PRIMERGY TX200	3≺ Т		Product Code		ııts
			PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	JER(	PRIMERGY	PRIMERGY	uct	€	Comments
, <sub>D</sub>	escription	Details	Σ	Z.	N.	ΣŇ	ΣĮ	ž	ΣΝ	ΣÑ	Prod	E E	E C
natrix	x .	Details				_	_	_			ш		
	Software (Continued) Citrix VIAB, 10 CCU, 1yr SWM	Citrix VIAB, 10 CCU, 1yr SWM;, VDI-in-a-Box,							х	х	S26361-F4583-S500	1.560,00	
	with this, to eee, tyl evilli	10 Concurrent Users;, 1 year Citrix Software								,	02000111000 0000	1.000,00	
		Maintenance;, SW and Lizence key per Download											
С	Citrix VIAB, 50 CCU, 1yr SWM	Citrix VIAB, 50 CCU, 1yr SWM;, VDI-in-a-Box,							х	Х	S26361-F4583-S501	7.800,00	
		50 Concurrent Users;, 1 year Citrix Software Maintenance;, SW and Lizence key per											
		Download											
С	Citrix VIAB, 101 CCU, 1yr SWM	Citrix VIAB, 101 CCU, 1yr SWM;, VDI-in-a-Box, 101 Concurrent Users;, 1 year Citrix Software							х	Х	S26361-F4583-S502	14.790,00	
		Maintenance;, SW and Lizence key per											
	NATIONAL OF A COLL A COMMA	Download									000004 54500 0500	04.040.00	
C	itrix VIAB, 251 CCU, 1yr SWM	Citrix VIAB, 251 CCU, 1yr SWM;, VDI-in-a-Box, 251 Concurrent Users;, 1 year Citrix Software							X	Х	S26361-F4583-S503	34.340,00	
		Maintenance;, SW and Lizence key per											
С	Sitrix VIAB, 10 CCU, 3yr SWM	Download Citrix VIAB, 10 CCU, 3yr SWM;, VDI-in-a-Box,							Х	Y	S26361-F4583-S510	2.120,00	
	with this, to eee, ey, evilli	10 Concurrent Users;, 3 years Citrix Software								,	0200011 1000 0010	2.120,00	
		Maintenance;, SW and Lizence key per Download											
С	Citrix VIAB, 50 CCU, 3yr SWM	Citrix VIAB, 50 CCU, 3yr SWM;, VDI-in-a-Box,							х	Х	S26361-F4583-S511	10.600,00	
		50 Concurrent Users;, 3 years Citrix Software											
		Maintenance;, SW and Lizence key per Download											
С	citrix VIAB, 101 CCU, 3yr SWM	Citrix VIAB, 101 CCU, 3yr SWM;, VDI-in-a-Box,							х	х	S26361-F4583-S512	20.120,00	
		101 Concurrent Users;, 3 years Citrix Software Maintenance;, SW and Lizence key per											
		Download											
С	Citrix VIAB, 251 CCU, 3yr SWM	Citrix VIAB, 251 CCU, 3yr SWM;, VDI-in-a-Box, 251 Concurrent Users;, 3 years Citrix Software							X	Х	S26361-F4583-S513	46.790,00	
		Maintenance;, SW and Lizence key per											
	Startic VIAR FRILL 40 CCU 4 yrs CVAAA	Download	-							.,	C2C2C4 F4E02 CE20	4 020 00	
	citrix VIAB, EDU, 10 CCU, 1yr SWM	Citrix VIAB, EDU, 10 CCU, 1yr SWM;, VDI-in-a- Box, 10 Concurrent Educational Users;, 1 year							X	X	S26361-F4583-S520	1.030,00	
		Citrix Software Maintenance;, SW and Lizence											
С	citrix VIAB, EDU, 50 CCU, 1yr SWM	key per Download; Citrix VIAB, EDU, 50 CCU, 1yr SWM;, VDI-in-a-							x	Х	S26361-F4583-S521	5.160,00	
		Box, 50 Concurrent Educational Users;, 1 year								,	0_000	01.00,00	
		Citrix Software Maintenance;, SW and Lizence key per Download											
С	Citrix VIAB, EDU, 101 CCU, 1yr SWM	Citrix VIAB, EDU, 101 CCU, 1yr SWM;, VDI-in-							х	Х	S26361-F4583-S522	9.700,00	
		a-Box, 101 Concurrent Educational Users;, 1 year Citrix Software Maintenance;, SW and											
		Lizence key per Download											
С	Citrix VIAB, EDU, 251 CCU, 1yr SWM	Citrix VIAB, EDU, 251 CCU, 1yr SWM;, VDI-in-							х	Х	S26361-F4583-S523	22.290,00	
		a-Box, 251 Concurrent Educational Users;, 1 year Citrix Software Maintenance;, SW and											
		Lizence key per Download											
C	citrix VIAB, EDU, 10 CCU, 3yr SWM	Citrix VIAB, EDU, 10 CCU, 3yr SWM;, VDI-in-a- Box, 10 Concurrent Educational Users;, 3 years							X	Х	S26361-F4583-S530	1.560,00	
		Citrix Software Maintenance;, SW and Lizence											
_	citrix VIAB, EDU, 50 CCU, 3yr SWM	key per Download Citrix VIAB, EDU, 50 CCU, 3yr SWM;, VDI-in-a-	-						v	v	S26361-F4583-S531	7.800,00	
	MILK VIAB, EBO, 30 000, 3yl OVVIVI	Box, 50 Concurrent Educational Users;, 3 years							^	^	020001-1 4000-0001	7.000,00	
		Citrix Software Maintenance;, SW and Lizence											
С	Citrix VIAB, EDU, 251 CCU, 3yr SWM	key per Download  Citrix VIAB, EDU, 251 CCU, 3yr SWM;, VDI-in-							х	Х	S26361-F4583-S533	33.130,00	
	,	a-Box, 251 Concurrent Educational Users;, 3											
		years Citrix Software Maintenance;, SW and Lizence key per Download											
V	TOM License f. operation of one server,	VIOM License for operation of one server,					х		х	х	U15000-C311	320,00	
V	TOM License for operation of 8 servers,	Service Pack mandatory VIOM License for operation of 8 servers,			$\forall$		Х	-	Х	х	U15000-C312	1.910,00	
		Service Pack mandatory			Ш			_					
V	IOM License f. operation of 18 servers,	VIOM License for operation of 18 servers, Service Pack mandatory					Х		Х	X	U15000-C313	3.835,00	
Р	RIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM	Х	Х	Х	х	Х	х	х	х	S26361-F2565-E593	885,00	
P	RIMERGY MultiPath 5.01	and License. for Windows Server 2008 and 2003. CD-ROM	Y	x	х	¥	X	¥	x	x	S26361-F2565-E595	885,00	
L		and License.			Ш			Ĺ	Ш	Ĺ			
\\	Vin Svr 2008 R2 SP1 Foundation 1CPU OEM	Win Srv 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM	X	X	Х	Х	X				S26361-F2567-E301	175,00	
L		DVD, License.			Ш								
V	Vin Svr 2008 R2 SP1 Datactr 2CPU OEM	Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. OEM	Х	Х	Х	Х	Х	Х	Х	Х	S26361-F2567-E331	2.885,00	
		DVD, License.											
V	Vin Srv 2008 R2 SP1 Enterpr w/10CAL OEM	Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL)	Х	Х	х	Х	Х	х	х	х	S26361-F2567-E321	1.840,00	
		EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.											
V	Vin Srv 2008 R2 SP1 Standard w/5CAL OEM	Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN	l x	х	х	х	Х	х	х	х	S26361-F2567-E311	570,00	
		DE ES FR IT JA and woldwide language packs. OEM DVD, License.											
V	Vin SBS Standard 2011 w/5CAL OEM EN	Windows Small Business Server Standard 2011	Х	Х	х	х	Х	х	Х	х	S26361-F2567-E350	640,00	
		with 5 CAL, OEM, English, DVD Media set, COA, License											
V	Vin SBS Standard 2011 w/5CAL OEM DE	Windows Small Business Server Standard 2011	Х	Х	Х	х	Х	х	Х	х	S26361-F2567-E351	640,00	
		with 5 CAL, OEM, German, DVD Media set,											
		COA, License			$\square$		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	-		\ \	000004 F0E07 F0E0	645,00	
۱۸	Vin SBS Standard 2011 w/5CAL OEM IT	Windows Small Business Server Standard 2011	Y	Y	X	X	X	X	X	x	32030 I-F/30/-F 32/		



r S	Servers Options												
	ervers Options		PRIMERGY TX100 S3p	TX120	TX140	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6		PRIMERGY TX300 S7	Product Code	P (€)	mments
<b>D</b>	Description	Details	A.	꿈	A R	품	R	품	R	R	Pro	EUP	Co
Y-S	Software (Continued)												
W	Vin SBS Standard 2011 w/5CAL OEM FR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, French, DVD Media set, COA, License	х	X	X	х	х	x	х	X	S26361-F2567-E353	645,00	
W	Vin SBS Standard 2011 w/5CAL OEM ES	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Spanish, DVD Media set, COA, License	Х	Х	Х	х	х	х	х	х	S26361-F2567-E354	645,00	
W	Vin SBS Standard 2011 w/5CAL OEM CS	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License	х	х	х	х	х	х	х	х	S26361-F2567-E355	645,00	
W	Vin SBS Standard 2011 w/5CAL OEM PT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Portuguese, DVD Media set,	Х	х	х	х	х	х	х	х	S26361-F2567-E356	645,00	
W	Vin SBS Standard 2011 w/5CAL OEM NL	COA, License Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media set, COA,	Х	х	х	х	х	х	Х	х	S26361-F2567-E357	645,00	
W	Vin SBS Standard 2011 w/5CAL OEM TR	License Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media set,	х	х	х	х	х	х	х	х	S26361-F2567-E358	640,00	
W	Vin SBS Standard 2011 w/5CAL OEM HU	COA, License Windows Small Business Server Standard 2011 with 5 CAL, OEM, Hungarian, DVD Media set,	х	х	х	х	х	х	х	х	S26361-F2567-E359	640,00	
W	Vin SBS 2011 Prem Add-On w/5CAL OEM EN	COA, License Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, English, DVD Media	Х	х	х	х	х	х	х	х	S26361-F2567-E370	940,00	
W	Vin SBS 2011 Prem Add-On w/5CAL OEM DE	set, COA, License Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German, DVD Media	x	X	х	Х	X	Х	х	x	S26361-F2567-E371	940,00	
W	Vin SBS 2011 Prem Add-On w/5CAL OEM IT	set, COA, License Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Italian, DVD Media	x	X	х	Х	X	Х	x	х	S26361-F2567-E372	950,00	
W	Vin SBS 2011 Prem Add-On w/5CAL OEM FR	set, COA, License Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, French, DVD Media	х	Х	Х	х	х	Х	х	х	S26361-F2567-E373	950,00	
W	Vin SBS 2011 Prem Add-On w/5CAL OEM ES	set, COA, License Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Spanish, DVD Media	х	Х	Х	х	х	Х	х	х	S26361-F2567-E374	950,00	
W	Vin SBS Essentials 2011 OEM MUL-Set1	set, COA, License Windows Small Business Server Essentials	x	Х	x	x	Y	┝	╄	-	S26361-F2567-E378	330.00	Phased out
		2011, OEM, MUL set 1, DVD Media, COA, License, Language set 1:English (default language), German, Japanese, French, Spanish, Italian, Dutch, Polish, Portuguese.											
W	Vin SBS Essentials 2011 OEM MUL-Set2	Windows Small Business Server Essentials 2011, OEM, MUL set 2, DVD Media, COA, License, Language set 2: English (default language), Chinese simplified (for PRC), Hungarian, Russian, Turkish, Swedish, Czech,	X	x	x	x	x				S26361-F2567-E379	330,00	Phased out
W	Vin Svrs 2008 R2 SP1 Service Pack DVD	Korean, Brazilian Portuguese. Service Pack 1 Supplement DVD for Windows	х	Х	Х	х	х	х	X	X	S26361-F2567-E391	25,00	
W	Vin Srvs 2008 R2 SP1 Language Pack DVD	Servers 2008 R2.  Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers	Х								S26361-F2567-E390	25,00	
W	Vin HPC Srv 2008 R2 Suite ACADEMIC USA	2008 R2 SP1.  Win HPC Srv 2008 R2 Suite (1-4 CPU)  ACADEMIC OEM for USA. Ships per Request for Special Release only. Only for Qualified Educational Users in the U.S., only for								х	S26361-F2567-E366	30,00	
		shipments to U.S.A. OEM Recovery DVD Media Kit, COA, License.											
VV	Vin HPC Srv 2008 R2 Suite ACADEMIC PRC	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for PRC. Ships per Request for Special Release only. Only for Qualified Educational Users in the PRC, only for shipments to PRC. OEM Recovery DVD Media Kit, COA, License.								X	S26361-F2567-E368	30,00	
W	Vin HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.							Х	X	S26361-F2567-E360	760,00	
W	Vin Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.								х	S26361-F2567-E361	380,00	
	Vin HPC Pack 2008 R2 Workstation MUL OEM	Win HPC Pack 2008 R2 Workstation OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.									S26361-F2567-E363	110,00	
S	SUSE Linux ES 1-2 SOCK Server 1Y	SUSE Linux ES 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year	х	X	X	Х	X	Х	х	х	S26361-F2348-S101	290,00	
S	SUSE Linux ES 1-2 SOCK Server 3Y	SUSE Linux ES 1-2SOC Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3 years	х	X	X	Х	Х	Х	х	x	S26361-F2348-S102	790,00	
S	SUSE Linux ES 1-2 SOCK Server 5Y	SUSE Linux ES 1-2SOC Server 5Y, 1-2 CPU Sockets, one physical server, subscription for 5 years									S26361-F2348-S103	1.160,00	
	SUSE Linux ES 1-2 SOCK Serv+Virt. 1Y	SUSE Linux ES 1-2SOC Serv+Virt. 1Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 1 year									S26361-F2348-S111	440,00	
S	SUSE Linux ES 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES 1-2SOC Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years										1.180,00	
	SUSE Linux ES 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES 1-2SOC Serv+Virt 5Y, 1-2 CPU	Х	х	х	Х	Х	Х	Х	Х	S26361-F2348-S113	1.760,00	



Servers Options												
		S3p	S3p	S1p	S7	S8	Se Se	S7	S7			
		TX100 S	TX120 S	40 S	150 S	50 S	200 S	200 S	300 S			
			1.7	/ TX140	/ TX150	/ TX150	/ TX200	/ TX200	/ TX300	<del>o</del> pc		_
		PRIMERGY	ERG	ERG	ERG	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	Product Code	€	Comments
Description	Details	R	PRIMER	PRIME	N M	N M	N M	RIM	RIM	rodu	EUP (	u woo
Description	Details	100	100	100	100	100	100	100	100	а.	_ ш	8
Y-Software (Continued) SUSE Linux ES HAE 1-2 SOCK 1Y	SUSE Linux ES HAE 1-2SOC 1Y, 1-2 CPU	Х	х	Х	х	х	х	Х	Х	S26361-F2348-S121	590,00	
	Sockets, high availability extension, subscription for 1 year											
SUSE Linux ES HAE 1-2 SOCK 3Y	SUSE Linux ES HAE 1-2SOC 3Y, 1-2 CPU		Х	Х	Х	Х	х	Х	Х	S26361-F2348-S122	1.570,00	
	Sockets, high availability extension, subscription for 3 years											
SUSE Linux ES HAE 1-2 SOCK 5Y	SUSE Linux ES HAE 1-2SOC 5Y, 1-2 CPU		х	х	х	х	х	Х	Х	S26361-F2348-S123	2.330,00	
	Sockets, high availability extension, subscription for 5 years											
SUSE Linux ES4SAP 1-2 SOCK Server 1Y	SUSE Linux ES4SAP 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription	Х	Х	Х	Х	Х	Х	Х	Х	S26361-F2348-S401	1.280,00	
SUSE Linux ES4SAP 1-2 SOCK Server 3Y	for 1 year SUSE Linux ES4SAP 1-2SOC Server 3Y, 1-2	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	v	V/	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	. v		S26361-F2348-S402	3.450,00	
SUSE LINUX ES4SAF 1-2 SUCK SERVER ST	CPU Sockets, one physical server, subscription	\ \ \	, x	×	, x	X	X	, x	, x	320301-F2340-3402	3.450,00	
SUSE Linux ES4SAP 1-2 SOCK Server 5Y	for 3 years SUSE Linux ES4SAP 1-2SOC Server 5Y, 1-2	X	X	Х	X	X	X	X	Х	S26361-F2348-S403	5.200,00	
	CPU Sockets, one physical server, subscription								"			
SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 1Y	for 5 years SUSE Linux ES4SAP 1-2SOC Serv+Virt 1Y, 1-2	2 x	Х	Х	Х	Х	х	Х	Х	S26361-F2348-S411	1.920,00	
	CPU Sockets, unlimited virtualization, subscription for 1 year											
SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 3Y, 1-2	2 x	Х	х	х	х	х	х	х	S26361-F2348-S412	5.200,00	
	CPU Sockets, unlimited virtualization, subscription for 3 years											
SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization,	2 x	Х	Х	Х	Х	х	Х	Х	S26361-F2348-S413	7.700,00	
	subscription for 5 years											
Red Hat ELS 1-2SOC 1G 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year	Х	Х	Х	Х	Х	Х	Х	Х	S26361-F2346-S101	331,00	
Red Hat ELS 1-2SOC 1G 5x9 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years		X	х	х	х	x	Х	х	S26361-F2346-S102	889,00	
							L			200004 50040 0400	407.00	
Red Hat ELS 1-2SOC 4G 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year	X	X	X	X	X	X	X	X	S26361-F2346-S103	497,00	
Red Hat ELS 1-2SOC 4G 5x9 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets)	Y	Y	Y	Y	Y	Y	Y	Y	S26361-F2346-S104	1.334,00	
1100 Fig. 2200 40 0x3 15 0upport 51	(up to 4 guests) level3 Standard Support 3	^	^	^	^	^	^	^	^	020001-1 2040-0 104	1.554,00	
Red Hat ELS 1-2SOC uG 5x9 l3 Support 1Y	years  Red Hat Enterprise Linux Server (1-2 sockets)	X	Х	Х	Х	Х	X	Х	Х	S26361-F2346-S105	830,00	
	(unlimited guests) level3 Standard Support 1 year											
Red Hat ELS 1-2SOC uG 5x9 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets)	х	Х	х	х	х	х	Х	х	S26361-F2346-S106	2.224,00	
	(unlimited guests) level3 Standard Support 3 years											
Red Hat ELS 1-2SOC 1G 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 1 year	х	X	х	х	х	x	Х	Х	S26361-F2346-S111	538,00	
Red Hat ELS 1-2SOC 1G 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years	х	Х	Х	х	Х	х	х	Х	S26361-F2346-S112	1.445,00	
		L										
Red Hat ELS 1-2SOC 4G 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year	X	X	Х	Х	Х	X	Х	Х	S26361-F2346-S113	808,00	
Ded List El C 4 2000 40 7:24 i2 0:000 et 2V										S26361-F2346-S114	2.460.00	
Red Hat ELS 1-2SOC 4G 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3	X	X	X	X	X	×	X	X	526361-F2346-5114	2.169,00	
Red Hat ELS 1-2SOC uG 7x24 l3 Support 1Y	years  Red Hat Enterprise Linux Server (1-2 sockets)	X	X	х	X	Х	X	X	х	S26361-F2346-S115	1.347,00	
	(unlimited guests) level3 Premium Support 1								"		110 11,00	
Red Hat ELS 1-2SOC uG 7x24 l3 Support 3Y	year  Red Hat Enterprise Linux Server (1-2 sockets)	Х	Х	Х	Х	Х	х	Х	Х	S26361-F2346-S116	3.615,00	
	(unlimited guests) level3 Premium Support 3 years											
Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2	х	Х	х	х	х	х	х	Х	S26361-F2346-S121	220,00	
Red Hat EL HA 1-2SOC I3 Support 3Y	sockets) I3 Support 1 year  Red Hat Enterprise Linux High Availability (1-2	х	х	х	х	х	х	х	х	S26361-F2346-S122	607,00	
Red Hat EL RS 1-2SOC I3 Support 1Y	sockets) I3 Support 3 years  Red Hat Enterprise Linux Resilient Storage (1-2)	Х	X	Х	Х	Х	Х	Х	Х	S26361-F2346-S131	441,00	
Red Hat EL RS 1-2SOC I3 Support 3Y	sockets) I3 Support 1 year Red Hat Enterprise Linux Resilient Storage (1-2)										1.215,00	
	sockets) I3 Support 3 years											
Red Hat EL SFS 1-2SOC l3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year										110,00	
Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years	Х	X	Х	Х	Х	X	Х	Х	S26361-F2346-S142	303,00	
Red Hat EL LB 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 1 year	х	Х	Х	Х	Х	х	Х	Х	S26361-F2346-S151	110,00	
Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2	х	Х	х	х	х	х	х	х	S26361-F2346-S152	303,00	
Red Hat EL HPN 1-2SOC I3 Support 1Y	sockets) l3 Support 3 years Red Hat Enterprise Linux High Performance	Х	Х	Х	Х	Х	х	Х	Х	S26361-F2346-S161	110,00	
Red Hat EL HPN 1-2SOC I3 Support 3Y	Network (1-2 sockets) I3 Support 1 year Red Hat Enterprise Linux High Performance	X	Х	х	X	х	X	x	х	S26361-F2346-S162	303,00	
Red Hat EL EUS 1-2SOC I3 Support 1Y	Network (1-2 sockets) l3 Support 3 years  Red Hat Enterprise Linux Extended Update									S26361-F2346-S171	138,00	
	Support (1-2 sockets)   3 Support 1 year											
Red Hat EL EUS 1-2SOC l3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years	X	X	×	X	X	X			S26361-F2346-S172	380,00	
Citrix XS AE, 3yr SA	Citrix XS AE, 3yr SA; XenServer V5.6+ Advanced Edition; License, 3 years Subscription	1						X	X	S26361-F2341-S980	1.050,00	
	Advantage, SW and Lizence key per Download											
Citrix XS EE, 3yr SA	Citrix XS EE, 3yr SA; XenServer V5.6+	+						х	х	S26361-F2341-S981	2.630,00	
	Enterprise Edition; License, 3 years Subscription Advantage, SW and Lizence key											
	per Download											



er :	Servers Options					Щ	Ц						
	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3p	X140	PRIMERGY TX150 S7	1X150	PRIMERGY 1X200 S6	PRIMERGY 1X200 S/	0064	Product Code	EUP (€)	Comments
mat	rix -Software (Continued)												
	Citrix XS PE, 3yr SA	Citrix XS PE, 3yr SA; XenServer V5.6+ Platinum Edition; License, 3 years Subscription Advantage, SW and Lizence key per Download							x >	x   S20	6361-F2341-S982	5.290,00	
	Citrix XS AE-EE upgr, 3yr SA	Citrix XS AE-EE upgr, 3yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 3 years Subscription Advantage; SW and Lizence key per Download							X X	x S20	6361-F2341-S983	2.000,00	
	Citrix XS AE-PE upgr, 3yr SA	Citrix XS AE-PE upgr, 3yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizence key per Download							X X	x S20	6361-F2341-S984	4.880,00	
1	Citrix XS EE-PE upgr, 3yr SA	Citrix XS EE-PE upgr, 3yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizence key per Download							X X	x S20	6361-F2341-S985	3.540,00	
	Citrix XS AE, 1yr SA	Citrix XS AE, 1yr SA; XenServer V5.6+ Advanced Edition; License, 1 year Subscription Advantage, SW and Lizence key per Download							X )	x S20	6361-F2341-S986	830,00	
	Citrix XS EE, 1yr SA	Citrix XS EE, 1yr SA; XenServer V5.6+ Enterprise Edition; License, 1 year Subscription Advantage, SW and Lizence key per Download							X X	x S20	6361-F2341-S987	2.080,00	
	Citrix XS PE, 1yr SA	Citrix XS PE, 1yr SA; XenServer V5.6+ Platinum Edition; License, 1 year Subscription Advantage, SW and Lizence key per Download				1			X )	x S20	6361-F2341-S988	4.170,00	
	Citrix XS AE-EE upgr, 1yr SA	Citrix XS AE-EE upgr, 1yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 1 year Subscription Advantage; SW and Lizence key per Download							X )	x S20	6361-F2341-S989	1.460,00	
	Citrix XS AE-PE upgr, 1yr SA	Citrix XS AE-PE upgr, 1yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizence key per Download							x >	x S20	6361-F2341-S990	3.750,00	
,	Citrix XS EE-PE upgr, 1yr SA	Citrix XS EE-PE upgr, 1yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizence key per Download							x >	x S20	6361-F2341-S991	2.420,00	
	VMware vSphere Embedded UFM Device	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Single SRV Lic. (w/o SP)				Х	х	Х	x >	x S20	6361-F2341-E431	60,00	
	VMware ESXi 5.0 Single SRV w/o SP-1yr	VMware ESXi 5 Single Server for max 32GB RAM - Mandatory 1 year Service Pack needed!				x	Х	х	X )	x S20	6361-F2341-S700	10,00	
	VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4,vCenter 5,vShield,Backup-Restore , VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore - No License				X	X		x >	x S20	6361-F2341-E300	80,00	
	VMware vSphere STD w/o SP-1yr  VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU - Mandatory 1 year Service Pack needed! VMware vSphere Standard for 1 CPU -									6361-F2341-E707 6361-F2341-E708	895,00 895,00	
	visiware vspriere STD w/o SP-3yr	Mandatory 3 year Service Pack needed!				х	Х	Х	x ,	X 321	0301-F2341-E708	895,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU - Mandatory 1 year Service Pack needed!				х	Х	Х	X X	x S20	6361-F2341-E709	2.585,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU -				х	х	х	x >	x S2	6361-F2341-E710	2.585,00	
	VMware vSphere ENT-PL w/o SP-1yr	Mandatory 3 year Service Pack needed!  VMware vSphere Enterprise-Plus for 1 CPU -				х	х	х	x x	x S20	6361-F2341-E711	3.145,00	
	VMware vSphere ENT-PL w/o SP-3yr	Mandatory 1 year Service Pack needed!  VMware vSphere Enterprise-Plus for 1 CPU -		$\Box$		х	х	х	x x	x S20	6361-F2341-E712	3.145,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	Mandatory 3 year Service Pack needed!  VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service Pack needed!				х	х	х	x x	x S20	6361-F2341-E732	15.750,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed!									6361-F2341-E733	15.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service Pack needed!									6361-F2341-E734	19.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed!									6361-F2341-E735	19.750,00	
	VMware STD AK(6CPU+VC-STD)w/o SP-1yr  VMware STD AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory 1 year Service Pack needed!  VMware vSphere STD Acceleration Kit for 6									6361-F2341-E760 6361-F2341-E761	6.295,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	CPU inc VC-STD + VSA , , , - Mandatory 3 year Service Pack needed!  VMware vSphere ENT Acceleration Kit for 6									6361-F2341-E761 6361-F2341-E762		Deliverable from: 01/03/2013,Orderable from: 01/03/2
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	CPU inc VC-STD + VSA , , , - Mandatory 1 year Service Pack needed!  VMware vSphere ENT Acceleration Kit for 6									6361-F2341-E763		Deliverable from: 01/03/2013,Orderable from: 01/03/2
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	CPU inc VC-STD + VSA , , , - Mandatory 3 year ServicePack needed!  VMware vSphere ENT-PL Acceleration Kit for 6									6361-F2341-E764	,	Deliverable from: 01/03/2013,Orderable from: 01/03/2
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	CPU inc VC-STD + VSA , , , - Mandatory 1 year Service Pack needed!  VMware vSphere ENT-PL Acceleration Kit for 6									6361-F2341-E765		Deliverable from: 01/03/2013,Orderable from: 01/03/2
	, , <del></del>	CPU inc VC-STD + VSA , , , - Mandatory 3 year Service Pack needed!										-,-0	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,



Servers	Options											
			PRIMERGY TX100 S3p	TX120	ERGY TX140 S1p ERGY TX150 S7	PRIMERGY TX150 S8	1X200	TX200	PRIMERGY TX300 S7	Product Code		ents
			RIME	PRIME	PRIME	ZIME	M	NIME S	RIME	oduc	EUP (€)	Comments
<b>Description</b> atrix		Details	E.	<u> </u>		<u> </u>	. a		<u> </u>	<u> </u>		ŏ
Y-Software (C	ontinued) nter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of								S26361-F2341-S736	4 405 00	
viviware vce	niler STD w/o SP-Tyr	vCenter - Mandatory 1 year Service Pack			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	X	( )	х	X	520301-F2341-5730	4.495,00	
\/Mwara.vCo	nter STD w/o SP-3yr	needed!  VMware vCenter Standard for 1 Instance of	+	++		, ,	, ,	, ,		S26361-F2341-S737	4.495,00	
viviwale voe	iller 31D w/o 3F-3yr	vCenter - Mandatory 3 year Service Pack			^	` ^	`   '	^   ^	^	320301-12341-3737	4.495,00	
VMware vCe	nter FND w/o SP-1yr	needed!  VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 1 year			х	x	( )	x x	X	S26361-F2341-S738	1.345,00	
VMware vCe	nter FND w/o SP-3yr	Service Pack needed!  VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 3 year			Х	x	( )	x x	: X	S26361-F2341-S739	1.345,00	
\/N.4	antiala Di/a CD 4	Service Pack needed!								C00004 F0044 F740	2.405.00	
	entials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU inc VC-FND E - Mandatory 1 year Service Pack needed!	1-							S26361-F2341-E740	3.105,00	
VMware Esse	entials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU inc VC-FND E - Mandatory 3 year Service Pack needed!	)-		х	X	( )	x x	X	S26361-F2341-E741	3.105,00	
VMware vClo	oud Suite STD w/o SP-1yr	Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and vCloud Networking and Security Standard Mandatory 1 year Support Pack needed!			X	X	( )	х	X	S26361-F2341-E766	4.495,00	
VMware vClo	oud Suite STD w/o SP-3 yr	Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and vCloud Networking and Security Standard Mandatory 3 years Support Pack needed!			x	X	( )	х	X	S26361-F2341-E767	4.495,00	
VMware vClo	oud Suite ADV w/o SP-1yr	Each vCloud Advanced Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite Advanced Mandatory 1 year Support Pack needed!	i i		X	X	( )	x x	x	S26361-F2341-E768	6.745,00	
VMware vClo	oud Suite ADV w/o SP-3 yr	Each vCloud Advanced Suite contains vSphere	+		×	Х	( )	хх	: X	S26361-F2341-E769	6.745,00	
		5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite Advanced., Mandatory 3 years Support Pack needed!	,									
VMware vClo	oud Suite ENT w/o SP-1yr	Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning, vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud Automation Center. Mandatory 1 year Support Pack needed!			X	X	( )	x	X	S26361-F2341-E770	10.350,00	
VMware vClo	oud Suite ENT w/o SP-3 yr	Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning, vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud Automation Center. Mandatory 3 years Support Pack needed!			X	x	( )	x x	x x	S26361-F2341-E771	10.350,00	
VMware Esse	entials w/1yr Sub,-no Support	VMware Essentials for 6 CPU inc VC-FND-E -	+		×	Х	( )	хх	: x	S26361-F2341-S800	504,00	
	entials w/3yr Sub,-no Support	Inc. 1 year VMware Sub no Support  VMware Essentials for 6 CPU inc VC-FND-E - Inc. 3 year VMware Sub no Support	-	+	x	x	( )	x x	x	S26361-F2341-S801	600,00	
VMware SRN	/I STD 25 VM Pack w/7x24-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.			x	x	( )	x x	X	S26361-F2341-S802	4.969,00	
VMware SRN	M STD 25 VM Pack w/7x24-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.		$\parallel$	×	x	( )	x x	x	S26361-F2341-S803	6.510,00	
VMware SRN	M STD 25 VM Pack w/5x9-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	+		×	х	( )	x x	x	S26361-F2341-S804	4.810,00	
VMware UG	vSp STD - <gt></gt> vClu Suite STD	VMware Upgrade vSphere Standard to vCloud Suite Standard for 1 CPU, - Mandatory 1 year Support Pack needed!			X	x	( )	х	x	S26361-F2341-S772	3.955,00	
VMware UG	vSp STD - <gt></gt> vClu Suite STD	VMware Upgrade vSphere Standard to vCloud Suite Standard for 1 CPU , - Mandatory 3 years		$\parallel$	X	x	( )	x x	x	S26361-F2341-S773	3.955,00	
VMware UG	vSp STD - <gt></gt> vClu Suite ADV	Support Pack needed!  VMware Upgrade vSphere Standard to vCloud Suite Advanced for 1 CPU, - Mandatory 1 year Support Pack needed!			X	x	( )	x x	x	S26361-F2341-S774	6.295,00	
VMware UG	vSp STD - <gt></gt> vClu Suite ADV	VMware Upgrade vSphere Standard to vCloud Suite Advanced for 1 CPU , - Mandatory 3		$\parallel$	X	x	( )	х х	x	S26361-F2341-S775	6.295,00	
VMware UG	vSp STD - <gt></gt> vClu Suite ENT	years Support Pack needed!  VMware Upgrade vSphere Standard to vCloud Suite Enterprise for 1 CPU , - Mandatory 1 yea		$\parallel$	×	×	( )	x x	x	S26361-F2341-S776	9.895,00	
VMware UG	vSp STD - <gt></gt> vClu Suite ENT	Support Pack needed!  VMware Upgrade vSphere Standard to vCloud Suite Enterprise for 1 CPU, - Mandatory 3		$\parallel$	×	×	( )	x x	x	S26361-F2341-S777	9.895,00	
VMware UG	vSp ENT - <gt></gt> vClu Suite STD	years Support Pack needed!  VMware Upgrade vSphere Enterprise to vCloud Suite Standard for 1 CPU, - Mandatory 1 year Support Pack needed!			×	x	( )	x x	x	S26361-F2341-S778	2.095,00	



er S	Company Online												
	Servers Options												
			S3p	S3p	St b	5 8	8	98	S7	S7			
			TX100	50	TX140				000	300			
			Σ	TX120	X   X	<u> </u>	<u>ک</u>	Ž	TX200	TX300	9		
			Ğ	<b>≻</b>     :	PRIMERGY TX140	ק   א	ჯ	PRIMERGY TX200	ĕ	Ğ	Product Code		\$
			PRIMERGY	PRIMERG	PRIMERGY	֓֞֟֜֜֟֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֡֓֓	PRIMERGY	ĒR	PRIMERGY	PRIMERGY	<u>n</u>	€)	Comments
r., D	Description	Details	Ž				Ž	Š	죑	Ϋ́	rod	EUP	mo.
matri		Details	ш.	LL   I			_	ш	ш.	ш.		ш	<u> </u>
RGY-S	Software (Continued)												
V	/Mware UG vSp ENT - <gt></gt> vClu Suite STD	VMware Upgrade vSphere Enterprise to vCloud Suite Standard for 1 CPU, - Mandatory 3 years			)	X 2	Х	Х	Х	Х	S26361-F2341-S779	2.095,00	
		Support Pack needed!											
٧	/Mware UG vSp ENT - <gt></gt> vClu Suite ADV	VMware Upgrade vSphere Enterprise to vCloud			)	x :	х	х	х	х	S26361-F2341-S780	4.575,00	
		Suite Advandesd for 1 CPU, - Mandatory 1											
	/Marray LIC - Co ENT	year Support Pack needed!		-							COCOCA FOO 44 C704	4 575 00	
ľ	/Mware UG vSp ENT - <gt></gt> vClu Suite ADV	VMware Upgrade vSphere Enterprise to vCloud Suite Advandesd for 1 CPU, - Mandatory 3			)	X   2	X	Х	Х	Х	S26361-F2341-S781	4.575,00	
		year Support Pack needed!											
٧	/Mware UG vSp ENT - <gt></gt> vClu Suite ENT	VMware Upgrade vSphere Enterprise to vCloud			)	x :	х	х	х	Х	S26361-F2341-S782	8.525,00	
		Suite Enterprise for 1 CPU , - Mandatory 1 year											
	/Mware UG vSp ENT - <gt></gt> vClu Suite ENT	Support Pack needed!  VMware Upgrade vSphere Enterprise to vCloud		-	٠,	x :	v/	х		.,	S26361-F2341-S783	8.525,00	
V	iniware od vop Eini - egi/> volu suite Eini	Suite Enterprise for 1 CPU, - Mandatory 3 year			'	<b>`</b>   '	^	^	^	^	320301-12341-3763	0.525,00	
		Support Pack needed!											
٧	/Mware UG vSp ENTP - <gt></gt> vClu Suite STD	VMware Upgrade vSphere Enterprise Plus to			)	<b>x</b> :	х	х	х	х	S26361-F2341-S784	1.485,00	
		vCloud Suite Standard for 1 CPU, - Mandatory											
	Myyoro LIC yes ENTD agt/s yely suits STD	1 year Support Pack needed!  VMware Upgrade vSphere Enterprise Plus to		-	٠,	. ,	v/			.,	S26361-F2341-S785	1 495 00	
V	/Mware UG vSp ENTP - <gt></gt> vClu Suite STD	vCloud Suite Standard for 1 CPU, - Mandatory			'	X 2	^	^	^	۸	020001-12041-0/00	1.485,00	
		3 year Support Pack needed!											
٧	/Mware UG vSp ENTP - <gt></gt> vClu Suite ADV	VMware Upgrade vSphere Enterprise Plus to			>	x :	х	х	х	Х	S26361-F2341-S786	3.955,00	
		vCloud Suite Advanced for 1 CPU , - Mandatory											
V	/Mware UG vSp ENTP - <gt></gt> vClu Suite ADV	1 year Support Pack needed!  VMware Upgrade vSphere Enterprise Plus to		-	١,	x :	х	x	X	Y	S26361-F2341-S787	3.955,00	
	So top Etti Sgot void duite ADV	vCloud Suite Advanced for 1 CPU, - Mandatory			'	`  '	^	^	^	^		5.555,00	
L		3 year Support Pack needed!											
٧	/Mware UG vSp ENTP - <gt></gt> vClu Suite ENT	VMware Upgrade vSphere Enterprise Plus to			)	x :	х	Х	х	Х	S26361-F2341-S788	7.915,00	
		vCloud Suite Enterprise for 1 CPU , - Mandatory											
V	/Mware UG vSp ENTP - <gt></gt> vClu Suite ENT	1 year Support Pack needed!  VMware Upgrade vSphere Enterprise Plus to				ν,	Y	Y	Y	Y	S26361-F2341-S789	7.915,00	
'	Ware 00 vop Eivii -\gi/> void oute Eivi	vCloud Suite Enterprise for 1 CPU, - Mandatory			'	`  '	^	^	^	^	020301-1 23-1-0703	7.515,00	
		1 year Support Pack needed!											
٧	/Mware SRM STD 25 VM Pack w/5x9-3yr	VMware SRM STD 25 VM Pack Protects 25			)	<b>x</b> 2	х	х	х	х	S26361-F2341-S805	6.104,00	
V	/Mware SRM ENT 25 VM Pack w/7x24-1yr	VM's - Inc. 3 year VMware 5x9 Service+Sub.  VMware SRM ENT 25 VM Pack Protects 25			٠,	,	v	_	_	v	S26361-F2341-S806	12.573,00	
ľ	Wale Shiri ENT 25 VIVI Fack W/7X24-191	VM's - Inc. 1 year VMware 7x24 Service+Sub.			'	<b>`</b>   '	^	^	^	^	320301-12341-3000	12.575,00	
		, , , ,											
٧	/Mware SRM ENT 25 VM Pack w/7x24-3yr	VMware SRM ENT 25 VM Pack Protects 25			)	x :	х	х	х	х	S26361-F2341-S807	16.483,00	
		VM's - Inc. 3 year VMware 7x24 Service+Sub.											
V	/Mware SRM ENT 25 VM Pack w/5x9-1yr	VMware SRM ENT 25 VM Pack Protects 25			,	γ ,	Y	Y	Y	Y	S26361-F2341-S808	12.169,00	
ľ	INWAIE SKIN LINI 25 VIN FACK W/3X9-191	VM's - Inc. 1 year VMware 5x9 Service+Sub.			'	<b>`</b>   '	^	^	^	^	320301-12341-3000	12.109,00	
٧	/Mware SRM ENT 25 VM Pack w/5x9-3yr	VMware SRM ENT 25 VM Pack Protects 25			)	x :	х	х	х	х	S26361-F2341-S809	15.454,00	
	/Manage Manage Manage And Old Lorde OD And	VM's - Inc. 3 year VMware 5x9 Service+Sub.									C0C0C4 F0044 C740	4 000 00	
\ \	/Mware View ENT Start 10 CLI w/o SP-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL -			,	X   2	×	X	X	Х	S26361-F2341-S742	1.220,00	
		Mandatory 1 year Service Pack needed!											
٧	/Mware View ENT Start 10 CLI w/o SP-3yr	VMware View ENT Start 10 Desktop VM's			)	x :	х	х	х	х	S26361-F2341-S743	1.220,00	
		Bundle w/ VDM,VC-STD+ESX ENT-PL -											
V	/Mware View ENT 100 CLI w/o SP-1yr	Mandatory 3 year Service Pack needed!  VMware View ENT 100 Desktop VM's Bundle				,	v	v	v	v	S26361-F2341-S744	12.195,00	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	iniware view Eint 100 CLI W/O SF-Tyl	w/ VDM, VC-STD+ESX ENT-PL - Mandatory 1			,	X /	^	×	X	X	320301-F2341-3744	12.195,00	
		year Service Pack needed!											
٧	/Mware View ENT 100 CLI w/o SP-3yr	VMware View ENT 100 Desktop VM's Bundle			)	x :	х	х	х	х	S26361-F2341-S745	12.195,00	
		w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!											
V	/Mware View PRE Start 10 CLI w/o SP-1yr	VMware View PRE Start 10 Desktop VM's			٠,	γ ,	Y	Y	Y	Y	S26361-F2341-S750	2.030,00	
ľ	inware view i the start to del w/o di - Tyl	Bundle w/ VDM,VC-STD+ESX ENT-			'	`  '	^	^	^	^	020301-1 23-1-0730	2.000,00	
		PL,COMP,TA - Mandatory 1 year Service Pack											
	71. N. DDE O. 110 O.L. ( OD O	needed!		-		_	-	_	_		000004 50044 0754	0.000.00	
V	/Mware View PRE Start 10 CLI w/o SP-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-			,	X   2	X	X	Х	Х	S26361-F2341-S751	2.030,00	
		PL,COMP,TA - Mandatory 3 year Service Pack											
		needed!				_	4	_					
٧	/Mware View PRE 100 CLI w/o SP-1yr	VMware View PRE 100 Desktop VM's Bundle			)	<b>X</b> 2	х	х	Х	Х	S26361-F2341-S752	20.295,00	
		w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!											
V	/Mware View PRE 100 CLI w/o SP-3yr	VMware View PRE 100 Desktop VM's Bundle			)	x :	х	х	х	Х	S26361-F2341-S753	20.295,00	
	,	w/ VDM,VC-STD+ESX ENT-PL,COMP,TA -										,	
Ļ	// // / / / / / / / / / / / / / / / /	Mandatory 3 year Service Pack needed!	_		_		4				000004 50044 0533	0.000	
V	/Mware vCloud Dir. 25 VM Pack w/7x24-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 7x24			)	X   2	Х	Х	Х	Х	S26361-F2341-S810	3.992,00	
		Service+Sub.											
٧	/Mware vCloud Dir. 25 VM Pack w/7x24-3yr	VMware vCloud Director 25 VM Pack Manage			)	x :	х	Х	х	Х	S26361-F2341-S811	5.299,00	
		25 VM's - Inc. 3 year VMware 7x24											
1	/Mware Chargeback 25 VM Pack w/7x24-1yr	Service+Sub.  VMware Chargeback 25 VM Pack Monitor 25		++	+.	v .	y	v	V	v	S26361-F2341-S812	1.275,00	
	aro onargobaok 20 vivi i dok w/1824-1yi	VM's - Inc. 1 year VMware 7x24 Service+Sub.			'	`\	^	^	^	^	J2000 1-1 2041-0012	1.210,00	
		,											
V	/Mware Chargeback 25 VM Pack w/7x24-3yr	VMware Chargeback 25 VM Pack Monitor 25			)	x 2	х	Х	х	Х	S26361-F2341-S813	1.694,00	
		VM's - Inc. 3 year VMware 7x24 Service+Sub.											
V	/Mware vCloud Dir. 25 VM Pack w/5x9-1yr	VMware vCloud Director 25 VM Pack Manage		+++	,	χ ,	х	х	Х	Х	S26361-F2341-S814	3.865,00	
	2 25	25 VM's - Inc. 1 year VMware 5x9			'				-	•		1 220,00	
		Service+Sub.				_	4						
	/Mware vCloud Dir. 25 VM Pack w/5x9-3yr	VMware vCloud Director 25 VM Pack Manage			)	x   2	х	х	х	Х	S26361-F2341-S815	4.963,00	
٧		25 VM's - Inc. 3 year VMware 5x9											
V		Service+Sub.		1 1			- 1						
	/Mware Chargeback 25 VM Pack w/5x9-1vr	Service+Sub.  VMware Chargeback 25 VM Pack Monitor 25			,	x :	х	х	х	х	S26361-F2341-S816	1.234,00	
V	/Mware Chargeback 25 VM Pack w/5x9-1yr										\$26361-F2341-\$816 \$26361-F2341-\$817	1.234,00 1.586,00	



		PRIMERGY TX100 S3p	ERGY TX120	PRIMERGY TX140 S1p	TX150		TX200	PRIMERGY TX200 S7	TX300	Product Code	EUP (€)	Comments
natrix	Details	颪	□	□	颪	颪	颪	<u>.                                    </u>	颪	<u>ā</u>		Ö
GY-Software (Continued) ver supply												
Power Supply Module 450W (hot plug)	for PS redundancy				х		$\Box$	$\Box$		S26113-F540-E11		Phased out
Power Supply Module 800W HE (hot plug) Power Supply Dummy	2nd gold PS hp for redundancy			Н		х	Х	х		S26113-F556-E10 S26113-F574-E99	215,00 5,00	Phased out
Fan upgrade kit hot-plug redundancy	consists of two additional fans for fan									S26361-F3667-E1	45,00	
Modular PSU 800W platinum hp	redundancy 800W modular Power Supply Module , hot plug,			Н		-	+	x	х	S26113-F574-E10	260,00	
	platinum (94% efficiency)			Ш			4					
Modular PSU 450W platinum hp	450W modular Power Supply Module, hot plug, platinum (94% efficiency)			Х		Х		Х	Х	S26113-F575-E10	225,00	
Cable powercord (D,), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P,	Х	х	х	х	х	х	х	х	T26139-Y1740-E10	10,00	
Cable powercord rack, 4m, grey	RUS, TR Powercord for rackmounting, IEC 320 C14 ->			Х		Х	-	х		T26139-Y1968-E100	10,00	
Cable powercord rack, 4m, grey	C13 (10A plug), 4m			^		^				120139-11900-1100	10,00	
Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd									T26139-Y1742-E10 T26139-Y1744-E10	10,00 10,00	
Cable powercord (UK, S), 1.8m, grey Cable powercord (It), 1.8m, grey	suitable for UK, IR suitable for I									T26139-Y1744-E10	10,00	
No powercord as order option	For Countries without specific cable orderable	Х	х	х	х	х	х	Х	х	T26139-Y3850-E10	2,00	
	like e.g. China											
Mouse M510 Black	optical mouse with 3 keys, black, 1000 dpi,	Х	х	х	Х	Х	х	х		S26381-K457-E100	6,00	
Mouse M510 Grey	Fujitsu logo, USB cable 1,8m, optical mouse with 3 keys, marble grey, 1000	х	х	х	Х	х	х	x	х	S26381-K457-E101	6,00	
·	dpi, USB cable 1,8m		L								5,55	
Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order				х					S26361-F1647-E410	25,00	
LocalView Option Kit S2	LCD display with adapter				х					S26361-F2557-E105	70,00	
LocalView Option Kit S2 Customer Self Service Modul TX Server	LCD display with installation kit Support for Customer Self Service (CSS), incl.			Н	Х	Х	X X	Х		S26361-F2557-E106 S26361-F2557-E202	70,00 25,00	
	adapter			Ш			^	4				
Customer Self Service Module RX Server	Support for Customer Self Service (CSS), incl.						х			S26361-F2557-E205	25,00	
Service LAN Option	ntegriert in die vordere Bedieneinheit		х	х		х		х	Х	S26361-F2571-E27	20,00	
Serial port option TX140S1p E-Star Fam2 certification	Cable for 2nd RS-232-C 9 pin interface Limits configurations in accordance with Energy			х		_	х	+		S26361-F3120-E3 S26361-F3301-E142	40,00	
1714031p E-Star Famz Certification	Star Server 1.0, for SATA/SAS LFF base unit			<b>x</b>						320301-F3301-E142	3,00	
	with std PSU and 4 core CPUs only							_				
TX150S7 E-Star Fam1 certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units with std PSU				Х					S26361-F3301-E151	3,00	Phased out
	with dual core CPUs only											
TX150S7 E-Star Fam2 certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units with red PSU with Xeon based CPUs only				х					S26361-F3301-E152	3,00	Phased out
TX200S6 E-Star Fam1 Certification	Limits configurations in accordance with Energy Star Server 1.0						х			S26361-F3301-E201	3,00	
Energy Star 5.0 Compliancy	Limited configuration in accordance with Energy Star 5.0, SAS configuration: , max P8400, 1GB RAM, 2x SAS HDD, only IRMC graphics, SATA configuration: , max. T9400, 8GB RAM, 2x SATA HDD + 2 SATA/Backup, 2x LAN, only IRMC graphics	х								S26361-F3301-E5	2,00	
Energy Star 5.0 E85+ Compliancy		Х	_				#		_	S26361-F3301-E6	2,00	
TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!	X	X	X	Х	Х	Х	Х	Х	S26361-F3552-E1	50,00	
Serial port option	Cable with 9 pin D-SUB interface			П	Х					S26361-F2571-E10	30,00	
No RMK	no Rackmount-Kit - only with loose server order without rack mounting ex factory			X	Х	Х	Х	Х		S26361-F2735-E111	5,00	
Center Products												
Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download						X	х	х	S26361-F2341-E913	1.040,00	
Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	X					X	X	X	S26361-F2341-E914	5.210,00	
Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	х					X	X	X	S26361-F2341-E915	10.420,00	
Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x					X	x	х	S26361-F2341-E923	2.460,00	
Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x					X	x	х	S26361-F2341-E924	12.290,00	
Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	х								S26361-F2341-E925	24.580,00	
Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	х					X	х	x	S26361-F2341-E933	3.750,00	
Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	х					X	х	х	S26361-F2341-E934	18.750,00	



Servers Options		Ω	O.	Ω							
		RGY TX100 S3p	TX120	PRIMERGY TX140 S1p	GY TX150	TX200	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code		nments
		PRIMERGY	≅	SI ME	PRIMER PRIMER	SI ME	SI ME	SI ME	oqnc	EUP (€)	E.
<b>Description</b> trix	Details	<u>R</u>	<u>R</u>	F 5		P.	R.	F.	Ğ	田	Ö
enter Products (Continued)											
Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE	Х				Х	Х	Х	S26361-F2341-E935	37.500,00	
	and XS Essentials, 3 years Subscription; SW										
Citairy VD V/DL EE are are 40 LI/D 20 a CA	and License key per download				_				000004 50044 5000	0.470.00	
Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription;	X				X	X	х	S26361-F2341-E960	2.170,00	
Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	License key per download  Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI	Х			+	х	Х	х	S26361-F2341-E961	10.830,00	
, , , , , , , , , , , , , , , , , , ,	to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download										
Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD	Х				х	х	х	S26361-F2341-E962	21.670,00	
	VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download										
Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI	Х				х	х	х	S26361-F2341-E963	3.460,00	
	to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download										
Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI	х		$\sqcap$		х	х	х	S26361-F2341-E964	17.290,00	
	to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download										
Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD	Х				Х	х	х	S26361-F2341-E965	34.580,00	
	VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download										
Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/	Х				х	Х	х	S26361-F2341-E966	2.210,00	
	XenApp PE and XS Essentials, 3 years										
Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Subscription; License key per download Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD	v			+	.,		. v	S26361-F2341-E967	11.040,00	
GILIX AD EE-FE upgi, 30 0/D, 3yi 3A	Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years	X				^	^	^	320301-F2341-E907	11.040,00	
Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Subscription; License key per download Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD	Х			+	x	×	x	S26361-F2341-E968	22.080,00	
Chilitities and a displaying	Enterprise to Platinum upgrade 100U/D; XD w/					^	^	^	020001120112000	22.000,00	
	XenApp PE and XS Essentials, 3 years Subscription; License key per download										
Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI	Х				х	х	х	S26361-F2341-S913	790,00	
	Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download										
Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free	х				Х	Х	х	S26361-F2341-S914	3.960,00	
	XS, 1 year Subscription; SW and License key per download										
Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/	Х				Х	Х	Х	S26361-F2341-S915	7.920,00	
	free XS, 1 year Subscription; SW and License										
Citrix XD EE, 10 U/D, 1yr SA	key per download Citrix XD EE, 10 U/D, 1yr SA; XenDesktop	Х				x	x	x	S26361-F2341-S923	1.880,00	
GRIMOND EL, 10 G/D, Tyl GIV	Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and					^	^	^	02000112011 0020	1.000,00	
Citrix XD EE, 50 U/D, 1yr SA	License key per download  Citrix XD EE, 50 U/D, 1yr SA; XenDesktop	Х				х	Х	Х	S26361-F2341-S924	9.380,00	
	Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download										
Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop	х				х	х	х	S26361-F2341-S925	18.750,00	
	Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download										
Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and	Х				X	Х	X	S26361-F2341-S933	2.920,00	
	XS Essentials, 1 year Subscription; SW and License key per download										
Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and	х				Х	X	х	S26361-F2341-S934	14.580,00	
Citrix XD PE, 100 U/D, 1yr SA	License key per download Citrix XD PE, 100 U/D, 1yr SA; XenDesktop	х		$\vdash$	-	v	v	U	S26361-F2341-S935	29.170,00	
GILIX AD FE, 100 O/D, TYI SA	Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and					^	^	^	320301-F2341-3933	29.170,00	
Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	License key per download  Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI	Х		++	+	Х	х	х	S26361-F2341-S960	1.580,00	
, , , , , , , , , , , , , , , , , , ,	to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription;										
Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	License key per download  Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI	х			+	Х	х	х	S26361-F2341-S961	7.920,00	
	to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download										
Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD	х		$\sqcap$		х	х	х	S26361-F2341-S962	15.830,00	
	VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download										
Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI	х		$\prod$		Х	х	х	S26361-F2341-S963	2.630,00	
	to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download										



3	Servers Options												
	Donasiu tion	Dataila	PRIMERGY TX100 S3p	TX120	TX140	TX150		PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
	Description rix	Details		а.	п.	<u> </u>	Д.	а	<u>п</u>	<u>п</u>	<u> </u>	Ш	0
	enter Products (Continued)												
-	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	х			Ī		Х	x	х	S26361-F2341-S964	13.130,00	
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	Х					Х	х	Х	S26361-F2341-S965	26.250,00	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	х			1		х	х	х	S26361-F2341-S966	1.380,00	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	х			1		х	х	х	S26361-F2341-S967	6.880,00	
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	х					Х	х	Х	S26361-F2341-S968	13.750,00	
ľ	SVRCVEFCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows)				х	х	х	х	х	U11420-C906	100,00	
	SVRCVEMCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows)				Х	Х	Х	Х	х	U11420-C936	100,00	
	SVRORVEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator VE Demo License ( 1 Server) V3				Х	х	х	х	х	U11420-C954	0,01	
	SVRORCEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator CE Demo License ( 1 Server) V3				Х	Х	Х	Х	х	U11420-C955	0,01	
	SVRORDVD V31 (WIN/LIN/SOL) MED DVD	ServerView Resource Orchestrator Media Pack V3.1 for Windows&Linux&Solaris				х	х	х	х	х	U11420-C957	50,00	
	SVRORVESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator VE Server License (1 Server) 4CPU Class V3				х	Х	Х	Х	х	U11420-C966	779,00	
	SVRORVESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator VE Server License (8 Server) 4CPU Class V3				х	Х	х	х	х	U11420-C967	5.538,00	
	SVRORVESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator VE Server License (18 Server) 4CPU Class V3				х	Х	Х	Х	х	U11420-C969	12.462,00	
	SVRORCESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator CE Server License (1 Server) 4CPU Class V3				Х	Х	Х	х	х	U11420-C960	1.530,00	
	SVRORCESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class V3				X	Х	Х	Х	Х	U11420-C961	11.383,00	
	SVRORCESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator CE Server License (18 Server) 4CPU Class V3				х	Х	Х	Х	х	U11420-C963	25.659,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class Upgrade from ROR VE V3				X	х	х	х	Х	U11420-C978	751,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 8CSVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class Upgrade from ROR VE V3				х	х	Х	х	Х	U11420-C979	5.845,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class Upgrade from ROR VE V3				X	Х	Х	X	Х	U11420-C981	13.198,00	



### Positioning PRIMERGY Rack Servers



PRIMERGY RX100 S6 The RX100 S6 meets the needs of business applications with its technical developments, such as Quad-Core Intel® Xeon® processor 3400 series and the upcoming generation of Intel® Dual-Core CPUs, integrated RAID 0/1/5/6 and a memory of up to 32 GB. It unites the advantages of low-cost SATA or SAS /SSD hard disk technology with a space-saving 1U chassis and a depth



PRIMERGY RX200 S5 More for less with regard to data center energy-efficiency. Energy consumption and cooling in data centers is a "burning" issue. The innovative PRIMERGY Cool-safe  $^{\text{TM}}$  system design of the new RX200 S5 rack server generation provides the right answers.



PRIMERGY RX300 S5 Virtualized environments are the top application for RX300 systems and their new multicore CPUs in the Intel® Xeon® 5500 series. In this situation, several operating systems plus the installed applications have to run simultaneously on one and the same physical hardware. RX300 S5 provides all the platform features required for efficient virtualization.



PRIMERGY RX330 S1 Corporate applications in data center server farms with central deployment and control demand increasing performance. The cost-efficient PRIMERGY RX330 S1 extends the PRIMERGY Rack portfolio and focuses rather on standard than on full feature set in comparison to RX300. RX330 S1 is offering enough local storage capacity to be used as a stand-alone AMD Opteron Quad-Core based application server and for server farms in scale-out environ-ments with medium needs for



PRIMERGY RX600 S4 4 Socket Multi-Core Xeon 7400 series rack server Performance, capacity and stability for your critical applications. The exceptional extendability of the RX600 enables even more consolidation of servers and applications with state-of-the-art virtualization solutions and an excellent "best-in-class" efficiency.



PRIMECENTER SME

The PRIMECENTER SME rack is the basis for mounting rack configurations with all Fujitsu products, such as servers, operating devices and storage systems. Based on the industry standards DIN 41494 and IEC 297, the PRIMECENTER SME rack can also accommodate other products on the market that comply with these standards.



# PRIMERGY RX100 S7

PRIMERGY RX100 S7: for SMEs and data centers, looking for high availability, scalability and low TCO - in a 1U chassis. SME customers will find the RX100 S7 to be a highly versatile tool, which can be used as a web, file or print server. Data center customers can build on the RX100 S7 as a scalable entry-level virtualization platform, which offers up to Intel® Xeon® processor performance, optional redundant fan and hot-plug power supplies (with up to 94% efficiency!) and onboard dual gigabit LAN. The optional front service LAN will make the lives of data center staff easier too. PRIMERGY RX100 S7: Rack virtualization starts here!

Description	Details	Product Code	EUP (€)	Comments
it configurations RGY RX100 S7p				
PY RX100S7p/LFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module and 4 standard fans, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (2 ports are used by SATA HDDs); 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V103	495,00	
PY RX100S7p/LFF/Hot-Plug PSU	Rack based server 19" (1U), BU without processor and RAM, incl. hot-plug power supply module and 5 standard fans (1+4 redundant), RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (2 ports are used by SATA HDDs); 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V203	510,00	
PY RX100S7p/SFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module and 4 standard fans, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (4 Ports are used by SATA HDDs); 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V303	505,00	
PY RX100S7p/SFF/Hot-Plug PSU	Rack based server 19" (1U), BU without processor and RAM, incl. hot-plug power supply module and 5 standard fans (1+4 redundant), RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (4 ports are used by SATA HDDs); 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V403	520,00	



## PRIMERGY RX200 S7

The Fujitsu PRIMERGY RX200 S7 is a rack server that provides high performance, expandability and energy efficiency in 1U space saving housing. Thus, the PRIMERGY RX200 S7 is ideal for virtualization and cloud, small databases as well as for high performance computing thanks to the top performance of the new Intel® Xeon® E5 product family. Moreover, the RX200 S7 delivers a great expandability, by supporting up to 768 GB of memory, eight hard disk drives and costsaving Modular LAN options to ensure future requirements are met and budgets are saved.

Thanks to the highly efficient power supply units with an efficiency rate of 94% and the new power management this will result in lower operational

Base ur	<b>Description</b> iit configurations	Details	Product Code	EUP (€)	Comments
PRIMEI	RGY RX200 S7 PY RX200S7 4x2.5	Rack based server 19" (1U), BU without processor and RAM, without hot plug power supply module, 4 hot plug double-fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 4 drive bays for hot plug 2,5" SAS/SATA HDs; ServerView Suite Software Pack	S26361-K1386-V101	#####	
	PY RX200S7 8x2.5	Rack based server 19" (1U), BU without processor and RAM, without hot plug power supply module, 4 hot plug double-fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2,5" SAS/SATA HDs; ServerView Suite Software Pack	S26361-K1386-V201	#####	



# **PRIMERGY RX300 S7**

The Fujitsu PRIMERGY RX300 S7 is a dual socket rack server, focusing on versatility and scalability. The new modular concept supports excellent expandability with up to 16 hard disk drives, up to 7 PCIe Gen 3 cards and up to 768GB RAM, all in one single 2U rack housing. Furthermore, the new Intel® Xeon® E5 product family delivers the top performance to ensure today's demand while being prepared for future requirements thanks to the upgrade kits as well as the costsaving Modular LAN options. Thanks to the power supply units with 94% efficiency and the new power management this will result in lower operational costs. This 2U power house is the right choice for all types of business applications and consolidations

	Description	Details	Product Code	EUP (€)	Comments
	nit configurations RGY RX300 S7				
TRIME	PY RX300S7 6x3.5	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 6 drive bays for hot plug 3.5" SAS/SATA HDs;	S26361-K1373-V101	######	
	PY RX300S7 2.5" expandable	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 4 drive bays for hot plug 2,5" SAS/SATA HDs expandable; ServerView Suite Software Pack	S26361-K1373-V401	940,00	
	PY RX300S7 8x2.5	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2,5" SAS/SATA HDs;	S26361-K1373-V201	######	
	PY RX300S7 12x2.5	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 12 drive bays for hot plug 2,5" SAS/SATA HDs;	S26361-K1373-V301	######	



#### **PRIMERGY RX350 S7**

The PRIMERGY RX350 S7 is a 4U rack server with maximum levels of performance, expandability and availability. It combines the performance of Intel® Xeon® processors E5 family with up to two 6GB general-purpose computing on graphics processing units (GPGPU) for computationally intensive applications. The new modular concept supports exellent expandability with up to 24 hard disk drives, up to 10 PCIe Gen 3 cards and up to 768GB memory. Moreover the 4 hot-plug, power supply units with up to 94% efficiency and the new power management, will result in lower operational costs. Thanks to the upgrade kits as well as the cost-saving Modular LAN options, the RX350 is prepared for future requirements. RX350 is ideal for database, consolidation or high performance computing scenarios.

	Description	Details	Product Code	EUP (€)	Comments
	nit configurations RGY RX350 S7				
FRINCI		Rack based server 19" (4U), BU without processor and RAM, without hot plug power supply module, 6 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 4 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1390-V301	#####	
	PY RX350S7 SFF	Rack based server 19" (4U), BU without processor and RAM, without hot plug power supply module, 6 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1390-V401	######	



#### **PRIMECENTER M1**

The trend to consolidation as a result of virtualization and optimization require environments that are more flexible and reliable. Decades of data center expirience at Fujitsu result in the latest 19-inch Rack Family. The new Fujitsu PRIMECENTER racks are the foundation for meeting IT data center requirements. The PRIMECENTER Racks are the basis for building perfect data center infrastructures. The PRIMECENTER 19-inch Racks can be used to install Fujitsu solutions as well as third-party products. They meet all requirements for flexibility thanks to the multiple configuration options, cooling and maintenance features. In addition a broad portfolio of optional rack accessories complete the efficient rack infrastructure solutions.

Madal	Description.	Dataila	Product Code	EUP (€)	Comments
	Description it configurations	Details	<u> </u>	Ш	ပ
PRIMEC	PRIMECENTER M1 Rack 724S 24U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 724 S /24U)., Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x1203mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 1x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries	S26361-K827-V220	1.805,00	
	PRIMECENTER M1 Rack 742S 42U-1050x700	down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. For tilting security an additional tilting protection is required.  19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 742 S /42U).,	\$26361-K827-V240	2 055 00	
	PRIMECENTER INT Rack 7423 420-1030X700	Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x2003mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 2x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries top (option: brush panels), down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	320301-N021-V240	2.055,00	
	PRIMECENTER M1 Rack 616S 16U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 616 S /16U)., Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x847mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V310	1.645,00	
Model	Description	Details	Product Code	EUP (€)	Comments
Base uni	it configurations				



			<del>g</del>	
	Description	Details	Product Code	EUP (€)
_	t configurations	Details	<u>.                                    </u>	ш
	ENTER M1 Rack (Continued) PRIMECENTER M1 Rack 724S 24U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 724 S /24U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x1203mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20.	S26361-K827-V220	1.995,00
		Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 1x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. For tilting security an additional tilting protection is required.		
	PRIMECENTER M1 Rack 742S 42U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 742 S /42U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x2003mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 2x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries top (option: brush panels), down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V240	2.300,00
	PRIMECENTER M1 Rack 616S 16U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 616 S /16U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x847mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V310	1.835,00
	PRIMECENTER M1 Rack 624S 24U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 624 S /24U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x1203mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation., For tilting security an additional tilting protection is required.	S26361-K827-V320	1.935,00
	PRIMECENTER M1 Rack 642S 42U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 642 S /42U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x2003mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V340	2.185,00



PRIN	IECENTER M1				
Model	Description	Details	Product Code	EUP (€)	Comments
	it configurations				
PRIME	CENTER M1 Rack (Continued)				
	PRIMECENTER M1 Rack 724A 24U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 724 A /24U)., Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x1203mm. Shifted post for patented sideways cable management. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left with 4x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	\$26361-K827-V120	1.995,00	
	PRIMECENTER M1 Rack 742A 42U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 742 A /42U)., Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x2003mm. Shifted post for patented sideways cable management. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left with 6x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. For tilting security an additional tilting protection is required.	S26361-K827-V140	2.300,00	



Rack Servers Accessories																	
		S3 S2	S2 S5	S 4 8	8	8 8 8 8	5 83	% %	S3 S2		S7p S6 S7 S7	S8 S6 S7	S7 S7 S5	Se Se	S2		
		RX100	RX100	RX300 RX200	KX200 RX300 RX220	RX300		RX 600	RX800	RXI300 RXI600	RX2 RX	RX200 RX300 RX300	RX350 RX500	' RX600	7 RX900		
		MERGY MERGY	PRIMERGY PRIMERGY PRIMERGY PRIMERGY	PRIMERGY PRIMERGY PRIMERGY	PRIMERGY PRIMERGY PRIMERGY	PRIMERGY PRIMERGY PRIMERGY	PRIMERGY	PRIMERGY PRIMERGY PRIMERGY	RIMERGY	PRIMERGY PRIMERGY PRIMERGY	PRIMERGY PRIMERGY PRIMERGY	PRIMERGY PRIMERGY PRIMERGY	RIMERGY RIMERGY RIMERGY	MERGY	MERGY duct Co	o (€)	
Category Description Accessories & services matrix	Details	<u> </u>							P P R			<u> </u>		<u>R</u> <u>R</u>	<u>a</u> 8	So S	
Processor Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB	Intel Xeon processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8					x									S26361-F3278-L200	460,00 Phased out	
Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink  Intel Xeon processor E5506 (4C/4T, 2.13 GHz,					X						х			S26361-F3278-L213	430,00 Phased out	
	SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																
Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	Intel Xeon processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2,					x									S26361-F3279-L226	745,00 Phased out	
Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB	5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink  Intel Xeon processor E5540 (4C/8T, 2.53 GHz,					X									S26361-F3279-L253	1.445,00 Phased out	
	SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																
Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB	Intel Xeon processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 CT/s, More bus: 1333 MHz, 95 W) incl.					х									S26361-F3280-L267	1.870,00 Phased out	
Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink  Intel Xeon processor E5520 (4C/8T, 2.26 GHz,			:	x										S26361-F3288-L226	745,00 Phased out	
	SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																
Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl.											х			S26361-F3618-L240	640,00 Phased out	
Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	heat sink Intel Xeon processor E5630 (4C/8T, 2.53 GHz,											x			S26361-F3618-L253	935,00 Phased out	
	SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																
Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl.											x			S26361-F3618-L266	1.140,00 Phased out	
Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	heat sink Intel Xeon processor X5650 (6C/12T, 2.66 GHz SLC: 4 x 256 KB. TLC: 12 MB. Turbo:											x			S26361-F3619-L266	1.360,00 Phased out	
	2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																
Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95											x			S26361-F3619-L280	1.645,00 Phased out	
Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	W) incl. heat sink Intel Xeon processor X5675 (6C/12T, 3.06 GHz SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4											X			S26361-F3619-L306	1.900,00 Phased out	
	GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																
Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel Xeon processor X5690 (6C/12T, 3.46 GHz SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat											X			S26361-F3619-L346	2.300,00 Phased out	
Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	sink  Intel Xeon processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s,											x			S26361-F3620-L360	2.300,00 Phased out	
Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Mem bus: 1333 MHz, 130 W) incl. heat sink Intel Xeon processor L5630 (4C/8T, 2.13 GHz,											x			S26361-F3622-L213	838,00 Phased out	
	SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																
Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60											x			S26361-F3622-L226	1.430,00 Phased out	
Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	W) incl. heat sink Intel Xeon processor E5645 (6C/12T, 2.40											x			S26361-F3633-L240	810,00 Phased out	
	GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																
Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Membus: 1066 MHz, 80 W) incl. heat sink											х			S26361-F3648-L160	260,00 Phased out	
Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz,											x			S26361-F3648-L213	420,00 Phased out	
	SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Membus: 1066 MHz, 80 W) incl. heat sink																
Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl.											x			S26361-F3649-L253	1.115,00 Phased out	
Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	heat sink Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7,2 GT/s.											х	x		S26361-F3676-L200	540,00	
Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon processor E5-2630 (6C/12T, 2.30											х	x		S26361-F3676-L230	775,00	
Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon processor E5-2640 (6C/12T, 2.50											X	X		S26361-F3676-L250	1.105,00	
Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon processor E5-2603 (4C/4T, 1.80											X	V		S26361-F3685-L180	295,00	
	GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Membus: 1066 MHz, 80 W) incl. heat sink															,	
Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Membus: 1066 MHz, 80 W) incl. heat sink											X	X		S26361-F3685-L240	400,00	
Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s, Membus: 1600 MHz, 80 W) incl. heat sink											х	х		S26361-F3687-L300	1.105,00	
Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s ,											х	х		S26361-F3687-L330	1.105,00	
Intel Xeon E7-4807 6C/12T 1.86 GHz 18 MB	Mem bus: 1600 MHz, 130 W) incl. heat sink Intel Xeon processor E7-4807 (6C/12T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8													x	S26361-F3999-L480	1.250,00	
Intel Xeon E7-4820 8C/16T 2.00 GHz 18 MB	GT/s, 95 W) incl. heat sink  Intel Xeon processor E7-4820 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/1/2,													x	S26361-F3999-L482	1.725,00	
Intel Xeon E7-4830 8C/16T 2.13 GHz 24 MB	5.86 GT/s, 105 W) incl. heat sink Intel Xeon processor E7-4830 (8C/16T, 2.13													x	S26361-F3999-L483	2.260,00	
Intel Xeon E7-4850 10C/20T 2.00GHz 24MB	GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/2, 6.4 GT/s, 105 W) incl. heat sink  Intel Xeon processor E7-4850 (10C/20T, 2.00													x	S26361-F3999-L485	2.995,00	
Intel Xeon E7-4860 10C/20T 2.26GHz 24MB	GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink  Intel Xeon processor E7-4860 (10C/20T, 2.26													x	S26361-F3999-L486	4.165,00	
	GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink																
Intel Xeon E7-4870 10C/20T 2.40GHz 30MB	Intel Xeon processor E7-4870 (10C/20T, 2.40 GHz, SLC: -, TLC: 30 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink													x	S26361-F3999-L487	5.085,00	
Intel Xeon E7520 4C/8T 1.86 GHz 18 MB	Intel Xeon processor E7520 (4C/8T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 95 W) incl. heat sink												х		S26361-F3999-L520	1.540,00 Phased out	
Intel Xeon X7542 6C/6T 2.66 GHz 18 MB	Intel Xeon processor X7542 (6C/6T, 2.66 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/1, 5.86 GT/s, 130 W) incl. heat sink												х		S26361-F3999-L542	3.475,00 Phased out	
Intel Xeon X7550 8C/16T 2.00 GHz 18 MB	Intel Xeon processor X7550 (8C/16T, 2.00 GHz SLC: -, TLC: 18 MB, Turbo: 1/2/3/3, 6.4 GT/s,												х		S26361-F3999-L550	4.800,00 Phased out	
Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB	130 W) incl. heat sink  Intel Xeon processor E7-8837 (8C/8T, 2.67 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/1,													x	S26361-F3999-L837	2.745,00	
Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	6.4 GT/s, 130 W) incl. heat sink Intel Xeon processor X5650 (6C/12T, 2.66 GHz SLC: 4 x 256 KB, TLC: 12 MB, Turbo:										x				S26361-F4417-L266	1.365,00 Phased out	
	2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink															1005 22 2	
Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95										X				S26361-F4417-L280	1.625,00 Phased out	
Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	W) incl. heat sink  Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2,										x				S26361-F4419-L240	590,00 Phased out	
	5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																
CPU MEMORY Riser Board  Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB	CPU Memory Riser Board for 1 processor and 16 DIMM modules DDR3 Intel Xeon processor E7-8837 (8C/8T, 2.67													х	S26361-F4470-L100 x S26361-F4471-L837	2.520,00 Phased out 2.745,00	
Intel Xeon E7-8830 8C/16T 2.13 GHz 24 MB	GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/1, 6.4 GT/s, 130 W) incl. heat sink  Intel Xeon processor E7-8830 (8C/16T, 2.13														x S26361-F4471-L883	2.750,00	
	GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/2, 6.4 GT/s, 105 W) incl. heat sink																
Intel Xeon E7-8850 10C/20T 2.00GHz 24MB	Intel Xeon processor E7-8850 (10C/20T, 2.00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink														x S26361-F4471-L885	3.725,00	
L	,, Onix		1		1 1 1	1 1			(		1 1		1 1			I	



		) S2		) S3 ) S4 ) S5	) S3	S2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	) S4	S2 S2	S 0 0 0	S7p	S8	) S7 S7	) \$5   \$6   \$1	228		
		RIMERGY RX100 RIMERGY RX100 SRIMERGY	RIMERGY RX100 \$ RIMERGY RX100 \$ RIMERGY RX200 RIMERGY RX200 \$	RIMERGY RX200 \$ RIMERGY RX200 \$ RIMERGY RX200 \$ RIMERGY RX300 \$	GY RX220 GY RX300 GY RX300	RIMERGY RX330 (RIMERGY RX600)	RIMERGY RX600 SPRIMERGY RX600	RIMERGY RX800 (RIMERGY RX800)	ERGY RXI	RIMERGY RX100 (RIMERGY RX200 (RIMERGY RX20 (R	PRIMERGY RX200 (PRIMERGY RX200 (	RIMERGY KX300 RIMERGY RX300 RIMERGY RX350	RIMERGY RX500 RIMERGY RX600 RIMERGY RX600	RIMERGY RX900	EUP (€)	im ments
Description & services matrix Continued)	Details	<u>                                    </u>		2 2 2 2 2	<u> </u>	Z   Z   Z   Z	<u>c</u>   <u>c</u>   0		[   4   4   6	r   g   g	<u> </u>	2   g   g	<u> </u>	<u>ā</u>	EL	Š
ntel Xeon E7-8860 10C/20T 2.26GHz 24MB	Intel Xeon processor E7-8860 (10C/20T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3,													x S26361-F4471-L886	4.935,00	
ntel Xeon E7-8870 10C/20T 2.40GHz 30MB	6.4 GT/s, 130 W) incl. heat sink Intel Xeon processor E7-8870 (10C/20T, 2.40													x S26361-F4471-L887	5.615,00	
ntel Xeon E5506 4C/4T 2.13 GHz 4 MB	GHz, SLC: -, TLC: 30 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink Intel Xeon processor E5506 (4C/4T, 2.13 GHz,									X				S26361-F4479-L213	430.00	Phased out
	SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat														,	
ntel Xeon E5603 4C/4T 1.60 GHz 4 MB	sink Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem									x				S26361-F4483-L160	320,00	Phased out
	bus: 1066 MHz, 80 W) incl. heat sink															
ntel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Membus: 1066 MHz, 80 W) incl. heat sink									X				S26361-F4484-L213	355,00	Phased out
ntel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40									x				S26361-F4485-L240	790,00	Phased out
	GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink															
ntel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel Xeon processor X5675 (6C/12T, 3.06 GHz SLC: -, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4									x				S26361-F4487-L306	1.895,00	Phased out
. LV	GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink													200004 54400 1040		
ntel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel Xeon processor X5690 (6C/12T, 3.46 GHz SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat									X				S26361-F4488-L346	2.280,00	Phased out
ntel Xeon X5647 4C/8T 2.93 GHz 12 MB	sink Intel Xeon processor X5647 (4C/8T, 2.93 GHz,									x				S26361-F4489-L293	1.105,00	Phased out
	SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s Mem bus: 1066 MHz, 130 W) incl. heat sink															
ntel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel Xeon processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s,									х				S26361-F4490-L360	2.255,00	Phased out
CPU MEMORY Riser Board RX900 S2	Mem bus: 1333 MHz, 130 W) incl. heat sink CPU Memory Riser Board for 1 processor and													x S26361-F4524-L100	2.015,00	
CPU Mezzanine Board RX500 S7	16 DIMM modules DDR3  CPU Mezzanine Board for two additional CPU's and 24 DIMM Modules												X	S26361-F4570-L100	600,00	)
ntel Xeon E5-4603 4C/8T 2.00 GHz 10 MB	Intel Xeon processor E5-4603 (4C/8T, 2.00 GHz, TLC: 10 MB, Turbo: Yes, 6.4 GT/s, Mem												Х	S26361-F4570-L603	725,00	
ntel Xeon E5-4607 6C/12T 2.20 GHz 12 MB	bus: 1066 MHz, 95 W) incl. heat sink Intel Xeon processor E5-4607 (6C/12T, 2.20 GHz, TLC: 12 MB, Turbo: Yes, 6.4 GT/s, Mem										+		x	S26361-F4570-L607	1.135,00	)
ntel Xeon E5-4610 6C/12T 2.40 GHz 15 MB	GHz, TLC: 12 MB, Turbo: Yes, 6.4 GT/s, Membus: 1066 MHz, 95 W) incl. heat sink Intel Xeon processor E5-4610 (6C/12T, 2.40										+		x	S26361-F4570-L610	1.525,00	
	GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink														,	
ntel Xeon E5-4617 6C/6T 2.90 GHz 15 MB	Intel Xeon processor E5-4617 (6C/6T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink												X	S26361-F4570-L617	2.030,00	
ntel Xeon E5-4620 8C/16T 2.20 GHz 16 MB	Intel Xeon processor E5-4620 (8C/16T, 2.20 GHz, TLC: 16 MB, Turbo: Yes, 7.2 GT/s ,												X	S26361-F4570-L620	2.030,00	)
ntel Xeon E5-4640 8C/16T 2.40 GHz 20 MB	Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon processor E5-4640 (8C/16T, 2.40												X	S26361-F4570-L640	3.305,00	
ntel Xeon E5-4650 8C/16T 2.70 GHz 20 MB	GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink Intel Xeon processor E5-4650 (8C/16T, 2.70												x	S26361-F4570-L650	4.365,00	
101/001/20 1000 00/101/2.10 01/2/20 IIIB	GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink													0230011 1070 2000	1.000,00	
ntel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink										x			S26361-F3689-L180	340,00	
ntel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem										х			S26361-F3689-L240	445,00	
ntel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon processor E5-2620 (6C/12T, 2.00										х			S26361-F3690-L200	585,00	)
ntel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon processor E5-2630 (6C/12T, 2.30										x			S26361-F3690-L230	820,00	
ILEE ABOTT E3-2030 00/121 2.30 GTTZ 13 IVIB	GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink										*			320301-F3090-L230	820,00	,
ntel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s,										х			S26361-F3690-L250	1.150,00	D
ntel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s,											хх		S26361-F3686-L200	1.320,00	
ntel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Mem bus: 1600 MHz, 95 W) incl. heat sink Intel Xeon processor E5-2660 (8C/16T, 2.20											хх		S26361-F3686-L220	1.590,00	)
ntel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink Intel Xeon processor E5-2670 (8C/16T, 2.60											V V		S26361-F3686-L260	1.830,00	
ILEE ABOUT E3-2070 GC/101 2.00 GT12 20 IVIB	GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 115 W) incl. heat sink											X X		320301-F3000-L200	1.830,00	,
ntel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink											x x		S26361-F3686-L270	2.055,00	)
ntel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s,											хх		S26361-F3686-L290	2.420,00	
ntel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Mem bus: 1600 MHz, 135 W) incl. heat sink Intel Xeon processor E5-2650 (8C/16T, 2.00										х			S26361-F3691-L200	1.365,00	)
ntel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink										X			S26361-F3691-L220	1.635,00	
ILEE XEOTI E5-2000 8C/101 2.20 GHZ 20 IVIB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink										X			520301-F3091-L220	1.635,00	,
ntel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s ,										х			S26361-F3691-L260	1.875,00	
ntel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Mem bus: 1600 MHz, 115 W) incl. heat sink Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s,										х			S26361-F3691-L270	2.100,00	)
ntel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Mem bus: 1600 MHz, 130 W) incl. heat sink Intel Xeon processor E5-2690 (8C/16T, 2.90										x			S26361-F3691-L290	2.465,00	
	GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 135 W) incl. heat sink														,	
ntel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink											X X		S26361-F3687-L290	1.830,00	
ntel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s ,										x			S26361-F3692-L290	1.875,00	
ntel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Mem bus: 1600 MHz, 130 W) incl. heat sink Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s, Mem										х			S26361-F3692-L300	1.150,00	)
ntel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	bus: 1600 MHz, 80 W) incl. heat sink Intel Xeon processor E5-2643 (4C/8T, 3.30										x			S26361-F3692-L330	1.150,00	
	GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink														,	
ntel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 70 W) incl. heat sink											x x		S26361-F3688-L180	1.320,00	D
ntel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s ,											хх		S26361-F3688-L200	845,00	)
ntel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Mem bus: 1333 MHz, 60 W) incl. heat sink Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s,										х			S26361-F3693-L180	1.365,00	
ntel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Mem bus: 1600 MHz, 70 W) incl. heat sink Intel Xeon processor E5-2630L (6C/12T, 2.00										X			S26361-F3693-L200	890,00	
	GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink													2330 1200	200,00	
MEM 2GB DDR2-533 PC2-4200 ub ECC (1Mod) Memory Board Kit RX600 S4	1 module, unbuffered DDR2-533 2 Memory Boards with 8 DIMM Slots each	X	х				X							S26361-F3000-L515 S26361-F3125-L440		Phased out
GB DDR3 1333 MHz PC3-10600 ub s/d ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM								X					S26361-F3335-L514	50,00	Phased out
GB DDR3 1333 MHz PC3-10600 ub d ECC  GB DDR3 1333 MHz PC3-10600 ub s ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM 2 GB (1 module(s) 2 GB) DDR3, unbuffered,								X	x				S26361-F3335-L515 S26361-F3335-L524	,	Phased out
GB DDR3 1333 MHz PC3-10600 ub d ECC	ECC, 1333 MHz, PC3-10600, DIMM 4 GB (1 module(s) 4 GB) DDR3, unbuffered,													\$26361-F3335-L524 \$26361-F3335-L525		Phased out
GB DDR3 1333 MHz PC3-10600 ub d ECC	ECC, 1333 MHz, PC3-10600, DIMM 8 GB (1 module(s) 8 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM								:	x				S26361-F3335-L526	205,00	Phased out
GB (1x2GB) 1Rx8 DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM									X				S26361-F3719-L513	45,00	
GB (1x4GB) 2Rx8 DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM									X				S26361-F3719-L514	75,00	
GB (1x8GB) 2Rx8 DDR3-1600 U ECC GB DDR2-800 PC2-6400 ub d ECC 1 MODUL	8 GB (1 module(s) 8 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM 1 modul, unbuffered DDR2 800MHz		x							X				S26361-F3719-L515 S26361-F3870-L515		Phased out
Memory Board RX600 S6	Memory board for up to two set's of DDR3 LV memory (with 4 DIMMs each)												X	S26361-F3990-L600	265,00	
6GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600,												X	S26361-F4523-L642	340,00	



		(100 (100 S2	RX100 S3 RX100 S4 RX100 S5 RX200	RX200 S2 RX300		RX300 S2 RX220 RX300 S3	X300 S4	RX600 S2	X600 S3	RX800 S2 RX800 S3	EX1300 EX1600 EX100 S6	RX100 S7 RX100 S7p	(200 S7 (200 S8	RX300 S6 RX300 S7 RX350 S7	X500 S7 X600 S5 X600 S6	RX900 S1	RX900 S2	
		ERGY RX		RIMERGY RX3 RIMERGY RX3 PIMERGY RX3		RIMERGY RX3 RIMERGY RX3 RIMERGY RX3	RIMERGY RX3 RIMERGY RX3 DIMEDGY BX3						ERGY RX ERGY RX.	RIMERGY RX3 RIMERGY RX3	ERGY RX	ERGY	ERGY	(€) ments
ory Description	Details	PRIME	PRIMERGY PRIMERGY PRIMERGY	PRIME	PRIME	PRIME PRIME	PRIME PRIME	PRIME PRIME	PRIMERGY PRIMERGY	PRIME	PRIMERGY PRIMERGY PRIMERGY	PRIMERGY PRIMERGY	PRIMERGY PRIMERGY PRIMERGY	PRIME PRIME	PRIME PRIME	PRIME	PRIME	Comm
cories & services matrix ry (Continued) 32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg	d 32 GB (4 module(s) 8 GB) DDR3 LV,														X X		S26361-F4523-L643	500,00
3200 4A0 DDN3 EV 1333 WH IZ 1 33 10000 Ig	registered, ECC, 1333 MHz, PC3-10600, DIMM																0203011 4020-2040	300,00
128GB 4x32 DDR3 LV 1066 MHz PC3-8500 r	128 GB (4 module(s) 32 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM														х		S26361-F4523-L646	3.900,00
64GB 4x16 DDR3 LV 1600 MHz PC3-12800 r	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800,														х		S26361-F4523-L647	1.040,00
16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg	DIMM																x S26361-F4523-L942	340,00
	registered, ECC, 1333 MHz, PC3-10600, DIMM																-	
32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg	d 32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM																x S26361-F4523-L943	500,00
128GB 4x32 DDR3 LV 1066 MHz PC3-8500 r		ı															x S26361-F4523-L946	3.900,00
64GB 4x16 DDR3 LV 1600 MHz PC3-12800 r	g 64 GB (4 module(s) 16 GB) DDR3 LV,																x S26361-F4523-L947	1.040,00
	registered, ECC, 1600 MHz, PC3-12800, DIMM																	
4 GB DDR3 1333 MHz PC3-10600 rg d ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM										X						S26361-F3336-L515	105,00 Phased out
8 GB DDR3 1066 MHz PC3-8500 rg q ECC 8GB (4x2) DDR3 1333 MHz PC3-10600 rg d	8 GB (1 module(s) 8 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM 8 GB (4 module(s) 2 GB) DDR3, registered,										X				X		\$26361-F3336-L516 \$26361-F4003-L643	180,00 Phased out 400,00 Phased out
16GB (4x4) DDR3 1333 MHz PC3-10600 rg s	ECC, 1333 MHz, PC3-10600, DIMM 16 GB (4 module(s) 4 GB) DDR3, registered,														X		S26361-F4003-L642	425,00 Phased out
16GB (4x4) DDR3 1333 MHz PC3-10600 rg d	, , , ,														x		S26361-F4003-L644	835,00 Phased out
32GB (4x8) DDR3 1333 MHz PC3-10600 rg d	ECC, 1333 MHz, PC3-10600, DIMM 32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM														x		S26361-F4003-L645	625,00 Phased out
64GB (4x16) DDR3 1066 MHz PC3-8500 rg q	,														х		S26361-F4003-L646	1.375,00 Phased out
PY NVIDIA Tesla K20 GPGPU	NVIDIA Tesla K20 PCle-x16 GPGPU card for													X	:		S26361-F2222-L22	4.475,00
	TX300 S7ff; RX350 S7ff; for HPC puroses no Graphic Output																	
PY NVIDIA Tesla K20X GPGPU	NVIDIA Tesla K20X PCIe-x16 GPGPU card for TX300 S7ff; RX350 S7ff; for HPC puroses no Graphic Output													X			S26361-F2222-L24	6.450,00
Front-VGA Interface PY VGA Card 512MB PCI-e x1	2nd optional VGA interface front side  NVIDIA NVS 300 512MB PCle-x1 graphic care	t t											x x x	x x	X		S26361-F2571-L26 S26361-F2748-L537	20,00 135,00
PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCle-x1 graphic card										x	x x	x x	x x			S26361-F2748-L637	135,00
PY NVIDIA Tesla C2075 GPGPU	low profile  NVIDIA Tesla C2075 PCIe-x16 GPGPU Karte													x	:		S26361-F2856-L997	2.675,00
PY K20 / K20X mounting kit	for TX300 S7 / RX350 S7  Mounting and Cable Kit to install up to 2  NVIDIA K20 or K20X GPGPU cards; Includes													x	:		S26361-F3736-L2	95,00
	an Air Duct plus cable set and the PCI card holder inclusive all screws for up to 2x GPGPU																	
PY Intel Xeon Phi mounting kit	K20 or K20X  Mounting and Cable Kit to install up to 2 Intel													×	;		S26361-F3736-L5	95,00
	Xeon Phi 5110P or 7120P Co-Processor cards Includes an Air Duct plus cable set and the	s;																
LILLY BL' O. B	PCI card holder inclusive all screws for up to 2x Xeon Phi 5110P or 7120P																000004 54400 1 544	0.005.00
Intel Xeon Phi Co-Processor 5110P	Intel Xeon Phi 5110P PCle-x16 Co-Processor card for CX270 S2; TX300 S7ff; RX350 S7ff; fc HPC puroses no Graphic Output													X			S26361-F4100-L511	3.895,00
Upgrade kit for -V201 to 12x 2.5" HDD														х			S26361-F1373-L247	270,00
Upgrade kit for -V201 to 16x 2.5" HDD Upgrade kit for -V301 to 16x 2.5" HDD														X X			S26361-F1373-L248 S26361-F1373-L378	355,00 160,00
Upgrade kit for -V401 to 4x 2.5"HDD+LTO Upgrade kit for -V401 to 8x 2.5" HDD Upgrade kit for -V401 to 12x 2.5" HDD														X X X			S26361-F1373-L423 S26361-F1373-L424 S26361-F1373-L427	55,00 140,00 320,00
Upgrade kit for -V401+LTO to 8x 2.5"HDD MountingKit DVD(sl)+LSD+2x SAS LFF HDD														X	:		S26361-F1373-L436 S26361-F2826-L105	90,00 65,00
MountingKit DVD(sl) + LSD	hDD for slim DVD, 1x Local Service Display													X			\$26361-F2826-L205	30,00
ExtensionKit 8x SAS SFF HDD  ExtensionKit 4x SAS LFF HDD  MountingKit 8x SAS SFF HDD	HDD Extension for 8x SFF hotplug HDD HDD Extension for 4x LFF hotplug HDD Extension Box for 8x 2,5" hotplug HDD																S26361-F2826-L325 S26361-F2826-L335 S26361-F2826-L425	90,00 80,00 90,00
MountingKit DVD(sI)+4x SAS LFF HDD SAS Expander 2x4 In / 6x4 Out	for slim DVD, 4x HDD SAS Expander 2x4 In / 6x4 Out													x			S26361-F2826-L435 S26361-F3668-L1	90,00 255,00
Adapter Kit for 2nd RAID Controller USB3.0 PCle x1 adapter card	Adapter Kit for 2nd RAID Controller USB 3.0 adapter card to connect one internal USB 3.0 RDX drive and one external USB 3.0											хх	x x x		x x		S26361-F3673-L1 S26361-F3749-L501	20,00 25,00
DVD-RW supermulti slimline SATA	device all CD/DVD formats, DUAL/DL, DVD-				x		X				x	x x	x x x	x x x	x x x	х	x S26361-F3269-L2	95,00
Blu-ray Triple Writer slimline SATA	RAM,slimline 0.5" fitting height, black Read: 6x BD-ROM, 8x DVD, 24x CD, Write:											хх	x x x	x	x x		x S26361-F3641-L2	165,00
D) (D DOM 4 011 0 4 7)	6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height																200004 50000 10	27.22
DVD-ROM 1.6" SATA  DVD-RW supermulti 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel all CD/DVD formats. DUAL/DL. DVD-RAM.													x			\$26361-F3266-L2 \$26361-F3267-L2	35,00 60,00
RDX 320 5.25'	1.6" fitting height, black bezel  RDX Drive USB 3.0 100MB/s 5.25" intern with														x x		S26361-F3750-L324	285,00
	320 GB cartridge., USB Connector: USB 3.0 "B", with USB3.0 "A" to "B" cable , 1.6" fitting																	
RDX 320 3.5'	height, black bezel.  RDX Drive USB3.0 100MB/s 3.5" intern with													x x			S26361-F3750-L325	285,00
	320GB Cartridge, USB Connector: USB 3.0 "B" with USB3.0 "A" to "B" cable, 1.6" fitting height, black bezel.																	
RDX 500 5.25'	RDX Drive USB 3.0 100MB/s 5.25" intern with 500 GB cartridge., USB Connector: USB 3.0													×	x x		S26361-F3750-L504	375,00
	"B", with USB3.0 "A" to "B" cable , 1.6" fitting height, black bezel.																	
RDX 500 3.5'	RDX Drive USB3.0 100MB/s 3.5" intern with 500GB Cartridge, USB Connector: USB 3.0													хх			S26361-F3750-L505	375,00
DDV 4000 5 05'	"B" with USB3.0 "A" to "B" cable , 1.6" fitting height, black bezel.																C00004 F0770 1011	420.00
RDX 1000 5.25'	RDX Drive USB 3.0 100MB/s 5.25" intern with 1000 GB cartridge., USB Connector: USB 3.0 "B", with USB3.0 "A" to "B" cable , 1.6" fitting													X	x x		S26361-F3750-L604	420,00
RDX 1000 3.5'	height, black bezel.  RDX Drive USB3.0 100MB/s 3.5" intern with													x x			S26361-F3750-L605	420,00
	1000GB Cartridge, USB Connector: USB 3.0 "B" with USB3.0 "A" to "B" cable , 1.6" fitting																220 2000	
RDX Drive USB2.0 cable set	height, black bezel.  Necessary for the RDX USB3.0 drive, if the													x x x	x x		S26361-F3750-L20	20,00
RDX Drive USB3.0 5.25" internal	USB3.0 adapter card is not used!,  RDX Drive USB 3.0 100MB/s 5.25" intern, ,  USB Connector: USB 3.0 "B", with USB3.0													x	x x		S26361-F3750-L4	210,00
	"A" to "B" cable , 1.6" fitting height, black bezel.																	
Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with USB cables for Econel, TX150,													x	x x x		S26361-F3324-L4	505,00
DDVD:	TX200 and TX300, with description (G/US) and cleaning cartridge																0.000	240.52
RDX Drive USB 3.0 3.5" internal	RDX Drive USB3.0 100MB/s 3.5" intern, , USE Connector: USB 3.0 "B" with USB3.0 "A" to "B" cable , 1.6" fitting height, black bezel.	5												хх			S26361-F3750-L5	210,00
Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable						X							x x			S26361-F3324-L5	505,00
	kit , 1.6" fitting height, with description (G/US) and cleaning cartridge																	
Tape Kit DDS Gen5 36GB USB 3.5" int.	data transfer: 3MB/s, USB 2.0, 1.6" black, within tape cage 2 x 3.5", with specific USB						х							хх			S26361-F3324-L7	555,00
Tono Kit DDS Core scop Lion 5 57"	cable, with description (G/US, with cleaning cartridge																C06064 F0007 ! .	735.00
Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning													X	x x		S26361-F3325-L4	735,00
Tape Kit DDS Gen6 80GB USB 3.5" intern	cartridge  DDS Gen6 80GB 6MB/s 3.5" intern, USB 2.0													X			S26361-F3325-L2	735,00
,	Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning																3020 22	
Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	cartridge SAS 3GB Interface, mini-SAS connector, 1.6"													x x	x x x		S26361-F3561-L4	1.410,00
Ten- Mai To Hay concerns	fitting height, black, with SAS cable, with cleaning cartridge																000001 =	4.005.00
Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge								X					X X	x x x		S26361-F3626-L2	1.825,00
Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning													x x	x x x		S26361-F3627-L1	2.220,00
RAID/SAS controller	cartridge																	
RAID Ctrl BBU Upgrade 8344ELP LSI	BBU Upgrade for LSI 8344ELP BBU Upgrade for Fujitsu SAS/SATA RAID				X		X >		хх							H	S26361-F3215-L10 S26361-F3257-L10	220,00 Phased out 235,00 Phased out



Description ies & services matrix ID/SAS controller (Continued) RAID Contr BBU Upgrade for RAID 5/6		IERGY R. IERGY RA IERGY RA IERGY RA	RGY RX100 RGY RX200 RGY RX200		Y RX200 Y RX300	/ RX220	-     -	RX600	RX600 RX600	RX800 RX800	RX800 8	RX100 RX100	2 2	2 2	RX300	5 5	RX600	2 2	<u>자</u> 및		
ies & services matrix ID/SAS controller (Continued)		2   2   2   2	PRIMER PRIMER	PRIMER( PRIMER(	PRIMERG) PRIMERG)	MERG)	PRIMERGY PRIMERGY PRIMERGY	PRIMERGY PRIMERGY	PRIMERGY PRIMERGY	PRIMERGY PRIMERGY	PRIMERGY PRIMERGY	PRIMERGY PRIMERGY	PRIMERGY PRIMERGY	PRIMERGY	PRIMERGY PRIMERGY	IMERG)	MERG)	MERGY	MERGY duct Coc	Б Б	n ments
	Details					<u> </u>	7   <u>7</u>   <u>7</u>		8 8 8 8	<u>R</u> R			<u> </u>	<u>R</u>   <u>R</u>		PRIM	PRIM	<u> </u>	g g	E P	Ö
	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI" incl. cable 16cm, 55cm, 70cm				x		X			Т		X	x				x x	x	S26361-F3257-L110	165,00	
RAID Contr BBU Upgrade for RAID 5/6 C	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI" incl. cable 16cm, 55cm, 70cm,											X	X	x x	хх	X			x S26361-F3257-L210	165,00	
4-Port SAS cable for ports 5 and 6	Upgrade kit from 4 to 6 HDs necessary for max. 6HDs				X								x						S26361-F3257-L250	30,00 Phased o	ut
RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCle x4, 4 internal ports			Х	х				х			хх	хх				хх		S26361-F3257-L4	110,00	
SCSI Ctrl U320 1ch int/ext PCle SCSI Ctrl U320 1ch int/ext PCle lp	Adaptec 29320LPE, 1x U320 SCSI Adaptec 29320LPE, 1x U320 SCSI, low profile		х	x	x		хх		X			x x	хх		х		хх		S26361-F3270-L1 S26361-F3270-L201	245,00 Phased of 245,00 Phased of 245,00	
SAS Ctrl 3GB/s 4int/4ext PCle	SAS Controller 3GB/s 8 port, LSI SAS3442E-R								х								x x		S26361-F3271-L1	265,00 Phased o	ut
SAS Ctrl 3GB/s 4int/4ext PCle lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile		х	х	х		x x x	к				хх	хх		х				S26361-F3271-L201	265,00 Phased o	ut
SAS Ctrl 6G 8ext PCle FH/LP	SAS Controller 6GB/s 8 port, based on chip LSI SAS2008													x x			x x		x S26361-F3628-L501	265,00	
TFM Module for FBU option on D3116  RAID Ctrl FBU option w/ 25/55/70cm cable	TFM module for "RAID Ctrl SAS 6G 1GB (D3116)"  FBU option for "RAID Ctrl SAS 6G 1GB													x x		x x			x S26361-F3669-L100 x S26361-F3669-L110	170,00	
RAID Ctrl SAS 6G 8Port ex 1GB LSI V3	(D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 25/55/70cm cable RAID-Ctrl, LSI MegaRAID SAS 9286CV-8e, PCle3.0 x8, 1GB Cache with ECC, , 8 external ports, optional FBU, FH and LP bracket													Х	x	хх	x		x S26361-F3713-L503	800,00 New prod	uct,Orderable from: 15/06/2013
RAID Ctrl SAS 8Port opt remote BBU LSI RAID Ctrl SAS 8Port opt Onboard BBU LSI RAID Ctrl SAS 8Port 512M FH/LP LSI	optional BBU for LSI MegaRAID SAS8880E optional BBU for LSI MegaRAID SAS8880E RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, without			x	х		x x		X X										S26361-F3890-L11 S26361-F3890-L12 S26361-F3890-L501	220,00 Phased of 175,00 Phased of 1745,00 Phased	
RAID Upgrade Kit RX100 S6 RAID Upgrade Kit RX100 S7 RAID Ctrl SAS 6G 8Port ex 512M FH/LP LSI	iBBU consisting of SAS Cable and bracket consisting of SAS Cable RAID-Ctrl, LSI MegaRAID based on Controller SAS2108, PCle x4, 512MB Cache with ECC, 8				X		X		X			x x x x		х	хх	x	x x	x	\$26361-F4414-L1 \$26361-F4414-L2 x \$26361-F3593-L501	55,00 Phased of 50,00 595,00	ut
RAID Ctrl SAS 6G 0/1 (D2607)	external ports, without iBBU  SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal						x					x x	хх	x x	хх	x	x x		S26361-F3554-L8	175,00	
RAID Ctrl SAS 6G 8Port ex 1GB FH/LP LSI	ports  RAID-Ctrl, LSI MegaRAID SAS9285-8e, PCle2.0 x8, 1GB Cache with ECC, , 8 external ports, optional FBU, FH and LP bracket													х	x	x x			S26361-F3713-L501	800,00	
RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCle 2.0 x8, 8 internal						X					x x	x x	x x	x x	X	x x	X	x S26361-F3554-L512	390,00	
RAID Ctrl SAS 6G 1GB (D3116)	port  SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCle 2.0 x8, 8 internal													x	x	хх			S26361-F3669-L1	435,00	
RAID Ctrl SAS 6G 1GB (D3116)	ports  SAS/SATA RAID Controller based on LSI												x	x					S26361-F3669-L2	435,00	
	MegaRAID SAS2208, PCle 2.0 x8, 8 internal ports																				
RAID Ctrl SAS 6G 1GB (D3116C)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCle 3.0 x8, 8 internal ports												х	хх	X	х х	Х		S26361-F3669-L3	435,00	
SAS Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS,													x x	X	X			S26361-F3674-L1	85,00	
annel FC Ctrl 2x4GBit/s QLE2462 MMF LC	QLE2462, 4GBit/s, 2 channel FC controller, PCle x4, full height, MMF LC inferface, This						)	X	x x								х		S26361-F3483-L2	1.915,00 Phased o	ut
FC Ctrl 2x4GBit/s QLE2462 MMF LC LP	controller is in PRIMERGY server not certified for Microsoft Cluster.  QLE2462, 4GBit/s, 2 channel FC controller, PCle x4, low profile, MMF LC inferface, This			x x	x	х	x x >	x					х		х				S26361-F3483-L202	1.915,00 Phased o	ut
FC CTRL 8GBIT/S LPE1250 MMF LC FH	controller is in PRIMERGY server not certified for Microsoft Cluster. 1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, , Optics: 8GB short								X							хх	x x	X	x S26361-F3961-L1	860,00	
FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	wave lasers with LC type connectors 2 channel 8GBit/s FC controller, , PCI								x							хх	x x	X	x S26361-F3961-L2	1.385,00	
FC CTRL 8GBIT/S LPE1250 MMF LC LP	intergace: PCle 2.0 x8, , Optics: 8GB short wave lasers with LC type connectors 1 channel 8GBit/s FC controller, , PCl				X		x x						v v	V V	v v				S26361-F3961-L201	860,00	
FC CIRL OGDII/S LFE 1250 WIWIF LC LF	intergace: PCle 2.0 x8, , Optics: 8GB short wave lasers with LC type connectors				X		X X						XX	x x	X X				320301-F3901-L201	860,00	
FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, , Optics: 8GB short			х	х		хх						хх	хх	хх				S26361-F3961-L202	1.385,00	
PFC EP LPe16000	wave lasers with LC type connectors  1 channel 16GBit/s FC controller, PCI												x	хх	х	хх	х		x S26361-F4994-L501	1.525,00	
	intergace: PCle 3.0 x8; backwards compatible to PCle 2.0, Optics: 16GB short wave lasers with LC type connectors, Bracket: low profile bracket mounted, full height bracket attached																				
PFC EP LPe16002	2 channel 16GBit/s FC controller, PCI intergace: PCIe 3.0 x8; backwards compatible to PCIe 2.0, Optics: 16GB short wave lasers with LC type connectors, Bracket: low profile bracket mounted, full height bracket attached												x	x x	х	х	x		S26361-F4994-L502	2.375,00	
FC Ctrl 4GBit/s LPe1150 MMF LC	LPe1150, 4GBit/s, 1-channel FC controller, PCle x4, MMF LC inferface					X	<b>)</b>	х х	хх								х		S26361-F3306-L1	1.180,00 Phased o	ut
FC Ctrl 4GBit/s LPe1150 MMF LC LP	LPe1150 , 4GBit/s, 1-channel FC controller, PCle x4, low profile, MMF LC inferface			x x	х	х	x x x	x					x		Х				S26361-F3306-L201	1.180,00 Phased o	ut
	LPe11002 , 4GBit/s, 2-channel FC controller, PCle x4, low profile, MMF LC inferface			x x	х	х	x x x	x					х		х				S26361-F3306-L202	1.815,00 Phased o	ut
FC Ctrl 8GB/s 1 channel QLE2560 MMF LC	1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short															X X	XX	X	x S26361-F3631-L1	955,00	
FC Ctrl 8GB/s 2 channel QLE2562 MMF LC	wave lasers with LC type connectors  2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short															хх	x x	X	x S26361-F3631-L2	1.540,00	
FC Ctrl 8GB/s 1 channel QLE2560 MMF LCLP	wave lasers with LC type connectors  1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short												x x	x x	x x				S26361-F3631-L201	955,00	
FC Ctrl 8GB/s 2 channel QLE2562 MMF LCLP	wave lasers with LC type connectors  2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short												x x	x x	x x				S26361-F3631-L202	1.540,00	
ication/Network  Eth Ctrl 2x1GBit PCle PRO/1000PT Cu  Eth Ctrl 2x1GBit PCle PRO/1000PT Cu lp	wave lasers with LC type connectors  Intel Pro 1000PT 2 Port Server Adapter Intel Pro 1000PT 2 Port Server Adapter		X	X X		X X	x x >	X X	x x			x							S26361-F3228-L1 S26361-F3228-L201	175,00 Phased o	
Eth Ctrl 1x1GBit PCle Pro/1000PT Cu Eth Ctrl 1x1GBit PCle Pro/1000PF LC	Intel® Pro 1000PT 1 Port Server Adapter Intel® Pro 1000PF 1 Port Server Adapter					x x	>	x x	x x x							хх	хх	x	S26361-F3241-L1 x S26361-F3242-L1	90,00 240,00	
	Intel® Pro 1000PF 1 Port Server Adapter Intel Pro 1000PT Quad Port Server Adapter with full hight bracket	X	X	X X	X	X	x x x	X	хх			X X	X X	X X	X X				S26361-F3242-L201 S26361-F3462-L1	240,00 495,00 Phased o	ut
<u>'</u>	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket		х	X	х	х	x x x												S26361-F3462-L201	495,00 Phased o	ut
Eth Ctrl 1x1GBit PCle CT Desktop Cu Eth Ctrl 4x1GBit Cu PCle x4 D3045	Intel® GBit CT 1 Port Desktop Adapter Ethernet Server Adapter Eth Ctrl 4x1GBit Cu PCle x4 D3045, Based on Intel LAN controller chip l350-AM4, Usable with original Intel driver						)	x				x x	x x	x x		x x x	x x	X	S26361-F3516-L1 x S26361-F3739-L501	45,00 390,00	
Eth Ctrl 2x1GBit Cu PCle x4 D3035	kit  Ethernet Server Adapter Eth Ctrl 2x1GBit Cu PCle x4 D3035, Based on Intel LAN controller chip l350-AM2, Usable with original Intel driver											x x	x x	x x	хх	x x	X X	x	x S26361-F3740-L501	210,00	
Eth Ctrl 2x10GBase-T PCle x8 X540-T2	kit Ethernet Server Adapter Eth Ctrl 2x10GBase-T PCle x8 X540-T2, Based on Intel LAN controller chip Twinville, Usable with original												x	x x	X	хх	x		x S26361-F3752-L502	890,00	
Eth Ctrl 1x1GBit PCle Pro/1000PT Cu lp FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	Intel driver kit  Intel® GBit CT 1 Port Desktop Adapter Ip Intel® Pro 1000PT 1 Port Server Adapter 2 Channel 10GBit/s FCoE Controller, PCle 2.0		X X	x x	X X		x x x x x x x x x x x x x x x x x x x		X			X X X X	X X X		X X X	x x	X X		S26361-F3516-L201 S26361-F3241-L201 x S26361-F3592-L2	45,00 110,00 Phased o 1.335,00	ut
	x 8, SFP+ for opt. module or Twinax cable  Intel® Ethernet Server Adapter X520-DA2 for											X	X	$\perp$	X		X	x	S26361-F3555-L501	820,00 Phased o	ut
Eth Ctrl 2x10GBit PCle x8 X520-DA2 SFP+  Eth Ctrl 2x10GBit PCle x8 D2755 SFP+	SFP+ modules and SFP+ twinax cables  Ethernet Server Adapter Eth Ctrl 2x10GBit											x x				х			x S26361-F3555-L501	820,00 Phased of 525,00	•
Shared 10GB Management LAN kit	PCle x8 D2755 SFP+  2 Channel 10GBit/s FCoE Controller, PCle 2.0				x		X							x x x x	х				\$26361-F3629-L750 \$26361-F3592-L202	25,00 1.335,00	
SFP+ Modul Multi Mode Fibre 10GB FCoE	x 8 Low Profile, SFP+ for opt. module or Twinax cable  SFP+ module only for use in FCoE Ctrl				x		X		x										x S26361-F3592-L108	405,00	



		25	S 4 S	ကို ကို	3 3	S 4 S	S2	83	S5 S5	S1	S2 S3	S4 S4		S3	98	S7 S7p	. Se	88 88	S7	22	S6 S6	S1 32			
			GY RX100 GY RX100	PRIMERGY RX100 S PRIMERGY RX200 PRIMERGY RX200 S	GY RX300 GY RX300		37 RX300	/ RX220	GY RX300 GY RX300	RX330 RX600	/ RX600	RX600	ERGY RX800	PRIMERGY RX800 S PRIMERGY RXI300	PRIMERGY RX1600 PRIMERGY RX100 S	3Y RX100 3Y RX100	RX200	3Y RX 3Y RX	PRIMERGY RX300 S	PRIMERGY RX500 S	GY RX600	IIMERGY RX900 S	oduct Code	P (€)	nments
Description es & services matrix cation/Network (Continued)	Details	R   R   i	다 지   전   년	7   <u>0</u>   <u>0</u>		7   <u>0</u>   <u>0</u>	֖֡֓֞֟֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֟֓֓֓֓֓֓֓	저   집	유   교	R   표	A   A		도   <u>명</u>	R   R	A   A	A   A	P   G	<u>                                  </u>	P	ַבְּיוֹם וְנַבְּיוֹם וְנַבְּיוֹם וְנַבְּיוֹם וְנְבְּיוֹם וְנְבְּיִם וְנְבְּיִם וְנְבְּיִם וְנְבְּיִם וְנְבְּי	7   <u>8</u>	푒ఠ	9 5	EUP	Š
IB HCA 40GB 1 Kanal QDR	InfiniBand HCA 40GB/s, 1-port, QDR, , Appropriate cables: Infiniband Cu Kabel 40GB,																x x	xx	X X	x x	x x	x	S26361-F4475-L102	625,00	
IB HCA 40GB 1 port QDR enhanced	4x QSFP, 1m (S26361-F3996-L101) or 3m (S26361-F3996-L103)  InfiniBand HCA 40GB/s, 1-port, QDR,																	X	X X	/ V			S26361-F4475-L103	685,00	
IB HCA 40GB 2 port QDR enhanced	enhanced InfiniBand HCA 40GB/s, 2-port, QDR,																		x x				S26361-F4475-L203	1.060,00	
Eth Ctrl 2x1GBit PCl-X PRO/1000MT Cu IB HCA 56GB 1 port FDR	enhanced Intel Pro 1000MT 2 Port Server Adapter InfiniBand HCA 56GB/s, 1-port, FDR	х		х	х		х	хх		хх	xx	(	x x	хх	X			x	X	X			S26361-F3011-L1 S26361-F4533-L102	225,00 1.040,00	Phased out
IB HCA 56GB 2 port FDR astructure	InfiniBand HCA 56GB/s, 2-port, FDR																	X	X	X			S26361-F4533-L202	1.605,00	
RMK-F1_1-2U Server	telescopic rail, full extraction with vario-carrier, pre-assembled with centre screw;, Rack installation depth (19" pillar distance) between			X		X >	X		X X	X					X		X	X					S26361-F2735-L101	70,00	Phased out
Rack Mount Kit for RX900	714mm and 785mm																						\$26361-F2735-L109	180,00	
RMK-F1_DI_CMA	Loose delivery: Telescopic drop-in rails, full extraction with vario-carrier, pre-assembled with centre screw; with cable management adapter for tool less mountable cable management arm., Rack installation depth (19" pillar distance) between 714mm and 785mm																X	X					S26361-F2735-L140	55,00	3
RMK-F1_DI_CMA_QRL	Telescopic drop-in rails, 781mm long with cable management arm adapter, full extraction with extension length 815mm, with vario-carrier 1 for rack installation depth (19" pillar distance) between 714mm and 785m, pre-assembled with centre screw															x x	X	: x	X				S26361-F2735-L145	85,00	
Cable magmt. for 19" PC- Rack Rack Mount Kit F1-C S7 LV	Rack Mount Kit (RMK) for server max. 2 height units (U) or max. 35 Kg (F1) with Quick-Release-Lever (QRL). Drop in telesope rails (DI), full extraction 815mm, with cable management adapter (CMA) for toolless mounting of cable management arms. Vario carrier 2 for mounting in PRIMECENTER and 3rd-party racks. Toolless adjustable rack mounting depth (rack pillar distance) between															x	х	x x	X				S26361-F2735-L17 S26361-F2735-L175	30,00 115,00	
Rack Mount Kit F1 S7 LV	559 and 914 mm depth. Pre-adjustment pos. 3 (701-775mm).  Rack Mount Kit (RMK) for server max. 2 height units (U) or max. 35 Kg (F1) with Quick-Release-Lever (QRL). Drop in telesope rails (DI) 736mm long, full extraction 815mm. Vario carrier 2 for mounting in PRIMECENTER and 3rd-party racks. Toolless adjustable rack mounting depth (rack pillar distance) between															x	×		x				S26361-F2735-L176	115,00	
Cable carrying plate DC-/PC-racks	559 and 914 mm depth. Pre-adjustment pos. 3 (701-775mm).  additional tray for sidewise routing and filing of									X												X	S26361-F2735-L20	50,00	
RMK-F2_3-xU-Servers_13mm-Drop-in Rails	cable bulks for DC-, PC- racks  Telescopic full extract. drop-in mount.; vario-carrier for toolless mounting, max. load 50 kg, , Rack installation depth (19" pillar distance) between 714mm and 785mm									X											x		S26361-F2735-L202	65,00	
Rack Mount Kit F2-C S7 LV	Rack Mount Kit (RMK) for server more than 2 height units (U) or max. 50 Kg (F2) with Quick-Release-Lever (QRL). Drop in telesope rails (DI) 781mm long, full extraction 815mm, with cable management adapter (CMA) for toolless mounting of cable management arms. Vario carrier 2 for mounting in PRIMECENTER and 3rd-party racks. Toolless adjustable rack mounting depth (rack pillar distance) between 559 and 914 mm depth. Pre-adjustment pos. 3 (701-775mm).																		>	X X	х		S26361-F2735-L285	100,00	
Rack Mount Kit F2 S7 LV	Rack Mount Kit (RMK) for server max. 2 height units (U) or max. 35 Kg (F1) with Quick-Release-Lever (QRL). Drop in telesope rails (DI) 736mm long, full extraction 815mm. Vario carrier 2 for mounting in PRIMECENTER and 3rd-party racks. Toolless adjustable rack mounting depth (rack pillar distance) between 559 and 914 mm depth. Pre-adjustment pos. 3 (701-775mm).																			x x	x		S26361-F2735-L286	100,00	
Adapter angle PC/DC-Rack, 3U till 200Kg cage nut set, M5, t=2,5mm  Cable mgmt. lateral for asym. PC racks	Adapter angle PC/DC-Rack, 3U till 200Kg Content: 50 pieces Cable management for server or storage subsystem 2U or higher mounted into		X X	x	)	X X		x x	хх	X X	>	x x	X		Х	x x	X	x		x x			S26361-F2735-L31 S26361-F2735-L500 S26361-F2735-L7	30,00 50,00 30,00	
1 U cable arm, dragged	asymmetrical PRIMECENTER racks  cable arm for PRIMERGY server, dragged for PRIMECENTER- and 3rd-party racks		x x	x	)	x x >	×	хх		х	×	(	х		х	х	Х						S26361-F2735-L8	40,00	)
Rack Cable Management Arm 1U	Loose Delivery: Cable management arm, dragged with bracket, can be used for PRIMERGY servers 1U. Can be mounted in PRIMECENTER and 3rd-party racks, can only be mounted at RMKs with CMA adapter.															x x	X X						S26361-F2735-L81	20,00	
Rack Cable Management Arm 2U	Loose Delivery: Cable management arm, dragged with bracket, can be used for PRIMERGY servers 2U or higher. Can be mounted in PRIMECENTER and 3rd-party racks, can only be mounted at RMKs with CMA adapter.																	X	X	( X	X		S26361-F2735-L82	30,00	J
Adapter angle PC/DC-Rack, till 50Kg cable arm 2U PCR M1 S and 3rd partyracks	Adapter angle for PRIMECENTER and DataCenter rack, 1U up to 50kg  Cable arm 2U to be mounted at right or left rack pillar behind servers higher oder equal 2U. Released for symmetrical PRIMECENTER M1 or 3rd party racks.	x		x	X				x x	X		X	x		X	x x	x		x	X	x x		S26361-F2735-L10 S26361-F2201-L20	50,00	
i <b>Y-Software</b> iRMC advanced pack	, On top of standard iRMC features, the iRMC Advanced Pack additionally provides the functions Advanced Video Redirection (AVR) and Remote Storage, , Advanced Video Redirection (AVR) , - System-independent		X			x	П	x		x													S26361-F1790-L240	305,00	
	graphics and text console redirection, including the keyboard and mouse, - Remote access to permit boot monitoring, BIOS administration and interaction with the operating system, , Remote Storage , Remote Storage makes available to the managed server a "virtual" drive which is located elsewhere in the network. , The "virtual drives" provided by Remote Storage are as easy to use as local drives and offer the following options:, - Reading/writing of data, - Booting from Remote Storage, - Installation of drivers or small applications, - Remote BIOS update (BIOS update via USB), , Remote Storage permits simultaneous connection of up to two "virtual" drives and supports the following types of device:, - Floppy disk, - CD-ROM / DVD-ROM, - USB memory device (e.g. Memory Stick), - ISO image																								
iRMC S2 advanced pack	, On top of standard iRMC features, the iRMC Advanced Pack additionally provides the functions Advanced Video Redirection (AVR) and Remote Storage, , Advanced Video Redirection (AVR), - System-independent graphics and text console redirection, including the keyboard and mouse, - Remote access to permit boot monitoring, BIOS administration and interaction with the operating system, , Remote Storage, Remote Storage makes available to the managed server a "virtual" drive which is located elsewhere in the network. , The "virtual drives" provided by Remote Storage are as easy to use as local drives and offer the following options:, - Reading/writing of data, - Booting from Remote Storage, - Installation of drivers or small applications, - Remote BIOS update (BIOS update via USB), , Remote Storage permits simultaneous connection of up to two "virtual" drives and supports the following			x		x	X		X X			x			X		X	X			x   x	X X	S26361-F1790-L241	305,00	



Servers Accessories																																			
		MERGY RX100 MERGY RX100 S2	MERGY RX100 S3 MERGY RX100 S4	\ <u>\&amp;</u>   \&	.   .	RX300	PRIMERGY RX200 S4		PRIMERGY RX300 S2 PRIMERGY RX220		GY RX300	PRIMERGY RX300 S5	/ RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3 PRIMERGY RX600 S4	/ RX800	PRIMERGY RX800 S2	RXI300	RXI600	PRIMERGY RX100 S7		PRIMERGY RX200 S6	GY RX2	PRIMERGY RX300 S6	3Y RX3	MERGY RX500 S7	PRIMERGY RX600 SS	PRIMERGY RX900 S1	200		duct Code		(€)		nments
Description es & services matrix	Details	R R	PR P	R   C	7   <u>8</u>	<u>R</u> <u>a</u>	7   <u>4</u>	N   0	PRI PRI	PR	<u>R</u> .	P R	PR	<u>R</u>	P P R	PR.	<u>8</u>   8	A B	PR   0	7   <u>8</u>	PR	<u> </u>		PR	r g	<u>R</u>	7   <u>8</u>	PRIM			Pro		EUP		Con
iRMC S3 advanced pack	", On top of standard iRMC features, the iRMC Advanced Pack additionally provides the functions Advanced Video Redirection (AVR) and Remote Storage, , Advanced Video Redirection (AVR), - System-independent graphics and text console redirection, including the keyboard and mouse, - Remote access to permit boot monitoring, BIOS administration and interaction with the operating system, , Remote Storage , Remote Storage makes available to the managed server a "virtual" drive which is located elsewhere in the network. , The "virtual drives" provided by Remote Storage are as easy to use as local drives and offer the following options:, - Reading/writing of data, - Booting from Remote Storage, - Installation of drivers or small applications, - Remote BIOS update (BIOS update via USB), , Remote																			x	X		( X		X	x			S2	6361-1	F1790-	1.242	30	05,00	
	Storage permits simultaneous connection of up to two "virtual" drives and supports the following types of device:, - Floppy disk, - CD-ROM / DVD-ROM, - USB memory device (e.g. Memory Stick), - ISO image"																																		
VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory 1 year Service Pack needed!											х							)	х	х	X	( X	X	K		хх	X X	S2	6361-	F2341-	D762	15.75	50,00	Deliverable from: 01/03/2013,Orderable from: 01/03/20
VMware ENT AK(6CPU+VC-STD)w/o SP-3yr  VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory 3 year ServicePack needed!  VMware vSphere ENT-PL Acceleration Kit for 6											X X								x x								x >							Deliverable from: 01/03/2013,Orderable from: 01/03/20 Deliverable from: 01/03/2013,Orderable from: 01/03/20
	CPU inc VC-STD + VSA , , , - Mandatory 1 year Service Pack needed!  VMware vSphere ENT-PL Acceleration Kit for 6											x									· ·	· ·		v ,			v v	V .	, 60	6261	<b>-</b> 2244	D765	10.75	:0.00	Deligraphia from: 04/02/2012 Orderable from: 04/02/2
VMware vCloud Suite STD w/o SP-1yr	CPU inc VC-STD + VSA , , , - Mandatory 3 year Service Pack needed!  Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and vCloud Networking and Security Standard Mandatory 1 year Support Pack needed!											X								x x								X )						95,00	Deliverable from: 01/03/2013, Orderable from: 01/03/20
VMware vCloud Suite STD w/o SP-3 yr	Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced,											х							)	x x	х	X >	( X	X X	K		х х	X X	s S2	6361-	F2341-	D767	4.49	95,00	
VMware vCloud Suite ADV w/o SP-1yr	VCloud Director and vCloud Networking and Security Standard Mandatory 3 years Support Pack needed!  Each vCloud Advanced Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations											X							)	x x	х	X >	x x	X )	ĸ		x x	X )	s S2	6361-	F2341-	D768	6.74	5,00	
VMware vCloud Suite ADV w/o SP-3 yr	Management Suite Advanced. Mandatory 1 year Support Pack needed!  Each vCloud Advanced Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite Advanced., Mandatory 3 years Support Pack needed!											x							2	x x	X	X >	c x	X X	×		x x	x >	s S2	6361-	F2341-	D769	6.74	15,00	
VMware vCloud Suite ENT w/o SP-1yr	Each Cloud Enterprise Suite contains vSphere 5 Enterprise Plus, Cloud Connector Advanced, Cloud Director, Cloud Networking and Security Advanced, vFabric Application Director for Provisioning, Center Operations Management Suite Enterprise, Site Recovery Manager Enterprise and Cloud Automation Center. Mandatory 1 year Support Pack											х								x x	X	X >	X	x >	K		x x	X X	S2	6361-	F2341-	D770	10.35	50,00	
VMware vCloud Suite ENT w/o SP-3 yr	needed!  Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning, vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud Automation Center. Mandatory 3 years Support Pack											x							,	x x	x	X >	( X	X	X		x x	X 3	s S2	6361-	F2341-	D771	10.35	50,00	
VMware STD AK(6CPU+VC-STD)w/o SP-1yr	needed!  VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory 1											х							)	x x	х	X X	( X	x >	x x		хх	x >	s S2	6361-	F2341-	L760	6.64	15,00	
VMware STD AK(6CPU+VC-STD)w/o SP-3yr	year Service Pack needed!  VMware vSphere STD Acceleration Kit for 6											x							)	x x	х	x x	c x	x >	x x		x x	x x	s S2	6361-	F2341-	L761	6.64	15,00	
VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	CPU inc VC-STD + VSA , , - Mandatory 3 year Service Pack needed!  VMware vSphere ENT Acceleration Kit for 6											x							,	x x	х	x >	СХ	X X	х х		x x	X X	( S2	6361-	F2341-	L762	16.66	55,00	Deliverable from: 01/03/2013,Orderable from: 01/03/2
VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	CPU inc VC-STD + VSA , , , - Mandatory 1 year Service Pack needed!  VMware vSphere ENT Acceleration Kit for 6											x							,	x x	х	x >	СХ	X )	к х		хх	X X	( S2	6361-	F2341-	L763	16.66	55,00	Deliverable from: 01/03/2013, Orderable from: 01/03/2
	CPU inc VC-STD + VSA , , , - Mandatory 3 year ServicePack needed!											.,																	. 00	0004	T00.44	1704	20.00	20.00	Delimentals from 04/02/2042 Orderable from 04/02/2
	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory 1 year Service Pack needed!											X																							Deliverable from: 01/03/2013, Orderable from: 01/03/2
	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory 3 year Service Pack needed!											х							,	x x	X	X	C X	X	x x									00,00	Deliverable from: 01/03/2013, Orderable from: 01/03/2
VMware vCloud Suite STD w/o SP-1yr	Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and vCloud Networking and Security Standard Mandatory 1 year Support Pack needed!											x								x x	x	X	( X	X )	XX		x x	x	c S2	6361-	F2341-	L766	4.75	55,00	
VMware vCloud Suite STD w/o SP-3 yr	Each Cloud Standard Suite contains Sphere 5 Enterprise Plus, Cloud Connector Advanced, Cloud Director and Cloud Networking and Security Standard Mandatory 3 years Support Pack needed!											х							3	х	х	X	( X	X	x		х	X )	S2	6361-	F2341-	L767	4.75	55,00	
VMware vCloud Suite ADV w/o SP-1yr	Each vCloud Advanced Suite includes Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking und Security Advanced and vCenter Operations Management Suite Advanced Mandatory 1											х							2	x x	х	X	( X	X )	х		х х	X )	S2	6361-	F2341-	L768	7.13	35,00	
VMware vCloud Suite ADV w/o SP-3 yr	year Support Pack needed!  Each vCloud Advanced Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite Advanced., Mandatory 3 years Support Pack needed!											x							)	x x	x	x >	c x	x )	x x		x x	X )	s S2	6361-	F2341-	L769	7.13	35,00	
VMware vCloud Suite ENT w/o SP-1yr	Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning, vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud Automation Center. Mandatory 1 year Support Pack											х							,	XX	X	X	( X	х	X X		х	x	S2	6361-	F2341-	L770	10.95	50,00	
VMware vCloud Suite ENT w/o SP-3 yr	needed!  Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning, vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud Automation Center. Mandatory 3 years Support Pack											X							,	X X	X	X >	( X	X X	x x		x x	X	s S2	6361-	F2341-	L771	10.95	50,00	
FSE KVM Standard Support 1 year	needed!  FSE KVM Standard Support 1 year, for DEBIAN/UBUNTU, incl. support guest OS UBUNTU/DEBIAN FSE, requires FSE standard support 1 year, The support is provided by Bytec GmbH. (https://www.bytec.de/de/software/debian4you/																							X >	X		X		S2	6361-	F2346-	L430	19	95,00	
FSE KVM Standard Support 3 years	FSE KVM Standard Support 3 years, for DEBIAN/UBUNTU, incl. support guest OS UBUNTU/DEBIAN FSE, requires FSE standard support 3 years, The support is provided by Bytec GmbH.  (https://www.bytec.de/de/software/debian4you/																							X )	x		х		S2	6361-	F2346-	L431	49	95,00	
FSE KVM Premium Support 1 year	FSE KVM Premium Support 1 year, for DEBIAN/UBUNTU, incl. support guest OS UBUNTU/DEBIAN FSE, requires FSE premium support 1 year, The support is provided by Bytec GmbH. (https://www.bytec.de/de/software/debian4you/																							x )	K		X		S2	6361-	F2346-	L432	59	95,00	



		S2 S3	S4 35	32	33	S5 S5	7	52	S5 31	32	S3 54	\$2 33		S6 37	S7p	S7 38	36	37	35	S6	S2			
		IMERGY RX100 IMERGY RX100 S IMERGY RX100 S	PRIMERGY RX100 S PRIMERGY RX100 S	GY R	PRIMERGY RX300 PRIMERGY RX200 S	PRIMERGY RX200 S PRIMERGY RX200 S	PRIMERGY RX220	PRIMERGY RX300 S	PRIMERGY RX300 S PRIMERGY RX330 S	PRIMERGY RX600 PRIMERGY RX600 S	PRIMERGY RX600 S PRIMERGY RX600 S PRIMERGY RX800	PRIMERGY RX800 S PRIMERGY RX800 S	GY RXI:	PRIMERGY RX100 S PRIMERGY RX100 S	PRIMERGY RX100 S PRIMERGY RX200 S	PRIMERGY RX200 S PRIMERGY RX200 S	RIMERGY RX300 S	PRIMERGY RX350 S	PRIMERGY RX500 S PRIMERGY RX600 S	IMERGY RX600 S	PRIMERGY RX900 S	duct Code	P (€)	nments
Description & services matrix	Details		<u>R</u> <u>R</u>		7   <u>7</u>	<u>R</u> R			R R	R R	P R M		P P	P. P.					P R R	PRIMI	집	Pro	EUP	Ö
Software (Continued) FSE KVM Premium Support 3 years	FSE KVM Premium Support 3 years, for																x :	x		х	S2	6361-F2346-L433	1.495,00	
	DEBIAN/UBUNTU, incl. support guest OS UBUNTU/DEBIAN FSE, requires FSE premium support 3 years, The support is provided by Bytec GmbH. (https://www.bytec.de/de/software/debian4you/																							
VinSvr 2012 Datacenter 2CPU ROK	) Reseller Option Kit, only for Fujitsu Broadline														х	хх	:	x x	х	X	S2	6361-F2567-D410	3.679,00	
	Distributors with a valid ROK amendment. WinSvr 2012 Datacenter 2CPU ROK. Multilingual. Requires Windows Server CAL																							
	2012, not included. ROK DVD, COA License. End User License Terms.																							
VinSvr 2012 Datacenter AddLic 2CPU ROK	Reseller Option Kit, only for Fujitsu Broadline Distributors with a valid ROK amendment. WinSvr 2012 Datacenter Additional License 2CPU No Media/Key ROK. SACOA License.																	X	X	X	S2	6361-F2567-D411	2.895,00	
WinSvr 2012 Standard 2CPU/2VM ROK	End User License Terms.  Reseller Option Kit, only for Fujitsu Broadline Distributors with a valid ROK amendment.														x	x x	:	x x	х	X	S2	6361-F2567-D420	787,00	)
	WinSvr 2012 Standard 2CPU&2VM ROK. Multilingual. Requires Windows Server CAL																							
WinSvr 2012 Standard AddLic 2CPU/2VM ROK	2012, not included. ROK DVD, COA License. End User License Terms.														X	x x		x x	v	X	22	6361-F2567-D421	550,00	
WIIISW 2012 Standard Addelic 2CF0/2VIW ROK	Reseller Option Kit, only for Fujitsu Broadline Distributors with a valid ROK amendment. WinSvr 2012 Standard Additional License														X	XX		X X	X	<b>x</b>	32	.0301-F230 <i>1-</i> D421	550,00	,
	2CPU&2VM No Media/Key ROK. SACOA License. End User License Terms.																							
NinSvr 2012 Essentials 2CPU ROK MUL	Reseller Option Kit, only for Fujitsu Broadline Distributors with a valid ROK Amendment., WinSrv 2012 Essentials, ROK, Multilingual,														X	x x					S2	6361-F2567-D430	418,00	
	DVD Media, COA, License., Languages: English (default language), German, Japanese,																							
	French, Spanish, Italian, Dutch, Polish, Portuguese.																							
WinSvr 2012 Foundation 1CPU ROK	Reseller Option Kit, only for Fujitsu Broadline Distributors with a valid ROK amendment. WinSvr 2012 Foundation 1CPU ROK. Multilingual. ROK DVD, COA License. End														X						S2	6361-F2567-D440	175,00	
NinStorageSvr 2012 Std 2CPU/2VM ROK	User License Terms.  Windows Storage Server 2012 Standard  2CPUR 2VM POK Multilingual OFM DVD														Х	хх		x x			S2	6361-F2567-D450	430,00	)
	2CPU&2VM ROK. Multilingual. OEM DVD, COA License. End User License Terms. No CALs required																							
WinStorageSvr 2012 Std AddLic 2CPU ROK	Windows Storage Server 2012 Standard Additional License 2CPU&2VM ROK. Step-up														х	хх		хх			S2	6361-F2567-D451	430,00	
MS SysCtr VMM 2008 R2 WorkGroupEdtn ROK	license to add 2 CPU sockets / 2 VMs. No media/key  Microsoft System Center Virtual Machine		X			x x		Y	x x		X			x x	x	X X	X	x	v	χv	x en	6361-F2567-L20	385.00	Phased out
2,356. Timin 2000 NZ WOINGIOUPEUII ROK	Manager 2008 R2 Workgroup Edition., English. ROK DVD, License.		x			^ X		^	,		^			X	_ X	^	^	-	X	_ ^ X			300,00	
MS SysCtr Essntls 2010 ROK	MS System Center Essentials 2010. English. ROK DVD, License.		х			хх			хх		х			хх			X :					6361-F2567-L30		Phased out
MS SysCtr Essntls 2010 Server ML 1-OSE	MS System Center Essentials 2010 Managed Server License 1 OSE Pack., OSE = Operating System Environment		X			X X		X	x x		X			X X	X X	X	X .	x	Х	X X	x S2	:6361-F2567-L31	90,00	Phased out
MS SysCtr Essntls 2010 Server ML 5-OSE	MS System Center Essentials 2010 Managed Server License 5 OSE Pack., OSE =		х			хх		х	хх		х			x x	хх	X	X	х	х	хх	x S2	6361-F2567-L32	435,00	Phased out
MS SysCtr Essntls 2010 Client ML 5-Pack	Operating System Environment  MS System Center Essentials 2010 Managed		х			хх		х	хх		х			хх	хх	x	x :	x	х	хх	x S2	6361-F2567-L33	75,00	Phased out
MS SysCtr Essntls 2010 Client ML 20-Pack	Client License 5 Pack.  MS System Center Essentials 2010 Managed Client License 20 Pack.		х			хх		х	хх		х			хх	хх	. x	X	x	х	хх	x S2	6361-F2567-L34	300,00	Phased out
NinSvr 2012 Language Pack DVD NinSvr CAL 2012 50Device	WinSvr 2012 Language Pack DVD Windows Server 2012 CAL 50 Device														X X	x x x x		x x x x		X X	S2	6361-F2567-L400 6361-F2567-L460	25,00 1.045,00	)
NinSvr CAL 2012 50User NinSvr CAL 2012 10Device NinSvr CAL 2012 10User	Windows Server 2012 CAL 50 User Windows Server 2012 CAL 10 Device Windows Server 2012 CAL 10 User														X X	x x x x x x x		x x x x x x	х	х	S2	6361-F2567-L461 6361-F2567-L462 6361-F2567-L463	1.210,00 215,00 245,00	)
WinSvr CAL 2012 5Device WinSvr CAL 2012 5User WinSvr CAL 2012 1Device	Windows Server 2012 CAL 5 Device Windows Server 2012 CAL 5 User, Windows Server 2012 CAL 1 Device														X	X X X X		X X X X	х	X X X	S2	6361-F2567-L464 6361-F2567-L465 6361-F2567-L466	110,00 130,00 25,00	
WinSvr CAL 2012 1User WinSvr RDS CAL 2012 5Device	Windows Server 2012 CAL 1 User Windows Server 2012 RDS CAL 5 Device														X X	x x x x		x x x x	X X	X	S2 S2	6361-F2567-L467 6361-F2567-L470	29,00 415,00	
WinSvr RDS CAL 2012 5User WinSvr RDS CAL 2012 1Device WinSvr RDS CAL 2012 1User	Windows Server 2012 RDS CAL 5 User, Windows Server 2012 RDS CAL 1 Device, Windows Server 2012 RDS CAL 1 User														X X	x x x x		x x x x x x	х	X X	S2	6361-F2567-L471 6361-F2567-L472 6361-F2567-L473	480,00 83,00 96,00	)
DG/DE Kit WinSvr 2008 R2 SP1 Datacenter	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter DOWNGRADE AND DOWN-EDITION DVD														х	хх		x x	х	Х	x S2	6361-F2567-L480	70,00	
	Media and Product Key Card. Requires original purchase of licensed software. EULA. Please send your Request for Special Release to																							
DG/DE Kit WinSvr 2008 R2 SP1 Enterprise	eva.nierobats.fujitsu.com.  DG/DE Kit WinSvr 2008 R2 SP1 Enterprise														X	хх	:	x x	х	X	x S2	6361-F2567-L481	70,00	
	DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA. Please																							
	send your Request for Special Release to eva.nierobats.fujitsu.com.																							
DG/DE Kit WinSvr 2008 R2 SP1 Standard	DG/DE Kit WinSvr 2008 R2 SP1 Standard DOWNGRADE AND DOWN-EDITION DVD														х	хх		хх	х	х	x S2	6361-F2567-L482	70,00	
	Media and Product Key Card. Requires original purchase of licensed software. EULA. Please send your Request for Special Release to																							
DG/DE Kit WinSvr 2008 SP2 Datacenter	eva.nierobats.fujitsu.com. DG/DE Kit WinSvr 2008 SP2 Datacenter														х	x x	:	x x	x	x	x S2	6361-F2567-L483	70,00	)
	DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA. Please																							
	send your Request for Special Release to eva.nierobats.fujitsu.com.																							
OG/DE Kit WinSvr 2008 SP2 Enterprise	DG/DE Kit WinSvr 2008 SP2 Enterprise DOWNGRADE AND DOWN-EDITION DVD														х	x x		x x	х	X	x S2	6361-F2567-L484	70,00	
	Media and Product Key Card. Requires original purchase of licensed software. EULA. Please send your Request for Special Release to																							
DG/DE Kit WinSvr 2008 SP2 Standard	eva.nierobats.fujitsu.com. DG/DE Kit WinSvr 2008 SP2 Standard														X	хх		x x	х	x	x S2	6361-F2567-L485	70,00	
	DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA. Please																							
	send your Request for Special Release to eva.nierobats.fujitsu.com.																							
ServerView Deployment Mgr 6 Single Lic.  ServerView Depl. Mgr. 6 Single Upgrade	Single license for operation of one client server (managed node) - no software! for upgrades of one 5.x single license to		x x			X X		X			X	X										5000-C302 5000-C303	70,00	
Win Server 2008 CAL (1 Device)	version 6.x - no software!  (1 Device) Access License Pack for Microsoft	X	X X			x x		X	x x		X	x				x x						6361-F2565-L340	,	Phased out
· · ·	Windows Server 2008 Standard, Enterprise, Datacenter, multilingual																							
Nin Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual		X			X X		x	x x		X	X		x x	хх	xx	X   :	x x	х	x x	x S2	6361-F2565-L341	105,00	Phased out
Nin Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise,		х			хх		х	хх		х	х		хх	хх	x x	X	хх	х	хх	x S2	6361-F2565-L342	28,00	Phased out
Nin Server 2008 CAL (5 User)	Datacenter, multilingual (5 User) Access License Pack for Microsoft		х			хх		x	хх		x	х		хх	хх	x x	x :	x x	х	хх	x S2	6361-F2565-L343	122,00	Phased out
PRIMERGY MultiPath MPIO Upgrade to 5.01	Windows Server 2008 Standard, Enterprise, Datacenter, multilingual for Windows Server 2008 and 2003, from a		X			x x		x	x x		x			X X	y y	x x	Y	x	Y	x x	x S2	6361-F2565-L592	445,00	
· ·	previous version of PRIMERGY MultiPath MPIO. CD-ROM and License.		_ x			. ^					^			, x	x	, X							ŕ	
PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.		х			x x			x x		Х					x x						6361-F2565-L593	885,00	
PRIMERGY MultiPath Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath. CD-ROM and License.		X			X X		X	x x		X			x x	XX	XX	X   1	X	X	XX	x S2	6361-F2565-L594	445,00	
PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.		х			x x		х	хх		х				хх	X X	X :	х	X	хх		6361-F2565-L595	885,00	
Win Svr 2008 R2 SP1 Foundation 1CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD,													X							S2	6361-F2567-L301	175,00	
Nin Svr 2008 R2 SP1 Datactr 2CPU ROK	JA and worldwide language packs. OEM DVD, License.  Only for Fujitsu Broadline Distributors. Win Srv													x x	хх	x x	x	x x	х	X X	x S2	6361-F2567-L331	2.885,00	
J. J. Januari 201 O NON	2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. ROK DVD,													^	*	, X			^	^	52	507	,00	
Win Svr 2008 R2 SP1 Datactr 4CPU ROK	License.  Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Dtc (4 CPU) EN DE ES FR IT JA																			x x	x S2	6361-F2567-L333	5.770,00	)
	and worldwide language packs. ROK DVD, License.																							
Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License für 1 device, License.		х			хх			хх		х			хх				хх				6361-F2567-L340	85,00	
Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License für 5 devices, License.  Remote Desktop Services Client Access		X			X X			X X		X			X X				X X				6361-F2567-L341	390,00	
Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License für 1 user, License.		x			x x		X	хх		x			хх	хх	X	x :	хх	Х	x x	x S2	6361-F2567-L342	98,00	



k Servers Accessories																										
		RGY RX100 RGY RX100 S2	/ RX100	/ RX200	KGY RX200 S2 KGY RX300 KGY RX200 S3		/ RX300	KGY RX300 S3	RGY RX300 S5	3Y RX600	KGY RX600 S2 KGY RX600 S3 KGY RX600 S4	RX800 RX800	/ RX800		3GY RX100 S7p		KGY RX200 S8	KGY RX300 S7	KGY RX500 S7	KGY RX600 S5	RGY RX900 S1		t Code			nts
ory Description	Details	PRIMER PRIMER	PRIMERG)	PRIMERGY	PRIMER PRIMER PRIMER	PRIMERG) PRIMERG)	PRIMERG) PRIMERG)	PRIMERGY PRIMERGY	PRIMER	PRIMERGY	PRIMERGY PRIMERGY PRIMERGY	PRIMERGY PRIMERGY	PRIMER	PRIMERG) PRIMERG) PRIMERG)	PRIMERGY PRIMERGY	PRIMERGY	PRIMER(	PRIMER	PRIMER	PRIMER PRIMER	PRIMER PRIMER		Product	( <del>)</del>		Comme
sories & services matrix  ERGY-Software (Continued)  Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access,																V	v v	,	v v	y v	526264	I-F2567-L34	2 4	50,00	
Win HPC Srv 2008 R2 Suite ROK	License für 5 users, License.  Only for Fujitsu Distributors. Win HPC Srv			x		X X		X	X X		X			X X	X X	X		x x		X X			I-F2567-L34		60,00	
Win Srv 2008 R2 SP1 Enterpr w/10CAL ROK	2008 R2 Suite (1-4 CPU) ROK EN, JA, XT. ROK Recovery DVD Media Kit, COA, License Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE													x x	x x	x	x x	x x	(	x x	хх	S26361	I-F2567-L32	1 1.8	340,00	
Win Srv 2008 R2 SP1 Standard w/5CAL ROK	ES FR IT JA and worldwide language packs. ROK DVD, License.  Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and woldwide language packs. ROK													x x	x x	x	x x	x x	(	x x	х	S26361	I-F2567-L31	1 5	50,00	
Win SBS Standard 2011 w/5CAL ROK EN	DVD, License.  Windows Small Business Server Standard 2011 with 5 CAL, ROK, English, DVD Media set, COA, License								X					x x	x x	X	x x	x x	(			S26361	I-F2567-L35	0 6	40,00	
Win SBS Standard 2011 w/5CAL ROK DE	Windows Small Business Server Standard 2011 with 5 CAL, ROK, German, DVD Media set, COA, License								х						X X								I-F2567-L35		40,00	
Win SBS Standard 2011 w/5CAL ROK IT  Win SBS Standard 2011 w/5CAL ROK FR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Italian, DVD Media set, COA, License Windows Small Business Server Standard								X						x x								I-F2567-L35 I-F2567-L35		349,00 340,00	
Win SBS Standard 2011 w/5CAL ROK ES	2011 with 5 CAL, ROK, French, DVD Media set, COA, License  Windows Small Business Server Standard 2011 with 5 CAL, ROK, Spanish, DVD Media								X					x x	x x	x	x x	x x	(			S26361	I-F2567-L35	4 6	640,00	
Win SBS Standard 2011 w/5CAL ROK CS	set, COA, License  Windows Small Business Server Standard 2011 with 5 CAL, ROK, Czech, DVD Media								X					x x	x x	×	хх	x x	(			S26361	I-F2567-L35	5 6	40,00	
Win SBS Standard 2011 w/5CAL ROK PT	set, COA, License Windows Small Business Server Standard 2011 with 5 CAL, ROK, Portuguese, DVD								X					x x	x x	x	x x	x x	(			S26361	I-F2567-L35	6 6	40,00	
Win SBS Standard 2011 w/5CAL ROK NL	Media set, COA, License  Windows Small Business Server Standard 2011 with 5 CAL, ROK, Dutch, DVD Media set, COA, License								X					X X	x x	x	x x	x x	(			S26361	I-F2567-L35	7 6	40,00	
Win SBS Standard 2011 w/5CAL ROK TR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Turkish, DVD Media set, COA, License Windows Small Business Server Standard								X						X X								I-F2567-L35		340,00	
Win SBS Standard 2011 w/5CAL ROK HU  Win SBS 2011 Prem Add-On w/5CAL ROK EN	2011 with 5 CAL, ROK, Hungarian, DVD Media set, COA, License Windows Small Business Server 2011								X						x x								I-F2567-L35 I-F2567-L37		40,00	
Win SBS 2011 Prem Add-On w/5CAL ROK DE	Premium Add-on with 5 CAL, ROK, English, DVD Media set, COA, License Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, German,								X					x x	x x	x	x x	x x	<u> </u>			S26361	I-F2567-L37	1 9	40,00	
Win SBS 2011 Prem Add-On w/5CAL ROK IT	DVD Media set, COA, License Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Italian,								x					x x	x x	X	хх	x x	(			S26361	I-F2567-L37	2 9	40,00	
Win SBS 2011 Prem Add-On w/5CAL ROK FR	DVD Media set, COA, License  Windows Small Business Server 2011  Premium Add-on with 5 CAL, ROK, French, DVD Media set, COA, License								X					x x	X X	X	x x	x x	(			S26361	I-F2567-L37	3 9	40,00	
Win SBS 2011 Prem Add-On w/5CAL ROK ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Spanish, DVD Media set, COA, License								x					x x	x x	X	хх	х х	(			S26361	I-F2567-L37	4 9	40,00	
Win SBS 2011 CAL Suite (1 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 Device); multi-language CAL;								X						X X								I-F2567-L38		47,00	
Win SBS 2011 CAL Suite (1 User)  Win SBS 2011 CAL Suite (5 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 User); multi-language CAL; Microsoft Windows Small Business Server								X						X X								I-F2567-L38		47,00	
Win SBS 2011 CAL Suite (5 User)	2011 Client Access License Suite (5 Devices); multi-language CAL; Microsoft Windows Small Business Server								X						x x								I-F2567-L38		15,00	
Win SBS 2011 Prem Add-on CAL (1 Device)	2011 Client Access License Suite (5 Users); multi-language CAL; Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License								x					x x	x x	. x	хх	x x	(			S26361	I-F2567-L38	4	58,00	
Win SBS 2011 Prem Add-on CAL (1 User)	(1 Device); multi-language CAL; Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License								х					x x	x x	X	x x	x x	(			S26361	I-F2567-L38	5	58,00	
Win SBS 2011 Prem Add-on CAL (5 Device)	(1 User); multi-language CAL;  Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Devices); multi-language CAL;								x					X X	x x	. x	хх	х х	(			S26361	I-F2567-L38	6 2	75,00	
Win SBS 2011 Prem Add-on CAL (5 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Users); multi-language CAL;								х					x x	x x	X	хх	x x	(			S26361	I-F2567-L38		75,00	
Win Svrs 2008 R2 SP1 Service Pack DVD Win Srvs 2008 R2 SP1 Language Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.  Language Pack Supplement DVD with 34 worldwide language packs for Windows														x x			x x					I-F2567-L39 I-F2567-L39		25,00 25,00	
PRIMERGY ServerView Suite subscription.	Servers 2008 R2 SP1.  Subscription for 1 year with about 10 releases., The subscription is licensed only for PRIMERGY servers.	x x	x x	x x	x x x	x x	x x	x x	x x	(	х	Κ		x x	x x	x	x x	X	X	x x	x x	U15000	)-C176	2	15,00	
ServerView Suite, latest version		хх	хх	х х	x x x	хх	x x	x x	хх	(				x x	x x	X	хх	х	X	х х	Х	U15000	)-C289		25,00	
Debian FSE Standard Support 1 year	Debian FSE Standard Support 1 year, up to 4 sockets, 1 year phone or email support (2h RT), incl. 30 days installation support, The support is provided by Bytec GmbH. (https://www.bytec.de/de/software/debian4you/																х	X		x		S26361	I-F2346-L42	0	57,00	
Debian FSE Standard Support 3 years	Debian FSE Standard Support 3 years, up to 4 sockets, 3 years phone or email support (2h RT), incl. 30 days installation support, The support is provided by Bytec GmbH. (https://www.bytec.de/de/software/debian4you/																x	X		X		S26361	I-F2346-L42	1	95,00	
Debian FSE Priority Support 1 year	Debian FSE Priority Support 1 year, up to 4 sockets, 1 year phone or email support (1h RT), incl. 30 days installation support, The support is provided by Bytec GmbH. (https://www.bytec.de/de/software/debian4you/																x	X		x		S26361	I-F2346-L42	2 1	95,00	
Debian FSE Priority Support 3 years	Debian FSE Priority Support 3 years, up to 4 sockets, 3 years phone or email support (1h RT), incl. 30 days installation support, The support is provided by Bytec GmbH. (https://www.bytec.de/de/software/debian4you/																X	X		X		S26361	I-F2346-L42	3 4	95,00	
UBUNTU FSE Standard Support 1 year	UBUNTU FSE Standard Support 1 year, up to 4 sockets, 1 year phone or email support (2h RT), incl. 30 days installation support, The support is provided by Bytec GmbH. (https://www.bytec.de/de/software/debian4you/																X	X		X		S26361	I-F2346-L42	4	57,00	
UBUNTU FSE Standard Support 3 years	UBUNTU FSE Standard Support 3 years, up to 4 sockets, 3 years phone or email support (2h RT), incl. 30 days installation support., The support is provided by Bytec GmbH. (https://www.bytec.de/de/software/debian4you/																X	x		x		S26361	I-F2346-L42	5	95,00	
UBUNTU FSE Priority Support 1 year	UBUNTU FSE Priority Support 1 year, up to 4 sockets, 1 year phone or email support (1h RT), incl. 30 days installation support, The support is provided by Bytec GmbH. (https://www.bytec.de/de/software/debian4you/)																x	X		X		S26361	I-F2346-L42	6 1	95,00	
UBUNTU FSE Priority Support 3 years	UBUNTU FSE Priority Support 3 years, up to 4 sockets, 3 years phone or email support (1h RT), incl. 30 days installation support, The support is provided by Bytec GmbH. (https://www.bytec.de/de/software/debian4you/																x	X		X		S26361	I-F2346-L42	7 4	95,00	
VMware Upgrade ESXi to STD w/o SP-1yr	) VMware Upgrade ESXi to STD for 1 CPU - Mandatory 1 year Service Pack needed!								X					x x	x x	X	хх	x x	х	хх	хх	S26361	I-F2341-S70	01 8	95,00	
VMware Upgrade ESXi to STD w/o SP-3yr  VMware Upgrade ESXi to ENT w/o SP-1yr	VMware Upgrade ESX to STD for 1 CPU - Mandatory 3 year Service Pack needed!  VMware Upgrade ESX to ENT for 1 CPU - Mandatory 1 year Service Pack needed!								x														I-F2341-S70 I-F2341-S70		95,00 85,00	
VMware Upgrade ESXi to ENT w/o SP-3yr	VMware Upgrade ESX to ENT for 1 CPU - Mandatory 3 year Service Pack needed!								х					x x	х	X	хх	х	x	х х	хх	S26361	I-F2341-S70	)4 2.5	85,00	
VMware Upgrade ESXi to ENT-PL w/o SP-1yr	VMware Upgrade ESX to ENT-Plus for 1 CPU - Mandatory 1 year Service Pack needed!								X														I-F2341-S70		45,00	
VMware Upgrade ESX to ENT-PL w/o SP-3yr  VMware vSphere STD w/o SP-1yr  VMware vSphere STD w/o SP-3yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU - Mandatory 3 year Service Pack needed!  VMware vSphere Standard for 1 CPU - Mandatory 1 year Service Pack needed!  VMware vSphere Standard for 1 CPU -								X X					x x	x x x x x	X	хх	x x	(	хх	хх	S26361	I-F2341-S70 I-F2341-L70 I-F2341-L70	7 9	45,00 50,00 50,00	
	Mandatory 3 year Service Pack needed!																									



Rack Servers Accessories															
		GY RX100 GY RX100 S2 GY RX100 S3	<u>}</u> } } }	GY RX200 S2 GY RX300 GY RX200 S3 GY RX200 S4	GY RX200 S5 GY RX300 S2 GY RX220 GY RX220	RX300 RX300 RX330	GY RX600 S2 GY RX600 S3 GY RX600 S4 GY RX800 GY RX800 S2 GY RX800 S3	GY RXI300 GY RXI600 GY RX100 S6 GY RX100 S7 GY RX100 S7p	GY RX200 GY RX200	GY RX300 S6 GY RX300 S7	GY RX500 S7	RGY RX900 S1	<u> </u>		nts
		RIMER RIMER RIMER	PRIMERC PRIMERC PRIMERC	PRIMERGY PRIMERGY PRIMERGY PRIMERGY	PRIMERGY PRIMERGY PRIMERGY	RIMERGY PRIMERGY PRIMERGY	PRIMERG) PRIMERG) PRIMERG) PRIMERG) PRIMERG)	PRIMERGY PRI	RIMERG	RIMERGY RIMERGY PRIMERGY	RIMER	RIMER	roduct	EUP (€)	om mer
Category Description Accessories & services matrix PRIMERGY-Software (Continued)	Details												<u>ā</u>	Ш	ŏ
VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU - Mandatory 1 year Service Pack needed!					x		x x x	хх	x x x	x	x x x	S26361-F2341-L709	2.735,00	
VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU - Mandatory 3 year Service Pack needed!					х		x x x	x x	x x x :	x	x x x	S26361-F2341-L710	2.735,00	
VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 1 year Service Pack needed!					x				x x x :			S26361-F2341-L711	3.330,00	
VMware vSphere ENT-PL w/o SP-3yr  VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 3 year Service Pack needed! VMware vSphere ENT Acceleration Kit for 6					X				x x x x			S26361-F2341-L712  S26361-F2341-L732	3.330,00	
Viviwale ENT ANGOLOTVO OLOTIVI	CPU inc VC-STD - Mandatory 1 year Service Pack needed!								^ ^		^	^	020301-123-11-27-22	10.000,00	
VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service					x		x x x	хх	x x x	X	x x x	S26361-F2341-L733	16.665,00	
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	Pack needed!  VMware vSphere ENT-PL Acceleration Kit for 6					x		x x x	x x	x x x x	x	x x >	S26361-F2341-L734	20.900,00	
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	CPU inc VC-STD - Mandatory 1 year Service Pack needed!							V V V	W W	v v v v		v v .	S26361-F2341-L735	20,000,00	
VMware ENT-PL AK(6CPU+VC-STD)w/0 SP-3yr	CPU inc VC-STD - Mandatory 3 year Service Pack needed!					X		X X X	X X	x x x x	. X	x x >	S26361-F2341-L735	20.900,00	
VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU inc VC- FND-E - Mandatory 1 year Service Pack					х		x x x	x x	x x x :	x	ххх	S26361-F2341-L740	3.285,00	
VMware Essentials-PL w/o SP-3yr	needed!  VMware Essentials Plus for 6 CPU inc VC-					x		x x x	x x	x x x x	. x	x x >	S26361-F2341-L741	3.285,00	
	FND-E - Mandatory 3 year Service Pack needed!														
VMware Upgrade STD to ENT w/o SP-1yr	VMware Upgrade vSphere STD to ENT for 1 CPU - Mandatory 1 year Service Pack needed!		X			X		X	X X	x   x   x   3	x x	x x x	S26361-F2341-S716	1.855,00	
VMware Upgrade STD to ENT w/o SP-3yr	VMware Upgrade vSphere STD to ENT for 1 CPU - Mandatory 3 year Service Pack needed!					x		x x x	x x	x x x x	x x	x x x	S26361-F2341-S717	1.855,00	
VMware Upgrade STD to ENT-PL w/o SP-1yr	VMware Upgrade vSphere STD to ENT-PL for 1					x		x x x	x x	x x x :	x x	x x x	S26361-F2341-S718	2,475,00	
a.o opgrado 0.2 to 2 2,	CPU - Mandatory 1 year Service Pack needed!													2 6,66	
VMware Upgrade STD to ENT-PL w/o SP-3yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU - Mandatory 3 year Service Pack needed!					х		x x x	хх	x x x :	xx	x x x	S26361-F2341-S719	2.475,00	
VMware Upgrade ENT to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ENT to ENT-PL for 1					x			хх	x x x x	x x	x x >	S26361-F2341-S720	614,00	
VAAugra Linguad - ENET - ENET St Co.	CPU - Mandatory 1 year Service Pack needed!								, , , , , , , , , , , , , , , , , , ,	v 1.		v -	C26264 F0044 C=-		
VMware Upgrade ENT to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU - Mandatory 3 year Service Pack needed!					X			X   X	x   X   X   3	X X	x   X   >	S26361-F2341-S721	614,00	
VMware Upgrade VCS FND to STD w/o SP-1yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter - Mandatory 1 year Service					X		x x x	хх	x x x 2	x x	x x x	S26361-F2341-S728	3.465,00	
VMware Upgrade VCS FND to STD w/o SP-3yr	Pack needed!  VMware Upgrade vCenter FND to STD for 1					X			x x	x x x :	x x	x x >	S26361-F2341-S729	3.465,00	
	Instance of vCenter - Mandatory 3 year Service Pack needed!													,	
VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4,vCenter 5,vShield,Backup-Restore, VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore - No License			x x	x x x	( X X X	x x x x	x x x	x x	x x x x	X	x x x	S26361-F2341-L300	80,00	
VMware vSphere Embedded UFM Device DIS	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESX				x	X		x x	хх	x x x :	. x	x	S26361-F2341-D431	60,00	
VMware vSphere STD w/o SP-1yr	Single SRV Lic. (w/o SP)  VMware vSphere Standard for 1 CPU -							x x x	W W	v v v		v v .	, S26264 E2244 D707	895,00	
VMware vSphere STD w/o SP-1yr	Mandatory 1 year Service Pack needed!  VMware vSphere Standard for 1 CPU -					X		x x x					S26361-F2341-D707 S26361-F2341-D708	895,00	
VMware vSphere ENT w/o SP-1yr	Mandatory 3 year Service Pack needed!  VMware vSphere Enterprise for 1 CPU -					X		x x x					S26361-F2341-D709	2.585,00	
VMware vSphere ENT w/o SP-3yr	Mandatory 1 year Service Pack needed!  VMware vSphere Enterprise for 1 CPU -					X		x x x	x x	x x x			S26361-F2341-D710	2.585,00	
VMware vSphere ENT-PL w/o SP-1yr	Mandatory 3 year Service Pack needed!  VMware vSphere Enterprise-Plus for 1 CPU -					x		x x x	x x	x x x	x	x x >	S26361-F2341-D711	3.145,00	
VMware vSphere ENT-PL w/o SP-3yr	Mandatory 1 year Service Pack needed!  VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 3 year Service Pack needed!					x		x x x	x x	x x x	x	x x x	S26361-F2341-D712	3.145,00	
VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service					х		x x x	x x	x x x	x	x x x	S26361-F2341-D732	15.750,00	
VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	Pack needed!  VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed!					X		x x x	x x	x x x	x	x x >	S26361-F2341-D733	15.750,00	
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service					Х		x x x	x x	x x x	х	x x x	S26361-F2341-D734	19.750,00	
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	Pack needed!  VMware vSphere ENT-PL Acceleration Kit for 6					x		x x x	x x	x x x	X	x x >	S26361-F2341-D735	19.750,00	
	CPU inc VC-STD - Mandatory 3 year Service Pack needed!														
VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU inc VC-FND-E - Mandatory 1 year Service Pack needed!					X			x x	x x x	X	x x x	S26361-F2341-D740	3.105,00	
VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU inc VC- FND-E - Mandatory 3 year Service Pack					x		x x x	x x	x x x	x	x x >	S26361-F2341-D741	3.105,00	
VMware STD AK(6CPU+VC-STD)w/o SP-1yr	needed!  VMware vSphere STD Acceleration Kit for 6					x		x x x	x x	x x x	x	x x x	S26361-F2341-D760	6.295,00	
Villware of B ARROOF of Vo of B)w/o of Fig.	CPU inc VC-STD + VSA , , , , - Mandatory 1 year Service Pack needed!								^ ^	^		^	02030112341-0700	0.233,00	
VMware STD AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA , , , , - Mandatory 3					х		x x x	x x	x x x	x	x x x	S26361-F2341-D761	6.295,00	
OS/Application-SW	years Service Pack needed!														
CA Separ Automation	CA Client Automation - Licensing per managed System  CA Server Automation Base Configuration -							X X X					U24552-C418	63,98	
CA Server Automation Base Configuration  CA AutomSuite for DataCenters BaseConfig	Licensing: 100 Physical Socket Pack  CA AutomSuite for DataCenters BaseConfig -							x x x					U24552-C424 U24552-C428	52.686,90 112.900,50	
CA ServiceDeskManager Full LicenseConcur	Licensing: 100 Physical Socket Pack CA ServiceDeskManager Full LicenseConcur -												U24581-C150	4.516,02	
	Licensing: Minimum Licensing Requirements apply to New Sales and Capacity: Minimum														
100	purchase of 15 Concurrent Users required for Full license.												III.	_	
ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List		X	X		X X	X	X					U15355-C720	395,00	
	(Windows), https://supportconnectw.ca.com/public/storage														
	/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows),														
	https://supportconnectw.ca.com/public/storage /infodocs/basb115win/basb115win-														
ARCserve r11.5 WIN Client Agent Windows	compmatrix.asp  ARCserve r11.5 Client Agent for Windows		x	х		x x	X	x					U15355-C723	250,00	
	Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is														
	for Windows 2000 / 2003 certified and released! Hardware and operating system														
	dependent extract from the following link:, CA Certified Device List (Windows),														
	https://supportconnectw.ca.com/public/storage /infodocs/basb115win/basb115win_cdl.asp, ,														
	CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage /infodocs/basb115win/basb115win-														
	/infodocs/basb115win/basb115win- compmatrix.asp												112.55		
ManageNow® for NSM Base  ManageNow® for NSM Remote Manager  ManageNow® for NSM Portal								X X X   X   X   X   X   X   X   X   X	хх	x x x	х	х х х	U24533-C405 U24533-C406 U24533-C407	20.600,00 12.875,00 9.270,00	
ManageNow® for NSM AglessMoni HostResMIB ManageNow® for NSM CA Agent Integration								x x x x x x x x x x x	x x x x	x x x x x x x x	X X	x x x	U24533-C425 U24533-C421	9.270,00 3.090,00	
ManageNow® for NSM HP InsightMgr Integr.  ManageNow® for NSM ETERNUS Storage Monit ManageNow® for NSM ETERNUS CS Monit.								x x x x x x x x x x	x x x x	x x x x x x x x	X X	x x x x	U24533-C408 U24533-C404	5.150,00 4.635,00	
ManageNow® for NSM ETERNUS CS Monit.  ManageNow® for NSM NetApp Monitoring  ManageNow® for NSM SAN Monit up to 64p								X X X   X   X   X   X   X   X   X   X	хх	x x x	X	x x >	U24533-C410 U24533-C411 U24533-C409	5.150,00 4.635,00 3.090,00	
ManageNow® for NSM SAN Monit.more as 64p ManageNow® for NSM VMware								x x x x x x x x x x	x x x x	x x x x x x x x	X X	x x x	U24533-C412 U24533-C413	6.438,00 4.635,00	
ManageNow® for NSM UPS  ManageNow® for NSM Microsoft Cluster  ManageNow® for NSM BladeFrameMonit BF200								X X X   X   X   X   X   X   X   X   X	хх	x x x	х	х х х	U24533-C414 U24533-C415 U24533-C416	5.150,00 4.635,00 9.270,00	
ManageNow® for NSM BladeFrameMonit BF400 ManageNow® for NSM Connector CA eHealth								x x x x x x x x x x x x x x x x x x x	хх	x x x	X X	x x x	U24533-C424 U24533-C417	20.600,00 5.150,00	
ManageNow® for NSM Connector MS SCOM ManageNow® for NSM Connector HP OV NNM ManageNow® for NSM Connector Lotus Notes								X X X   X   X   X   X   X   X   X   X	хх	x x x	X X	x x x x	U24533-C418 U24533-C419 U24533-C420	5.150,00 5.150,00 5.150,00	
ManageNow® for NSM Con. 3rd PartyManager ManageNow® for NSM Connector QoS								X X X   X   X   X   X   X   X   X   X	x x x x	x x x x x x x x x	X X	x x x	U24533-C422 U24533-C433	5.150,00 5.150,00	
ManageNow® for NSM Connector EMC CC ManageNow® for NSM Connector NetApp OM ManageNow® for NSM Data Media								X X X   X   X   X   X   X   X   X   X	хх	x x x	х	x x x	U24533-C434 U24533-C435 U24533-C423	5.150,00 5.150,00 41,00	
ManageNow® for NSM Data Media ManageNow® for ITCM ManagedObjectsLicens ManageNow® for ITCM Manager License						X		X X X   X   X   X   X   X   X   X   X	хх	x x x	Х	х х х	C U24533-C423 C U24533-C400 C U24533-C401	41,00 2.060,00 5.150,00	



		00 S2 00 S3 00 S4	00 S2 00 S2 00 S3 00 S3	00 S5 00 S2 20 20 00 S3	00 S5 00 S1		300 300 600 00 S6 00 S7	00 S7p 00 S6 00 S7	0 S7 0 S7 0 S7	00 S5 00 S6 00 S1	0 82		
		RX   RX   XX   XX   XX   XX   XX   XX	r RX2		GY RX300 GY RX330 GY RX600 GY RX600			GY RX100 GY RX200 GY RX200 GY RX200	GY RX3( 3Y RX30 3Y RX35	3Y RX6 3Y RX6 3Y RX9	GY RX900		र्
		PRIMERGY PRIMERGY PRIMERGY PRIMERGY	PRIMERGY PRIMERGY PRIMERGY PRIMERGY	PRIMERGY PRIMERGY PRIMERGY PRIMERGY PRIMERGY PRIMERGY	PRIMERGY PRIMERGY PRIMERGY PRIMERGY	PRIMERGY PRIMERGY PRIMERGY PRIMERGY	PRIMERGY PRIMERGY PRIMERGY PRIMERGY PRIMERGY	PRIMERGY PRIMERGY PRIMERGY	PRIMERG PRIMERG PRIMERG	PRIMERG) PRIMERG) PRIMERG)	RIMERG	EUP (€)	Comment
/   Description ries & services matrix rication-SW (Continued)	Details											Ш	Ö
ManageNow® for ITCM Win7 OS Install Lic. ManageNow® for ITCM Vista OS Install Lic ManageNow® for ITCM WinXP Prof OSInstLic							x x	x x x x x x x x x x x x x x x x x x x	x x	x x x	x U24533-C402 x U24533-C426 x U24533-C427	3.090,00 3.090,00 3.090,00	
ManageNow® for ITCM Win2003Svr OSInstLic ManageNow® for ITCM Win2008Svr OSInstLic							x x	x x x x x x x x x x x x x x x x x x x	хх	X   X   X   X   X   X   X   X   X   X	x U24533-C428 x U24533-C429	3.090,00 3.090,00	
ManageNow® for ITCM Win2008R2SvrOSInsLic ManageNow® for ITCM SUSE10.1 OS Inst Lic ManageNow® for ITCM SLES9.0 OS Inst Lic							X X	X X X X X X X X X X X X X X X X X X X	хх	x x x	x U24533-C436 x U24533-C432 x U24533-C430	3.090,00 3.090,00 3.090,00	
ManageNow® for ITCM data medium wer supply RX100 S7 conversion kit to hot-plug PSU	platinum PSU hp for redundancy						x x	x x x x	хх		x U24533-C403 S26113-F547-L10	41,00 275,00	
Power Supply Module 800W gold hp Power Supply Module 850W (w/o power cord	2nd gold PS hp for redundancy hot-plug Power Supply Module, 850W, 92%				Х				Х	х	S26113-F555-L10 S26113-F561-L20	288,00 Phased out 300,00	
Power Supply Module 2.000W	efficiency (CSCI gold) hot-plug Power Supply Module, 2.000W, 92%									x	S26113-F573-L10	1.110,00 Phased out	
Modular PSU 800W platinum hp	efficiency (gold)  800W modular Power Supply Module , hot plug, platinum (94% efficiency)							x	x x		S26113-F574-L10	260,00	
Modular PSU 800W platinum hp new rev	800W modular Power Supply Module , hot plug, platinum (94% efficiency) new Revision								>		S26113-F574-L11	260,00	
Modular PSU 450W platinum hp	450W modular Power Supply Module , hot plug, platinum (94% efficiency)						x	x x	x x		S26113-F575-L10	225,00	
Power Supply Module 2.000W  Modular PSU DC -48V 800W gold hp	hot-plug Power Supply Module, 2.000W, 92% efficiency (gold)  DC -48V gold modular PSU hp with								x		x S26113-F608-L10 S26113-F609-L10	890,00 345,00	
Fan upgrade kit hot-plug redundancy	redundancy option  consists of two additional fans for fan								X		S26361-F3667-L1	45,00	
Cable powercord -48V DC, 4m, black	redundancy								x		T26139-Y4024-L10	50,00	
Cable powercord (D,), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR		x		x x	X		x x x x		x x	T26139-Y1740-L10	15,00	
Cable powercord (USA), 1.8m, grey Cable powercord (UK, IR), 1.8m, grey Cable powercord (I), 1.8m, grey	suitable for USA, Cnd suitable for UK, IR suitable for I	X X X X			X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X		x x x x x x x x x x x x x x x x x x x	x x	X X X X X X X	T26139-Y1742-L10 T26139-Y1744-L10 T26139-Y1745-L10	15,00 15,00 15,00	
neous LocalView Option Kit S2	LCD display with adapter								X		\$26361-F2557-L105	70,00	
LocalView Option Kit S2 Customer Self Service Module RX Server	LCD display with installation kit Support for Customer Self Service (CSS), incl. mounting kit				X X				X X X		S26361-F2557-L106 S26361-F2557-L205	70,00 25,00	
Service LAN Option Opt. Front VGA + Service LAN	integrated in the front operating panel VGA and Service LAN connector, instead of						X		X X X		S26361-F2571-L27 S26361-F2571-L37	20,00 50,00	
cable Serial port option	Local Service Panel Cable for 2nd RS-232-C 9 pin interface Trusted Platform Module on motherboard, be			X X X				X X	V V	v	\$26361-F3120-L3	40,00 50,00	
TPM Module add-on kit  T-HANDLES RX300S6	Trusted Platform Module on motherboard, be aware of import restrictions!			X	X		X X		x x x x	A X X	x S26361-F3552-L1 S26361-F4000-L1	50,00 25,00 Phased out	
ServerView Local Service Panel Kit frastructure	Support for Customer Self Service (CSS)			х			x x				S26361-F2557-L204	40,00	
8510-4/-8 Power Supplies (2x PSU,2000W)	8510-x, UPGRADE-Kit 2 POWER SUPPLIES, 2000W., This position is provided for the field upgrade., Brocade Number: BR-DCX-0104								<b>X</b>		D:BR-DCX-0104M-L	7.070,00	
DAT160 cleaning cartridge no label DAT72 cleaning cartridge no label	DAT160 cleaning cartridge without label DAT72 cleaning cartridge without label		X	x x x	x x x x				x x x	x x x	x D:CL-DAT160-MX-01 x D:CL-DAT72-MX-01	19,00 6,00	
LTO Cleaning Media,1pc.Random Label,Fuji  DAT160 data cartridge no label	Cleaning cartridge with random label from Fuji for LTO drives  DAT160 data cartridge without label					X X			X X X		x D:CL-LTO-01L x D:CR-DAT160-MX-01	36,00	
DAT700 data cartridge no label LTO-3 CR media,5pack random label,Fuji	DAT72 data cartridge without label 5 pieces LTO-3 data cartridge with random		x	x x x	x x x x				x x x	x x x	x D:CR-DAT72-MX-01 x D:CR-LTO3-05L	14,00 102,00	
	barcode label from Fuji400 GB native capacity,												
LTO-4 CR media,5pack random label,Fuji	5 pieces LTO-4 data cartridge with random barcode label from Fuji 800 GB native capacity,					X X			x x >	x x x	x D:CR-LTO4-05L	101,00	
LTO-5 CR media,5pack random label,Fuji	5 pieces LTO-5 data cartridge with random barcode label from Fuji 1500 GB native					x x			x x x	x x x	x D:CR-LTO5-05L	141,00	
LTO-6 CR media,5pack random label,Fuji	capacity,  5 pieces LTO-6 data cartridge with random					x x				x x x	x D:CR-LTO6-05L-BF	575,00	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	barcode label from Fuji 2500 GB native capacity,												
Barcode Label oder, not standard Random	Barcode label cassettes defined by the customer., For LTO-3, LTO-4, LTO-5, LTO-6					x x				x x x	x D:CR-LTO-LAB	5,00	
	and LTO Cleaning tape to use when no random barcode label is desired! For details of the Code please read the work order sheet.,												
RDX Cartridge 320/640GB	RDX Cartridge 320GB uncompressed / 640GB		x	x x	x	x x			x x x x >	X X X	S26361-F3857-L320	155,00	
RDX Cartridge Pack 10x 320/640GB	compressed Package 10x RDX Cartridge 320GB		X	X X		x x			x x x x >		S26361-F3857-L329	1.475,00	
RDX Cartridge 500GB/1000GB	uncompressed / 640GB compressed  RDX Cartridge 500GB uncompressed /		X	x x	x	x x			x x x x	x x x	S26361-F3857-L500	180,00	
RDX Cartridge 1TB	1000GB compressed  RDX Cartridge 1TB uncompressed / 2TB compressed		x	x x	x	x x			x x x >	x x x	S26361-F3857-L600	280,00	
Cable powercord (IND), 1.8m, black	black, 1.8m, suitable for: India, 3 wire							хх	х		T26139-Y1752-L10	4,00	
Cable powercord (Taiwan), 1.8m  Cable powercord rack, 4m  SFP+ active Twinax Cable Brocade 1m	suitable for (Taiwan), 1,8m with Euro socket connector Brocade 10GB Ethernet copper cable (Twinax	x x x x	x	x			х	x x x x x x x x x x x x x x x x x x x	X X X X	X X	T26139-Y1757-L10 x T26139-Y1968-L10 x S26361-F3873-L501	25,00 New product 15,00 125,00	
SFP+ active Twinax Cable Brocade 3m	active), length 1m, SFP+ plugs at both sides Brocade 10GB Ethernet copper cable (Twinax							x x x		X	x S26361-F3873-L503	165,00	
SFP+ active Twinax Cable Brocade 5m	active), length 3m, SFP+ plugs at both sides Brocade 10GB Ethernet copper cable (Twinax							x x x	x x	X	x S26361-F3873-L505	195,00	
al Software OPENFT-CR (Unix systems) V12.0	active), length 5m, SFP+ plugs at both sides  CD-ROM openFT-CR V12.0, Cryptographic	V V V V	V V V V V	x x x x x x	V V V V	, v v v	x x x x	V V V V	v v	V V V	x U10987-C599	15,00	
Of ENGI-ON (Offix Systems) V12.0	module, for openFT V12.0, Attention export restrictions										X 010307-0333	13,00	
OPENFT-SW-CD (Unix systems) V12.0	Medium for UNIX systems, CD-ROM openFT-SW V12.0	x x x x	x x x x x	x x x x x x	x x x x	x x x	x x x x	x x x x	хх	x x x	x U10987-C600	36,00	
OPENFT-1 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system		x   x   x   x   x	x   x   x   x   x   x	x x x x	x x	x x x x	x			U10987-C601	1.348,00	
OPENFT-2 (Unix systems) V12.0	with 1 to 4 CPUs License openFT (UNIX systems) V12.0; for	x x x	x x x	X X	x x	x x	x x	x x x	хх		U10987-C602	2.193,00	
OPENFT-3 (Unix systems) V12.0	using in automated, unattended mode; system extendable up to 8 CPU  License openFT (UNIX systems) V12.0; for	x x x	x x x	X X	X X	x x x x	x x			y v	x U10987-C603	4.387,00	
S. III . S (SIIIA SYSTEMIS) V IZ.U	using in automated, unattended mode; system extendable up to 24 CPU												
OPENFT-4 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system	x x x	x x x	хх	x x	x x	хх				U10987-C604	5.080,00	
	extendable up to 32 CPU	x x x	x x x	x x	x x	x x	x x				U10987-C605	6.580,00	
OPENFT-5 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for		X V V	X X V V	Y V	, , , ,	y v	x			U10987-C613	1.348,00	
	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU	XXVV	^   ^   X   X	X		^   *	X X X X	.			0.0007-0010	10,00	
OPENFT-5 (Unix systems) V12.0  OPENFT-FTAM-1 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system	x x x x							x x		U10987-C614	2.193,00	
	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode;		x x x	x x	x x	x x	хх	x x x			· ·	· · · · · · · · · · · · · · · · · · ·	
OPENFT-FTAM-1 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTAM (UNIX systems) V12.0;	x x x	x x x	x x	x x		x x	X X X		x x x	x U10987-C615	4.387,00	
OPENFT-FTAM-1 (Unix systems) V12.0  OPENFT-FTAM-2 (Unix systems) V12.0  OPENFT-FTAM-3 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU	x x x x x	x x x	x x	x x	x x x	x x	X X X		x x x		,	
OPENFT-FTAM-1 (Unix systems) V12.0  OPENFT-FTAM-2 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode;	x x x x x				x x x		X X X		x x x	x U10987-C615 U10987-C616	4.387,00 5.080,00	
OPENFT-FTAM-1 (Unix systems) V12.0  OPENFT-FTAM-2 (Unix systems) V12.0  OPENFT-FTAM-3 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU	x x x x x x x x x x x x x x x x x x x	x x x	x x	x x	x x x x x x	x x	X X X		x x x		,	
OPENFT-FTAM-1 (Unix systems) V12.0  OPENFT-FTAM-2 (Unix systems) V12.0  OPENFT-FTAM-3 (Unix systems) V12.0  OPENFT-FTAM-4 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTP (UNIX systems) V12.0;	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	x x	x x x x x	x x x x x x x x x x x x x x x x x x x	x x			x x x	U10987-C616	5.080,00	
OPENFT-FTAM-2 (Unix systems) V12.0  OPENFT-FTAM-2 (Unix systems) V12.0  OPENFT-FTAM-3 (Unix systems) V12.0  OPENFT-FTAM-4 (Unix systems) V12.0  OPENFT-FTAM-5 (Unix systems) V12.0  OPENFT-FTP-1 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x		x x	x		x x x	U10987-C616  U10987-C617  U10987-C625	5.080,00 6.580,00 550,00	
OPENFT-FTAM-2 (Unix systems) V12.0  OPENFT-FTAM-2 (Unix systems) V12.0  OPENFT-FTAM-3 (Unix systems) V12.0  OPENFT-FTAM-4 (Unix systems) V12.0  OPENFT-FTAM-5 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode;	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x	x x x x x		x x		x x	x x x	U10987-C616 U10987-C617	5.080,00	
OPENFT-FTAM-2 (Unix systems) V12.0  OPENFT-FTAM-2 (Unix systems) V12.0  OPENFT-FTAM-3 (Unix systems) V12.0  OPENFT-FTAM-4 (Unix systems) V12.0  OPENFT-FTAM-5 (Unix systems) V12.0  OPENFT-FTP-1 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTP (UNIX systems) V12.0;	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x		x x	x	X X		U10987-C616  U10987-C617  U10987-C625	5.080,00 6.580,00 550,00	
OPENFT-FTAM-1 (Unix systems) V12.0  OPENFT-FTAM-2 (Unix systems) V12.0  OPENFT-FTAM-3 (Unix systems) V12.0  OPENFT-FTAM-4 (Unix systems) V12.0  OPENFT-FTAM-5 (Unix systems) V12.0  OPENFT-FTP-1 (Unix systems) V12.0  OPENFT-FTP-2 (Unix systems) V12.0  OPENFT-FTP-3 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x		x x x x x x x x x x x x x x x x x x x	x	x x		U10987-C616  U10987-C617  U10987-C625  U10987-C626  x U10987-C627	5.080,00 6.580,00 550,00 895,00	
OPENFT-FTAM-1 (Unix systems) V12.0  OPENFT-FTAM-2 (Unix systems) V12.0  OPENFT-FTAM-3 (Unix systems) V12.0  OPENFT-FTAM-4 (Unix systems) V12.0  OPENFT-FTAM-5 (Unix systems) V12.0  OPENFT-FTP-1 (Unix systems) V12.0  OPENFT-FTP-2 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x		x x x x x x x x x x	x	x x		U10987-C616  U10987-C617  U10987-C625  U10987-C626	5.080,00 6.580,00 550,00 895,00	
OPENFT-FTAM-1 (Unix systems) V12.0  OPENFT-FTAM-2 (Unix systems) V12.0  OPENFT-FTAM-3 (Unix systems) V12.0  OPENFT-FTAM-4 (Unix systems) V12.0  OPENFT-FTAM-5 (Unix systems) V12.0  OPENFT-FTP-1 (Unix systems) V12.0  OPENFT-FTP-2 (Unix systems) V12.0  OPENFT-FTP-3 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x		x x x x x x x x x x x x x x x x x x x	x	x x		U10987-C616  U10987-C617  U10987-C625  U10987-C626  x U10987-C627	5.080,00 6.580,00 550,00 895,00	
OPENFT-FTAM-1 (Unix systems) V12.0  OPENFT-FTAM-2 (Unix systems) V12.0  OPENFT-FTAM-3 (Unix systems) V12.0  OPENFT-FTAM-4 (Unix systems) V12.0  OPENFT-FTAM-5 (Unix systems) V12.0  OPENFT-FTP-1 (Unix systems) V12.0  OPENFT-FTP-2 (Unix systems) V12.0  OPENFT-FTP-3 (Unix systems) V12.0  OPENFT-FTP-4 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  openFT - openFileTransfer; Datamedium CD-	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x			x x x x x x x x x x x x x x x x x x x	x	x x		U10987-C616  U10987-C617  U10987-C625  U10987-C626  x U10987-C627  U10987-C628	5.080,00 6.580,00 550,00 895,00 1.791,00	
OPENFT-FTAM-1 (Unix systems) V12.0  OPENFT-FTAM-2 (Unix systems) V12.0  OPENFT-FTAM-3 (Unix systems) V12.0  OPENFT-FTAM-4 (Unix systems) V12.0  OPENFT-FTAM-5 (Unix systems) V12.0  OPENFT-FTP-1 (Unix systems) V12.0  OPENFT-FTP-2 (Unix systems) V12.0  OPENFT-FTP-3 (Unix systems) V12.0  OPENFT-FTP-4 (Unix systems) V12.0  OPENFT-FTP-5 (Unix systems) V12.0  OPENFT-FTP-5 (Unix systems) V12.0  OPENFT-FTP-5 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  OpenFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	X	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x			x x x x x x x x x x x x x x x x x x x	x	x x		U10987-C616  U10987-C617  U10987-C625  U10987-C626  x U10987-C627  U10987-C629  U11081-C157	5.080,00 6.580,00 550,00 895,00 1.791,00 2.074,00 2.686,00	
OPENFT-FTAM-1 (Unix systems) V12.0  OPENFT-FTAM-2 (Unix systems) V12.0  OPENFT-FTAM-3 (Unix systems) V12.0  OPENFT-FTAM-4 (Unix systems) V12.0  OPENFT-FTAM-5 (Unix systems) V12.0  OPENFT-FTP-1 (Unix systems) V12.0  OPENFT-FTP-2 (Unix systems) V12.0  OPENFT-FTP-3 (Unix systems) V12.0  OPENFT-FTP-4 (Unix systems) V12.0  OPENFT-FTP-5 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x			x x x x x x x x x x x x x x x x x x x	x	x x		U10987-C616  U10987-C617  U10987-C625  U10987-C626  x U10987-C627  U10987-C629	5.080,00 6.580,00 550,00 895,00 1.791,00 2.074,00	
OPENFT-FTAM-1 (Unix systems) V12.0  OPENFT-FTAM-2 (Unix systems) V12.0  OPENFT-FTAM-3 (Unix systems) V12.0  OPENFT-FTAM-4 (Unix systems) V12.0  OPENFT-FTAM-5 (Unix systems) V12.0  OPENFT-FTP-1 (Unix systems) V12.0  OPENFT-FTP-2 (Unix systems) V12.0  OPENFT-FTP-3 (Unix systems) V12.0  OPENFT-FTP-4 (Unix systems) V12.0  OPENFT-FTP-5 (Unix systems) V12.0  OPENFT-FTP-5 (Unix systems) V12.0  OPENFT-FTP-5 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTAM (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 32 CPU  License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 64 CPU  OpenFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1  OpenFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1	X	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x			x x x x x x x x x x x x x x x x x x x	x	x x		U10987-C616  U10987-C617  U10987-C625  U10987-C626  x U10987-C627  U10987-C629  U11081-C157	5.080,00 6.580,00 550,00 895,00 1.791,00 2.074,00 2.686,00	



ervers Accessories																													
Description	Details	PRIMERGY RX100 PRIMERGY RX100 S2	RGY RX1	ERGY	PRIMERGY RX200 PRIMERGY RX200 S2	3Y RX300 3Y RX200	PRIMERGY RX200 S4 PRIMERGY RX200 S5	PRIMERGY RX300 S2 PRIMERGY RX220	· >	PRIMERGY RX300 S4 PRIMERGY RX300 S5	PRIMERGY RX330 S1 PRIMERGY RX600	PRIMERGY RX600 S2	Y RX6 Y RX6	GY R	PRIMERGY RX800 S3 PRIMERGY RXI300	PRIMERGY RXI600 PRIMERGY RX100 S6	PRIMERGY RX100 S7	GY F	PRIMERGY RX200 S7 PRIMERGY RX200 S8	PRIMERGY RX300 S6	PRIMERGY RX350 S7	PRIMERGY RX500 S7 PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX900 S2 Product Code		EUP (€)		Comments	
s & services matrix Software (Continued)							,									,			,	,									
OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1	x x	X		хх	X		X X			х	X		x x	X	X								U11081-C18	6	1.125,00			
OPENFT-2-U (WINDOWS) V8.1	system with 1 to 4 CPUs openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated	хх	X		x x	х		x x	[		X	x		x x	х	Х								U11081-C19	2	451,00			
OPENFT-CR (WINDOWS) V10.0	unattended mode, system with 1 to 4 CPUs CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export	хх	X		x x	X		x x	(		X	x		x x	Х	X								U11081-C19	9	15,00			
OPENFT-SW-CD (WINDOWS) V10.0	restrictions  Medium for Windows systems; CD-ROM	хх	X		хх	x		хх	1	X	X	x		x x	х	x			хх	x x	:			U11081-C20	1	30,00			
OPENFT-1 (WINDOWS) V10.0	openFT-SW V10.0 License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1				хх			x x	(			x		хх	х									U11081-C20	2	1.225,00			
OPENFT-2 (WINDOWS) V10.0	to 4 CPUs; required: U11081-C201  License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-	хх	x		хх	х		x x	(		X	X		хх	х	Х								U11081-C20	3	1.994,00			
OPENFT-3 (WINDOWS) V10.0	C201  License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	хх	X		x x	x		x x	(		X	x		x x	x	Х								U11081-C20	4	3.988,00			
OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	хх	x		хх	х		x x	(		X	x		хх	х	х								U11081-C20	7	710,00			
OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	хх	X		хх	X		x x			X	x		x x	x	х								U11081-C21	2	1.225,00			
OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-	x x	x		x x	x		x x	[		X	X		хх	х	x								U11081-C21	3	1.994,00			
OPENFT-FTAM-3 (WINDOWS) V10.0	C203  License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x x	X		хх	X		x x	[		X	X		x x	х	Х								U11081-C21	4	3.988,00			
OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	хх	X		хх	х		x x	[		X	X		x x	x	X								U11081-C21	7	710,00			
OPENFT-CR (WINDOWS) V12.0	CD-ROM openFT-CR V12.0, Cryptographic module, Attention export restrictions	хх	x x	х	хх	х х	хх	хх	x	хх	х	х	хх	хх	х	х х	x :	κ x	хх	x x		х	х	x U11081-C39	9	15,00			
OPENFT-SW-CD (WINDOWS) V12.0	Medium for Windows systems, CD-ROM	хх	x x	х	хх	хх	хх	хх	x	хх	х х	х	хх	хх	х	х х	x :	κ x	хх	x x		х	х	x U11081-C40	0	30,00			
OPENFT-1 (WINDOWS) V12.0	openFT-SW V12.0  License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system with 1	хх	хх	x x	хх	хх	хх	хх	x	хх	х х	x		хх	x	хх	x 2	<						U11081-C40	1	1.348,00			
OPENFT-2 (WINDOWS) V12.0	to 4 CPUs  License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system	хх	x		хх	X		хх	(		X	x		хх	Х	X		х	хх	x x				U11081-C40	2	2.193,00			
OPENFT-3 (WINDOWS) V12.0	extendable up to 8 CPU  License openFT (WINDOWS) V12.0; for using in automated, unattended mode; system	хх	X		хх	х		x x	(		x	x	х	хх	x	x						х	х	x U11081-C40	3	4.387,00			
OPENFT-FTAM-1 (WINDOWS) V12.0	extendable up to 24 CPU  License openFT-FTAM (WINDOWS) V12.0; for using in automated, unattended mode; system	хх	x x	хх	хх	x x	x x	x x	x	хх	x x	x		хх	х	x x	x :	ζ						U11081-C41	1	1.348,00			
OPENFT-FTAM-2 (WINDOWS) V12.0	with 1 to 4 CPUs  License openFT-FTAM (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU	хх	x		хх	х		x x	(		X	x		хх	х	х		x	x x	x x				U11081-C41	2	2.193,00			
OPENFT-FTAM-3 (WINDOWS) V12.0	License openFT-FTAM (WINDOWS) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU	хх	х		хх	х		хх			х	х	х	хх	х	х						x	х	x U11081-C41	3	4.387,00			
OPENFT-FTP-1 (WINDOWS) V12.0	License openFT-FTP (WINDOWS) V12.0; for using in automated, unattended mode; system	хх	хх	х	хх	хх	хх	хх	x	хх	х	X		хх	Х	хх	x :	<						U11081-C42	1	550,00			
OPENFT-FTP-2 (WINDOWS) V12.0	with 1 to 4 CPUs  License openFT-FTP (WINDOWS) V12.0; for using in automated, unattended mode; system	хх	Х		хх	х		хх	(		X	x		хх	х	х		х	хх	хх	:			U11081-C42	2	895,00			
OPENFT-FTP-3 (WINDOWS) V12.0	extendable up to 8 CPU  License openFT-FTP (WINDOWS) V12.0; for using in automated, unattended mode; system	хх	x		хх	X		x x	(		X	x	X	хх	х	Х						х	x x	x U11081-C42	3	1.791,00			
OPENFT-1 (WINDOWS) V11.0	extendable up to 24 CPU  License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1	хх	x x	х	хх	хх	x x	x x	x	x x	х х	x		хх	х	хх	x 2	(						U11081-C30	1	1.225,00			
OPENFT-FTAM-1 (WINDOWS) V11.0	to 4 CPUs  License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x x	x x	x x	x x	X X	x x	x x	x	x x	x x	x		x x	X	x x	x 3	<						U11081-C31	1	1.225,00			
OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU				хх	х		x x			X	x		хх	х	х		x	хх	x x				U11081-C30	2	1.994,00			
OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	хх	X		хх	x		хх			Х	х		хх	х	x		X	хх	x				U11081-C31	2	1.994,00			
OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	хх	х		хх	х		хх			X	x	х	хх	х	х						х	х	x U11081-C30	3	3.988,00			
OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	хх	X		хх	х		x x			X	x	X	x x	х	х								x U11081-C31		3.988,00			
OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	хх	х х	x	х х	х х	хх	хх	x	х х	х	X	хх	х х	х	х	X X	( X	хх	х				x U11081-C30		30,00			
OPENFT-CR (WINDOWS) V11.0  OPENFT-1 (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions  License openFT (UNIX systems) V11.0; for		x x										x x		x				x x	X X		x	х	U11081-C29 U10987-C50		15,00 1.225,00			
OPENFT-FTAM-1 (UNIX systems) V11.0	using in automated, unattended mode; system with 1 to 4 CPUs  License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode;	x x	x x	хх	x x	хх	x x	x x	x	x x	x x	x		x x	х	хх	x :	<						U10987-C51	3	1.225,00			
OPENFT-2 (UNIX systems) V11.0	system with 1 to 4 CPUs  License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	хх	X		x x	X		x x	<u> </u>		X	x		x x	х	x		X	x x	x x	:			U10987-C50	2	1.994,00	Phased out		
OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system	x x	x		x x	х		x x	(		X	x	X	x x	х	x						X	x x	x U10987-C50	3	3.988,00	Phased out		
OPENFT-SW-CD (UNIX systems) V11.0	extendable up to 24 CPU  Medium for UNIX systems, CD-ROM openFT-	хх	хх	x	хх	хх	хх	хх	x x	хх	хх	x x	X	хх	х	хх	x 2	<b>с</b> х	хх	x x	:	х	х	x U10987-C50	0	36,00			
OPENFT-CR (UNIX systems) V11.0	SW V11.0 CD-ROM openFT-CR V11.0, Cryptographic	хх	хх	x x	хх	x x	хх	хх	x	хх	хх	x	X	хх	X	хх	x 2	<b>с</b> х	хх	x x		х	хх	x U10987-C49	9	15,00			
	module, for openFT V11.0, Attention export restrictions																												



#### **Rack Servers Options** PRIMERGY RX300 S7 PRIMERGY RX350 S7 PRIMERGY RX600 S7 PRIMERGY RX600 S6 roduct Code € Category Description **Details** Options matrix Approvals/dependencies ENABLING LOW NOISE MODE RX300 S26361-F3776-E1 3,00 **ENABLING LOW NOISE MODE TX300** S26361-F3776-E3 Processo Intel Pentium G640 2C/2T 2.80 GHz 3 MB Intel Pentium processor G640 (2C/2T, 2.80 S26361-F3579-E264 105.00 Phased out GHz, TLC: 3 MB, Turbo: No, 1066 MHz, 65 W) without heat sink Intel Pentium G2120 2C/2T 3.10 GHz 3 MB Intel Pentium processor G2120 (2C/2T, 3.10 S26361-F3580-E221 125,00 GHz, TLC: 3 MB, Turbo: No, 1600 MHz, 55 W) without heat sink Intel Core i3-3220 2C/4T 3.30 GHz 3 MB Intel Core i3-3220 processor (2C/4T, 3.30 GHz, x S26361-F3580-E222 190,00 TLC: 3 MB, Turbo: No, 1600 MHz, 55 W) without heat sink S26361-F3580-E312 Intel Xeon E3-1220Lv2 2C/4T 2.30GHz 3MB Intel Xeon processor E3-1220Lv2 (2C/4T, 2.30 x 295,00 GHz, TLC: 3 MB, Turbo: Yes, 1600 MHz, 17 W) without heat sink Intel Xeon E3-1265Lv2 4C/8T 2.50GHz 8 MB Intel Xeon processor E3-1265Lv2 (4C/8T, 2.50 x S26361-F3580-E316 480,00 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 45 W) without heat sink Intel Xeon processor E3-1220v2 (4C/4T, 3.10 x Intel Xeon E3-1220v2 4C/4T 3.10 GHz 8 MB S26361-F3580-E322 335,00 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink Intel Xeon E3-1230v2 4C/8T 3.30 GHz 8 MB Intel Xeon processor E3-1230v2 (4C/8T, 3.30 S26361-F3580-E323 370,00 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink Intel Xeon E3-1270v2 4C/8T 3.50 GHz 8 MB Intel Xeon processor E3-1270v2 (4C/8T, 3.50 S26361-F3580-E327 530,00 GHz, TLC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink Intel Xeon E7-2803 6C/12T 1.73 GHz 18 MB Intel Xeon processor E7-2803 (6C/12T, 1.73 Х S26361-F3999-E280 865,00 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 105 W) incl. heat sink Intel Xeon E7-2850 10C/20T 2.00GHz 24MB Intel Xeon processor E7-2850 (10C/20T, 2.00 S26361-F3999-E285 2.880,00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink Intel Xeon E7-4807 6C/12T 1.86 GHz 18 MB Intel Xeon processor E7-4807 (6C/12T, 1.86 S26361-F3999-E480 1.250,00 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 95 W) incl. heat sink Intel Xeon E7-4820 8C/16T 2.00 GHz 18 MB Intel Xeon processor E7-4820 (8C/16T, 2.00 S26361-F3999-E482 1.725,00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/1/2, 5.86 GT/s, 105 W) incl. heat sink Intel Xeon E7-4830 8C/16T 2.13 GHz 24 MB Intel Xeon processor E7-4830 (8C/16T, 2.13 S26361-F3999-E483 2.260,00 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/2, 6.4 GT/s, 105 W) incl. heat sink Intel Xeon E7-4850 10C/20T 2.00GHz 24MB Intel Xeon processor E7-4850 (10C/20T, 2.00 S26361-F3999-E485 2.995,00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink Intel Xeon E7-4860 10C/20T 2.26GHz 24MB Intel Xeon processor E7-4860 (10C/20T, 2.26 S26361-F3999-E486 4.165,00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink Intel Xeon E7-4870 10C/20T 2.40GHz 30MB Intel Xeon processor E7-4870 (10C/20T, 2.40 S26361-F3999-E487 5.085,00 GHz, SLC: -, TLC: 30 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink Intel Xeon processor E7-8837 (8C/8T, 2.67 Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB S26361-F3999-E837 2.745,00 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/1, 6.4 GT/s, 130 W) incl. heat sink Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB Intel Xeon processor E7-8837 (8C/8T, 2.67 x S26361-F4471-E837 2.745,00 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/1, 6.4 GT/s, 130 W) incl. heat sink Intel Xeon E7-8830 8C/16T 2.13 GHz 24 MB Intel Xeon processor E7-8830 (8C/16T, 2.13 x S26361-F4471-E883 2.750,00 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/2, 6.4 GT/s, 105 W) incl. heat sink Intel Xeon processor E7-8850 (10C/20T, 2.00 x S26361-F4471-E885 Intel Xeon E7-8850 10C/20T 2.00GHz 24MB 3.725,00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sin Intel Xeon E7-8860 10C/20T 2.26GHz 24MB Intel Xeon processor E7-8860 (10C/20T, 2.26 x S26361-F4471-E886 4.935,00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink Intel Xeon E7-8870 10C/20T 2.40GHz 30MB Intel Xeon processor E7-8870 (10C/20T, 2.40 x S26361-F4471-E887 5.615,00 GHz, SLC: -, TLC: 30 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink CPU MEMORY Riser Board CPU Memory Riser Board for 1 processor and x S26361-F4524-E100 2.015,00 16 DIMM modules DDR3 CPU Mezzanine Board RX500 S7 CPU Mezzanine Board for two additional CPU's S26361-F4570-E100 600,00 and 24 DIMM Modules Intel Xeon E5-4603 4C/8T 2.00 GHz 10 MB Intel Xeon processor E5-4603 (4C/8T, 2.00 S26361-F4570-E603 725,00 Х GHz, TLC: 10 MB, Turbo: Yes, 6.4 GT/s, Mem bus: 1066 MHz, 95 W) incl. heat sink Intel Xeon processor E5-4607 (6C/12T, 2.20 S26361-F4570-E607 Intel Xeon E5-4607 6C/12T 2.20 GHz 12 MB 1.135,00 Х GHz, TLC: 12 MB, Turbo: Yes, 6.4 GT/s, Mem bus: 1066 MHz, 95 W) incl. heat sink S26361-F4570-E610 Intel Xeon E5-4610 6C/12T 2.40 GHz 15 MB Intel Xeon processor E5-4610 (6C/12T, 2.40 1.525,00 Х GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon E5-4617 6C/6T 2.90 GHz 15 MB Intel Xeon processor E5-4617 (6C/6T, 2.90 S26361-F4570-E617 2.030,00 х GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink Intel Xeon E5-4620 8C/16T 2.20 GHz 16 MB S26361-F4570-E620 2.030,00 Intel Xeon processor E5-4620 (8C/16T, 2.20 Х GHz, TLC: 16 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon E5-4640 8C/16T 2.40 GHz 20 MB Intel Xeon processor E5-4640 (8C/16T, 2.40 S26361-F4570-E640 3.305,00 х GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink Intel Xeon E5-4650 8C/16T 2.70 GHz 20 MB S26361-F4570-E650 Intel Xeon processor E5-4650 (8C/16T, 2.70 4.365,00 Х GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem

bus: 1600 MHz, 130 W) incl. heat sink



Servers Options		PRIMERGY RX100 S7p PRIMERGY RX200 S7	ERGY RX300	ERGY RX350	RX500	PRIMERGY RX600 S6 PRIMERGY RX900 S2	Product Code	(€)	Comments
Description	Details		PRIM	쮼	쮼	PR M	Pro	EUP	ö
atrix · (Continued)									
Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem		X	Х			S26361-F3685-E180	295,00	
	bus: 1066 MHz, 80 W) incl. heat sink				Ш				
Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem		X	Х			S26361-F3685-E240	400,00	
Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon processor E5-2603 (4C/4T, 1.80		+		Н	_	S26361-F3689-E180	295,00	
THE ACON E3-2003 4C/41 1.00 GHZ 10 MB	GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem	X					320301-F3009-E100	295,00	
Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon processor E5-2609 (4C/4T, 2.40	X	+		$\vdash$	+	S26361-F3689-E240	400,00	
	GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem								
Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon processor E5-2620 (6C/12T, 2.00		х	Х	$\Box$	+	S26361-F3676-E200	540,00	
	GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Membus: 1333 MHz, 95 W) incl. heat sink								
Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30		х	Х			S26361-F3676-E230	775,00	
	GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Membus: 1333 MHz, 95 W) incl. heat sink								
Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50		х	Х	П		S26361-F3676-E250	1.105,00	
	GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Membus: 1333 MHz, 95 W) incl. heat sink								
Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00	х			П		S26361-F3690-E200	540,00	
	GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								
Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem	х					S26361-F3690-E230	775,00	
	bus: 1333 MHz, 95 W) incl. heat sink								
Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem	x					S26361-F3690-E250	1.105,00	
	bus: 1333 MHz, 95 W) incl. heat sink		$\perp$		Ш				
Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem		Х	Х			S26361-F3686-E200	1.320,00	
Latel Very EE 2000 20/40T 2 20 OH- 20 MD	bus: 1600 MHz, 95 W) incl. heat sink			-			C00004 F0000 F000	4 500 00	
Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem		X	Х			S26361-F3686-E220	1.590,00	
Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	bus: 1600 MHz, 95 W) incl. heat sink Intel Xeon processor E5-2670 (8C/16T, 2.60		Y	х	Н	_	S26361-F3686-E260	1.830,00	
THE FACOR ES 2010 CO, 101 2.00 GF2 20 MD	GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem		^	^			02000110000 2200	1.000,00	
Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	bus: 1600 MHz, 115 W) incl. heat sink Intel Xeon processor E5-2680 (8C/16T, 2.70		X	Х	Н		S26361-F3686-E270	2.055,00	
	GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem								
Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	bus: 1600 MHz, 130 W) incl. heat sink Intel Xeon processor E5-2690 (8C/16T, 2.90		х	Х	$\Box$		S26361-F3686-E290	2.420,00	
	GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Membus: 1600 MHz, 135 W) incl. heat sink								
Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00	х			П		S26361-F3691-E200	1.320,00	
	GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Membus: 1600 MHz, 95 W) incl. heat sink								
Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem	х					S26361-F3691-E220	1.590,00	
	bus: 1600 MHz, 95 W) incl. heat sink								
Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem	X					S26361-F3691-E260	1.830,00	
L. IV. 55 0000 00/40T 0 70 0U 00 MD	bus: 1600 MHz, 115 W) incl. heat sink		_		Ш		000004 50004 5070	0.055.00	
Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem	X					S26361-F3691-E270	2.055,00	
Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	bus: 1600 MHz, 130 W) incl. heat sink Intel Xeon processor E5-2690 (8C/16T, 2.90	X	-	-			S26361-F3691-E290	2.420,00	
THE ACOT ES-2000 00/101 2.30 GHZ 20 MID	GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem	^					320301-1 3031-1230	2.420,00	
Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	bus: 1600 MHz, 135 W) incl. heat sink Intel Xeon processor E5-2667 (6C/12T, 2.90		X	Х		-	S26361-F3687-E290	1.830,00	
	GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s , Mem							,	
Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	bus: 1600 MHz, 130 W) incl. heat sink Intel Xeon processor E5-2637 (2C/4T, 3.00		х	Х	$\vdash$		S26361-F3687-E300	1.105,00	
	GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 80 W) incl. heat sink								
Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30	$\vdash$	х	Х	$\Box$		S26361-F3687-E330	1.105,00	
	GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink								
Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90	х					S26361-F3692-E290	1.830,00	
	GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s, Membus: 1600 MHz, 130 W) incl. heat sink								
Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s, Mem	х					S26361-F3692-E300	1.105,00	
	bus: 1600 MHz, 80 W) incl. heat sink				Ш				
Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s, Mem	X					S26361-F3692-E330	1.105,00	
L. L. V	bus: 1600 MHz, 130 W) incl. heat sink		_		Ш		000004 50000 5400	1 000 00	
Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem		X	Х			S26361-F3688-E180	1.320,00	
Intel Yean E5 26201 60/42T 2 00015 454D	bus: 1600 MHz, 70 W) incl. heat sink		1	<b> </b>	$\vdash$	_	\$26264 F2699 F200	045.00	
Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem		X	Х			S26361-F3688-E200	845,00	
Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	bus: 1333 MHz, 60 W) incl. heat sink Intel Xeon processor E5-2650L (8C/16T, 1.80	X	+	-			S26361-F3693-E180	1.320,00	
	GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem	$  \   ^{\circ}$						1.520,00	
Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	bus: 1600 MHz, 70 W) incl. heat sink Intel Xeon processor E5-2630L (6C/12T, 2.00	x	+	$\vdash$	$\vdash$	+	S26361-F3693-E200	845,00	
	GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Membus: 1333 MHz, 60 W) incl. heat sink								
00D (4,00D) 4D 0 DDD0 4000 1170							000004 507/2 57:3	4=	
2GB (1x2GB) 1Rx8 DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM	Х					S26361-F3719-E513	45,00	
4GB (1x4GB) 2Rx8 DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered,	х					S26361-F3719-E514	75,00	



Description	Details		RX200	RX300	PRIMERGI KASSU SI	RX600	RX900	Product Code	EUP (€)	Comments
(Continued) 8GB (1x8GB) 2Rx8 DDR3-1600 U ECC	8 GB (1 module(s) 8 GB) DDR3, unbuffered,	х						S26361-F3719-E515	165,00	
<u> </u>	ECC, 1600 MHz, PC3-12800, DIMM		4	_	4	4	_			
Memory Board RX600 S6	Memory board for up to two set's of DDR3 LV memory (with 4 DIMMs each)	Ш	_		4	×		S26361-F3990-E600	265,00	
Mirrored Mode Installation	BIOS setup for Mirrored mode, preinstallation ex factory						Х	S26361-F4472-E3	5,00	
16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM					X		S26361-F4523-E642	340,00	
32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg (	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM					X		S26361-F4523-E643	500,00	
128GB 4x32 DDR3 LV 1066 MHz PC3-8500 rg	128 GB (4 module(s) 32 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM		+			×	:	S26361-F4523-E646	3.900,00	
64GB 4x16 DDR3 LV 1600 MHz PC3-12800 rg	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM					×	[	S26361-F4523-E647	1.040,00	
16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM						X	S26361-F4523-E942	340,00	
32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg o	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM						Х	S26361-F4523-E943	500,00	
128GB 4x32 DDR3 LV 1066 MHz PC3-8500 rg	128 GB (4 module(s) 32 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM						x	S26361-F4523-E946	3.900,00	
64GB 4x16 DDR3 LV 1600 MHz PC3-12800 rg	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM						х	S26361-F4523-E947	1.040,00	
Spare Mode Installation	BIOS setup for Spare mode, preinstallation ex factory	П			T	×		S26361-F4003-E1	5,00	
Interleaving Mode Installation	BIOS setup for Interleaving mode,	Н				х		S26361-F4003-E2	5,00	
Mirrored Mode Installation	preinstallation ex factory BIOS setup for Mirrored mode, preinstallation				+	х		S26361-F4003-E3	5,00	
Modules	ex factory				h					
Independent Mode Installation Performance Mode Installation	No specific memory RAS features are defined BIOS setup for performance mode, preinstallation ex factory		-	X X	_	_		S26361-F3694-E10 S26361-F3694-E2	5,00 5,00	
Rank Sparing Mode Installation	BIOS setup for rank sparing mode, preinstallation ex factory		Х	X	<b>X</b>	X		S26361-F3694-E1	5,00	
Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory,	П	х	X	<b>x</b> :	х		S26361-F3694-E3	5,00	
2GB (1x2GB) 1Rx8 L DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		х	X	х			S26361-F3694-E513	45,00	
4GB (1x4GB) 2Rx8 L DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		х	x	х			S26361-F3694-E514	75,00	
4GB (1x4GB) 2Rx8 L DDR3-1600 R ECC 4GB (1x4GB) 1Rx4 L DDR3-1333 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered,	H		X X		x		S26361-F3695-E514 S26361-F3696-E514	95,00 85,00	
, ,	ECC, 1333 MHz, PC3-10600, DIMM									
8GB (1x8GB) 2Rx4 L DDR3-1333 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM		х	Х	x			S26361-F3696-E515	125,00	
4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM		x	X	<b>x</b> :	x		S26361-F3697-E514	95,00	
8GB (1x8GB) 2Rx4 L DDR3-1600 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM		х	X	<b>x</b> :	x		S26361-F3697-E515	145,00	
16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC	16 GB (1 module(s) 16 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM		х	X	<b>x</b> :	x		S26361-F3697-E516	260,00	
16GB (1x16GB) 4Rx4 L DDR3-1333 LR ECC	16 GB (1 module(s) 16 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM		х	x	<b>x</b> :	x		S26361-F3698-E516	400,00	
32GB (1x32GB) 4Rx4 L DDR3-1333 LR ECC	32 GB (1 module(s) 32 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM		X	X	<b>X</b> :	x		S26361-F3698-E517	915,00	
PY NVIDIA Tesla K20 GPGPU	NVIDIA Tesla K20 PCIe-x16 GPGPU card for				х			S26361-F2222-E22	4.475,00	
	TX300 S7ff; RX350 S7ff; for HPC puroses no Graphic Output									
PY NVIDIA Tesla K20X GPGPU	NVIDIA Tesla K20X PCIe-x16 GPGPU card for TX300 S7ff; RX350 S7ff; for HPC puroses no Graphic Output				х			S26361-F2222-E24	6.450,00	
Front-VGA Interface PY VGA Card 512MB PCI-e x1	2nd optional VGA interface front side NVIDIA NVS 300 512MB PCIe-x1 graphic card		х	Х	x :	x		S26361-F2571-E26 S26361-F2748-E537	20,00 135,00	
PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card,	х	х	х	+	+	+	S26361-F2748-E637	135,00	
PY NVIDIA Tesla C2075 GPGPU	low profile NVIDIA Tesla C2075 PCIe-x16 GPGPU Karte	H	+	+	х	+	+	S26361-F2856-E997	2.675,00	
PY GPGPU Cable Kit	for TX300 S7 / RX350 S7  Cable Kit to install up to 2 GPGPUs;, Includes an universal PCI card holder and screws		+		x			S26361-F3736-E1	80,00	
PY K20 / K20X mounting kit	Mounting and Cable Kit to install up to 2 NVIDIA K20 or K20X GPGPU cards; Includes an Air Duct plus cable set and the PCI card holder				x			S26361-F3736-E2	95,00	



Description	Details	PRIMERGY RX100 S7p	ERGY RX300	PRIMERGY RX350 S7	RX500	PRIMERGY RX600 S6 PRIMERGY RX900 S2	<u>o</u>	EUP (€)	Comments
ıtrix	Details	<u> </u>					ш.	ш .	<u> </u>
Continued) PY Intel Xeon Phi mounting kit	Mounting and Cable Kit to install up to 2 Intel			х			S26361-F3736-E5	95,00	
	Xeon Phi 5110P or 7120P Co-Processor cards;								
	Includes an Air Duct plus cable set and the PCI card holder inclusive all screws for up to 2x								
	Xeon Phi 5110P or 7120P								
Intel Xeon Phi Co-Processor 5110P	Intel Xeon Phi 5110P PCIe-x16 Co-Processor			х			S26361-F4100-E511	3.895,00	
	card for CX270 S2; TX300 S7ff; RX350 S7ff; for HPC puroses no Graphic Output								
Media Drives									
USB3.0 PCIe x1 adapter card	USB 3.0 adapter card to connect one internal USB 3.0 RDX drive and one external USB 3.0			Х	Х	X	S26361-F3749-E1	25,00	
	device.								
Config 2: 4x 2.5" HDD	RX300S7 with config 2: 4x 2.5" HDD		Х				S26361-F1373-E420	90,00	
MountingKit DVD(sl) + LSD Config 3: 4x 2.5" HDD + LTO	for slim DVD, 1x Local Service Display  RX300S7 with config 3: 4x 2.5" HDD + LTO		x	Х			S26361-F2826-E205 S26361-F1373-E430	30,00 175,00	
ExtensionKit 4x SAS LFF HDD	HDD Extension for 4x LFF hotplug HDD		Ü	х			S26361-F2826-E335	80,00	
Config 5: 8x 2.5" HDD + 3.5" drive	RX300S7 with config 5: 8x 2.5" HDD + 3.5" drive		Х				S26361-F1373-E450	230,00	
MountingKit DVD(sl)+LSD+2x SAS LFF HDD	for slim DVD, 1x Local Service Display, 2x HDD			Х			S26361-F2826-E105	65,00	
		$\vdash$	+	Щ			000004 54070 5 100		
Config 6: 8x 2.5" HDD + LTO ExtensionKit 8x SAS SFF HDD	RX300S7 with config 6: 8x 2.5" HDD + LTO HDD Extension for 8x SFF hotplug HDD		Х	Х			S26361-F1373-E460 S26361-F2826-E325	230,00 90,00	
DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-	хх	х		Х	хх	S26361-F3269-E2	95,00	
Config 8: 16x 2.5" HDD	RAM,slimline 0.5" fitting height, black RX300S7 with config 8: 16x 2.5" HDD	++	X	Н			S26361-F1373-E480	425,00	
MountingKit 8x SAS SFF HDD	Extension Box for 8x 2,5" hotplug HDD		X	х			S26361-F1373-E480 S26361-F2826-E425	90,00	
MountingKit DVD(sl)+4x SAS LFF HDD	for slim DVD, 4x HDD SAS Expander 2x4 In / 6x4 Out	+		X			S26361-F2826-E435 S26361-F3668-E1	90.00	
SAS Expander 2x4 In / 6x4 Out Adapter Kit for 2nd RAID Controller	Adapter Kit for 2nd RAID Controller		+	X			S26361-F3668-E1 S26361-F3673-E1	255,00 20,00	
USB3.0 PCIe x1 adapter card lp	USB 3.0 adapter card to connect one internal	х	х				S26361-F3749-E201	25,00	
	USB 3.0 RDX drive and one external USB 3.0 device								
Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x	хх	х	х	х	хх	S26361-F3641-E2	165,00	
	BD, 8x DVD, 24x CD, BD DL and all CD/DVD								
DVD-ROM 1.6" SATA	formats, slimline 0,5" fitting height 16x DVD, 48x CD, 1.6" fitting height, black bezei		-				S26361-F3266-E2	35,00	
DVD-ROW 1.0 SATA	10x DVD, 40x CD, 1.6 Intiling height, black beze			Х			320301-F3200-E2	35,00	
DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6"			х			S26361-F3267-E2	60,00	
RDX 320 5.25'	fitting height, black bezel  RDX Drive USB3.0 100MB/s 5.25" intern, , USB		+	v	Х	v	S26361-F3750-E324	285,00	
NDA 320 3.23	Connector: USB 3.0 "B" with matching USB			^	^	^	320301-1-3730-12324	200,00	
	cable , 1.6" fitting height, black bezel., With								
RDX 320 3.5'	320GB Cartridge  RDX Drive USB 3.0 100MB/s 3.5" intern with						C26264 E2750 E225	295.00	
RDX 320 3.5	320GB cartridge, USB Connector: USB 3.0 "B"		Х				S26361-F3750-E325	285,00	
	with matching USB cable , 1.6" fitting height,								
DDV 500 5 05	black bezel.		-				000004 50750 5504	075.00	
RDX 500 5.25'	RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB			X	Х	X	S26361-F3750-E504	375,00	
	cable , 1.6" fitting height, black bezel., With								
RDX 500 3.5'	500GB Cartridge  RDX Drive USB 3.0 100MB/s 3.5" intern with		х				S26361-F3750-E505	375,00	
NDA 300 3.3	500GB cartridge, USB Connector: USB 3.0 "B"		^				320301-F3730-E303	373,00	
	with matching USB cable , 1.6" fitting height,								
RDX 1000 5.25'	black bezel.  RDX Drive USB3.0 100MB/s 5.25" intern, , USB		+	v	Х	v	S26361-F3750-E604	420,00	
RDA 1000 5.25	Connector: USB 3.0 "B" with matching USB			X	×	X	320301-F3730-E004	420,00	
	cable , 1.6" fitting height, black bezel., With								
PDV 1000 2 5'	1000GB Cartridge						\$26264 E2750 E605	420.00	
RDX 1000 3.5'	RDX Drive USB 3.0 100MB/s 3.5" intern with 1000GB cartridge, USB Connector: USB 3.0 "B"		X				S26361-F3750-E605	420,00	
	with matching USB cable , 1.6" fitting height,								
PDV Drive USP2 0.5.05" internal	black bezel.	$\vdash$	-		.,	.,	\$26264 F27F2 F4	240.00	
RDX Drive USB3.0 5.25" internal	RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching USB			X	Х	X	S26361-F3750-E4	210,00	
	cable , 1.6" fitting height, black bezel.			Ш					
RDX Drive USB 3.0 3.5" internal	RDX Drive USB 3.0 100MB/s 3.5" intern, , USB		х				S26361-F3750-E5	210,00	
	Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black beze.								
Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit			х	Х	х	S26361-F3324-E4	505,00	
	, 1.6" fitting height, black bezel, with description								
Tape Kit DDS Gen5 36GB USB 3.5" int.	(G/US) and cleaning cartridge USB 2.0 Connector: USB "B" with USB cable kit	$\vdash$	X	Н			S26361-F3324-E5	505,00	
ווו. פסק מפט מסט אווו. פסק אווי אינט מסט אוויים פסט אוויים פסט אוויים אינט פסט אוויים פסט אוויים פסט אוויים פסט	, 1.6" fitting height, with description (G/US) and		X				020001-F3024 <b>-</b> E3	303,00	
	cleaning cartridge			Ш					
Tape Kit DDS Gen5 36GB USB 3.5" int.	data transfer: 3MB/s, USB 2.0, 1.6" black,		х				S26361-F3324-E7	555,00	
	within tape cage 2 x 3.5", with specific USB cable, with description (G/US), with cleaning								
	cartridge			Ш					
Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0			x	х	x	S26361-F3325-E4	735,00	
	Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge								
			$\perp$	Ш					
Tape Kit DDS Gen6 80GB USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" intern, USB 2.0		х				S26361-F3325-E2	735,00	
	Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge								
Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6"		х	х	Х	х	S26361-F3561-E4	1.410,00	
	fitting height, black, with SAS cable, with cleaning cartridge								
Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6"	++	х	Х	Х	х	S26361-F3626-E2	1.825,00	
1 2 2 2 2 2 2 2 2	fitting height, , with SAS cable, with cleaning							,,,,,,	
Tara Kal Toguni (2000)	cartridge	$\vdash$	+				000004 50055 5	0.000.00	
Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6"	1 1	X	Х	Х	X	S26361-F3627-E1	2.220,00	



		ā			Π,	Π.				
		Y RX100	ERGY RX200	RX300	RX350	PRIMERGY RX500 S/	RX900	Product Code	(€)	Comments
<b>Description</b>	Details	품	품	품   6	¥   8	¥   8	<u> </u>	<u> </u>	EUP	8
(Continued) HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-	х				Ţ		S26361-F3700-E250	160,00	
	plug, 3.5-inch, economic		_	4	4	$\perp$	+		, i	
HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, economic	Х			_			S26361-F3700-E500	205,00	
PCIe-SSD 365GB MLC HD SATA 6G 500GB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-	х	Х	X X	х	)	(	S26361-F4522-E351 S26361-F3670-E500	5.020,00 210,00	
HD SATA 6G 250GB 7.2K HOT PL 2.5" BC	plug, 3.5-inch, business critical HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-	х	х	х	х	+	+	S26361-F3708-E250	225,00	
HD SATA 6G 500GB 7.2K HOT PL 2.5" BC	plug, 2.5-inch, business critical HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-	×	X	х	x	+	+	S26361-F3708-E500	255,00	
ioTurbine	plug, 2.5-inch, business critical  VFcache Software incl. virtualisation, VFcache		x		4	x >	, v	S26361-F4522-S100	3.170,00	
	Software for one physical server		_		4					
ioTurbine support silver 1 year	Service subscription for one VFcache SW license		Х	Х		X X	K X	S26361-F4522-S101	485,00	
ioTurbine support silver 3 years	Service subscription for one VFcache SW license		х	х		x x	( X	S26361-F4522-S103	1.295,00	
ioTurbine support silver 5 years	Service subscription for one VFcache SW license		х	х		x x	X	S26361-F4522-S105	1.905,00	
ioTurbine support gold 1 year	Service subscription for one VFcache SW license	П	х	х	$\top$	x x	x x	S26361-F4522-S111	645,00	
ioTurbine support gold 3 years	Service subscription for one VFcache SW	$\forall$	х	х	+	x x	x x	S26361-F4522-S113	1.745,00	
ioTurbine support gold 5 years	Service subscription for one VFcache SW	H	х	х	+	x 2	x x	S26361-F4522-S115	2.555,00	
HD SAS 6G 1TB 7.2K HOT PL 3.5' BC	license HDD SAS, 6 GB/s, 3 TB, 7200 rpm, hot-plug,	Х	+	х	x	+	-	S26361-F5241-E100		Orderable from: 04/07/2013
HD SAS 6G 2TB 7.2K HOT PL 3.5' BC	3.5-inch, business critical HDD SAS, 6 GB/s, 3 TB, 7200 rpm, hot-plug,	X	_	x	_	+	+	S26361-F5241-E200	,	Orderable from: 04/07/2013
	3.5-inch, business critical					+	_		, i	
HD SAS 6G 3TB 7.2K HOT PL 3.5' BC	HDD SAS, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	Х	_	х	4			S26361-F5241-E300		Orderable from: 04/07/2013
HD SAS 6G 4TB 7.2K HOT PL 3.5' BC	HDD SAS, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	X		Х	Х			S26361-F5241-E400	870,00	Orderable from: 04/07/2013
HD SATA 6G 1TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		Х	х			S26361-F3670-E100	255,00	
HD SATA 6G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical	х	х	х	х			S26361-F3708-E100	410,00	
directCache	VFcache Software without virtualisation,		х	х		x x	x x	S26361-F4522-S200	3.170,00	
directCache support silver 1 year	VFcache Software for one physical server Service subscription for one VFcache SW		Х	х	+	x >	ν x	S26361-F4522-S201	485,00	
directCache support silver 3 years	license Service subscription for one VFcache SW	$\vdash$	х	х	+	x >	( X	S26361-F4522-S202	1.295,00	
directCache support silver 5 years	license Service subscription for one VFcache SW		х		_			S26361-F4522-S203	1.905,00	
	license	Ш	_		4					
directCache support gold 1 year	Service subscription for one VFcache SW license		Х	Х	_			S26361-F4522-S204	645,00	
directCache support gold 3 years	Service subscription for one VFcache SW license		Х	Х		X )	K X	S26361-F4522-S205	1.745,00	
directCache support gold 5 years	Service subscription for one VFcache SW license		х	х		x x	K X	S26361-F4522-S206	2.555,00	
HD SATA 6G 2TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	х		х	х			S26361-F3670-E200	440,00	
PCIe-SSD 785GB MLC	PCIe SSD, 785 GB, MLC, Flash drive		Х					S26361-F4522-E781	10.405,00	
SSD SATA 6G 100GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 100 GB, MLC, hot-plug, 2.5-inch, enterprise							S26361-F5225-E100	465,00	
SSD SATA 6G 200GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise	X	Х	Х	х	X X	K X	S26361-F5225-E200	995,00	
SSD SATA 6G 400GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 400 GB, MLC, hot-plug, 2.5-inch, enterprise	х	Х	Х	х	X X	( X	S26361-F5225-E400	2.670,00	
HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-		х	х	х	$\top$		S26361-F5247-E130	255,00	
HD SAS 6G 450GB 10K HOT PL 2.5" EP	plug, 2.5-inch, enterprise HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-	$\forall$	х	х	х	+	+	S26361-F5247-E145	370,00	
HD SAS 6G 600GB 10K HOT PL 2.5" EP	plug, 2.5-inch, enterprise HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-	H	х	х	х	+	+	S26361-F5247-E160	475,00	
HD SAS 6G 900GB 10K HOT PL 2.5" EP	plug, 2.5-inch, enterprise HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-	H	х	x	x	+	-	S26361-F5247-E190	680,00	
HD SATA 6G 3TB 7.2K HOT PL 3.5" BC	plug, 2.5-inch, enterprise HDD SATA, 6 GB/s, 3 TB, 7200 rpm, hot-plug,	X	_	x	_	+	-	S26361-F3670-E300	600,00	
	3.5-inch, business critical		_		_	$\perp$	_		, i	
HD SATA 6G 4TB 7.2K HOT PL 3.5' BC	HDD SATA, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	Х	_	х		1		S26361-F3670-E400		New product,Orderable from: 11/07/2013
PCIe-SSD 1.2TB MLC HD SAS 6G 500GB 7.2K HOT PL 2.5" BC	PCIe SSD, 1.2 TB, MLC, Flash drive HDD SAS, 6 GB/s, 500 GB, 7200 rpm, hot-		X X					S26361-F4522-E121 S26361-F5228-E500	14.445,00 270,00	
HD SAS 6G 1TB 7.2K HOT PL 2.5" BC	plug, 2.5-inch, business critical HDD SAS, 6 GB/s, 1 TB, 7200 rpm, hot-plug,	X	х	x	x	x x	( X	S26361-F5228-E100	450,00	
HD SATA 3G 2TB 7.2K HOT PL 3.5" BC	2.5-inch, business critical HDD SATA, 3 GB/s, 2 TB, 7200 rpm, hot-plug,	H	_	x	_	+	+	S26361-F3294-E200	440,00	
	3.5-inch, business critical		_		_	+	_			
HD SAS 6G 300GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	Х	_	х	_			S26361-F4005-E530	370,00	
HD SAS 6G 450GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hotplug, 3.5-inch, enterprise	Х		Х	х			S26361-F4005-E545	395,00	
HD SAS 6G 600GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hot- plug, 3.5-inch, enterprise	х		х	х	T		S26361-F4005-E560	475,00	
HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-	х	х	х	$\top$	x x	x x	S26361-F4482-E130	255,00	
HD SAS 6G 450GB 10K HOT PL 2.5" EP	plug, 2.5-inch, enterprise HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-	Х	х	х	+	x x	x x	S26361-F4482-E145	370,00	
HD SAS 6G 600GB 10K HOT PL 2.5" EP	plug, 2.5-inch, enterprise HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-	Х	х	х	+	x 2	x x	S26361-F4482-E160	475,00	
HD SAS 6G 900GB 10K HOT PL 2.5" EP	plug, 2.5-inch, enterprise HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot-	X	х	x	x	x x	( X	S26361-F4482-E190	680,00	
HD SAS 6G 146GB 15K HOT PL 2.5" EP	plug, 2.5-inch, enterprise HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-	Ш						S26361-F4482-E514	295,00	
5.10 00 1700B 101(110111 L 2.0 LF	plug, 2.5-inch, enterprise	^	^	^	^	^   <i>'</i>	`   ^	520001 1 TT02-2014	233,00	



	anyona Ontiona										
Rack S	ervers Options		O.								
			RX100 S7p	0 27	0 S7	0 S7	0 S7	98 0			
			X10	RX200	RX300	RX350	RX500	RX600	do do		
				չ Տ	GY R	GY R	GY R	בן אַ 	Product Code		ıts
			PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	anct	€	Comments
ategory	Description	Details	PRI	<b>PR</b>	PR	PRI	PRI	PRIM	Proc	EUP	Co
ptions mat	rix (Continued)										
	SSD SAS 6G 100GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 100 GB, SLC, hot-plug, 2.5-		х	х	х	х	x 2	S26361-F4541-E100	1.795,00	Phased out
	SSD SAS 6G 400GB SLC HOT P 2.5" EP PERF	inch, enterprise SSD SAS, 6 GB/s, 400 GB, SLC, hot-plug, 2.5-		х	Х	Х	х	x 2	S26361-F4541-E400	6.180,00	
	SSD SAS 6G 100GB MLC HOT PL 2.5" EP PERF	inch, enterprise SSD SAS, 6 GB/s, 100 GB, MLC, hot-plug, 2.5-		v	х	v	v	v ,	\$26361-F4581-E100	1.060,00	
		inch, enterprise								·	
	SSD SAS 6G 200GB MLC HOT PL 2.5" EP PERF	SSD SAS, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise		Х	Х	Х	Х	X	S26361-F4581-E200	1.880,00	
	SSD SAS 6G 400GB MLC HOT PL 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, MLC, hot-plug, 2.5-inch, enterprise		х	Х	х	Х	x 2	S26361-F4581-E400	3.610,00	
	SAS controller								C0C0C4 F00F7 F470	405.00	
	RAID Contr BBU Upgrade for RAID 5/6 V70	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port						Х	S26361-F3257-E170	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 C16	ex 512MB LSI" BBU Upgrade for "RAID Ctrl SAS 6G 5/6		х	v			+	S26361-F3257-E216	165,00	
	TAID COIN BBO Opgrade to TAID 3/0 CTO	512MB (D2616)" and "RAID Ctrl SAS 6G 8Port		^	^				320301-1 3237-L210	103,00	
	RAID Contr BBU Upgrade for RAID 5/6 C55	ex 512MB LSI"  BBU Upgrade for "RAID Ctrl SAS 6G 5/6	х	x	+	-	+	+	S26361-F3257-E255	165,00	
		512MB (D2616)" and "RAID Ctrl SAS 6G 8Port	^						02000: : 020: 2200	100,00	
	RAID Contr BBU Upgrade for RAID 5/6 C70	ex 512MB LSI" BBU Upgrade for "RAID Ctrl SAS 6G 5/6	$\vdash$	_		х		<u> </u>	S26361-F3257-E270	165,00	
		512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"									
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4,	х	+	+	$\dashv$	$\dashv$	х	S26361-F3257-E4	110,00	
	SAS Ctrl 6G 8ext PCIe	4 internal ports SAS Controller 6GB/s 8 port, LSI SAS 9200-8e	$\vdash$	_		х	х	χ,	S26361-F3628-E1	265,00	
		·		,,							
	SAS Ctrl 6G 8ext PCIe lp	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e LP	X	X	Х				S26361-F3628-E201	265,00	
	TFM Module for FBU option on D3116	TFM module for "RAID Ctrl SAS 6G 1GB (D3116)".	х	х	Х	Х	Х	X	S26361-F3669-E100	170,00	
	RAID Ctrl FBU option with 25cm cable	FBU option for "RAID Ctrl SAS 6G 1GB		х	х				S26361-F3669-E125	115,00	
		(D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 25cm cable									
	RAID Ctrl FBU option with 70cm cable	FBU option for "RAID Ctrl SAS 6G 1GB (D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB				х	х		S26361-F3669-E170	115,00	
		LSI" incl. 70, cm cable									
	RAID Ctrl SAS 6G 8Port ex 1GB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9285-8e, PCIe2.0 x8, 1GB Cache with ECC, , 8 external				Х	х		S26361-F3713-E1	800,00	
		ports, optional FBU, FH bracket									
	RAID Ctrl SAS 6G 8Port ex 1GB FH LSI V3	RAID-Ctrl, LSI MegaRAID SAS 9286CV-8e, PCIe3.0 x8, 1GB Cache with ECC, , 8 external				Х	Х	X Z	S26361-F3713-E3	800,00	New product,Orderable from: 15/06/2013
	SAS Enabling Key for Onboard Ports	ports, optional FBU, FH bracket  Hardware key to switch four of the SATA ports		V/	х	V/	V/	+	S26361-F3674-E1	85,00	
	SAS Enabling Key for Official Ports	of the Intel C600 Chipset to 3GB/s SAS,		*	X	X	X		320301-F3074-E1	65,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI	х	х	х	х	Х	х	S26361-F3554-E8	175,00	
	, ,	MegaRAID SAS2008, PCIe 2.0 x8, 8 internal								,,,,,	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	ports SAS/SATA RAID Controller based on LSI	Х	х	х	х	+	x 2	S26361-F3554-E512	390,00	
		MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports									
	RAID Ctrl SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI		х	х	х	х		S26361-F3669-E1	435,00	
		MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports									
	RAID Ctrl SAS 6G 8Port ex 512MB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe	П			Х		x z	S26361-F3593-E1	595,00	
		x4, 512MB Cache with ECC, 8 external ports, without iBBU									
	RAID Ctrl SAS 6G 8Port ex 512MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports,	х	х	Х				S26361-F3593-E201	595,00	
		without iBBU									
	RAID Ctrl SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal	х	х				X	S26361-F3669-E2	435,00	
		ports					_	_			
	RAID Ctrl SAS 6G 1GB (D3116C)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 3.0 x8, 8 internal	X	Х	Х	Х		Х	S26361-F3669-E3	435,00	
	RAID Ctrl SAS 6G 8Port ex 1GB LP LSI	ports RAID-Ctrl, LSI MegaRAID SAS9285-8e,		х	٧,		_	_	S26361-F3713-E201	800,00	
	RAID CIII SAS 0G OF OIT EX TGB EF ESI	PCIe2.0 x8, 1GB Cache with ECC, , 8 external		^	^				320301-F3/13-E201	800,00	
	RAID Ctrl SAS 6G 8Port ex 1GB LP LSI V3	ports, optional FBU, LP bracket  RAID-Ctrl, LSI MegaRAID SAS 9286CV-8e,		х	х			+	S26361-F3713-E203	800.00	New product,Orderable from: 15/06/2013
		PCIe3.0 x8, 1GB Cache with ECC, , 8 external			*				020001101102200	000,00	
	RAID Ctrl FBU option with 55cm cable	ports, optional FBU, LP bracket FBU option for "RAID Ctrl SAS 6G 1GB	Х	х				Х	S26361-F3669-E155	115,00	
	·	(D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 5, 5cm cable									
re Chanr											
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC	1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, , Optics: 8GB short				Х	Х	X 2	S26361-F3961-E1	860,00	
	EC Ctrl 90 D/o 2 Obox 1 D-40000 MMT 1 0	wave lasers with LC type connectors							COCOCA FOCAL FO	4.005.00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, , Optics: 8GB short				X	Х	x   3	S26361-F3961-E2	1.385,00	
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC LP	wave lasers with LC type connectors  1 channel 8GBit/s FC controller, , PCI	х	v	v	_	_	+	S26361-F3961-E201	860,00	
	. 3 St. 1 GOD/S 1 GHARLE G1230 IVIIVIE LO LE	intergace: PCIe 2.0 x8, , Optics: 8GB short	^	^	^				020001-1 0301-E201	500,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	wave lasers with LC type connectors  2 channel 8GBit/s FC controller, , PCI	х	х	х	$\dashv$	+	+	S26361-F3961-E202	1.385,00	
1	<del> </del>		1							123,00	
		intergace: PCIe 2.0 x8, , Optics: 8GB short									
	PFC EP LPe16000	wave lasers with LC type connectors  1 channel 16GBit/s FC controller, PCI intergace:		_	+	Х	х	x :	S26361-F4994-E1	1.525,00	
	PFC EP LPe16000	wave lasers with LC type connectors				X	X	x x	S26361-F4994-E1	1.525,00	



Servers Options										
		RX100	ERGY RX200	RX300	RX350	RX500	PRIMERGY RX600 S6	Code Code	P (€)	Comments
<b>Description</b> atrix	Details	<b>E</b>	<u> </u>	<b>R</b>	품	품	F 8	ž <u>ž</u>	EUP	<u> </u>
nnel (Continued)	0.1							000004 54004 50	0.075.00	
PFC EP LPe16002	2 channel 16GBit/s FC controller, PCI intergace: PCIe 3.0 x8; backwards compatible to PCIe 2.0, Optics: 16GB short wave lasers with LC type connectors				X		x	S26361-F4994-E2	2.375,00	
PFC EP LPe16000 LP	1 channel 16GBit/s FC controller, PCI intergace: PCIe 3.0 x8; backwards compatible to PCIe 2.0, Optics: 16GB short wave lasers with LC	х	х	Х				S26361-F4994-E201	1.525,00	
PFC EP LPe16002 LP	type connectors  2 channel 16GBit/s FC controller, , PCI intergace: PCIe 3.0 x8; backwards compatible to PCIe 2.0, , Optics: 16GB short wave lasers	х	х	X				S26361-F4994-E202	2.375,00	
FC Ctrl 8GB/s 1 channel QLE2560 MMF LC	with LC type connectors  1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers				X	X	x :	x S26361-F3631-E1	955,00	
FC Ctrl 8GB/s 2 channel QLE2562 MMF LC	with LC type connectors  2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers			+	X	х	x :	x S26361-F3631-E2	1.540,00	
FC Ctrl 8GB/s 1 channel QLE2560MMF LC LP	with LC type connectors  1 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers	х	х	X				S26361-F3631-E201	955,00	
FC Ctrl 8GB/s 2 channel QLE2562 MMF LCLP	with LC type connectors  2 channel 8GBit/s FC controller, , PCI intergace: PCIe 2.0 x8, ; backwards compatible to PCIe Gen1, Optics: 8GB short wave lasers	X	х	X				S26361-F3631-E202	1.540,00	
Diadea	with LC type connectors									
SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server Adapter D2755., For multi-mode short-range fiber optic cables up to 300m.	X	x	x	X	X	x :	x S26361-F3986-E3	410,00	
SFP+ Module Single Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for single mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blade and LAN adapter D2755., For single-mode long-range fiber optic cables up to	x	Х	X	Х	X	x :	x S26361-F3986-E4	1.190,00	
cation/Network	10km.									
Upgrade-Kit to 4x GBit on-board	Upgrade-Kit to 4x GBit on-board, Based on Intel LAN controller chip I350-AM2, Usable with original Intel driver kit, Extends the available two onboard 1GB LAN connectors with two		x	x	x	x	Ī	S26361-F3740-E701	210,00	
Upgrade-Kit to 6x GBit on-board	additional 1GB LAN connectors.  Upgrade-Kit to 6x GBit on-board, Based on Intel LAN controller chip I350-AM4, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with four additional 1GB LAN connectors.		x	X	X	X		S26361-F3739-E701	390,00	
Upgrade-Kit to 2xGB and 2x10GB on-board	Upgrade-Kit to 2x GBit and 2x 10GBit on-board, Based on Intel LAN controller chip 82599, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with two additional 10GB LAN connectors (SFP+).		Х	x	х	X		S26361-F3629-E702	525,00	
Shared 10GB Management LAN kit	ì		х	х			#	S26361-F3629-E750	25,00	
Eth Ctrl 4x1GBit Cu PCle x4 D3045	Ethernet Server Adapter Eth Ctrl 4x1GBit Cu PCle x4 D3045, Based on Intel LAN controller chip I350-AM4, Usable with original Intel driver kit				X	X	x   :	x S26361-F3739-E1	390,00	
Eth Ctrl 4x1GBit Cu PCle x4 D3045 lp	Ethernet Server Adapter Eth Ctrl 4x1GBit Cu PCIe x4 D3045 lp, Based on Intel LAN controller chip I350-AM4, Usable with original Intel driver kit	x	X	X				S26361-F3739-E201	390,00	
Eth Ctrl 2x1GBit Cu PCle x4 D3035	Ethernet Server Adapter Eth Ctrl 2x1GBit Cu PCIe x4 D3035, Based on Intel LAN controller chip I350-AM2, Usable with original Intel driver kit				X	X	X :	x S26361-F3740-E1	210,00	
Eth Ctrl 2x1GBit Cu PCle x4 D3035 lp	Ethernet Server Adapter Eth Ctrl 2x1GBit Cu PCle x4 D3035 lp, Based on Intel LAN controller chip I350-AM2, Usable with original Intel driver kit	x	х	х				S26361-F3740-E201	210,00	
Eth Ctrl 1x1GBit PCIe Pro/1000PF LC Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp	Intel® Pro 1000PF 1 Port Server Adapter Intel® Pro 1000PF 1 Port Server Adapter	х	х		х	Х	x :	x S26361-F3242-E1 S26361-F3242-E201	240,00 240,00	
Eth Ctrl 1x1GBit PCle CT Desktop Cu	Intel® GBit CT 1 Port Desktop Adapter				х	#	#	S26361-F3516-E1	45,00	
Eth Ctrl 1x1GBit PCle CT Desktop Cu lp Eth Ctrl 2x10GBit PCle x8 D2755 SFP+	Intel® GBit CT 1 Port Desktop Adapter lp  Ethernet Server Adapter Eth Ctrl 2x10GBit PCle	X	Х		х	х	x :	S26361-F3516-E201 x S26361-F3629-E2	45,00 525,00	
Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+ lp	x8 D2755 SFP+ Ethernet Server Adapter Eth Ctrl 2x10GBit PCle	х	х	х	+	+	+	S26361-F3629-E202	525,00	
FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	x8 D2755 SFP+ lp 2 Channel 10GBit/s FCoE Controller , PCle 2.0 x 8 , SFP+ for opt. module or Twinax cable				X	X	X :	x S26361-F3592-E2	1.335,00	
FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GBit/s FCoE Controller, PCle 2.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable	х	х	х				S26361-F3592-E202	1.335,00	
SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102	х	х	х	х	х	X :	x S26361-F3592-E108	405,00	
Eth Ctrl 2x10GBase-T PCIe x8 X540-T2	Ethernet Server Adapter Eth Ctrl 2x10GBase-T PCIe x8 X540-T2, Based on Intel LAN controller chip Twinville, Usable with original Intel driver kit				Х	х	x :	x S26361-F3752-E2	890,00	



Description	Dataila	ERGY RX100		RX300	PRIMERGY RX350 S7	ERGY RX500	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Description rix	Details	100	а.	а.	ш.	ш.	а.	а.	т.	ш	0
ation/Network (Continued) Eth Ctrl 2x10GBase-T PCIe x8 X540-T2	Ethernet Server Adapter Eth Ctrl 2x10GBase-T PCIe x8 X540-T2, Based on Intel LAN controller chip Twinville, Usable with original Intel driver kit		x	x					S26361-F3752-E202	890,00	
IB HCA 40GB 1 port QDR IB HCA 40GB 1 port QDR enhanced	InfiniBand HCA 40GB/s, 1-port, QDR InfiniBand HCA 40GB/s, 1-port, QDR, enhanced			X X			х		S26361-F4475-E102 S26361-F4475-E103	625,00 685,00	
IB HCA 40GB 2 port QDR enhanced	InfiniBand HCA 40GB/s, 2-port, QDR, enhanced	П	х	х	х	х			S26361-F4475-E203	1.060,00	
IB HCA 56GB 1 port FDR IB HCA 56GB 2 port FDR	InfiniBand HCA 56GB/s, 1-port, FDR InfiniBand HCA 56GB/s, 2-port, FDR	_		Х					\$26361-F4533-E102	1.040,00	
tructure RMK-F1_DI_CMA_QRL	Telescopic drop-in rails, 781mm long with cable management arm adapter, full extraction with extension length 815mm, with vario-carrier 1 for rack installation depth (19" pillar distance) between 714mm and 785m, pre-assembled with	X		x	*	X			S26361-F4533-E202 S26361-F2735-E145	1.605,00 85,00	
Rack Mount Kit F1-C S7 LV	centre screw  Rack Mount Kit (RMK) for server max. 2 height units (U) or max. 35 Kg (F1) with Quick-Release-Lever (QRL). Drop in telesope rails (DI), full extraction 815mm, with cable management adapter (CMA) for toolless mounting of cable management arms. Vario carrier 2 for mounting in PRIMECENTER and 3rd-party racks.  Toolless adjustable rack mounting depth (rack pillar distance) between 559 and 914 mm depth. Pre-adjustment pos. 3 (701-775mm).	-	x	x					S26361-F2735-E175	115,00	
Rack Mount Kit F2-C S7 LV	Rack Mount Kit (RMK) for server more than 2 height units (U) or max. 50 Kg (F2) with Quick-Release-Lever (QRL). Drop in telesope rails (DI) 781mm long, full extraction 815mm, with cable management adapter (CMA) for toolless mounting of cable management arms. Vario carrier 2 for mounting in PRIMECENTER and 3rd-party racks. Toolless adjustable rack mounting depth (rack pillar distance) between 559 and 914 mm depth. Pre-adjustment pos. 3 (701-775mm).				X	x	x		S26361-F2735-E285	100,00	
Mounting in symmetrical Racks	Rack server mounting in symmetrical racks	Х	х	х	Х	Х	х	х	S26361-F4530-E10	5,00	
Mounting 1U in asymmetrical Racks	without support bracket  Rack server mounting in asymmetrical rack with	х	х	х					S26361-F4530-E11	5,00	
Mounting 2U in asymmetrical racks	1U support bracket  Rack server mounting in asymmetrical rack with	$\forall$			х				S26361-F4530-E12	5,00	
Mounting 3U in asymmetrical racks	2U support bracket  Rack server mounting in asymmetrical rack with	$\vdash$				х	х	х	S26361-F4530-E13	5,00	
Rack installation ex works, SX10, 1U Nod	2U support bracket  Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.		X						S26361-F1647-E302	65,00	
Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.			X	х	х	x	X	SNP:SY-F1647E301-P	130,00	
Rack Cable Arm 1U	Cable management arm, dragged with bracket, can be used for PRIMERGY servers 1U. Can be mounted in PRIMECENTER party racks, can only be mounted at RMKs with CMA adapter.		x						S26361-F2735-E81	20,00	
Rack Cable Arm 2U	Cable management arm, dragged with bracket, can be used for PRIMERGY servers 2U or higher. Can be mounted in PRIMECENTER party racks, can only be mounted at RMKs with CMA adapter.			х	х	х	x		S26361-F2735-E82	30,00	
Cable mgmt. lateral for asym. PC racks M	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER M1 racks			х	х	х	х		S26361-F2735-E71	30,00	
cable arm 2U PCR M1 S and 3rd partyracks	Cable arm 2U to be mounted at right or left rack pillar behind servers higher oder equal 2U. Released for symmetrical PRIMECENTER M1 or 3rd party racks.						х	х	S26361-F2201-E20	50,00	
Cable mgmt. RX900 für asym. 19" Racks Rack Mount Kit for RX900 s	Cable mgmt. RX900 for asym. 19" Rack							Х	S26361-F2735-E17 S26361-F2735-E109	30,00 180,00	
CCC Certification for China region kit APAC/EMEA/India	CCC Certification for China Region-kit APAC/EMEA/ India		Х	х	Х			х	S26361-F3301-E120 S26361-F1452-E100	10,00	
region-kit America -Software	Region-kit America		X	х	X	X	Х		S26361-F1452-E130	10,00	
FJ HANA POWER V1.1 Media-Set Fujitsu Power Appliance for SAP HANA	Fujitsu Power Appliance for SAP HANA Platform - Media set, Fujitsu Power Appliance for SAP HANA	$\prod$						Ш	D:HANA-MEDIA-10 D:HANA-SW-001	80,00 4.000,00	
Fujitsu Power Appliance for SAP HANA	Software base license. Covers first 512 GB RAM.,  1 year back level support for Fujitsu Power	$\sqcup$						х	D:HANA-SW-001-W1	1.090,00	
,	Appliance for SAP HANA Software base license (D:HANA-SW-001).,								D:HANA-SW-001-W3	3.240,00	



	rvers Options											
			PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	RX350	RX500	PRIMERGY RX600 S6	RX900	Product Code	EUP (€)	Comments
tri.	Description X	Details	£	I K	I K	품	뿝	l Æ	품	<u> </u>	<u> </u>	ပိ
/-8	Software (Continued)	Fullton Bonner Amel's and for CAB trans								Dillania Ciar coo	0.000.55	
F	ujitsu Power Appliance for SAP HANA	Fujitsu Power Appliance for SAP HANA Software license extension package I. Covers							X	D:HANA-SW-002	2.200,00	
		the range of 512 GB up to 4 TB RAM in steps										
F	ujitsu Power Appliance for SAP HANA	of 256 GB.,  1 year back level support of Fujitsu Power		+	+	$\vdash$	$\vdash$	+	X	D:HANA-SW-002-W1	600,00	
ľ	э,	Appliance for SAP HANA Software license										
F	ujitsu Power Appliance for SAP HANA	extension package I (D:HANA-SW-002).,  3 year back level support of Fujitsu Power		+	+	+	+	╁	X	D:HANA-SW-002-W3	1.782,00	
ľ	Gillour ower Appliance for OAL Thinks	Appliance for SAP HANA Software license							^	D.18444 GVV 002 VV0	1.702,00	
E	ujitsu Power Appliance for SAP HANA	extension package I (D:HANA-SW-002)., Fujitsu Power Appliance for SAP HANA		+	+	-	-	+	v	D:HANA-SW-003	1.000,00	
ľ	dition to the state of the stat	Software license extension package II. Covers							^	D.I IAIVA OVV-000	1.000,00	
		the range of 4 TB up to 16 TB RAM in steps of 256 GB.,										
F	ujitsu Power Appliance for SAP HANA	1 year back level support of Fujitsu Power		t	t			t	х	D:HANA-SW-003-W1	274,00	
		Appliance for SAP HANA Software license extension package II (D:HANA-SW-003).,										
F	ujitsu Power Appliance for SAP HANA	3 year back level support of Fujitsu Power		H	H			H	Х	D:HANA-SW-003-W3	810,00	
		Appliance for SAP HANA Software license										
iF	RMC S2 advanced pack	extension package II (D:HANA-SW-003).,  ", On top of standard iRMC features, the iRMC		+	+	$\vdash$	$\vdash$	X	X	S26361-F1790-E241	305,00	
ľ	·	Advanced Pack additionally provides the										
		functions Advanced Video Redirection (AVR) and Remote Storage, , Advanced Video										
		Redirection (AVR) , - System-independent										
		graphics and text console redirection, including the keyboard and mouse, - Remote access to										
		permit boot monitoring, BIOS administration and										
		interaction with the operating system, , Remote Storage , Remote Storage makes available to										
		the managed server a "virtual" drive which is										
		located elsewhere in the network. , The "virtual drives" provided by Remote Storage are as										
		easy to use as local drives and offer the										
		following options:, - Reading/writing of data, - Booting from Remote Storage, - Installation of										
		drivers or small applications, - Remote BIOS										
		update (BIOS update via USB), , Remote Storage permits simultaneous connection of up										
		to two "virtual" drives and supports the following										
		types of device:, - Floppy disk, - CD-ROM / DVD-ROM, - USB memory device (e.g. Memory										
L		Stick), - ISO image"										
iF	RMC S3 advanced pack	, On top of standard iRMC features, the iRMC Advanced Pack additionally provides the	х	х	Х	Х	Х			S26361-F1790-E242	305,00	
		functions Advanced Video Redirection (AVR)										
		and Remote Storage, , Advanced Video										
		Redirection (AVR), - System-independent graphics and text console redirection, including										
		the keyboard and mouse, - Remote access to permit boot monitoring, BIOS administration and										
		interaction with the operating system, , Remote										
		Storage, Remote Storage makes available to the managed server a "virtual" drive which is										
		located elsewhere in the network. , The "virtual										
		drives" provided by Remote Storage are as										
		easy to use as local drives and offer the following options:, - Reading/writing of data, -										
		Booting from Remote Storage, - Installation of										
		drivers or small applications, - Remote BIOS update (BIOS update via USB), , Remote										
		Storage permits simultaneous connection of up										
		to two "virtual" drives and supports the following types of device:, - Floppy disk, - CD-ROM /										
		DVD-ROM, - USB memory device (e.g. Memory										
0	oB HDD monitoring by iRMC	Stick), - ISO image This option enables the out-of-band monitoring		х	+	+	+	+	+	S26361-F2557-E301	20,00	
		function of the HDD by iRMC., In this case HDD										
		will be monitored without any Server Management agents.										
P	RIMERGY DuplexDataManager 5.01	for Windows Server 2008 and 2003. CD-ROM	Х	х	Х	х	х	х	х	S26361-F2565-L596	2.770,00	
N	IS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	and License.  Microsoft System Center Virtual Machine	Х	X	X	х	х	Х	+	S26361-F2567-E20	385,00	Phased out
	·	Manager 2008 R2 Workgroup Edition., English.										
N.	4S SysCtr Essntls 2010 OEM	OEM DVD, License.  MS System Center Essentials 2010. English.	Х	X	X	Х	х	X	X	S26361-F2567-E30	115.00	Phased out
L	,	OEM DVD, License.									·	
	VinSvr 2012 Language Pack DVD VinSvr 2012 Datacenter 2CPU OEM	WinSvr 2012 Language Pack DVD WinSvr 2012 Datacenter 2CPU OEM.								S26361-F2567-E400 S26361-F2567-E410	25,00 2.895,00	
		Multilingual. Requires Windows Server CAL										
		2012, not included. OEM DVD, COA License. End User License Terms.										
٧	VinSvr 2012 Datacenter AddLic 2CPU OEM	WinSvr 2012 Datacenter Additional License		T	$\top$		х	х	х	S26361-F2567-E411	2.895,00	
		2CPU No Media/Key OEM. SACOA License. End User License Terms.										
۷	VinSvr 2012 Standard 2CPU/2VM OEM	WinSvr 2012 Standard 2CPU&2VM OEM.	х	х	x	х	х	х	х	S26361-F2567-E420	570,00	
		Multilingual. Requires Windows Server CAL										
		2012, not included. OEM DVD, COA License. End User License Terms.										
٧	VinSvr 2012 Standard AddLic 2CPU/2VM OEM	WinSvr 2012 Standard Additional License	х	х	х	х	х	х	х	S26361-F2567-E421	570,00	
		2CPU&2VM No Media/Key OEM. SACOA License. End User License Terms.										
٧	VinSvr 2012 Essentials 2CPU OEM MUL	Windows Server 2012 Essentials, OEM,	х	х	$\dagger$			$\dagger$	T	S26361-F2567-E430	305,00	
		Multilingual, DVD Media, COA, License,										
		Languages: English (default language), German,										



Description	Details	PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	RX500	RX600	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
trix /-Software (Continued)											
WinSvr 2012 Foundation 1CPU OEM	WinSvr 2012 Foundation 1CPU OEM.	х							S26361-F2567-E440	175,00	
	Multilingual. OEM DVD, COA License. End Use License Terms.	ſ									
WinStorageSvr 2012 Std 2CPU/2VM OEM	Windows Storage Server 2012 Standard 2CPU&2VM OEM. Multilingual. OEM DVD, COA License. End User License Terms. No	x	х	х	х				S26361-F2567-E450	430,00	
WinStorageSvr 2012 Std AddLic 2CPU OEM	CALs required  Windows Storage Server 2012 Standard  Additional License 2CPU&2VM OEM. Step-up license to add 2 CPU sockets / 2 VMs. No media/key	х	Х	х	х				S26361-F2567-E451	430,00	
WinSvr CAL 2012 50Device	Windows Server 2012 CAL 50 Device	x	Х	Х	Х	х	х	Х	S26361-F2567-E460	1.045,00	
WinSvr CAL 2012 50User	Windows Server 2012 CAL 50 User	Х	Х	Х	Х	Х	Х	Х	S26361-F2567-E461	1.210,00	
WinSvr CAL 2012 10Device WinSvr CAL 2012 10User	Windows Server 2012 CAL 10 Device Windows Server 2012 CAL 10 User								S26361-F2567-E462 S26361-F2567-E463	215,00 245,00	
WinSvr CAL 2012 100ser WinSvr CAL 2012 5Device	Windows Server 2012 CAL 10 Oser Windows Server 2012 CAL 5 Device								S26361-F2567-E464	110,00	
WinSvr CAL 2012 5User	Windows Server 2012 CAL 5 User								S26361-F2567-E465	130,00	
WinSvr CAL 2012 1Device	Windows Server 2012 CAL 1 Device	Х	Х	Х	Х	Х	Х	Х	S26361-F2567-E466	25,00	
WinSvr RDS CAL 2012 5 Dovice	Windows Server 2012 CAL 1 User								S26361-F2567-E467	29,00	
WinSvr RDS CAL 2012 5Device WinSvr RDS CAL 2012 5User	Windows Server 2012 RDS CAL 5 Device Windows Server 2012 RDS CAL 5 User,								S26361-F2567-E470 S26361-F2567-E471	415,00 480,00	
WinSvr RDS CAL 2012 30361 WinSvr RDS CAL 2012 1Device	Windows Server 2012 RDS CAL 1 Device,								S26361-F2567-E472	83,00	
WinSvr RDS CAL 2012 1User	Windows Server 2012 RDS CAL 1 User,	Х	Х	Х	Х	Х	Х	х	S26361-F2567-E473	96,00	
DG/DE Kit WinSvr 2008 R2 SP1 Datacenter	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.		X	Х	X	X	X	X	S26361-F2567-E480	35,00	
DG/DE Kit WinSvr 2008 R2 SP1 Enterprise	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.	x	x	х	x	х	X	x	S26361-F2567-E481	35,00	
DG/DE Kit WinSvr 2008 R2 SP1 Standard	DG/DE Kit WinSvr 2008 R2 SP1 Standard DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.		х	x	х	х	X	x	S26361-F2567-E482	35,00	
DG/DE Kit WinSvr 2008 SP2 Datacenter	DG/DE Kit WinSvr 2008 SP2 Datacenter DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.		х	х	х	х	Х	х	S26361-F2567-E483	35,00	
DG/DE Kit WinSvr 2008 SP2 Enterprise	DG/DE Kit WinSvr 2008 SP2 Enterprise  DOWNGRADE AND DOWN-EDITION DVD  Media and Product Key Card. Requires original purchase of licensed software. EULA.		х	X	х	х	Х	x	S26361-F2567-E484	35,00	
DG/DE Kit WinSvr 2008 SP2 Standard	DG/DE Kit WinSvr 2008 SP2 Standard DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.		х	х	х	х	х	x	S26361-F2567-E485	35,00	
Citrix VIAB, 10 CCU, 1yr SWM	Citrix VIAB, 10 CCU, 1yr SWM;, VDI-in-a-Box, 10 Concurrent Users;, 1 year Citrix Software Maintenance;, SW and Lizence key per Download		х	х	х	х	X		S26361-F4583-S500	1.560,00	
Citrix VIAB, 50 CCU, 1yr SWM	Citrix VIAB, 50 CCU, 1yr SWM;, VDI-in-a-Box, 50 Concurrent Users;, 1 year Citrix Software Maintenance;, SW and Lizence key per Download		х	х	х	х	х		S26361-F4583-S501	7.800,00	
Citrix VIAB, 101 CCU, 1yr SWM	Citrix VIAB, 101 CCU, 1yr SWM;, VDI-in-a-Box, 101 Concurrent Users;, 1 year Citrix Software Maintenance;, SW and Lizence key per Download		X	х	х	х	X		S26361-F4583-S502	14.790,00	
Citrix VIAB, 251 CCU, 1yr SWM	Citrix VIAB, 251 CCU, 1yr SWM;, VDI-in-a-Box, 251 Concurrent Users;, 1 year Citrix Software Maintenance;, SW and Lizence key per Download		х	х	х	х	X		S26361-F4583-S503	34.340,00	
Citrix VIAB, 10 CCU, 3yr SWM	Citrix VIAB, 10 CCU, 3yr SWM;, VDI-in-a-Box, 10 Concurrent Users;, 3 years Citrix Software Maintenance;, SW and Lizence key per Download		X	х	x	х	X		S26361-F4583-S510	2.120,00	
Citrix VIAB, 50 CCU, 3yr SWM	Citrix VIAB, 50 CCU, 3yr SWM;, VDI-in-a-Box, 50 Concurrent Users;, 3 years Citrix Software Maintenance;, SW and Lizence key per Download		X	х	x	х	X		S26361-F4583-S511	10.600,00	
Citrix VIAB, 101 CCU, 3yr SWM	Citrix VIAB, 101 CCU, 3yr SWM;, VDI-in-a-Box, 101 Concurrent Users;, 3 years Citrix Software Maintenance;, SW and Lizence key per Download		X	X	x	X	X		S26361-F4583-S512	20.120,00	
Citrix VIAB, 251 CCU, 3yr SWM	Citrix VIAB, 251 CCU, 3yr SWM;, VDI-in-a-Box, 251 Concurrent Users;, 3 years Citrix Software Maintenance;, SW and Lizence key per Download		X	х	X	х	х		S26361-F4583-S513	46.790,00	
Citrix VIAB, EDU, 10 CCU, 1yr SWM	Citrix VIAB, EDU, 10 CCU, 1yr SWM;, VDI-in-a-Box, 10 Concurrent Educational Users;, 1 year Citrix Software Maintenance;, SW and Lizence key per Download;		X	х	X	х	х		S26361-F4583-S520	1.030,00	
Citrix VIAB, EDU, 50 CCU, 1yr SWM	Citrix VIAB, EDU, 50 CCU, 1yr SWM;, VDI-in-a- Box, 50 Concurrent Educational Users;, 1 year Citrix Software Maintenance;, SW and Lizence key per Download					х			S26361-F4583-S521	5.160,00	
Citrix VIAB, EDU, 101 CCU, 1yr SWM	Citrix VIAB, EDU, 101 CCU, 1yr SWM;, VDI-in- a-Box, 101 Concurrent Educational Users;, 1 year Citrix Software Maintenance;, SW and Lizence key per Download		X	X	х	х	X		S26361-F4583-S522	9.700,00	
Citrix VIAB, EDU, 251 CCU, 1yr SWM	Citrix VIAB, EDU, 251 CCU, 1yr SWM;, VDI-in- a-Box, 251 Concurrent Educational Users;, 1 year Citrix Software Maintenance;, SW and Lizence key per Download		Х	х	Х	х	x		S26361-F4583-S523	22.290,00	



Se	ervers Options											
			PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	RX500	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	(€)	Comments
0	Description	Details	PRIM	PRIM	PRIM	PRIM	PRIM	PRI	PRIM	Prod	EUP	S S
atri	•	1 222 2										
	Citrix VIAB, EDU, 10 CCU, 3yr SWM	Citrix VIAB, EDU, 10 CCU, 3yr SWM;, VDI-in-a-Box, 10 Concurrent Educational Users;, 3 years Citrix Software Maintenance;, SW and Lizence		x	Х	х	х	х		S26361-F4583-S530	1.560,00	
C	Citrix VIAB, EDU, 50 CCU, 3yr SWM	key per Download  Citrix VIAB, EDU, 50 CCU, 3yr SWM;, VDI-in-a-Box, 50 Concurrent Educational Users;, 3 years  Citrix Software Maintenance;, SW and Lizence		х	Х	Х	Х	х		S26361-F4583-S531	7.800,00	
C	Citrix VIAB, EDU, 251 CCU, 3yr SWM	key per Download Citrix VIAB, EDU, 251 CCU, 3yr SWM;, VDI-in-a-Box, 251 Concurrent Educational Users;, 3 years Citrix Software Maintenance;, SW and		х	Х	Х	х	х		S26361-F4583-S533	33.130,00	
V	/IOM License f. operation of one server,	Lizence key per Download  VIOM License for operation of one server,  Service Pack mandatory		х	х	х	х			U15000-C311	320,00	
V	/IOM License for operation of 8 servers,	VIOM License for operation of 8 servers,		х	х	х	х			U15000-C312	1.910,00	
	/IOM License f. operation of 18 servers,	Service Pack mandatory VIOM License for operation of 18 servers, Service Pack mandatory		х		Х	х			U15000-C313	3.835,00	
F	FF4S V5.1A Media-Set FF4S V5.2A Media-Set PRIMERGY MultiPath MPIO 5.01	FlexFrame V5.1A media set FlexFrame V5.2A media set for Windows Server 2008 and 2003. CD-ROM	Х	Х	X X X	_	Х	х		U21348-C5100 U21348-C5200 S26361-F2565-E593	80,00 80,00 885,00	
F	PRIMERGY MultiPath 5.01	and License. for Windows Server 2008 and 2003. CD-ROM	х	х	х	Х	х	х	х	S26361-F2565-E595	885,00	
V	Win Svr 2008 R2 SP1 Foundation 1CPU OEM	and License.  Win Srv 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	Х							S26361-F2567-E301	175,00	
V	Win Svr 2008 R2 SP1 Datactr 2CPU OEM	Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	Х	х	х	х	х	х	х	S26361-F2567-E331	2.885,00	
V	Nin Svr 2008 R2 SP1 Datactr 4CPU OEM	Win Srv 2008 R2 SP1 Dtc (4 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.					х	Х	х	S26361-F2567-E333	5.770,00	
V	Win Svr 2008 R2 SP1 Datactr 8CPU OEM	Win Srv 2008 R2 SP1 Dtc (8 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.							х	S26361-F2567-E335	11.540,00	
F	HPC Cluster Suite Basic aca -16N 1Y	HPC Cluster Suite Basic aca -16N 1Y subscription per node (head and compute node)			X					S26361-F2349-S110	95,00	Orderable from: 30/05/2013
	Nin Srv 2008 R2 SP1 Enterpr w/10CAL OEM	Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	Х	х	x	х	х	Х	Х	S26361-F2567-E321	1.840,00	
F	HPC Cluster Suite Basic aca -64N 1Y	HPC Cluster Suite Basic aca -64N 1Y subscription per node (head and compute node)		х	X					S26361-F2349-S111	85,00	Orderable from: 30/05/2013
	Win Srv 2008 R2 SP1 Standard w/5CAL OEM	Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and woldwide language packs. OEM DVD, License.	х	х	x	х	х	Х	х	S26361-F2567-E311	570,00	
F	HPC Cluster Suite Basic aca 65+N 1Y	HPC Cluster Suite Basic aca 65+N 1Y subscription per node (head and compute node)		х	x					S26361-F2349-S112	75,00	Orderable from: 30/05/2013
V	Win SBS Standard 2011 w/5CAL OEM EN	Windows Small Business Server Standard 2011 with 5 CAL, OEM, English, DVD Media set, COA, License	х	Х	X	х				S26361-F2567-E350	640,00	
	Nin SBS Standard 2011 w/5CAL OEM DE	Windows Small Business Server Standard 2011 with 5 CAL, OEM, German, DVD Media set, COA, License								S26361-F2567-E351	640,00	
V	Nin SBS Standard 2011 w/5CAL OEM IT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Italian, DVD Media set, COA, License								S26361-F2567-E352	645,00	
	Nin SBS Standard 2011 w/5CAL OEM FR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, French, DVD Media set, COA, License								S26361-F2567-E353	645,00	
	Nin SBS Standard 2011 w/5CAL OEM ES	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Spanish, DVD Media set, COA, License								S26361-F2567-E354	645,00	
	Nin SBS Standard 2011 w/5CAL OEM CS	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License								S26361-F2567-E355	645,00	
	Win SBS Standard 2011 w/5CAL OEM PT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Portuguese, DVD Media set, COA, License								S26361-F2567-E356	645,00	
	Nin SBS Standard 2011 w/5CAL OEM NL	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media set, COA, License								S26361-F2567-E357	645,00	
	Win SBS Standard 2011 w/5CAL OEM TR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media set, COA, License								\$26361-F2567-E358	640,00	
	Win SBS Standard 2011 w/5CAL OEM HU	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Hungarian, DVD Media set, COA, License								S26361-F2567-E359	640,00	
	Nin SBS 2011 Prem Add-On w/5CAL OEM EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, English, DVD Media set, COA, License								S26361-F2567-E370	940,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German, DVD Media set, COA, License								\$26361-F2567-E371	940,00	
	Nin SBS 2011 Prem Add-On w/5CAL OEM IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Italian, DVD Media set, COA, License								S26361-F2567-E372	950,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, French, DVD Media set, COA, License								S26361-F2567-E373	950,00	
V	Win SBS 2011 Prem Add-On w/5CAL OEM ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Spanish, DVD Media set, COA, License	X	X	X	X				S26361-F2567-E374	950,00	



ř	rvers Options											I
			RX100	PRIMERGY RX200 S7	RX300	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6		Product Code	EUP (€)	Comments
tri		Details	<u> </u>	_	Δ.	Δ.	Δ.	Δ	Δ.	<u> </u>	Ш	U
	Software (Continued) dentifier	FlexFrame Identifier, has to be ordered one			х					D:FF4SAP-ID-V041	0,01	
F	IPC Cluster Suite Basic aca -16N 3Y	time per FF configuration HPC Cluster Suite Basic aca -16N 3Y		x	Х	H		_		S26361-F2349-S113	255.00	Orderable from: 30/05/2013
		subscription per node (head and compute node)			"							
H	IPC Cluster Suite Basic aca -64N 3Y	HPC Cluster Suite Basic aca -64N 3Y subscription per node (head and compute node)		Х	х					S26361-F2349-S114	225,00	Orderable from: 30/05/2013
Н	IPC Cluster Suite Basic aca 65+N 3Y	HPC Cluster Suite Basic aca 65+N 3Y subscription per node (head and compute node)		Х	х					S26361-F2349-S115	200,00	Orderable from: 30/05/2013
H	IPC Cluster Suite Basic aca -16N 5Y	HPC Cluster Suite Basic aca -16N 5Y subscription per node (head and compute node)		х	х					S26361-F2349-S116	370,00	Orderable from: 30/05/2013
H	IPC Cluster Suite Basic aca -64N 5Y	HPC Cluster Suite Basic aca -64N 5Y subscription per node (head and compute node)		х	х					S26361-F2349-S117	330,00	Orderable from: 30/05/2013
H	IPC Cluster Suite Basic aca 65+N 5Y	HPC Cluster Suite Basic aca 65+N 5Y subscription per node (head and compute node)		х	х					S26361-F2349-S118	295,00	Orderable from: 30/05/2013
L	Vin Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2. FlexFrame ControlNode Right to use	x	X	X		х	х	X	S26361-F2567-E391 U21348-C101	25,00 5.451,65	
	PC Cluster Suite Basic com -16N 1Y	HPC Cluster Suite Basic com -16N 1Y subscription per node (head and compute node)		х	X					S26361-F2349-S120		Orderable from: 30/05/2013
۷	Vin Srvs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.		х	х	х	Х	х	x	S26361-F2567-E390	25,00	
H	PC Cluster Suite Basic com -64N 1Y	HPC Cluster Suite Basic com -64N 1Y subscription per node (head and compute node)		х	х					S26361-F2349-S121	150,00	Orderable from: 30/05/2013
H	IPC Cluster Suite Basic com 65+N 1Y	HPC Cluster Suite Basic com 65+N 1Y subscription per node (head and compute node)		х	х					S26361-F2349-S122	130,00	Orderable from: 30/05/2013
H	PC Cluster Suite Basic com -16N 3Y	HPC Cluster Suite Basic com -16N 3Y subscription per node (head and compute node)		х	х					S26361-F2349-S123	455,00	Orderable from: 30/05/2013
H	PC Cluster Suite Basic com -64N 3Y	HPC Cluster Suite Basic com -64N 3Y subscription per node (head and compute node)		х	x					S26361-F2349-S124	405,00	Orderable from: 30/05/2013
Н	IPC Cluster Suite Basic com 65+N 3Y	HPC Cluster Suite Basic com 65+N 3Y subscription per node (head and compute node)		х	х					S26361-F2349-S125	360,00	Orderable from: 30/05/2013
H	IPC Cluster Suite Basic com -16N 5Y	HPC Cluster Suite Basic com -16N 5Y subscription per node (head and compute node)		х	х					S26361-F2349-S126	665,00	Orderable from: 30/05/2013
H	IPC Cluster Suite Basic com -64N 5Y	HPC Cluster Suite Basic com -64N 5Y subscription per node (head and compute node)		х	x					S26361-F2349-S127	590,00	Orderable from: 30/05/2013
H	IPC Cluster Suite Basic com 65+N 5Y	HPC Cluster Suite Basic com 65+N 5Y subscription per node (head and compute node)		х	x					S26361-F2349-S128	530,00	Orderable from: 30/05/2013
F	F-CN back level support 1 year	1 year backlevel support (3rd level) for FlexFrame for SAP ControlCenter Management Software.			x					U21348-C101-W1	1.470,00	
F	F Staging Identifier	FlexFrame staging identifier. Has to be oredered one time per configuration for preinstall and test of the configuration in the factory			х					U21348-C105	0,01	
H	IPC Cluster Suite Advanced aca -16N 1Y	HPC Cluster Suite Advanced aca -16N 1Y subscription per node (head and compute node)		х	х					S26361-F2349-S210	275,00	Orderable from: 30/05/2013
H	IPC Cluster Suite Advanced aca -64N 1Y	HPC Cluster Suite Advanced aca -64N 1Y subscription per node (head and compute node)		х	х					S26361-F2349-S211	245,00	Orderable from: 30/05/2013
H	IPC Cluster Suite Advanced aca 65+N 1Y	HPC Cluster Suite Advanced aca 65+N 1Y subscription per node (head and compute node)		х	х					S26361-F2349-S212	220,00	Orderable from: 30/05/2013
H	PC Cluster Suite Advanced aca -16N 3Y	HPC Cluster Suite Advanced aca -16N 3Y subscription per node (head and compute node)		х	x					S26361-F2349-S213	745,00	Orderable from: 30/05/2013
V	Vin HPC Srv 2008 R2 Suite ACADEMIC USA	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for USA. Ships per Request for Special Release only. Only for Qualified Educational Users in the U.S., only for shipments to U.S.A. OEM Recovery DVD Media		х	х	х	х			S26361-F2567-E366	30,00	
H	IPC Cluster Suite Advanced aca -64N 3Y	Kit, COA, License.  HPC Cluster Suite Advanced aca -64N 3Y subscription per node (head and compute node)		Х	Х					S26361-F2349-S214	670,00	Orderable from: 30/05/2013
	Vin HPC Srv 2008 R2 Suite ACADEMIC PRC	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for PRC. Ships per Request for Special Release only. Only for Qualified Educational Users in the PRC, only for shipments to PRC. OEM Recovery DVD Media Kit, COA, License.				х	х			S26361-F2567-E368	30,00	
	IPC Cluster Suite Advanced aca 65+N 3Y	HPC Cluster Suite Advanced aca 65+N 3Y subscription per node (head and compute node)			Х					S26361-F2349-S215	,	Orderable from: 30/05/2013
H	IPC Cluster Suite Advanced aca -16N 5Y	HPC Cluster Suite Advanced aca -16N 5Y subscription per node (head and compute node)		Х	х					S26361-F2349-S216	1.100,00	Orderable from: 30/05/2013



ervers Options		0	Т							
		RX100	RX200	RX300	KX350	PRIMERGY RX500 S7	RX900	Product Code	P (€)	Comments
<b>Description</b> rix	Details	<b>E</b> 1	F 6	F   5	¥   8	7 8	£	<u>r</u>	EUP	8
-Software (Continued)								January <b>200</b> 100 100 100 100 100 100 100 100 100		
HPC Cluster Suite Advanced aca 65+N 5Y	HPC Cluster Suite Advanced aca 65+N 5Y subscription per node (head and compute node)		Х	Х				S26361-F2349-S218	875,00	Orderable from: 30/05/2013
HPC Cluster Suite Advanced com -16N 1Y	HPC Cluster Suite Advanced com -16N 1Y subscription per node (head and compute node)		х	х			+	S26361-F2349-S220	415,00	Orderable from: 30/05/2013
FF-CN back level support 3 years	3 year backlevel support (3rd level) for FlexFrame for SAP ControlCenter Management			х				U21348-C101-W3	4.415,84	
HPC Cluster Suite Advanced com -64N 1Y	Software.  HPC Cluster Suite Advanced com -64N 1Y subscription per node (head and compute node)		х	х				S26361-F2349-S221	350,00	Orderable from: 30/05/2013
HPC Cluster Suite Advanced com 65+N 1Y	HPC Cluster Suite Advanced com 65+N 1Y subscription per node (head and compute node)		x	х				S26361-F2349-S222	295,00	Orderable from: 30/05/2013
HPC Cluster Suite Advanced com -16N 3Y	HPC Cluster Suite Advanced com -16N 3Y subscription per node (head and compute node)		х	х				S26361-F2349-S223	1.135,00	Orderable from: 30/05/2013
HPC Cluster Suite Advanced com -64N 3Y	HPC Cluster Suite Advanced com -64N 3Y subscription per node (head and compute node)	$\parallel$	Х	x	+		+	S26361-F2349-S224	955,00	Orderable from: 30/05/2013
HPC Cluster Suite Advanced com 65+N 3Y	HPC Cluster Suite Advanced com 65+N 3Y subscription per node (head and compute node)		x	x			+	S26361-F2349-S225	805,00	Orderable from: 30/05/2013
HPC Cluster Suite Advanced com -16N 5Y	HPC Cluster Suite Advanced com -16N 5Y subscription per node (head and compute node)		х	х			+	S26361-F2349-S226	1.670,00	Orderable from: 30/05/2013
HPC Cluster Suite Advanced com -64N 5Y	HPC Cluster Suite Advanced com -64N 5Y subscription per node (head and compute node)		x	х	+		+	S26361-F2349-S227	1.410,00	Orderable from: 30/05/2013
HPC Cluster Suite Advanced com 65+N 5Y	HPC Cluster Suite Advanced com 65+N 5Y subscription per node (head and compute node)		х	х				S26361-F2349-S228	1.185,00	Orderable from: 30/05/2013
HPC Cluster Suite Open Edition Media HPC Cluster Suite Open Edition	HPC Cluster Suite Open Edition Media HPC Cluster Suite Open Eiditon per node (head and compute node)		x x					S26361-F2349-S300 S26361-F2349-S310		Orderable from: 30/05/2013 Orderable from: 30/05/2013
FF4S RBAC Package Small	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for up to 10 application nodes.			x				U21348-C108	1.099,00	
FF-CN RBAC S back level support 1 year	year back level support (3rd level) for     FlexFrame for SAP ControlCenter Management     Software – RBAC small option.			х				U21348-C108-W1	272,00	
FF-CN RBAC S back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC small option.			х				U21348-C108-W3	742,00	
FF4S RBAC Package Medium	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for up to 50 application nodes.			х				U21348-C109	5.500,00	
Red Hat EL HPC 1-2SOC Self-Support 1Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year		X	х				S26361-F2346-C851	57,00	
PCM Fujitsu Basic per node 1Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 1 year.		X	х				S26361-F2346-C951	157,00	
PCM Fujitsu Basic Services 1Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 1-Year.		X	х				S26361-F2346-S951	8,00	
PCM Fujitsu Enterprise per node 1y	Platform Cluster Manager Fujitsu Enterprise Edition pro Knoten (Kopf- und Arbeitsknoten) 5x9 level3 Support 1 Jahr.		х	х				S26361-F2346-C961	466,00	
PCM Fujitsu Enterprise Services 1y	Platform Cluster Maneger Fujitsu Enterprise Services entitlement per HPC configuration 1 year.		x	х				S26361-F2346-S961	8,00	
Red Hat EL HPC 1-2SOC Self-Support 3Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year		x	x				S26361-F2346-C852	170,00	
FF-CN RBAC M back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC medium option.			x				U21348-C109-W1	1.362,00	
FF4S RBAC Package Large	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for more than 50 application nodes.		1	x	$\dagger$		+	U21348-C110	11.000,00	
PCM Fujitsu Basic per node 3Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 3 years.		x	x				S26361-F2346-C952	470,00	
PCM Fujitsu Basic Services 3Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 3 years.		x	х				S26361-F2346-S952	8,00	
PCM Fujitsu Enterprise per node 3Y	Platform Cluster Manager Fujitsu Enterprise Edition per node (head and compute node) 5x9 level3 support 3 years.		x	х				S26361-F2346-C962	1.394,00	
PCM Fujitsu Enterprise Services 3Y	, Platform Cluster Maneger Fujitsu Enterprise Services entitlement per HPC configuration 3 years.		Х	х				S26361-F2346-S962	8,00	
Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		X	x	х	х		S26361-F2567-E360	760,00	
FF-CN RBAC M back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC medium option.			х				U21348-C109-W3	3.713,00	
Win Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM		+		х	v	-	S26361-F2567-E361	380,00	



Marrier Caulty Continues   Marrier County   Marrier Cou	Description	Details	RX100	RGY RX200	RX300		PRIMERGY RX500 S/	PRIMERGY RX900 S2	<u>ම</u>	EUP (€)	Comments
Matematic Part   Description   Company   Com	ix .	1.500							_		·
		·		х	х	х	х	П	S26361-F2567-E363	110,00	
Horizonta Displace Constitution Suspension   1		· ·									
Montane	FF-CN RBAC L back level support 1 year				Х				U21348-C110-W1	2.723,00	
Find Face 1 to 240 Collection Control Centrol Message Part (1992)  Find Face 1 to 240 Collection Collection Centrol Message Part (1992)  Find Face 1 to 240 Collection Collection Centrol Cent		Software – RBAC large option.		4	4	4		_			
PROMETRIE PROVIDED   CONTROL   CON	FF-CN RBAC L back level support 3 years	FlexFrame for SAP ControlCenter Management			X				U21348-C110-W3	7.425,00	
## FANETH DE RESIDENCE   100 PM   100 P	FF-AN RTU for RX600 S5/S6			+	+	+	X	+	U21348-C231	10.520.00	
Part   IM ACRO S. BIOS 0.00 (2000   2000								х	U21348-C241	37.548,00	
Fig.   According FU   USB022   Fig.   According FU   District Productions of TU   District Production	FF RTU RX300 S6/7, BX620 S6, BX92x S2/3			Х	Х				U21348-C291	4.785,00	
F. Add Messarda HTLI 19900 and 59000   FMS60   FMS60 5900 and 59		FF4SAP Accounting RTU		#			х				
PR.041		RX800 or RX900		4			4	<u> </u>			
FAM Massing Mill	FF Acnt RX300S5/S6, BX620S5, BX920S1/S2			Х	X				U21348-C293	2.393,00	
Fig.   1.0 sep for PSQ00   FSQ00   F				$\pm$	$\pm$	+	х				
FF Mag RX3005598, SX20055 SX SX2005 SX SX2005 SX	FF-AN Messenger RTU							х	U21348-C244	18.774,00	
FF Virtuaria Sphere ESX 5.0 Standard FF Virtuari	FF Msg RX300S5/S6, BX620S5, BX920S1/S2	FF4SAP Application Node Messenger Expert		х	х				U21348-C294	2.393,00	
REUL The locarea includes of Mules and Substitution of the Company	EE \/Mwora venhora EGV: 5 0 Otto de la	und BX920 S1/S2		4	_	_	+	-	1124249 C424	5 220 00	
RTU. This Literace includes the two more cases any Moharan Soliton Contract or Company of the Part of Soliton Contract or Company of Soliton Contract or Contract of Soliton Contract or Contra	FF VMware vSphere ESXI 5.0 Standard	RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Standard licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service					X		U21348-C434	5.339,00	
Enterprise RTU. The license includes the corresponding File Primary Solution Company of Primary Solution Company o	FF VMware vSphere ESXi 5.0 Standard	RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Standard licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the			Х				U21348-C494	2.590,00	
Enterprise RTU. This licenses includes the two necessary VMware Sphere ESX 6.0 Enterprise licenses, A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding vMware servine package (SRS)  FF VMware VSphere ESX 6.0 ENT PL  FlexFrame VMware VSphere ESX 6.0 ENT PL  FlexFrame SolutionContract component is mandatory. This includes the corresponding number of VMware VSphere ESX 6.0 Enterprise Plus (Brones, A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware vSphere ESX 6.0 Enterprise Plus (Brones, A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware vSphere ESX 6.0 Enterprise Plus (Brones, A corresponding FlexFrame SolutionContract component is mandatory. This includes the live of the component is mandatory. This includes the live of the corresponding VMware vSphere ESX 6.0 Enterprise Plus (Brones, A corresponding FlexFrame SolutionContract component is mandatory. This includes the Corresponding VMware vSphere ESX 6.0 Enterprise Plus (Brones, A corresponding FlexFrame SolutionContract component is mandatory. This includes the Corresponding VMware vSphere ESX 6.0 Enterprise Plus (Brones, A corresponding VMware vSphere ESX 6.0 Enterprise Plus (Brones, A corresponding VMware vSphere ESX 6.0 Enterprise Plus (Brones, A corresponding VMware vSphere ESX 6.0 Enterprise Plus (Brones, A corresponding VMware vSphere ESX 6.0 Enterprise Plus (Brones, A corresponding VMware vSphere ESX 6.0 Enterprise Plus (Brones, A corresponding VMware vSphere ESX 6.0 Enterprise Plus (Brones, A corresponding VMware vSphere ESX 6.0 Enterprise Plus (Brones) (Brones and Support volume vSphere Increase and Support volume vSphere Increase and Support Contracts have to be ordered, when the contracts have to be ordered. When the contracts have to be ordered view the contracts of the Contract base to be ordered. When the contracts have to be ordered view the contracts of the Contract base to be ordered. When	FF VMware vSphere ESXi 5.0 Enterprise	Enterprise RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Enterprise licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding					х		U21348-C435	12.099,00	
Enterprise Plus RTU. The license includes the corresponding number of Whaver v-Sphere ESXI 5.0 Enterprise Plus licenses. A corresponding PlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service packages (SnS)  FF VMware VSphere ESXI 5.0 ENT PL  FlexFrame VMware VSphere ESXI 5.0 Enterprise Plus RTU. This license includes the two necessary VMware vSphere ESXI 5.0 Enterprise Plus licenses. A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding PlexFrame SolutionContract component is mandatory. This license is only orderable for customers outside EMEA. The necessary Vmware vSphere ESXI 5.0 Enterprise Plus licenses. A corresponding VMware service package (SnS)  FF-VMware Option  FievFrame For SAP VMware option. This license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support.  FF-VMware Option  FrevFrame For SAP VMware option. This license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support.  FF-VMware Option  FrevFrame For SAP VMware option. This license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support.  SUSE Linux ES 1-2 SOCK Server 1Y  SUSE Linux ES 1-2 SOCK Server 3Y  SUSE Linux ES 1-2 SOCK Serve	FF VMware vSphere ESXi 5.0 Enterprise	Enterprise RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Enterprise licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding			х				U21348-C495	5.970,00	
Enterprise Plus RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Enterprise Plus licenses. A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)  FF-VMware Option  FiexFrame for SAP VMware option., This license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support contracts have to be ordered via the local Vmware contacts., These license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support contracts have to be ordered, when the customer already has its own Vmware vSphere licenses is only orderable for customers outside EMEA. The necessary Vmware option., This license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support contracts have to be ordered, when the customer already has its own Vmware vSphere licenses and support contracts have to be ordered, when the customer already has its own Vmware vSphere licenses and support contracts have to be ordered, when the customer already has its own Vmware vSphere licenses and support.  SUSE Linux ES 1-2 SOCK Server 1Y  SUSE Linux ES 1-2 SOCK Server 3Y  SUSE Linux ES 1-2 SOCK Server 3Y, 1-2 CPU  V V V V V V V V V V V V V V V V V V V	FF VMware vSphere ESXi 5.0 ENT PL	Enterprise Plus RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Enterprise Plus licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the					X		U21348-C436	14.339,00	
FF-VMware Option  FlexFrame for SAP VMware option., This license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support contracts have to be ordered via the local Vmware contacts., These licenses can also be ordered, when the customer already has its own Vmware vSphere licenses and support.  FF-VMware Option  FlexFrame for SAP VMware option, This license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support contracts have to be ordered via the local Vmware vSphere licenses and support contracts have to be ordered via the local Vmware contacts., These licenses can also be ordered, when the customer already has its own Vmware vSphere licenses and support  SUSE Linux ES 1-2 SOCK Server 1Y  SUSE Linux ES 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year  SUSE Linux ES 1-2 SOCK Server 3Y  SUSE Linux ES 1-2SOC Server 3Y, 1-2 CPU X X X X X X X X X X X X X X X X X X X	FF VMware vSphere ESXi 5.0 ENT PL	Enterprise Plus RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Enterprise Plus licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding			х				U21348-C496	7.090,00	
FF-VMware Option  FlexFrame for SAP VMware option., This license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support contracts have to be ordered via the local Vmware contacts., These licenses can also be ordered, when the customer already has its own Vmware vSphere licenses and support  SUSE Linux ES 1-2 SOCK Server 1Y  SUSE Linux ES 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year  SUSE Linux ES 1-2 SOCK Server 3Y  SUSE Linux ES 1-2SOC Server 3Y, 1-2 CPU X X X X X X X X X X X X X X X X X X X	FF-VMware Option	FlexFrame for SAP VMware option., This license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support contracts have to be ordered via the local Vmware contacts., These licenses can also be ordered, when the customer already has its own Vmware vSphere					x		U21348-C430	1.759,00	
SUSE Linux ES 1-2 SOCK Server 1Y         SUSE Linux ES 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year         x   x   x   x   x   x   x   x   x   x	FF-VMware Option	FlexFrame for SAP VMware option., This license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support contracts have to be ordered via the local Vmware contacts., These licenses can also be ordered, when the customer already has its own Vmware vSphere			х				U21348-C490	800,00	
		SUSE Linux ES 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year									
Sockets, one physical server, subscription for 3	SUSE Linux ES 1-2 SOCK Server 3Y	SUSE Linux ES 1-2SOC Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3	x	Х	х	х			S26361-F2348-S102	790,00	

years



		PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	RX500	RX600	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Description atrix	Details	<u>R</u>	<u>R</u>	품	<u>K</u>	<u>K</u>	<u></u>	<u>K</u>	<u> </u>	급	ర
Y-Software (Continued)											
SUSE Linux ES 1-2 SOCK Serv+Virt. 1Y	SUSE Linux ES 1-2SOC Serv+Virt. 1Y, 1-2 CPU Sockets, unlimited virtualization,	X	Х	Х	Х				S26361-F2348-S111	440,00	
	subscription for 1 year				Ш	Ш					
SUSE Linux ES 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES 1-2SOC Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years	Х	Х	Х	х				S26361-F2348-S112	1.180,00	
SUSE Linux ES 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES 1-2SOC Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization, subscription for	х	х	x	х				S26361-F2348-S113	1.760,00	
SUSE Linux ES HAE 1-2 SOCK 1Y	5 years  SUSE Linux ES HAE 1-2SOC 1Y, 1-2 CPU  Sockets, high availability extension, subscription	х	х	х	х				S26361-F2348-S121	590,00	
SUSE Linux ES HAE 1-2 SOCK 3Y	for 1 year  SUSE Linux ES HAE 1-2SOC 3Y, 1-2 CPU Sockets, high availability extension, subscription	х	х	х	х				S26361-F2348-S122	1.570,00	
CLICE Liming EQ HAE 4.2 COCK EV	for 3 years						-		C2C2C4 F2240 C422	2 220 00	
SUSE Linux ES HAE 1-2 SOCK 5Y	SUSE Linux ES HAE 1-2SOC 5Y, 1-2 CPU Sockets, high availability extension, subscription for 5 years	X	X	х	X				S26361-F2348-S123	2.330,00	
SUSE Linux ES 4 SOCK Server 1Y	SUSE Linux ES 4SOC Server 1Y, 4 CPU Sockets, one physical server, subscription for 1					х	х		S26361-F2348-S201	580,00	
SUSE Linux ES 4 SOCK Server 3Y	year SUSE Linux ES 4SOC Server 3Y, 4 CPU Sockets, one physical server, subscription for 3					х	х		S26361-F2348-S202	1.580,00	
0105 11 50 105 115	years	Ш		Ш	Ш	Щ			000001 === :		
SUSE Linux ES 4 SOCK Server 5Y	SUSE Linux ES 4SOC Server 5Y, 4 CPU Sockets, one physical server, subscription for 5 years					Х	X		S26361-F2348-S203	2.320,00	
SUSE Linux ES 4 SOCK Serv+Virt 1Y	SUSE Linux ES 4SOC Serv+Virt 1Y, 4 CPU Sockets, unlimited virtualization, subscription for 1 year					х	х		S26361-F2348-S211	880,00	
SUSE Linux ES 4 SOCK Serv+Virt 3Y	SUSE Linux ES 4SOC Serv+Virt 3Y, 4 CPU Sockets, unlimited virtualization, subscription for					х	х		S26361-F2348-S212	2.360,00	
SUSE Linux ES 4 SOCK Serv+Virt 5Y	3 years  SUSE Linux ES 4SOC Serv+Virt 5Y, 4 CPU Sockets, unlimited virtualization, subscription for					х	х		S26361-F2348-S213	3.520,00	
SUSE Linux ES HAE 4 SOCK 1Y	5 years  SUSE Linux ES HAE 4SOC 1Y, 4 CPU Sockets, high availability extension, subscription for 1					х	х		S26361-F2348-S221	1.170,00	
SUSE Linux ES HAE 4 SOCK 3Y	year SUSE Linux ES HAE 4SOC 3Y, 4 CPU Sockets, high availability extension, subscription for 3					х	х		S26361-F2348-S222	3.140,00	
SUSE Linux ES HAE 4 SOCK 5Y	years SUSE Linux ES HAE 4SOC 5Y, 4 CPU Sockets,					Х	х		S26361-F2348-S223	4.650,00	
SUSE Linux ES 8 SOCK Server 1Y	high availability extension, subscription for 5 years  SUSE Linux ES 8SOC Server 1Y, 8 CPU						4	х	S26361-F2348-S301	1.160,00	
SUSE Linux ES 8 SOCK Server 3Y	Sockets, one physical server, subscription for 1 year  SUSE Linux ES 8SOC Server 3Y, 8 CPU						4	Y	S26361-F2348-S302	3.160,00	
	Sockets, one physical server, subscription for 3 years										
SUSE Linux ES 8 SOCK Server 5Y	SUSE Linux ES 8SOC Server 5Y, 8 CPU Sockets, one physical server, subscription for 5 years							X	S26361-F2348-S303	4.640,00	
SUSE Linux ES 8 SOCK Serv+Virt 1Y	SUSE Linux ES 8SOC Serv+Virt 1Y, 8 CPU Sockets, unlimited virtualization, subscription for 1 year							х	S26361-F2348-S311	1.760,00	
SUSE Linux ES 8 SOCK Serv+Virt 3Y	SUSE Linux ES 8SOC Serv+Virt 3Y, 8 CPU Sockets, unlimited virtualization, subscription for							х	S26361-F2348-S312	4.720,00	
SUSE Linux ES 8 SOCK Serv+Virt 5Y	3 years  SUSE Linux ES 8SOC Serv+Virt 5Y, 8 CPU Sockets, unlimited virtualization, subscription for						$\dashv$	х	S26361-F2348-S313	7.100,00	
SUSE Linux ES HAE 8 SOCK 1Y	5 years  SUSE Linux ES HAE 8SOC 1Y, 8 CPU Sockets, high availability extension, subscription for 1						+	х	S26361-F2348-S321	2.330,00	
SUSE Linux ES HAE 8 SOCK 3Y	year SUSE Linux ES HAE 8SOC 3Y, 8 CPU Sockets, high availability extension, subscription for 3							X	S26361-F2348-S322	6.300,00	
SUSE Linux ES HAE 8 SOCK 5Y	years  SUSE Linux ES HAE 8SOC 5Y, 8 CPU Sockets, high availability extension, subscription for 5						$\dashv$	х	S26361-F2348-S323	9.300,00	
SUSE Linux ES4SAP 1-2 SOCK Server 1Y	years SUSE Linux ES4SAP 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription	x	х	х	х		+		S26361-F2348-S401	1.280,00	
SUSE Linux ES4SAP 1-2 SOCK Server 3Y	for 1 year  SUSE Linux ES4SAP 1-2SOC Server 3Y, 1-2  CPU Sockets, one physical server, subscription	х	х	х	х		+		S26361-F2348-S402	3.450,00	
SUSE Linux ES4SAP 1-2 SOCK Server 5Y	for 3 years  SUSE Linux ES4SAP 1-2SOC Server 5Y, 1-2 CPU Sockets, one physical server, subscription	х	х	х	х		$\dashv$		S26361-F2348-S403	5.200,00	
SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 1Y	for 5 years  SUSE Linux ES4SAP 1-2SOC Serv+Virt 1Y, 1-2 CPU Sockets, unlimited virtualization,	х	х	х	х		$\dashv$	-	S26361-F2348-S411	1.920,00	
SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 3Y	subscription for 1 year  SUSE Linux ES4SAP 1-2SOC Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization,	х	х	х	x		$\dashv$		S26361-F2348-S412	5.200,00	
SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 5Y	subscription for 3 years SUSE Linux ES4SAP 1-2SOC Serv+Virt 5Y, 1-2	х	х	х	х				S26361-F2348-S413	7.700,00	
	CPU Sockets, unlimited virtualization, subscription for 5 years SUSE Linux ES4SAP 4SOC Server 1Y, 4 CPU						x		S26361-F2348-S421	2.560,00	



			S7p	. 87	22	25	22	98 (	82			
			Y RX100 S7p		Y RX300	Y RX350	Y RX500	Y RX600	Y RX900	Code		ø
			PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	Product G	P (€)	Comments
<b>E</b> atri	Description	Details	꿆	꿆	器	뿚	뿚	뿚	器	, ,	EUP	8
Y-:	Software (Continued)	SUSE Linux ES4SAP 4SOC Server 3Y, 4 CPU		<del>-</del>			.,			C0C0C4 F0040 C400	6 000 00	
	SUSE Linux ES4SAP 4 SOCK Server 3Y	Sockets, one physical server, subscription for 3					Х	Х		S26361-F2348-S422	6.900,00	
5	SUSE Linux ES4SAP 4 SOCK Server 5Y	years SUSE Linux ES4SAP 4SOC Server 5Y, 4 CPU Sockets, one physical server, subscription for 5	+	H			х	х		S26361-F2348-S423	10.300,00	
5	SUSE Linux ES4SAP 4 SOCK Serv+Virt 1Y	years  SUSE Linux ES4SAP 4SOC Serv+Virt 1Y, 4 CPU Sockets, unlimited virtualization,	-	$\vdash$			х	х		S26361-F2348-S431	3.840,00	
	SUSE Linux ES4SAP 4 SOCK Serv+Virt 3Y	subscription for 1 year SUSE Linux ES4SAP 4SOC Serv+Virt 3Y, 4	╄	+	-		х	Х		S26361-F2348-S432	10.400,00	
	503E EIIIUX E343AF 4 30CK 36IV+VIIT 31	CPU Sockets, unlimited virtualization,					^	^		320301-12340-3432	10.400,00	
S	SUSE Linux ES4SAP 4 SOCK Serv+Virt 5Y	subscription for 3 years  SUSE Linux ES4SAP 4SOC Serv+Virt 5Y, 4  CPU Sockets, unlimited virtualization,					х	х		S26361-F2348-S433	15.400,00	
ç	SUSE Linux ES4SAP 8 SOCK Server 1Y	subscription for 5 years SUSE Linux ES4SAP 8SOC Server 1Y, 8 CPU	⊬	$\vdash$	┝	H			X	S26361-F2348-S441	5.200,00	
		Sockets, one physical server, subscription for 1							^		5.250,00	
5	SUSE Linux ES4SAP 8 SOCK Server 3Y	year SUSE Linux ES4SAP 8SOC Server 3Y, 8 CPU	+	+	+				х	S26361-F2348-S442	13.800,00	
		Sockets, one physical server, subscription for 3 years										
5	SUSE Linux ES4SAP 8 SOCK Server 5Y	SUSE Linux ES4SAP 8SOC Server 5Y, 8 CPU Sockets, one physical server, subscription for 5 years							x	S26361-F2348-S443	20.500,00	
5	SUSE Linux ES4SAP 8 SOCK Serv+Virt 1Y	SUSE Linux ES4SAP 8SOC Serv+Virt 1Y, 8 CPU Sockets, unlimited virtualization, subscription for 1 year							x	S26361-F2348-S451	7.700,00	
5	SUSE Linux ES4SAP 8 SOCK Serv+Virt 3Y	SUSE Linux ES4SAP 8SOC Serv+Virt 3Y, 8 CPU Sockets, unlimited virtualization, subscription for 3 years							х	S26361-F2348-S452	20.700,00	
5	SUSE Linux ES4SAP 8 SOCK Serv+Virt 5Y	SUSE Linux ES4SAP 8SOC Serv+Virt 5Y, 8 CPU Sockets, unlimited virtualization, subscription for 5 years							х	S26361-F2348-S453	30.700,00	
F	Red Hat ELS 1-2SOC 1G 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets)	х	х	х	х	х			S26361-F2346-S101	331,00	
F	Red Hat ELS 1-2SOC 1G 5x9 l3 Support 3Y	(up to 1 guest) level3 Standard Support 1 year Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years		х	Х	х	х			S26361-F2346-S102	889,00	
F	Red Hat ELS 1-2SOC 4G 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year		X	х	х	х			S26361-F2346-S103	497,00	
F	Red Hat ELS 1-2SOC 4G 5x9 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years	х	х	х	х	х			S26361-F2346-S104	1.334,00	
F	Red Hat ELS 1-2SOC uG 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 1 vear	х	х	х	х	х			S26361-F2346-S105	830,00	
F	Red Hat ELS 1-2SOC uG 5x9 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years	х	х	х	х	х			S26361-F2346-S106	2.224,00	
F	Red Hat ELS 1-2SOC 1G 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets)	х	х	х	х	х			S26361-F2346-S111	538,00	
F	Red Hat ELS 1-2SOC 1G 7x24 l3 Support 3Y	(up to 1 guest) level3 Premium Support 1 year Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years		х	х	х	х			S26361-F2346-S112	1.445,00	
F	Red Hat ELS 1-2SOC 4G 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year		Х	х	х	х			S26361-F2346-S113	808,00	
F	Red Hat ELS 1-2SOC 4G 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years	х	х	х	х	х			S26361-F2346-S114	2.169,00	
F	Red Hat ELS 1-2SOC uG 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 1 year	x	х	x	х	х			S26361-F2346-S115	1.347,00	
F	Red Hat ELS 1-2SOC uG 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 vears	х	х	х	х	Х			S26361-F2346-S116	3.615,00	
F	Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2	х	х	х	х	х		T	S26361-F2346-S121	220,00	
F	Red Hat EL HA 1-2SOC I3 Support 3Y	sockets) I3 Support 1 year Red Hat Enterprise Linux High Availability (1-2	x	х	х	х	х			S26361-F2346-S122	607,00	
F	Red Hat EL RS 1-2SOC l3 Support 1Y	sockets) I3 Support 3 years  Red Hat Enterprise Linux Resilient Storage (1-2)	x	X	x	X	х		+	S26361-F2346-S131	441,00	
L	Red Hat EL RS 1-2SOC I3 Support 3Y	sockets) I3 Support 1 year  Red Hat Enterprise Linux Resilient Storage (1-2)						H	-	S26361-F2346-S132	1.215,00	
L		sockets) I3 Support 3 years  Red Hat Enterprise Linux Resilient Storage (1-2) sockets I3 Support 3 years  Red Hat Enterprise Linux Scalable File System							-			
L	Red Hat EL SFS 1-2SOC I3 Support 1Y	(1-2 sockets) I3 Support 1 year						L		S26361-F2346-S141	110,00	
L	Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years	X	Х	X	Х	Х			S26361-F2346-S142	303,00	
F	Red Hat EL LB 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 1 year	Х	х	Х	Х	х			S26361-F2346-S151	110,00	
F	Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2	х	х	х	х	х			S26361-F2346-S152	303,00	
F	Red Hat EL HPN 1-2SOC I3 Support 1Y	sockets) I3 Support 3 years  Red Hat Enterprise Linux High Performance	x	Х	x	х	х		+	S26361-F2346-S161	110,00	
F	Red Hat EL HPN 1-2SOC I3 Support 3Y	Network (1-2 sockets) I3 Support 1 year Red Hat Enterprise Linux High Performance	x	х	x	X	x	$\vdash$	$\vdash$	S26361-F2346-S162	303,00	
L	Red Hat EL EUS 1-2SOC I3 Support 1Y	Network (1-2 sockets) I3 Support 3 years Red Hat Enterprise Linux Extended Update		x					-	S26361-F2346-S171	138,00	
L		Support (1-2 sockets) l3 Support 1 year							_			
F	Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years		Х	X	X		L		S26361-F2346-S172	380,00	
-	Red Hat ELS 4SOC 1G 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up						х		S26361-F2346-S201	663,00	



<b>5 E</b>	ervers Options									
			PRIMERGY RX100 S7p	RX300	RX350	RX500	PRIMERGY RX600 S6 PRIMERGY RX900 S2	9	P (€)	Comments
<b>C</b> atri	Description x	Details	£ 8	. E	꿆	품	¥   ¥	Ě	EU P	
Y-9	Software (Continued)	Ded List Enterprise Linux Conver (4 cockets) (un				.,		C2C2C4 F224C C202	004.00	
ľ	Red Hat ELS 4SOC 4G 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 1 year				Х	Х	S26361-F2346-S203	994,00	
F	Red Hat ELS 4SOC 4G 5x9   3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up		+		х	x	S26361-F2346-S204	2.668,00	
ľ	100 100 10 0x0 10 0xppo.t 0 1	to 4 guests) level3 Standard Support 3 years				^		020001120100201	2.000,00	
F	Red Hat ELS 4SOC uG 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets)				Х	х	S26361-F2346-S205	1.657,00	
		(unlimited guests) level3 Standard Support 1 year								
F	Red Hat ELS 4SOC uG 5x9 l3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Standard Support 3				х	х	S26361-F2346-S206	4.449,00	
L		years								
F	Red Hat ELS 8SOC 1G 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Standard Support 1 year					×	S26361-F2346-S301	1.325,00	
F	Red Hat ELS 8SOC 1G 5x9 l3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Standard Support 3 years					х	S26361-F2346-S302	3.556,00	
L										
F	Red Hat ELS 8SOC 4G 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Standard Support 1 year					X	S26361-F2346-S303	1.988,00	
F	Red Hat ELS 8SOC 4G 5x9 l3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up	$\vdash$	+	+	_	<b>-</b>	S26361-F2346-S304	5.338,00	
	rea hat EEO 0000 40 oxa io ouppult ot	to 4 guests) level3 Standard Support 3 years					X		J.JJ0,00	
F	Red Hat ELS 8SOC uG 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets)	$\vdash$	+	+	+	X	S26361-F2346-S305	3.315,00	
	11	(unlimited guests) level3 Standard Support 1								
F	Red Hat ELS 8SOC uG 5x9 l3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets)	$\vdash$	+	$\dagger \exists$		X	S26361-F2346-S306	8.897,00	
		(unlimited guests) level3 Standard Support 3 years								
F	Red Hat ELS 4SOC 1G 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Premium Support 1 year				Х	х	S26361-F2346-S211	1.077,00	
F	Red Hat ELS 4SOC 1G 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up				х	х	S26361-F2346-S212	2.891,00	
		to 1 guest) level3 Premium Support 3 years								
F	Red Hat ELS 4SOC 4G 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 1 year				х	х	S26361-F2346-S213	1.616,00	
L		, , , , , , , , , , , , , , , , , , , ,				_				
F	Red Hat ELS 4SOC 4G 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 3 years				Х	Х	S26361-F2346-S214	4.338,00	
F	Red Hat ELS 4SOC uG 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets)				х	х	S26361-F2346-S215	2.694,00	
r	Red Hat ELS 430C us 7x24 is Support 11	(unlimited guests) level3 Premium Support 1				^	^	320301-12340-3213	2.094,00	
F	Red Hat ELS 4SOC uG 7x24 l3 Support 3Y	year  Red Hat Enterprise Linux Server (4 sockets)		+	+	Х	х	S26361-F2346-S216	7.231,00	
		(unlimited guests) level3 Premium Support 3 years								
F	Red Hat ELS 8SOC 1G 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up					х	S26361-F2346-S311	2.155,00	
F	Red Hat ELS 8SOC 1G 7x24 l3 Support 3Y	to 1 guest) level3 Premium Support 1 year Red Hat Enterprise Linux Server (8 sockets) (up					x	S26361-F2346-S312	5.782,00	
		to 1 guest) level3 Premium Support 3 years								
F	Red Hat ELS 8SOC 4G 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Premium Support 1 year					х	S26361-F2346-S313	3.232,00	
L										
F	Red Hat ELS 8SOC 4G 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Premium Support 3 years					x	S26361-F2346-S314	8.675,00	
	Red Hat ELS 8SOC uG 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets)				_		S26361-F2346-S315	5.388,00	
F	Red Hat ELS 850C uG 7x24 is Support 11	(unlimited guests) level3 Premium Support 1					×	520301-F2340-5315	5.388,00	
F	Red Hat ELS 8SOC uG 7x24 l3 Support 3Y	year  Red Hat Enterprise Linux Server (8 sockets)		+		+	×	S26361-F2346-S316	14.461,00	
ľ		(unlimited guests) level3 Premium Support 3 years					^		.,,,,	
F	Red Hat EL HA 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (4	$\vdash$	+	+	х	х	S26361-F2346-S221	441,00	
F	Red Hat EL HA 4SOC I3 Support 3Y	sockets) I3 Support 1 year Red Hat Enterprise Linux High Availability (4	+	+	+	х	х	S26361-F2346-S222	1.214,00	
L	Red Hat EL HA 8SOC I3 Support 1Y	sockets) I3 Support 3 years  Red Hat Enterprise Linux High Availability (8	$\vdash$	+	+	+	-	S26361-F2346-S321	882,00	
L	Red Hat EL HA 8SOC I3 Support 3Y	sockets) I3 Support 1 year	$\vdash$	_	+	_				
L		Red Hat Enterprise Linux High Availability (8 sockets) I3 Support 3 years	Щ	_	Щ		_	S26361-F2346-S322	2.427,00	
F	Red Hat EL RS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) l3 Support 1 year					Х	S26361-F2346-S231	883,00	
F	Red Hat EL RS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) I3 Support 3 years					х	S26361-F2346-S232	2.430,00	
F	Red Hat EL RS 8SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (8	$\sqcap$			х	х	S26361-F2346-S331	1.767,00	
F	Red Hat EL RS 8SOC I3 Support 3Y	sockets) I3 Support 1 year Red Hat Enterprise Linux Resilient Storage (8	$\vdash$	+	$\dagger \exists$	х	X	S26361-F2346-S332	4.860,00	
F	Red Hat EL SFS 4SOC I3 Support 1Y	sockets) l3 Support 3 years Red Hat Enterprise Linux Scalable File System	$\vdash$	+	+	Х	Х	S26361-F2346-S241	220,00	
L	Red Hat EL SFS 4SOC I3 Support 3Y	(4 sockets) I3 Support 1 year  Red Hat Enterprise Linux Scalable File System	$\vdash$	+	+		х	S26361-F2346-S242	605,00	
L		(4 sockets) I3 Support 3 years	$\sqcup$	4	+	^				
L	Red Hat EL SFS 8SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (8 sockets) I3 Support 1 year	Ш					S26361-F2346-S341	440,00	
F	Red Hat EL SFS 8SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (8 sockets) I3 Support 3 years					X	S26361-F2346-S342	1.211,00	
F	Red Hat EL LB 4SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (4 sockets) I3 Support 1 year				х	х	S26361-F2346-S251	220,00	
F	Red Hat EL LB 4SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (4	$\sqcap$	$\dagger$	$\dagger \exists$	х	х	S26361-F2346-S252	605,00	
F	Red Hat EL LB 8SOC I3 Support 1Y	sockets) I3 Support 3 years  Red Hat Enterprise Linux Load Balancer (8	$\vdash$	+	+		X	S26361-F2346-S351	440,00	
1		sockets) I3 Support 1 year	1 1		1 1				1	



		_				т				
		PRIMERGY RX100 S7p		RX300	PRIMERGY RX350 S7	RX500	PRIMERGY RX600 S6 PRIMERGY RX900 S2	9	P (€)	Comments
<b>Description</b>	Details	<u>R</u>	<u>R</u>	<u>R</u>	<u>R</u>	<u>R</u>	<u> </u>	5	EUP	
-Software (Continued)										
Red Hat EL HPN 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (4 sockets) I3 Support 1 year					х	х	S26361-F2346-S261	220,00	
Red Hat EL HPN 4SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance		+		$\pm$	х	х	S26361-F2346-S262	605,00	
Ded Het El HDN 0000 to Comment 4V	Network (4 sockets) I3 Support 3 years		-	-	4	_		. 000004 50040 0004	440.00	
Red Hat EL HPN 8SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (8 sockets) I3 Support 1 year						,	S26361-F2346-S361	440,00	
Red Hat EL HPN 8SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance						)	S26361-F2346-S362	1.211,00	
Red Hat EL EUS 4SOC I3 Support 1Y	Network (8 sockets) I3 Support 3 years Red Hat Enterprise Linux Extended Update			$\dashv$		Х	х	S26361-F2346-S271	275,00	
Red Hat EL EUS 4SOC I3 Support 3Y	Support (4 sockets) I3 Support 1 year  Red Hat Enterprise Linux Extended Update	$\vdash$	4	_	4	х	\ <u>'</u>	S26361-F2346-S272	757,00	
	Support (4 sockets) I3 Support 3 years					^	Х			
Red Hat EL EUS 8SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (8 sockets) I3 Support 1 year						,	S26361-F2346-S371	551,00	
Red Hat EL EUS 8SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update			$\dashv$			,	S26361-F2346-S372	1.515,00	
Citrix XS AE, 3yr SA	Support (8 sockets) I3 Support 3 years Citrix XS AE, 3yr SA; XenServer V5.6+	$\vdash$	Y	Х	Y	Y	Y	S26361-F2341-S980	1.050,00	
Oldin AC AL, Syl GA	Advanced Edition; License, 3 years Subscription Advantage, SW and Lizence key per Download		^		^	^	^	02030112041-0300	1.000,00	
Citrix XS EE, 3yr SA	Citrix XS EE, 3yr SA; XenServer V5.6+ Enterprise Edition; License, 3 years Subscription Advantage, SW and Lizence key		х	X	х	Х	x	S26361-F2341-S981	2.630,00	
Citrix VC DE 20m CA	per Download	$\dashv$	<u>,                                    </u>	_	<u>,                                    </u>	,	_	C26264 F2244 C222	E 000 00	
Citrix XS PE, 3yr SA	Citrix XS PE, 3yr SA; XenServer V5.6+ Platinum Edition; License, 3 years Subscription Advantage, SW and Lizence key per Download		X	x	X	*	X	S26361-F2341-S982	5.290,00	
Citrix XS AE-EE upgr, 3yr SA	Citrix XS AE-EE upgr, 3yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 3 years Subscription Advantage; SW and Lizence key per Download		x	X	x	х	X	S26361-F2341-S983	2.000,00	
Citrix XS AE-PE upgr, 3yr SA	Citrix XS AE-PE upgr, 3yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizence key per Download		х	х	х	х	Х	S26361-F2341-S984	4.880,00	
Citrix XS EE-PE upgr, 3yr SA	Citrix XS EE-PE upgr, 3yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizence key per Download		х	х	х	х	Х	S26361-F2341-S985	3.540,00	
Citrix XS AE, 1yr SA	Citrix XS AE, 1yr SA; XenServer V5.6+ Advanced Edition; License, 1 year Subscription Advantage, SW and Lizence key per Download		х	X	х	х	х	S26361-F2341-S986	830,00	
Citrix XS EE, 1yr SA	Citrix XS EE, 1yr SA; XenServer V5.6+ Enterprise Edition; License, 1 year Subscription Advantage, SW and Lizence key per Download		х	X	х	х	Х	S26361-F2341-S987	2.080,00	
Citrix XS PE, 1yr SA	Citrix XS PE, 1yr SA; XenServer V5.6+ Platinum Edition; License, 1 year Subscription Advantage, SW and Lizence key per Download		х	x	х	Х	Х	S26361-F2341-S988	4.170,00	
Citrix XS AE-EE upgr, 1yr SA	Citrix XS AE-EE upgr, 1yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 1 year Subscription Advantage; SW and Lizence key per Download		X	X	х	х	х	S26361-F2341-S989	1.460,00	
Citrix XS AE-PE upgr, 1yr SA	Citrix XS AE-PE upgr, 1yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizence key per Download		x	X	x	х	Х	S26361-F2341-S990	3.750,00	
Citrix XS EE-PE upgr, 1yr SA	Citrix XS EE-PE upgr, 1yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizence key per Download		х	Х	х	х	Х	S26361-F2341-S991	2.420,00	
VMware vSphere Embedded UFM Device	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Single SRV Lic. (w/o SP)							S26361-F2341-E431	60,00	
VMware ESXi 5.0 Single SRV w/o SP-1yr	VMware ESXi 5 Single Server for max 32GB RAM - Mandatory 1 year Service Pack needed!							S26361-F2341-S700	10,00	
VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4,vCenter 5,vShield,Backup-Restore , VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore - No License	x	x	X	x	x	X >	S26361-F2341-E300	80,00	
VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU -	х	х	х	х	х	x >	S26361-F2341-E707	895,00	
·	Mandatory 1 year Service Pack needed!							S26361-F2341-E708		
VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU - Mandatory 3 year Service Pack needed!	х	X	Х	X	X	x )	320301-F2341-E/08	895,00	
VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU -	х	Х	Х	х	Х	X X	S26361-F2341-E709	2.585,00	
VMware vSphere ENT w/o SP-3yr	Mandatory 1 year Service Pack needed!  VMware vSphere Enterprise for 1 CPU -	х	х	х	х	х	x x	S26361-F2341-E710	2.585,00	
VMware vSphere ENT-PL w/o SP-1yr	Mandatory 3 year Service Pack needed!							S26361-F2341-E711		
<u> </u>	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 1 year Service Pack needed!								3.145,00	
VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU -	х	х	Х	х	Х	x x	S26361-F2341-E712	3.145,00	
VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	Mandatory 3 year Service Pack needed!  VMware vSphere ENT Acceleration Kit for 6  CPU inc VC-STD - Mandatory 1 year Service Pack needed!	x	х	x	х	х	X X	S26361-F2341-E732	15.750,00	
VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	Pack needed!  VMware vSphere ENT Acceleration Kit for 6  CPU inc VC-STD - Mandatory 3 year Service Pack needed!	х	х	X	х	х	x >	S26361-F2341-E733	15.750,00	
			_	-	-	-	-	S26361-F2341-E734	19.750,00	



			$T_{\bullet}$		_	_						
			PRIMERGY RX100 S7p	PRIMERGY RX200 S7	RX300	PRIMERGY RX350 S7	PRIMERGY RX500 S7	RX600	RX900	Product Code	EUP (€)	Comments
trix	escription	Details	<u> </u>	<u></u>	<u></u>	<u></u>	<u>K</u>	<b>K</b>	<u>K</u>	Ĕ	<u> </u>	8
	oftware (Continued) Mware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6	Y	¥	¥	¥	¥	¥	Y	S26361-F2341-F735	19.750,00	
"	wate Livi 1 L7/M(oct 01 vo 01 b), who of oy!	CPU inc VC-STD - Mandatory 3 year Service	^	^	^	^	^	^	^	020001120412700	10.700,00	
VI	Mware STD AK(6CPU+VC-STD)w/o SP-1yr	Pack needed!  VMware vSphere STD Acceleration Kit for 6  CPU inc VC-STD + VSA , , , - Mandatory 1 year		х	х	х	х	Х	х	S26361-F2341-E760	6.295,00	
VI	Mware STD AK(6CPU+VC-STD)w/o SP-3yr	Service Pack needed!  VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA,,, - Mandatory 3 year Service Pack needed!		х	х	х	х	х	х	S26361-F2341-E761	6.295,00	
VI	Mware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD + VSA,,, - Mandatory 1 year Service Pack needed!		х	Х	х	х	Х	х	S26361-F2341-E762	15.750,00	Deliverable from: 01/03/2013,Orderable from: 0
VI	Mware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD + VSA,,, - Mandatory 3 year ServicePack needed!		х	х	х	х	х	х	S26361-F2341-E763	15.750,00	Deliverable from: 01/03/2013,Orderable from: 0
VI	Mware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD + VSA,,, - Mandatory 1 year Service Pack needed!		х	х	х	х	х	х	S26361-F2341-E764	19.750,00	Deliverable from: 01/03/2013,Orderable from: 0
VI	Mware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD + VSA,,, - Mandatory 3 year Service Pack needed!		х	х	х	х	х	х	S26361-F2341-E765	19.750,00	Deliverable from: 01/03/2013,Orderable from: 0
VI	Mware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!	x	х	х	х	х	х	х	S26361-F2341-S736	4.495,00	
VI	Mware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!	х	x	x	х	x	х	х	S26361-F2341-S737	4.495,00	
VI	Mware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 1 year Service Pack needed!	Х	х	X	х	х	Х	х	S26361-F2341-S738	1.345,00	
VI	Mware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 3 year Service Pack needed!	х	x	x	x	х	Х	х	S26361-F2341-S739	1.345,00	
VI	Mware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU inc VC-FND- E - Mandatory 1 year Service Pack needed!	X	X	х	х	х	Х	х	S26361-F2341-E740	3.105,00	
VI	Mware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU inc VC-FND-E - Mandatory 3 year Service Pack needed!	Х	x	X	х	х	х	х	S26361-F2341-E741	3.105,00	
VI	Mware vCloud Suite STD w/o SP-1yr	Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and vCloud Networking and Security Standard Mandatory 1 year Support Pack needed!	х	х	х	х	х	х	х	S26361-F2341-E766	4.495,00	
VI	Mware vCloud Suite STD w/o SP-3 yr	Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and vCloud Networking and Security Standard Mandatory 3 years Support Pack needed!		х	х	х	х	х	х	S26361-F2341-E767	4.495,00	
VI	Mware vCloud Suite ADV w/o SP-1yr	Each vCloud Advanced Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite Advanced Mandatory 1	X	Х	X	х	Х	х	X	S26361-F2341-E768	6.745,00	
VI	Mware vCloud Suite ADV w/o SP-3 yr	year Support Pack needed!  Each vCloud Advanced Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite Advanced., Mandatory 3 years Support Pack needed!	x	X	X	X	Х	х	x	S26361-F2341-E769	6.745,00	
VI	Mware vCloud Suite ENT w/o SP-1yr	Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning, vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud Automation Center. Mandatory 1 year Support Pack		X	X	X	Х	х	X	S26361-F2341-E770	10.350,00	
VI	Mware vCloud Suite ENT w/o SP-3 yr	needed!  Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning, vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud Automation Center. Mandatory 3 years Support Pack		X	x	x	х	X	x	S26361-F2341-E771	10.350,00	
\"	Mwara Eccantials w/4xx Sub no Comment	needed!	<del> </del>	1.,	<del> </del>	1.,	,,		1	\$26261 F2244 \$200	E04.00	
L	Mware Essentials w/1yr Sub,-no Support	VMware Essentials for 6 CPU inc VC-FND-E - Inc. 1 year VMware Sub no Support								S26361-F2341-S800	504,00	
L	Mware Essentials w/3yr Sub,-no Support  Mware SRM STD 25 VM Pack w/7x24-1yr	VMware Essentials for 6 CPU inc VC-FND-E - Inc. 3 year VMware Sub no Support VMware SRM STD 25 VM Pack Protects 25								S26361-F2341-S801 S26361-F2341-S802	4.969,00	
VI	Mware SRM STD 25 VM Pack w/7x24-3yr	VM's - Inc. 1 year VMware 7x24 Service+Sub.  VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	X	X	X	x	X	х	X	S26361-F2341-S803	6.510,00	
VI	Mware SRM STD 25 VM Pack w/5x9-1yr	VMware SRM STD 25 VM Pack Protects 25	X	Х	Х	х	х	Х	х	S26361-F2341-S804	4.810,00	
$\vdash$	Mware UG vSp STD - <gt></gt> vClu Suite STD	VM's - Inc. 1 year VMware 5x9 Service+Sub.  VMware Upgrade vSphere Standard to vCloud	+-	v	V	v	×	X	×	S26361-F2341-S772	3.955,00	



	Options											
			ERGY RX100 S7p	Y RX200	/ RX300	RX350	RX500	ERGY RX600	<u>ל</u>	uct Code	( <del>€</del> )	Comments
Description	on	Details	PRIMERG	PRIM	PRIM	PRIM	PRIM	PRIM		Product	EUP (	Som
rix		,200		_	_	_						
	(Continued) IG vSp STD - <gt></gt> vClu Suite STD	VMware Upgrade vSphere Standard to vCloud	х	х	х	х	х	х	x S26361-F23	341-S773	3.955,00	
	and the same and a same and	Suite Standard for 1 CPU, - Mandatory 3 year			"						,	
\/\ \	IC of CTD and a Clar Colta ADV	Support Pack needed!	-	-					000004 F0	044 0774	0.005.00	
viviware u	IG vSp STD - <gt></gt> vClu Suite ADV	VMware Upgrade vSphere Standard to vCloud Suite Advanced for 1 CPU, - Mandatory 1 yea		×	X	X	X	X	x S26361-F23	341-5774	6.295,00	
		Support Pack needed!										
VMware U	IG vSp STD - <gt></gt> vClu Suite ADV	VMware Upgrade vSphere Standard to vCloud Suite Advanced for 1 CPU, - Mandatory 3	Х	X	х	х	х	х	x S26361-F23	341-S775	6.295,00	
		years Support Pack needed!										
VMware U	IG vSp STD - <gt></gt> vClu Suite ENT	VMware Upgrade vSphere Standard to vCloud		x	х	х	х	х	x S26361-F23	341-S776	9.895,00	
		Suite Enterprise for 1 CPU, - Mandatory 1 year Support Pack needed!	r									
VMware U	IG vSp STD - <gt></gt> vClu Suite ENT	VMware Upgrade vSphere Standard to vCloud	х	х	х	х	х	х	x S26361-F23	341-S777	9.895,00	
		Suite Enterprise for 1 CPU , - Mandatory 3										
VMware U	IG vSp ENT - <gt></gt> vClu Suite STD	years Support Pack needed!  VMware Upgrade vSphere Enterprise to vCloud	ı x	×	x	х	х	х	x S26361-F23	341-S778	2.095,00	
viviware e	To vop Eivi (gi/) void date 015	Suite Standard for 1 CPU, - Mandatory 1 year		^	^	^	^	^	020001120	041 0770	2.000,00	
\/N.4	10 . 0. ENT	Support Pack needed!		-	-	Ш		$\perp$	. 00000 = -	044 0777	0.005	
viviware U	IG vSp ENT - <gt></gt> vClu Suite STD	VMware Upgrade vSphere Enterprise to vCloud Suite Standard for 1 CPU, - Mandatory 3 year		X	X	Х	X	X	x 526361-F23	341-8/79	2.095,00	
		Support Pack needed!		L		Ш						
VMware U	IG vSp ENT - <gt></gt> vClu Suite ADV	VMware Upgrade vSphere Enterprise to vCloud	x	Х	Х	Х	х	Х	x S26361-F23	341-S780	4.575,00	
		Suite Advandesd for 1 CPU , - Mandatory 1 year Support Pack needed!										
VMware U	IG vSp ENT - <gt></gt> vClu Suite ADV	VMware Upgrade vSphere Enterprise to vCloud	x	х	х	х	х	х	x S26361-F23	341-S781	4.575,00	
		Suite Advandesd for 1 CPU, - Mandatory 3 year Support Pack needed!										
VMware U	IG vSp ENT - <gt></gt> vClu Suite ENT	VMware Upgrade vSphere Enterprise to vCloud		х	Х	х	х	х	x S26361-F23	341-S782	8.525,00	
	-	Suite Enterprise for 1 CPU , - Mandatory 1 year										
\/Mware I I	IG vSp ENT - <gt></gt> vClu Suite ENT	Support Pack needed!  VMware Upgrade vSphere Enterprise to vCloud	1 v	v	v	v	v	v	v \$26361-F2	3/1-5783	8.525,00	
viviware o	o vop Eivi - (gi/> void duite Eivi	Suite Enterprise for 1 CPU , - Mandatory 3 year		^	^	^	^	^	X 320301-1 20	341-3703	0.020,00	
		Support Pack needed!	_	_	_			_				
VMware U	IG vSp ENTP - <gt></gt> vClu Suite STD	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Standard for 1 CPU, - Mandatory		X	Х	X	Х	Х	x S26361-F23	341-S784	1.485,00	
		1 year Support Pack needed!										
VMware U	IG vSp ENTP - <gt></gt> vClu Suite STD	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Standard for 1 CPU, - Mandatory		х	х	х	х	х	x S26361-F23	341-S785	1.485,00	
		3 year Support Pack needed!										
VMware U	IG vSp ENTP - <gt></gt> vClu Suite ADV	VMware Upgrade vSphere Enterprise Plus to		х	х	х	х	х	x S26361-F23	341-S786	3.955,00	
		vCloud Suite Advanced for 1 CPU, - Mandator	У									
VMware U	IG vSp ENTP - <gt></gt> vClu Suite ADV	1 year Support Pack needed!  VMware Upgrade vSphere Enterprise Plus to	X	x	х	х	х	х	x S26361-F23	341-S787	3.955,00	
		vCloud Suite Advanced for 1 CPU, - Mandator										
\/Muoro II	IG vSp ENTP - <gt></gt> vClu Suite ENT	3 year Support Pack needed!  VMware Upgrade vSphere Enterprise Plus to		. v	.,	ν,	V/	\ <u>'</u>	x S26361-F23	244 6700	7.915,00	
viviware 0	is vap ENTF - <gr></gr> void suite ENT	vCloud Suite Enterprise for 1 CPU , - Mandator		^	^	^	^	^	320301-120	341-3700	7.915,00	
		1 year Support Pack needed!										
VMware U	IG vSp ENTP - <gt></gt> vClu Suite ENT	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Enterprise for 1 CPU, - Mandator		X	X	Х	Х	Х	x S26361-F23	341-S789	7.915,00	
		1 year Support Pack needed!										
VMware S	RM STD 25 VM Pack w/5x9-3yr	VMware SRM STD 25 VM Pack Protects 25	х	x	х	х	х	х	x S26361-F23	341-S805	6.104,00	
VMware S	RM ENT 25 VM Pack w/7x24-1yr	VM's - Inc. 3 year VMware 5x9 Service+Sub.  VMware SRM ENT 25 VM Pack Protects 25	х	x	х	х	х	х	x S26361-F23	341-S806	12.573,00	
	,	VM's - Inc. 1 year VMware 7x24 Service+Sub.									,	
VMware S	RM ENT 25 VM Pack w/7x24-3yr	VMware SRM ENT 25 VM Pack Protects 25	١,,	v	v	V	V	<u> </u>	x S26361-F23	341-5207	16.483,00	
viviware S	INVI ENT 23 VIVI MACK W//X24-3YF	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	X	X	X	X	X	X	A 320301-F2	J41-J8U/	10.483,00	
		,		L		Ш						
VMware S	RM ENT 25 VM Pack w/5x9-1yr	VMware SRM ENT 25 VM Pack Protects 25	х	Х	X	Х	х	Х	x S26361-F23	341-S808	12.169,00	
VMware S	RM ENT 25 VM Pack w/5x9-3yr	VM's - Inc. 1 year VMware 5x9 Service+Sub. VMware SRM ENT 25 VM Pack Protects 25	х	Х	Х	Х	х	х	x S26361-F23	341-S809	15.454,00	
		VM's - Inc. 3 year VMware 5x9 Service+Sub.						_				
vMware V	iew ENT Start 10 CLI w/o SP-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL -	X	X	X	Х	Х	X	x S26361-F23	341-S742	1.220,00	
		Mandatory 1 year Service Pack needed!										
VMware V	iew ENT Start 10 CLI w/o SP-3yr	VMware View ENT Start 10 Desktop VM's	х	Х	Х	Х	х	Х	x S26361-F23	341-S743	1.220,00	
		Bundle w/ VDM, VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!										
VMware V	iew ENT 100 CLI w/o SP-1yr	VMware View ENT 100 Desktop VM's Bundle	х	х	Х	Х	х	х	x S26361-F23	341-S744	12.195,00	
		w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1										
VMware V	iew ENT 100 CLI w/o SP-3yr	year Service Pack needed!  VMware View ENT 100 Desktop VM's Bundle	x	x	Х	Х	х	Х	x S26361-F23	341-S745	12.195,00	
		w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3	^	~	^				,_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	3. 10		
\/\.4	Sour DDE Ctort 40 OLL . /- OD 1	year Service Pack needed!	+	+	+	H		+	v 000004 Est	244 0750	0.000.00	
viviware V	iew PRE Start 10 CLI w/o SP-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM, VC-STD+ESX ENT-	X	X	X	X	X	X	x S26361-F23	341-5/50	2.030,00	
		PL,COMP,TA - Mandatory 1 year Service Pac	(									
\/\/\\\\	iow DDE Stort 10 CLL w/o CD 0	needed!			,,	L,	V	V	v 906064 For	3/1 C7F1	2 020 00	
viviware V	iew PRE Start 10 CLI w/o SP-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-	X	X	X	X	X	X	x S26361-F23	541-5/51	2.030,00	
		PL,COMP,TA - Mandatory 3 year Service Pac	(									
\/\/\\\\	iow DDE 100 CLL w/o CD 4	needed!			,,	L,	V	,	v 906064 For	3/1 5750	20 20F 00	
viviware V	iew PRE 100 CLI w/o SP-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA -	X	X	X	X	X	X	x S26361-F23	J41-J/52	20.295,00	
		Mandatory 1 year Service Pack needed!										
VMware V	iew PRE 100 CLI w/o SP-3yr	VMware View PRE 100 Desktop VM's Bundle	Х	Х	Х	Х	х	Х	x S26361-F23	341-S753	20.295,00	
		w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!										
VMware v	Cloud Dir. 25 VM Pack w/7x24-1yr	VMware vCloud Director 25 VM Pack Manage	х	Х	Х	х	х	х	x S26361-F23	341-S810	3.992,00	
		25 VM's - Inc. 1 year VMware 7x24										
VMware v	Cloud Dir. 25 VM Pack w/7x24-3yr	Service+Sub.  VMware vCloud Director 25 VM Pack Manage	x	x	x	Х	х	х	x S26361-F23	341-S811	5.299,00	
V	VIVI I GON W// AZ+-Oyl	25 VM's - Inc. 3 year VMware 7x24	^	_ ^	^	^	^	^	52500171 20	<b>J</b> U11	5.200,00	



	Description	Details	ERGY RX100	PRIMERGY RAZOUS/	PRIMERGI RASOUS/		PRIMERGY RX600 S6	ERGY RX900	Product Code	EUP (€)	Comments
tions ma	trix	Details	10. 10	.   0	_ 0		.   0.	.   6	т.	ш	<u> </u>
MERGY	/-Software (Continued) VMware Chargeback 25 VM Pack w/7x24-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	X	x z	x 2	x :	x >	x	S26361-F2341-S812	1.275,00	
	VMware Chargeback 25 VM Pack w/7x24-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	<b>x</b> :	x 2	x 2	x :	x >	х	S26361-F2341-S813	1.694,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	X :	x z	x x	x :	x >	х	S26361-F2341-S814	3.865,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	X	X Z	x 2	X :	x >	( X	S26361-F2341-S815	4.963,00	
	VMware Chargeback 25 VM Pack w/5x9-1yr	VMware Chargeback 25 VM Pack Monitor 25	X :	x 2	x 2	<b>X</b> :	x >	x	S26361-F2341-S816	1.234,00	
	VMware Chargeback 25 VM Pack w/5x9-3yr	VM's - Inc. 1 year VMware 5x9 Service+Sub.  VMware Chargeback 25 VM Pack Monitor 25	X :	x 2	x x	X :	x >	( X	S26361-F2341-S817	1.586,00	
	VMware vCloud Director 25 VM's	VM's - Inc. 3 year VMware 5x9 Service+Sub.  VMware vCloud Director 25 VM Pack Manage	,	x		+	+		S26361-F2341-S820	5.227,00	
		25 VM's - for use in Dynamic Infrastructures		_		4		4			
	VMware vCenter Chargeback 25 VM's	VMware Chargeback 25 VM Pack Monitor 25 VM's - for use in Dynamic Infrastructures		х					S26361-F2341-S821	1.671,00	
/Power	r supply Power Supply Module 850W (w/o power cord	hot-plug Power Supply Module, 850W, 92%		Ţ		Ţ	>	(	S26113-F561-E20	300,00	
		efficiency (CSCI gold), without power cord		_		4	_				
	Modular PSU 800W platinum hp new rev	800W modular Power Supply Module , hot plug, platinum (94% efficiency) new Revision					X		S26113-F574-E11	260,00	
	Power Supply Dummy Power Supply Module 2.000W	hot-plug Power Supply Module, 2.000W, 92%		X Z	x 2	Χ	X	X	S26113-F574-E99 S26113-F608-E10	5,00 890,00	
	Fan upgrade kit hot-plug redundancy	efficiency (gold) consists of two additional fans for fan		+	٠,	X	+		S26361-F3667-E1	45,00	
		redundancy				`_					
	Modular PSU 800W platinum hp	800W modular Power Supply Module , hot plug, platinum (94% efficiency)		X 2	X 2	X			S26113-F574-E10	260,00	
	Modular PSU 450W platinum hp	450W modular Power Supply Module , hot plug,	X	x :	x :	х			S26113-F575-E10	225,00	
	Modular PSU DC -48V 800W gold hp	platinum (94% efficiency)  DC -48V gold modular PSU hp with redundancy		7	х	$^{+}$	+		S26113-F609-E10	345,00	
	Cable powercord -48V DC, 4m, black	option			x	+	+	+	T26139-Y4024-E10	50,00	
	Cable powercord rack, 4m, grey	Powercord for rackmounting, IEC 320 C14 ->	x :			x :	x >	(	T26139-Y1968-E100	10,00	
	Cable powercord (USA), 1.8m, grey	C13 (10A plug), 4m suitable for USA, Cnd	X :	x z	x x	x :	x >	(	T26139-Y1742-E10	10,00	
	No powercord as order option	For Countries without specific cable orderable like e.g. China	X :	x 2	x 2	<b>X</b> :	x >	(	T26139-Y3850-E10	2,00	
ellane		· ·									
	Fan upgrade kit 2nd CPU	Fan upgrade RX200S7 for 2nd CPU, incl. 2 fans		Х					S26361-F1386-E120	45,00	
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order	X :	x 2	х		>	х	S26361-F1647-E410	25,00	
	LocalView Option Kit S2 LocalView Option Kit S2	LCD display with adapter LCD display with installation kit			x 2	X			S26361-F2557-E105 S26361-F2557-E106	70,00 70,00	
	Service LAN Option	ntegriert in die vordere Bedieneinheit		x 2		_	х		S26361-F2571-E27	20.00	
	Opt. Front VGA + Service LAN	VGA and Service LAN connector, instead of Local Service Panel	Х						S26361-F2571-E37	50,00	
	Serial port option	Cable for 2nd RS-232-C 9 pin interface		х		+	+		S26361-F3120-E3 S26361-F3301-E112	40,00 3,00	
	RX100 S7p E-STAR FAM2 certification	Limits configurations in accordance with Energy Star Server 1.0, for SATA LFF base unit with	X						320301-F3301-E112	3,00	
	TPM Module	std PSU and 4 core CPUs only  Trusted Platform Module on motherboard, be	X	X :	x x	x	x >	( X	S26361-F3552-E1	50,00	
		aware of import restrictions!									
	ServerView Local Service Panel Kit No RMK	Support for Customer Self Service (CSS) no Rackmount-Kit - only with loose server order	X	x 2	x 2	x :	x >	( X	S26361-F2557-E204 S26361-F2735-E111	30,00 5,00	
Data C	enter Products	without rack mounting ex factory				4					
Data O	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key	:	x 2	x 2	x :	x >	х	S26361-F2341-E913	1.040,00	
	Citrix XD VDI, 50 U/D, 3yr SA	per download  Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key	;	x :	x :	x :	x >	x x	S26361-F2341-E914	5.210,00	
	Citrix XD VDI, 100 U/D, 3yr SA	per download  Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop  VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License	2	x :	x 2	x :	x >	C X	S26361-F2341-E915	10.420,00	
	Citrix XD EE, 10 U/D, 3yr SA	key per download  Citrix XD EE, 10 U/D, 3yr SA; XenDesktop  Enterprise Edition, 10 U/D; XD w/ XenApp EE  and XS Essentials, 3 years Subscription; SW	;	x :	x 2	x	x >	x x	S26361-F2341-E923	2.460,00	
	Citrix XD EE, 50 U/D, 3yr SA	and License key per download  Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW	;	x :	x ;	x :	x >	x x	S26361-F2341-E924	12.290,00	
	Citrix XD EE, 100 U/D, 3yr SA	and License key per download  Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	;	x :	x 3	x	x >	x	S26361-F2341-E925	24.580,00	
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download		x :	x :	x	x >	X	S26361-F2341-E933	3.750,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download		x 2	x 2	x	x >	x	S26361-F2341-E934	18.750,00	



ervers Options										
		PRIMERGY RX100 S7p	RX300	RX350	RX500	RX600	PRIMERGY RX900 S2	Product Code	(6	Comments
		RIME	PRIME	PRIME	RIME	RIME	RIME	o no	EUP (€)	E E
Description trix	Details			□	□	颪	颪	<u>ā</u>	Ш	<u> </u>
enter Products (Continued) Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW	X	x	х	х	x	х	S26361-F2341-E935	37.500,00	
Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	and License key per download  Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription;	×	x	X	X	х	х	S26361-F2341-E960	2.170,00	
Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	License key per download  Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription;	×	x	X	X	х	х	S26361-F2341-E961	10.830,00	
Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	License key per download  Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD  VDI to Enterprise upgrade 100U/D; XD w/  XenApp EE and XS Essentials, 3 years	Х	x	х	х	х	х	S26361-F2341-E962	21.670,00	
Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Subscription; License key per download  Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription;	Х	x	х	х	х	х	S26361-F2341-E963	3.460,00	
Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	License key per download  Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription;	X	X	X	X	х	х	S26361-F2341-E964	17.290,00	
Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	License key per download  Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD  VDI to Platinum upgrade 100U/D; XD w/  XenApp PE and XS Essentials, 3 years  Subaggistian License key per download	×	X	х	х	х	х	S26361-F2341-E965	34.580,00	
Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Subscription; License key per download  Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD  Enterprise to Platinum upgrade 10U/D; XD w/  XenApp PE and XS Essentials, 3 years  Subscription; License key per download	X	X	х	X	х	х	S26361-F2341-E966	2.210,00	
Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	×	x	х	x	х	х	S26361-F2341-E967	11.040,00	
Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	X	х	х	X	х	х	S26361-F2341-E968	22.080,00	
Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	X	x	х	х	х	х	S26361-F2341-S913	790,00	
Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	Х	X	X	X	х	х	S26361-F2341-S914	3.960,00	
Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	х	X	X	х	х	х	S26361-F2341-S915	7.920,00	
Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download		X	х	х	х	х	S26361-F2341-S923	1.880,00	
Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download		X	х	х	х	х	S26361-F2341-S924	9.380,00	
Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download		X	х	х	X	х	S26361-F2341-S925	18.750,00	
Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download		X	х	х	х	х	S26361-F2341-S933	2.920,00	
Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download		X	х	х	х	х	S26361-F2341-S934	14.580,00	
Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download		X	х	х	х	х	S26361-F2341-S935	29.170,00	
Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download							S26361-F2341-S960	1.580,00	
Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download							S26361-F2341-S961	7.920,00	
Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download							S26361-F2341-S962	15.830,00	
Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		X	Х	X	Х	X	S26361-F2341-S963	2.630,00	
Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License		×	x	X	X	x	S26361-F2341-S964	13.130,00	




	HILL II											
Rack S	ervers Options											
	·		PRIMERGY RX100 S7p	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	RX500	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
	Description	Details	<b>K</b>	<u>R</u>	<u>K</u>	<b>K</b>	<u>R</u>	<b>K</b>	<b>K</b>	<u>r</u>		రి
Options ma	trix enter Products (Continued)											
SW Data C	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		х	x	х	х	x	x	S26361-F2341-S965	26.250,00	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		х	х	х	х	х	х	S26361-F2341-S966	1.380,00	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		х	Х	х	х	х	X	S26361-F2341-S967	6.880,00	
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		х	х	х	х	х	х	S26361-F2341-S968	13.750,00	
	SVRCVEFCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows)	х			х	х	х	Х	U11420-C906	100,00	
	SVRCVEMCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows)	Х			х	х	Х	Х	U11420-C936	100,00	
	SVRORVEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator VE Demo License ( 1 Server) V3	х	х	х	х	х	Х	х	U11420-C954	0,01	
	SVRORCEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator CE Demo License ( 1 Server) V3	х	х	х	х	х	Х	х	U11420-C955	0,01	
	SVRORDVD V31 (WIN/LIN/SOL) MED DVD	ServerView Resource Orchestrator Media Pack V3.1 for Windows&Linux&Solaris	х	х	Х	х	х	Х	х	U11420-C957	50,00	
	SVRORNSODVD V31 (LINUX) MED DVD	ServerView Resource Orchestrator Network Service (NS) Option Media Pack V3.1 for Linux			х					U11420-C958	50,00	
	SVRORVESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator VE Server License (1 Server) 4CPU Class V3	х	х	х	х	х	х		U11420-C966	779,00	
	SVRORVESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator VE Server License (8 Server) 4CPU Class V3	х	х	х	х	х	х		U11420-C967	5.538,00	
	SVRORVESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator VE Server License (18 Server) 4CPU Class V3	х	х	х	х	х	Х		U11420-C969	12.462,00	
	SVRORVESVR V3 (WIN/LIN) RTU 1SVR 8C	ServerView Resource Orchestrator VE Server License (1 Server) 8CPU Class V3							х	U11420-C970	1.988,00	
	SVRORNSO V3 (LINUX) RTU 1VM	ServerView Resource Orchestrator Network Service (NS) Option License V3 for Linux			х					U11420-C990	2.308,00	
	SVRORCESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator CE Server License (1 Server) 4CPU Class V3	х	х	х	х	х	х		U11420-C960	1.530,00	
	SVRORCESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class V3	х	х	х	х	х	х		U11420-C961	11.383,00	
	SVRORCESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator CE Server License (18 Server) 4CPU Class V3	х	х	х	х	х	х		U11420-C963	25.659,00	
	SVRORCESVR V3 (WIN/LIN) RTU 1SVR 8C	ServerView Resource Orchestrator CE Server License (1 Server) 8CPU Class V3							х	U11420-C964	3.060,00	
	SVRORCESVR V3 (WIWLIN) UGRTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class Upgrade from ROR VE V3	х	х	х	x	x	х		U11420-C978	751,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 8CSVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class Upgrade from ROR VE V3					х			U11420-C979	5.845,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class Upgrade from ROR VE V3	х	х	х	х	х	Х		U11420-C981	13.198,00	
	SVRORCESVR V3 (WIN/LIN) UGRTU 1SVR 8C	ServerView Resource Orchestrator CE Server License (1 Server) 8CPU Class Upgrade from ROR VE V3							X	U11420-C982	1.072,00	
Solution id		LIANA Cinale Nede VA C California Library								ETOLIANA ID VACA	0.04	
	ID HANA APPLIANCE SINGLE NODE RX600	HANA Single Node V1.0 Solution Identifier RX600					Ш	Х		FTS:HANA-ID-V101	0,01	
	ID HANA APPLIANCE MULTI NODE RX600	HANA Multi Node V1.0 Solution Identifier RX600					Ш	Х		FTS:HANA-ID-V201	0,01	
	ID HANA APPLIANCE SINGLE NODE RX900	HANA Single Node V1.0 Solution Identifier RX900					Ш			FTS:HANA-ID-V301	0,01	
	ID HANA APPLIANCE MULTI NODE RX900	HANA Multi Node V1.0 Solution Identifier RX900					Ш		X	FTS:HANA-ID-V401	0,01	
	HPC Solution Identifier HPC Head Node Inst. ex works incl ICR	Please note confingration hints				X	_		$\vdash$	FTS:HPC-ID-V001 S26361-F3638-E1	30,00 1.205,00	
	HPC Compute Node Inst. ex works incl ICR	Please note configuration hints		Х	X					S26361-F3638-E2	205,00	



## Positioning PRIMERGY Blade Servers



PRIMERGY BX900 S1





The PRIMERGY Blade Ecosystem provide high performance and maximum redundancy with minimum rack space, power consumption and cabling effort. PRIMERGY BX600 S3 can be equiped with up to ten Intel or AMD server blades, and are excellently suited for consolidation projects and for front- and mid-tier applications requiring enterprise-class availability, extreme flexibility and power efficiency. Due to its versatile design the system is ideal suited for smaller and mid market companies.



This storage blade for PRIMERGY BX600 offers an easy and cost effective opportunity for server consolidation.

Rack and tower servers with high capacity of local hard disks are operating primarily in the area of small and medium enterprises. Very often it is essential having local access on large amounts of data; this for example applies to the wide area of Computer Aided Engineering (CAE), where smaller workgroups locally have to work on and create very large models.

Operation within confined environments as file servers as well as for Microsoft SharePoint Servers and Microsoft SQL Servers are popular usage cases.



PRIMERGY SX940 S1 The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades. A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.



PRIMERGY BladeFrame BF200



PRIMERGY BladeFrame is the platform to set up an application-independent and service-oriented IT infrastructure. The Processing Area Network (PAN) combines stateless servers (pBlades) with unique virtualization and management software, thus reducing the existing infrastructure complexity and providing a dynamic, high-availability system.

PRIMERGY BladeFrame uses the PAN architecture to manage a pool of computing, storage and network resources which can be dynamically allocated depending on business requirements. The PAN Manager is the central instance for configuring, managing and monitoring both the physical as well as virtual servers. With the PAN Manager a server is no longer a device with a defined configuration, operating system and application, but a software-based definition that can be dynamically assigned as needed. The PAN architecture thus expands the benefits of server virtualization and provides an integrated concept for high-availability (N+1 failover) and disaster recovery. The result is considerable savings in operational and total costs.



# PRIMERGY BX400 S1

The Fujitsu PRIMERGY BX400 is a fully-featured blade system built from the ground up to be userfriendly and versatile, helping you meet large-scale computing and storage requirements. It provides an optimum combination of up to eight server or storage blades in a small enclosure, supported by a comprehensive set of solutions and services.

Model	Description	Details	Product Code	EUP (€)	Comments
Base ur	nit configurations				
PRIME	RGY BX400 S1				
	PY BX400 S1 System Unit	6 U Systemunit without Server Blades, 1x MMB, 1xPSU without power cord,	S26361-K1335-V201	######	
		ServerView Suite, All emtpy slots closed with Blind-Blades, 1 Y-Cable to connect			
		USB and Display at the Front of the Server Blades (4x USB, 1x serial, 1x VGA)			



#### PRIMERGY BX920 S3

The Fujitsu PRIMERGY BX920 S3 is a dual-socket server blade which offers the ideal balance of performance and cost-efficiency. It is designed for large enterprise data centers, midsized businesses and branch offices and delivers efficient compute power that is suitable for mainstream business applications and virtual client computing scenarios. The server blade leverages CPUs of the latest Intel® Xeon® processor E5-2400 product family utilizing enhanced QuickPath Interconnect architecture. By packing two processors, two hot-plug disk drives, up to 384 GB of DDR3 memory, and a flexible dual-channel 10 Gigabit Converged Network Adapter on board, the PRIMERGY BX920 S3 server blade delivers highest performance to ensure today's demand while being prepared for future requirements. In addition, the PRIMERGY BX920 S3 server blade is equipped with the state-of-theart integrated Remote Management Controller (iRMC S3) which enables extensive control even at remote locations. With its wide range of processor, disk and memory options, it provides IT managers with the performance and scalability they need for all their applications. The optimal and secure support of I/O-intensive applications like terminal servers is ensured by the optional use of a RAID controller with a write-back cache on

Model	Description	Details	Product Code	EUP (€)	Comments
Base ur	nit configurations				
PRIME	RGY BX920 S3				
	PY BX920 S3 Dual Serve	r Blade Dual Server Blade, base unit without processor and memory	r, for PRIMERGY S26361-K1406-V2	OC ######	ž



## **PRIMERGY BX924 S3**

The Fujitsu PRIMERGY BX924 S3 is designed from the ground up to set a new standard for versatility and scalability in a dual-socket server blade. It offers scalable performance to meet highest requirements of extensive virtualization/consolidation scenarios on the one hand, and demanding high performance computing applications on the other hand. Packed with advanced features, the PRIMERGY BX924 S3 allows doing more with a two-processor server than ever before. Two Intel® Xeon® E5-2600 processors, 24 high-speed memory modules for up to 768 GB capacity, flexible 10 Gbit/s Emulex® CNA components as well as additional slots

for mezzanine cards clearly emphasizing the approach as the perfect high-end server blade. Although servers are being booted more and more via network, this system is enabled for local boot, too. This may optionally be realized with the use of solid state drives (SSD) or a hard disk drive. While virtualization allows consolidating your IT resources, it often leads to increased expenses of the server administration. Thus the PRIMERGY BX924 S3 delivers state-of-the-art management capabilities with the integrated Remote Management Controller (iRMC S3) which offers the next generation of remote management functionality. The result is the ability to make your work faster, no matter whether your server is located in the

manag	ement functionality. The re	sult is the ability to make your work faster, no matter whether you	ur server is located	in the	
Model	Description	Details	Product Code	EUP (€)	Comments
Base ur	nit configurations				
	RGY BX924 S3				
	PY BX924 S3 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for PRIMERGY BX900 S1 and BX400 S1	S26361-K1407-V200	######	t



## PRIMERGY SX910 S1

The PRIMERGY SX910 S1 Storage Blade Tape module can be used to archive and backup local data in the PRIMERGY BX400 and 900 system units. The SX910 S1 Storage Blade Tape can be equipped with one LTO tape drive. It requires a blade slot in the PRIMERGY blade enclosure. The built-in tape drive is operated via an integrated SAS Controller. It can be connected to a BX9xx Server Blade which is located directly left to it.

			luct Code	(€)	ments
	Description	Details	Prod	EUP	Com
Base ur	nit configurations				
PRIME	RGY SX910 S1				
	PY SX910 S1 Storage Blade Tape	1 x tape drive, max 1x SAS Controller, 5,25-inch half-height tape drive	S26361-K1290-V200	######	



## PRIMERGY SX940 S1

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY 3X92x Server Blades.

A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BBU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCle x4 interfaces of each Server Blade's system board.

Model	Description	Details	Product Code	EUP (€)	Comments
Base un	it configurations				
PRIMER	GY SX940 S1				
	PY SX940 S1 Storage Blade Disk	max. 4x SAS/SATA HDD/SSD, max. 2x SAS Controller	S26361-K1292-V200	965.00	



## PRIMERGY SX960 S1

The Fujitsu PRIMERGY SX960 Storage Blade offers direct-attached storage for the PRIMERGY BX Blade Server with support of up to 10 hot-plug SAS or SATA hard disks. The storage blade can be inserted, like a server blade, in the front of the blade server housing. It can be hot-plugged and used with various types of server blades. The BX Blade Servers' midplanes offer PCI Express connections to the adjacent server blades, enabling top-quality memory access without using additional cables. The PRIMERGY SX960 Storage Blade has an onboard LSI MegaRAID controller with 512 MB Write Back Cache and optional Battery Backup Unit, for top performance and data security.

,	, , , , , , , , , , , , , , , , , , , ,	,			
Model	Description	Details	Product Code	EUP (€)	Comments
Base un	nit configurations				
PRIMER	RGY SX960 S1				
	PY SX960 S1 Storage Blade Disk	max. 10x SAS/SATA HDD/SSD, max. 1x SAS Mega RAID Controller, The SX960S1 can be installed max. 2x in BX400/900	S26361-K1382-V202	######	



## PRIMERGY SX980 Sx

PRIMERGY SX storage blades are installed together with PRIMERGY server blades in the PRIMERGY BX chassis. The introduction of storage blades is a simple and low-priced way to consolidate servers. Above all, small and medium-sized companies usually have rack and tower servers which offer a high degree of capcity regarding local hard disks. The use of storage blades equipped with tape

drives is a simple and quick method to backup system data locally. Having local access to large amounts of data is often necessary, for example, in the world of computer-aided engineering (CAE), where smaller local workgroups have to access and create very large models. Examples for using storage blades are operation within limited environments as a file server or

and cr	eate very large models	s. Examples for using s	storage blades are	operation within limited	environment	s as a file	server	or
Model	Description	Details				Product Code	EUP (€)	Comments
Base ur	nit configurations							
PRIMER	RGY SX980 S1							
	PY SX980 S1 JBOD Blade	Up to 10x SAS HDD / SSD	. Can be installed max.	2x in BX400 and 6x in BX90	0 S26361-	K1383-V210	######	:
PRIMER	RGY SX980 S2							
	PY SX980 S2 JBOD Blade	Up to 10x SAS HDD / SSD	, Can be installed max.	2x in BX400 and 6x in BX90	0 S26361-	K1383-V220	######	



Blade Serve	rs Accessories																											
			2			cBlade		MP	ual	nad	rade		S2															
			RCD Ser	00	20 20 S2	20 S4 CF	20 S6	30 Dual	30 Quad 30 S2 D	30 SZ Q 60	BF Upgr	BF400	BF400							Blades	Fa20 Fa40	i20 i40						
			Blade B	S4 ADE BX3	ADE BX6	ADE BX6	VDE BX6	ADE BX6	DE BX6	VDE BX6	de Frame	de Frame de Frame	deFrame 300	100 S1 300	300 S2 300 S3	900 S1	320 S1 320 S2	(920 S3	(924 S2 (924 S3	X960 S1 onnection	ш Ш В	<b>m m</b>	05 S1	10 S1	(940 S1			
			tch Port AT NX40	AT NX40 3GY BL/	3GY BLA	GGY BLA GGY BLA GGY BLA	KGY BLA	GGY BLA	CGY BLA	4GY BL/ 4GY BL/ 3GY BL/	KGY Black	GOY BIA	RGY Black GY BX	3GY BX	RGY BX6	RGY BXS	RGY BXG	G√B) G√B)	GY B	GY B	RGY pBL	3GY pBL	RGY SXO	67 SX	GY SX	t Code		suts
Category Description		Details	FC-Swi FibreC/	FibreCA	PRIMER	PRIMER IN	PRIME PRIME	PRIME	PRIMER PRIMER	PRIMER PRIMER	PRIMER	PRIMER PRIMER	PRIMER PRIMER	PRIME	PRIME	PRIME!	PRIMER	PRIMER	PRIMER PRIMER	PRIMER PRIMER	PRIMER	PRIME	PRIME!	PRIME!	PRIMER	Produc	EUP (€)	Сов
Accessories & service Processor Intel Xeon	n E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40															x	х								S26361-F4425-L240	640,00 Phased out	
Intel Yeen	n X5650 6C/12T 2.66 GHz 12 MB	GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon processor X5650 (6C/12T, 2.66															X	X								S26361-F4427-L266	1.360,00 Phased out	
inter Acon	1 / 3000 0C/121 2.00 GHZ 12 IVID	GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink															^									320301-1 4427-1200	1.500,00 Phased out	
Intel Xeon	) X5660 6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz,															x	х								S26361-F4427-L280	1.645,00 Phased out	
Intel Xeon	n L5640 6C/12T 2.26 GHz 12 MB	95 W) incl. heat sink Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo:															x	x								S26361-F4431-L226	1.440,00 Phased out	
Intel Xeon	n E5620 4C/8T 2.40 GHz 12 MB	2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink Intel Xeon processor E5620 (4C/8T, 2.40					X																			S26361-F4435-L240	645,00 Phased out	
		GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																										
Intel Xeon	n E5640 4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80					X																			S26361-F4435-L266	1.145,00 Phased out	
Intel Xeon	1 X5650 6C/12T 2.66 GHz 12 MB	W) incl. heat sink Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz.					х																			S26361-F4436-L266	1.365,00 Phased out	
Intel Xeon	1 X5660 6C/12T 2.80 GHz 12 MB	95 W) incl. heat sink Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo:					X																			S26361-F4436-L280	1.645,00 Phased out	
Intel Xeon	L5630 4C/8T 2.13 GHz 12 MB	2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon processor L5630 (4C/8T, 2.13					X																			S26361-F4437-L213	840,00 Phased out	
		GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																										
Intel Xeon	n L5640 6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz,					X																			S26361-F4438-L226	1.430,00 Phased out	
Intel Xeon	n E5603 4C/4T 1.60 GHz 4 MB	60 W) incl. heat sink Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC:-, TLC: 4 MB, Turbo: No, 4.8 GT/s,					X																			S26361-F4499-L160	325,00 Phased out	
Intel Xeon	n E5606 4C/4T 2.13 GHz 8 MB	Mem bus: 1066 MHz, 80 W) incl. heat sink  Intel Xeon processor E5606 (4C/4T, 2.13 GHz SI C: - TI C: 8 MB, Turbo: No. 4.8 GT/s					x																			S26361-F4499-L213	420,00 Phased out	
Intel Year	n E5645 6C/12T 2.40 GHz 12 MB	GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink  Intel Xeon processor E5645 (6C/12T, 2.40					X																			S26361-F4500-L240	815,00 Phased out	
IIIOI AGUII		GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																									. madd dul	
Intel Xeon	n E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl.					х																			S26361-F4500-L253	1.115,00 Phased out	
Intel Xeon	n X5675 6C/12T 3.06 GHz 12 MB	heat sink Intel Xeon processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3,					х																			S26361-F4501-L306	1.895,00 Phased out	
Intel Xeon	n X5672 4C/8T 3.20 GHz 12 MB	6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon processor X5672 (4C/8T, 3.20					X																			S26361-F4502-L320	2.015,00 Phased out	
Intel Xeon	n E5645 6C/12T 2.40 GHz 12 MB	GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat Intel Xeon processor E5645 (6C/12T, 2.40															X	x								S26361-F4508-L240	810,00 Phased out	
Intel Yeon	n E5649 6C/12T 2.53 GHz 12 MB	GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink Intel Xeon processor E5649 (6C/12T, 2.53															X	X								S26361-F4508-L253	1.120,00 Phased out	
inter Acon	1 23043 00/121 2.33 0112 12 1915	GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																^								020301-1 <del>4</del> 300-L233	1.120,00 Thased out	
Intel Xeon	n X5675 6C/12T 3.06 GHz 12 MB	Intel Xeon processor X5675 (6C/12T, 3.06 GHz, SLC:-, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl.															х	х								S26361-F4509-L306	1.900,00 Phased out	
Intel Xeon	n E5-2603 4C/4T 1.80 GHz 10 MB	heat sink Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem																	x							S26361-F4548-L180	295,00	
Intel Xeon	n E5-2609 4C/4T 2.40 GHz 10 MB	bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem																	х							S26361-F4548-L240	400,00	
Intel Xeon	E5-2620 6C/12T 2.00 GHz 15 MB	bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s,																	x							S26361-F4549-L200	540,00	
Intel Xeon	E5-2630 6C/12T 2.30 GHz 15 MB	Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																	x							S26361-F4549-L230	775,00	
Intel Xeon	n E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																	х							S26361-F4549-L250	1.105,00	
		Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink																	x							S26361-F4550-L200	1.320,00	
		Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink																	x							S26361-F4550-L220	1.590,00	
		Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 115 W) incl. heat sink																	х							S26361-F4550-L260	1.830,00	
		Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink																	X							S26361-F4550-L270 S26361-F4550-L290	2.055,00	
		Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 135 W) incl. heat sink Intel Xeon processor E5-2667 (6C/12T, 2.90																	X							S26361-F4550-L290 S26361-F4551-L290	1.830,00	
		GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink Intel Xeon processor E5-2637 (2C/4T, 3.00																	x							S26361-F4551-L300	1.105,00	
		GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s, Membus: 1600 MHz, 80 W) incl. heat sink Intel Xeon processor E5-2643 (4C/8T, 3.30																	x							S26361-F4551-L330	1.105,00	
Intel Xeon		GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink Intel Xeon processor E5-2650L (8C/16T,																	x							S26361-F4552-L180	1.320,00	
Intel Xeon	n E5-2630L 6C/12T 2.00GHz 15MB	1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s . Mem bus: 1600 MHz, 70 W) incl. heat sink Intel Xeon processor E5-2630L (6C/12T,																	x							S26361-F4552-L200	845,00	
Intel Xeon	n E5-2403 4C/4T 1.80 GHz 10 MB	2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink Intel Xeon processor E5-2403 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No. 64 GT/s, Mem																x								S26361-F4564-L180	260,00	
Intel Xeon	n E5-2407 4C/4T 2.20 GHz 10 MB	GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Membus: 1066 MHz, 80 W) incl. heat sink Intel Xeon processor E5-2407 (4C/4T, 2.20 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem															:	x								S26361-F4564-L220	320,00	
Intel Xeon	n E5-2420 6C/12T 1.90 GHz 15 MB	bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon processor E5-2420 (6C/12T, 1.90 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s,															:	x								S26361-F4565-L190	490,00	
Intel Xeon	E5-2430 6C/12T 2.20 GHz 15 MB	Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon processor E5-2430 (6C/12T, 2.20 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s,															:	x								S26361-F4565-L220	660,00	
Intel Xeon	n E5-2440 6C/12T 2.40 GHz 15 MB	Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon processor E5-2440 (6C/12T, 2.40 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s,															;	x								S26361-F4565-L240	1.000,00	
Intel Xeon	n E5-2450 8C/16T 2.10 GHz 20 MB	Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon processor E5-2450 (8C/16T, 2.10 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s,															:	x								S26361-F4566-L210	1.210,00	
Intel Xeon	n E5-2470 8C/16T 2.30 GHz 20 MB	Mem bus: 1600 MHz, 95 W) incl. heat sink Intel Xeon processor E5-2470 (8C/16T, 2.30 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink															:	x								S26361-F4566-L230	1.655,00	
Intel Xeon	n E5-2450L 8C/16T 1.80GHz 20MB	Mem bus: 1600 MHz, 95 W) incl. heat sink Intel Xeon processor E5-2450L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink															;	X								S26361-F4567-L180	1.270,00	
Intel Xeon	n E5-2430L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2430L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																х								S26361-F4567-L200	790,00	
Memory 16GB 4x4	DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600,															x									S26361-F4523-L642	340,00	
, ,		DIMM 8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																		x						S26361-F4003-L643	400,00 Phased out	
	4) DDR3 1333 MHz PC3-10600 rg s 4) DDR3 1333 MHz PC3-10600 rg d	registered, ECC, 1333 MHz, PC3-10600, 16 GB (4 module(s) 4 GB) DDR3,																		x						S26361-F4003-L642 S26361-F4003-L644	425,00 Phased out 835,00 Phased out	
32GB (4x8	8) DDR3 1333 MHz PC3-10600 rg d	registered, ECC, 1333 MHz, PC3-10600, 32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600,																		х						S26361-F4003-L645	625,00 Phased out	



		ritch Port Blade BRCD Serv	ERGY BLADE BX300	ERGY BLADE BX620 S2 ERGY BLADE BX620 S3	ERGY BLADE BX620 S4 ERGY BLADE BX620 S4 cBlade ERGY BLADE BX620 S5		ERGY BLADE BX630 Dual DP ERGY BLADE BX630 Dual MP ERGY BI ADE BX630 Quad	л Ш Ш	ERGY BLADE BX660 ERGY BLADE NX650	ERGY BladeFrame BF Upgrade ERGY BladeFrame BF200 ERGY BladeFrame BF400	Blac BX3	ERGY BX400 S1 ERGY BX600 ERGY BX600	ERGY BX600 S3 ERGY BX900 S1	ERGY BX900 S2 ERGY BX920 S1	ERGY BX920 S2 ERGY BX920 S3 FRGY BX922 S2	Y BX924 Y BX924	ERGY BX960 S1 ERGY Connection Blades ERGY pBL ADE BFa20	ERGY pBLADE BFi20	IMERGY pBLADE BFi40 IMERGY SX05 S1	ERGY SX10	ERGY SX910 S1 ERGY SX940 S1	ct Code	<b>(3</b>	hents
	Details	FC-Sw FibreC	PRIME PRIME	PRIMER	PRIME PRIME	PRIME	PRIME PRIME	PRIME	PRIME	PRIME PRIME	PRIME	PRIME PRIME	PRIME	PRIME	PRIMERG PRIMERG PRIMERG	PRIME	PRIME PRIME	PRIME	PRIME	PRIME	PRIME PRIME	Produc	EUP (€)	Сош
ories & services matrix y (Continued) 64GB (4x16) DDR3 1066 MHz PC3-8500 rg q 6	64 GB (4 module(s) 16 GB) DDR3,																x					S26361-F4003-L646	1.375,00 Phased	out
re able Media Drives	egistered, ECC, 1066 MHz, PC3-8500,																							
R	III CD/DVD formats, DUAL/DL, DVD- RAM,slimline 0.5" fitting height, black											X										S26361-F3641-L2	95,00	
6.	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height											X										526361-F3641-L2	165,00	
Tape Kit DDS Gen5 36GB USB 5.25" int.	JSB 2.0 Connector: USB "B"; 1.6" fitting neight, with USB cables for Econel, TX150,																		х			S26361-F3324-L4	505,00	
a	X200 and TX300, with description (G/US) and cleaning cartridge																							
2	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable, .6" fitting height, black bezel, with cleaning																		X			S26361-F3325-L4	735,00	
Ca	eartridge SAS 3GB Interface, mini-SAS connector, 1.6"																		X			S26361-F3561-L4	1.410,00	
cl	tting height, black, with SAS cable, with cleaning cartridge																							
fit	SAS 6GB Interface, mini-SAS connector, 1.6" tting height, , with SAS cable, with cleaning cartridge																		X		X	S26361-F3626-L2	1.825,00	
Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" tting height, , with SAS cable, with cleaning																		х		х	S26361-F3627-L1	2.220,00	
AID/SAS controller	artridge																							
5	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G BPort ex 512MB LSI" incl. cable 16cm,																				X	S26361-F3257-L110	165,00	
5	55cm. 70cm RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4,																				X	S26361-F3257-L4	110,00	
SCSI Ctrl U320 1ch int/ext PCIe Ip	internal ports daptec 29320LPE, 1x U320 SCSI, low	)	ĸ																			S26361-F3270-L201	245,00 Phased	out
	orofile SAS Controller 3GB/s 8 port, LSI SAS3442E- R	)	K																			S26361-F3271-L1	265,00 Phased	out
L	SAS Controller 3GB/s 8 port, based on chip SISAS1068 Low Profile	,	ĸ		х	x																S26361-F3271-L201	265,00 Phased	out
L	GAS Controller 6GB/s 8 port, based on chip SI SAS2008					X																S26361-F3628-L501	265,00	
RAID Ctrl SAS 8Port 512M FH/LP LSI	optional BBU for LSI MegaRAID SAS8880E RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe 4,512MB Cache, 8 external ports, without			2	x x	X																S26361-F3890-L12 S26361-F3890-L501	175,00 745,00 Phased	out
iE PY FBU Module F	BBU BU Upgrade for LSI SAS2208														X							S26361-F4531-L10	125,00	
M	SAS RAID HDD Module based on LSI MegaRAID SAS2208, PCIe 2.0 x8, SAS														X							S26361-F4531-L100	435,00	
PY RAID HDD Module Connection Kit S	2.0.without Cache BAS HDD backplane for BX920S3 to connect to SAS RAID HDD Module. Thereby														х							S26361-F4531-L50	30,00	
R	RAID 0,1 functionality can be realized on SAS RAID HDD Module based on LSI														x							S26361-F4531-L512	655,00	
5	MegaRAID SAS2208, PCIe 2.0 x8, SAS 2.0, i12MB Cache																					000004 50500 1 504	505.00	
C	RAID-Ctrl, LSI MegaRAID based on Controller SAS2108, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU					X																S26361-F3593-L501	595,00	
RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal																				х	S26361-F3554-L8	175,00	
RAID Ctrl SAS 6G 5/6 512MB (D2616)	orts SAS/SATA RAID Controller based on LSI																				X X	S26361-F3554-L512	390,00	
p	MegaRAID SAS2108, PCIe 2.0 x8, 8 internal fort SAS/SATA RAID Controller based on LSI																					S26361-F3669-L3	435,00	
M	MegaRAID SAS2208, PCIe 3.0 x8, 8 internal ports																					02000110000 20	100,00	
p	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s														x	X						S26361-F3674-L1	85,00	
AS controller	SAS, SAS Controller, PCIe slot for Ip cards incl.					x																S26361-F3207-L42	330,00 Phased	out
m di	nounting kit, RAID1support for 2 SAS hard lisks																						·	
in	SAS/RAID Controller, iTBBU/256MB Cache ncl. mounting kit, RAID1support for 2 SAS				x x	X																S26361-F3207-L51	895,00 Phased	out
hannel	aard disks FC module 2x4GBit/s BX600-FC42E,				x x	x		x x	X													S26361-F3306-L601	830,00 Phased	out
C	exclusively in combination with the Fibre Channel Switches PY BX600 4/4GB FC																							
4.	Switch 12Port (SW4016-D4) or PY BX600 L/4GB FC Switch 16Port (SW4016-D4) Broadcom Ethernet LAN, 1GBit/s, PCIe, 2-			x x	x x	V		V V	X													S26361-F3451-L1	325,00 Phased	out
cl	channel QLE2462, 4GBit/s, 2 channel FC controller,			x		^		^ ^	^													S26361-F3483-L202	1.915,00 Phased	
cc	PCIe x4, low profile, MMF LC inferface, This controller is in PRIMERGY server not																							
FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP 2	ertified for Microsoft Cluster.  channel 8GBit/s FC controller, , PCI ntergace: PCIe 2.0 x8. , Optics: 8GB short			;	x	x																S26361-F3961-L202	1.385,00	
w	vave lasers with LC type connectors .Pe1150 , 4GBit/s, 1-channel FC controller,	x >	ĸ	,	x																	S26361-F3306-L201	1.180,00 Phased	out
FC Ctrl 2x4GBit/s LPe11002 MMF LC LP	PCIe x4, low profile, MMF LC inferface Pe11002, 4GBit/s, 2-channel FC	X X	ĸ	x 2	x x																	S26361-F3306-L202	1.815,00 Phased	out
FC Ctrl 8GB/s 2 channel QLE2562 MMF LCLP 2	controller, PCle x4, low profile, MMF LC channel 8GBit/s FC controller, , PCl ntergace: PCle 2.0 x8, ; backwards					x																S26361-F3631-L202	1.540,00	
CO	compatible to PCle Gen1, Optics: 8GB short wave lasers with LC type connectors																							
unication/Network Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu Ip	ntel Pro 1000PT 2 Port Server Adapter	X X		X X																		S26361-F3228-L201 S26361-F3242-L201	175,00 Phased	out
Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu In	ntel Pro 1000PT Quad Port Server Adapter vith full hight bracket			X Z	x																	S26361-F3462-L1	495,00 Phased	
· w	ntel Pro 1000PT Quad Port Server Adapter vith low profile bracket Ethernet Server Adapter Eth Ctrl 4x1GBit Cu	)	K	x :	x	V																S26361-F3462-L201 S26361-F3739-L501	495,00 Phased	out
P	PCIe x4 D3045, Based on Intel LAN controller chip I350-AM4, Usable with					X																320301-F3739-L301	390,00	
0	priginal Intel driver kit Ethernet Server Adapter Eth Ctrl 2x1GBit Cu					x																S26361-F3740-L501	210,00	
cc	PCIe x4 D3035, Based on Intel LAN controller chip l350-AM2, Usable with																							
Eth Ctrl 1x1GBit PCle Pro/1000PT Cu lp In	original Intel driver kit Intel® Pro 1000PT 1 Port Server Adapter Intel® Ethernet Server Adapter X520-DA2 for	X X	ĸ	X X	x	X																S26361-F3241-L201 S26361-F3555-L501	110,00 Phased 820,00 Phased	
FCoE Ctrl 10GB/s 2 channel OCe10102 MMF 2	SFP+ modules and SFP+ twinax cables ! Channel 10GBit/s FCoE Controller, PCIe					x																S26361-F3592-L202	1.335,00	
T	2.0 x 8 Low Profile, SFP+ for opt. module or winax cable					x																S26361-F3592-L108	405,00	
0	SFP+ module only for use in FCoE Ctrl DCe10102 ntel Pro 1000MT 2 Port Server Adapter	X	X	x		,	x x x															S26361-F3592-L108 S26361-F3011-L1	405,00 225,00 Phased	out
of rastructure	elescopic rail, full extraction with vario-	)	x																			S26361-F2735-L101	70,00 Phased	
RMK-F1_1-2U Server te	carrier, pre-assembled with centre screw;, Rack installation depth (19" pillar distance)																							
RMK-F1_1-2U Server te	petween 714mm and 785mm											х										S26361-F2735-L15	25,00	
RMK-F1_1-2U Server teccical R Adapter angle PC/DC-Rack, till 150Kg	Adapter angle for PRIMECENTER and DC ack, 2U up to 150kg				_								х	Y								S26361-F2735-L41	55,00	
RMK-F1_1-2U Server  tecc R but Adapter angle PC/DC-Rack, till 150Kg Adapter angle PC-Rack, 10U till 200Kg Server Blade Dummy BX92x  tecccic	ack, 2U up to 150kg Idapter angle PC/DC-Rack, 10U till 200Kg Dummy CPU Blade for BX92x Server Blade											X	X	х								S26361-F3025-L2	35,00	
RMK-F1_1-2U Server  tecce R Adapter angle PC/DC-Rack, till 150Kg Adapter angle PC-Rack, 10U till 200Kq Server Blade Dummy BX92x Connection Blade Dummy BX400/BX900 Management Blade Dummy BX400/BX900 D	ack, 2U up to 150kg Adapter angle PC/DC-Rack, 10U till 200Kg Dummy CPU Blade for BX92x Server Blade Dummy CPU Blade for BX92x Server Blade Dummy CPU Blade for BX92x Server Blade	,	K									X X X		X X									35,00 35,00 35,00	
RMK-F1_1-2U Server  teccomplete Research Server Server angle PC/DC-Rack, till 150Kg  Adapter angle PC-Rack, 10U till 200Kq  Server Blade Dummy BX92x  Connection Blade Dummy BX400/BX900  Management Blade Dummy BX400/BX900  Cable mgmt. lateral for asym. PC racks  significant server server and server serv	ack, 2U up to 150kg Adapter angle PC/DC-Rack, 10U till 200Kg Dummy CPU Blade for BX92x Server Blade Dummy CPU Blade for BX92x Server Blade		X X									х	X X X	X X						x x		S26361-F3025-L2 S26361-F3025-L3 S26361-F3025-L4	35,00 35.00	



e Servers Accessories	Dateile	C-Switch Port Blade BRCD ServibreCAT NX40	ibreCAT NX40 S4 PRIMERGY BLADE BX300	PRIMERGY BLADE BX620 PRIMERGY BLADE BX620 S3 PRIMERGY BLADE BX620 S4 PRIMERGY BLADE BX620 S5 PRIMERGY BLADE BX620 S5	BLADE	GY BLADE GY BLADE GY BLADE GY BLADE	GY BLADE BX660 GY BLADE NX650 GY BladeFrame BF	GY BladeFrame BF400	BX400 S1 BX600 S2 BX600 S3	PRIMERGY BX900 S1 PRIMERGY BX900 S2 PRIMERGY BX920 S1 PRIMERGY BX920 S2	PRIMERGY BX920 S3 PRIMERGY BX922 S2	ш ш і	BX960 S Connecti pBLADE	PRIMERGY pBLADE BFa40 PRIMERGY pBLADE BFi20 PRIMERGY pBLADE BFi40	PRIMERGY SX05 S1 PRIMERGY SX10	RIMERGY SX30 RIMERGY SX910 S1	RIMERGY SX940 S1 RIMERGY SX960 S1	Product Code	EUP (€)	omments
y Description ries & services matrix GY-Software (Continued)	Details	L   L	<u> </u>	<u> </u>	1010		<u> </u>	-   -   -	<u> </u>		<u>a</u> [€]	i	<u> </u>	-	ਾ∣ਹੁ	<u>ה</u> ב	a   ā	\$26361-F1790-L240		υ
iRMC advanced pack	, On top of standard iRMC features, the iRMC Advanced Pack additionally provides the functions Advanced Video Redirection (AVR) and Remote Storage, , Advanced Video Redirection (AVR), - Systemindependent graphics and text console redirection, including the keyboard and mouse, - Remote access to permit boot monitoring, BIOS administration and interaction with the operating system, , Remote Storage, Remote Storage makes available to the managed server a "virtual" drive which is located elsewhere in the network., The "virtual drives" provided by					X X												320301-F1790-L240	305,00	
iRMC S2 advanced pack	Remote Storage are as easy to use as loca drives and offer the following options:, - Reading/writing of data, - Booting from Remote Storage, - Installation of drivers or small applications, - Remote BIOS update (BIOS update via USB), , Remote Storage permits simultaneous connection of up to two "virtual" drives and supports the , On top of standard iRMC features, the		x															S26361-F1790-L241	305,00	
	iRMC Advanced Pack additionally provides the functions Advanced Video Redirection (AVR) and Remote Storage,, Advanced Video Redirection (AVR), - Systemindependent graphics and text console redirection, including the keyboard and mouse, - Remote access to permit boot monitoring, BIOS administration and interaction with the operating system,, Remote Storage, Remote Storage makes available to the managed server a "virtual" drive which is located elsewhere in the network., The "virtual drives" provided by Remote Storage are as easy to use as local drives and offer the following options:, - Reading/writing of data, - Booting from Remote Storage, - Installation of drivers or small applications, - Remote BIOS update (BIOS update via USB),, Remote Storage permits simultaneous connection of up to	.1																		
VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	two "virtual" drives and supports the VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD + VSA,,,-Mandatory 1			x			x :	x :	<		хх	хх						S26361-F2341-D762	15.750,00	Deliverable from: 01/03/2013,Orderable from: 01/0
VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	vear Service Pack needed!  VMware vSphere ENT Acceleration Kit for 6			x			x :	x 2	<		x x	хх						S26361-F2341-D763	15.750,00	Deliverable from: 01/03/2013,Orderable from: 01/0
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	· ·	r		x			x :	x 2	C		x x	x x						S26361-F2341-D764	19.750,00	Deliverable from: 01/03/2013,Orderable from: 01/0
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3y	6 CPU inc VC-STD + VSA,,,- Mandatory 1 year Service Pack needed!			x			X		<b>x</b>			x x						S26361-F2341-D765		Deliverable from: 01/03/2013,Orderable from: 01/0
VMware vCloud Suite STD w/o SP-1yr	6 CPU inc VC-STD + VSA,,,- Mandatory 3 vear Service Pack needed! Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and			X			×		(			x x						S26361-F2341-D766		venverable from: 01/03/2013 <sub>1</sub> Orderable from: 01/
VMware vCloud Suite STD w/o SP-3 yr	vCloud Networking and Security Standard. Mandatory 1 year Support Pack needed! Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and			x			x :	x 3	<b>C</b>		x x	x x						S26361-F2341-D767	4.495,00	
VMware vCloud Suite ADV w/o SP-1yr	vCloud Networking and Security Standard Mandatory 3 years. Support Pack needed! Each vCloud Advanced Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced			x			x :	x :	κ		x x	x x						S26361-F2341-D768	6.745,00	
VMware vCloud Suite ADV w/o SP-3 yr	and vCenter Operations Management Suite Advanced Mandatory 1 year Support Pack Each vCloud Advanced Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite			x			x :	x 2	(		x x	x x						S26361-F2341-D769	6.745,00	
VMware vCloud Suite ENT w/o SP-1yr	Advanced Mandatory 3 years Support Pack Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud Automation Center.	k		X			x :	x :	(		x x	x x						S26361-F2341-D770	10.350,00	
VMware vCloud Suite ENT w/o SP-3 yr	Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud Automation Center.	,		x			x	x 3	(		x x	x x						S26361-F2341-D771	10.350,00	
VMware STD AK(6CPU+VC-STD)w/o SP-1yr  VMware STD AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA,,,-Mandatory 1 year Service Pack needed! VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA,,-Mandatory 3 year			x			x :		K			x x						S26361-F2341-L760 S26361-F2341-L761	6.645,00	
VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	Service Pack needed!  VMware vSphere ENT Acceleration Kit for 6  CPU inc VC-STD + VSA,,,-Mandatory 1			x			x :	x :	(	x	хх	хх						S26361-F2341-L762	16.665,00	Deliverable from: 01/03/2013,Orderable from: 01/
VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	vear Service Pack needed!  VMware vSphere ENT Acceleration Kit for 6			x			x :	x :	<	x	хх	x x						S26361-F2341-L763	16.665,00	Deliverable from: 01/03/2013,Orderable from: 01/
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	· ·	ır		x			x :	x 2	<u> </u>	x	x x	x x						S26361-F2341-L764	20.900,00	Deliverable from: 01/03/2013,Orderable from: 01
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3y	6 CPU inc VC-STD + VSA,,,- Mandatory 1 vear Service Pack needed!			x			X :	x :			x	x x						S26361-F2341-L765	20,900.00	Deliverable from: 01/03/2013,Orderable from: 01
	6 CPU inc VC-STD + VSA,,,- Mandatory 3 year Service Pack needed!			, x																
VMware vCloud Suite STD w/o SP-1yr	Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and						<b>x</b> :	x   3		x	X X	x x						S26361-F2341-L766	4.755,00	
VMware vCloud Suite STD w/o SP-3 yr	vCloud Networking and Security Standard. Mandatory 1 year Support Pack needed! Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and			x			x :	x 2	(	X	x x	x x						S26361-F2341-L767	4.755,00	
VMware vCloud Suite ADV w/o SP-1yr	vCloud Networking and Security Standard. Mandatory 3 years. Support Pack needed! Each vCloud Advanced Suite includes Sphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking und Security Advanced			x			x :	x :	C	x	x x	x x						S26361-F2341-L768	7.135,00	
VMware vCloud Suite ADV w/o SP-3 yr	and vCenter Operations Management Suite Advanced - Mandatory 1 year Support Pack Each vCloud Advanced Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced			x			x :	x :	C	x	x x	x x						S26361-F2341-L769	7.135,00	
VMware vCloud Suite ENT w/o SP-1yr	and vCenter Operations Management Suite  Advanced Mandatory 3 years Support Pack Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning vCenter Operations Management Suite Enterprise, Site Recovery Manager	k		x			x :	x 2	ζ	x	x x	x x						S26361-F2341-L770	10.950,00	
VMware vCloud Suite ENT w/o SP-3 yr	Enterprise and vCloud Automation Center.  Mandaton 1 year Support Back peopled. Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud Automation Center.	,		x			x :	x 3	ζ	x	x x	x x						S26361-F2341-L771	10.950,00	
WinSvr 2012 Datacenter 2CPU ROK	Reseller Option Kit, only for Fujitsu Broadline Distributors with a valid ROK amendment. WinSvr 2012 Datacenter 2CPU ROK. Multilingual. Requires Windows Server CAL 2012, not included. ROK DVD,	J									x x	X	x					S26361-F2567-D410	3.679,00	



		BRCD Serv	300	320 S2 20 S3	620 S4 620 S4 cBlade 620 S5	630 8-way 630 Dual DP	630 Dual MP 630 Quad 630 S2 Dual	530 S2 Quad 160	650 e BF Upgrade	e BF200 e BF400	e BF400 S2						Blades	Fa20 Fa40	-i40					
		witch Port Blade B	CAT NX40 S4 ERGY BLADE BX3( ERGY BLADE BX6)	ERGY BLADE BX6	GY BLADE BX GY BLADE BX GY BLADE BX	ERGY BLADE BX6	ERGY BLADE BX6 ERGY BLADE BX6 ERGY BLADE BX6	ERGY BLADE BX6	ERGY BLADE NX6 ERGY BladeFrame			ERGY BX400 S1 ERGY BX600 ERGY BX600 S2	ERGY BX600 S3 ERGY BX900 S1	ERGY BX920 S1 ERGY BX920 S2	ERGY BX920 S3 ERGY BX922 S2	ERGY BX924 S2 ERGY BX924 S3	ERGY BX960 S1 ERGY Connection	ERGY pBLADE BF: ERGY pBLADE BF: FRGY pRI ADF RFI	5 m	ERGY SXUS ST ERGY SX10	ERGY SX910 S1 ERGY SX940 S1	ERGY SX960 S1	(e)	nents
Description es & services matrix	Details	FC-Sv Fibre(	PRIMI PRIMI	PRIM	PRIMER PR	PR M	PR R R	PRIM	PRIM	PRIMER	PRIMER PRIMER	PR M	PRIM PRIM	PR M	PRIM	PRIM	PRIM		PRIM	P R R	PRIMER PRIMER	PRIMI	EUP (€)	Comu
-Software (Continued) WinSvr 2012 Standard 2CPU/2VM ROK	Reseller Option Kit, only for Fujitsu														хх	х	x					S26361-F2567-D420	787,00	
	Broadline Distributors with a valid ROK amendment. WinSvr 2012 Standard 2CPU&2VM ROK. Multilingual. Requires																							
WinSvr 2012 Standard AddLic 2CPU/2VM ROK	Windows Server CAL 2012, not included.														x x	x	x					S26361-F2567-D421	550,00	
	Broadline Distributors with a valid ROK amendment. WinSvr 2012 Standard																							
	Additional License 2CPU&2VM No Media/Kev ROK_SACOA License_End User Windows Storage Server 2012 Standard														x	х	x					S26361-F2567-D450	430,00	
	2CPU&2VM ROK. Multilingual. OEM DVD, COA License. End User License Terms. No																							
	CALs required Windows Storage Server 2012 Standard Additional License 2CPU&2VM ROK. Step-														х	х	х					S26361-F2567-D451	430,00	
	up license to add 2 CPU sockets / 2 VMs. No media/kev Microsoft System Center Virtual Machine				x x x		X	x						x x	хх	x x	x					S26361-F2567-L20	385,00	Phased out
	Manager 2008 R2 Workgroup Edition., English. ROK DVD, License. MS System Center Essentials 2010.				x x x		v	X						V V	v v	хх	v					S26361-F2567-L30	115.00	Phased out
MS SysCtr Essntls 2010 Server ML 1-OSE	English. ROK DVD, License. MS System Center Essentials 2010				x x x			x								x x						S26361-F2567-L31		Phased out
	Managed Server License 1 OSE Pack., OSE = Operating System Environment MS System Center Essentials 2010				x x x		X	x						x x	x x	x x	x					S26361-F2567-L32	435,00	Phased out
	Managed Server License 5 OSE Pack., OSE = Operating System Environment MS System Center Essentials 2010				x x x																	S26361-F2567-L33	75.00	Phased out
MS SysCtr Essntls 2010 Client ML 20-Pack	Managed Client License 5 Pack. MS System Center Essentials 2010				x			X								x x						S26361-F2567-L33	,	Phased out
WinSvr CAL 2012 50Device	Managed Client License 20 Pack. Windows Server 2012 CAL 50 Device Windows Server 2012 CAL 50 User														x x x x							S26361-F2567-L460 S26361-F2567-L461		
WinSvr CAL 2012 10Device WinSvr CAL 2012 10User WinSvr CAL 2012 5Device	Windows Server 2012 CAL 10 Device Windows Server 2012 CAL 10 User Windows Server 2012 CAL 5 Device														x x x x x x	х	X X					S26361-F2567-L462 S26361-F2567-L463 S26361-F2567-L464	215,00 245,00 110,00	
WinSvr CAL 2012 5User WinSvr CAL 2012 1Device	Windows Server 2012 CAL 5 User, Windows Server 2012 CAL 1 Device Windows Server 2012 CAL 1 User														x x x x x x	X X	X X					\$26361-F2567-L465 \$26361-F2567-L466 \$26361-F2567-L467	130,00	
WinSvr RDS CAL 2012 5Device WinSvr RDS CAL 2012 5User	Windows Server 2012 RDS CAL 5 Device Windows Server 2012 RDS CAL 5 User, Windows Server 2012 RDS CAL 1 Device,														X X X X X X	X	X X					\$26361-F2567-L470 \$26361-F2567-L471 \$26361-F2567-L472	415,00 480,00	
WinSvr RDS CAL 2012 1User DG/DE Kit WinSvr 2008 R2 SP1 Datacenter	Windows Server 2012 RDS CAL 1 User DG/DE Kit WinSvr 2008 R2 SP1 Datacenter														X X X X							\$26361-F2567-L472 \$26361-F2567-L473 \$26361-F2567-L480	96.00	
	DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software.																							
	Special Release to DG/DE Kit WinSvr 2008 R2 SP1 Enterprise														x	X						S26361-F2567-L481	70,00	
·	DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires															^						520007-12007-1401	70,00	
	original purchase of licensed software. EULA. Please send your Request for																							
	DG/DE Kit WinSvr 2008 R2 SP1 Standard DOWNGRADE AND DOWN-EDITION DVD														x	х						S26361-F2567-L482	70,00	
	Media and Product Key Card. Requires original purchase of licensed software. EULA. Please send your Request for																							
	Special Release to DG/DE Kit WinSvr 2008 SP2 Datacenter DOWNGRADE AND DOWN-EDITION DVD														х	х						S26361-F2567-L483	70,00	
	Media and Product Key Card. Requires original purchase of licensed software.																							
DG/DE Kit WinSvr 2008 SP2 Enterprise	EULA. Please send your Request for Special Release to DG/DE Kit WinSvr 2008 SP2 Enterprise														x	x						S26361-F2567-L484	70,00	)
	DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software.																							
	Superial Release to DG/DE Kit Winsvr 2008 SP2 Standard														x	x						S26361-F2567-L485	70,00	N.
	DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires														^	^						0200014 2307 2403	70,00	
	original purchase of licensed software. EULA. Please send your Request for Special Release to																							
	Single license for operation of one client server (managed node) - no software! for upgrades of one 5.x single license to				x x x			x							x x		x					x U15000-C302 x U15000-C303	70,00	
Win Server 2008 CAL (1 Device)	version 6.x - no software! (1 Device) Access License Pack for Microsoft Windows Server 2008 Standard,				x x x			x						x	х	x						S26361-F2565-L340		Phased out
Win Server 2008 CAL (5 Device)	Enterprise, Datacenter, multilingual (5 Device) Access License Pack for				x x x	:	X	x						x	x	x						S26361-F2565-L341	105,00	Phased out
	Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual (1 User) Access License Pack for Microsoft				x x x		X	X						x	x	x						S26361-F2565-L342	28,00	Phased out
	Windows Server 2008 Standard, Enterprise Datacenter, multilingual (5 User) Access License Pack for Microsoft				x x x	,	v	X						X	X	X						S26361-F2565-L343	122.00	Phased out
	Windows Server 2008 Standard, Enterprise Datacenter, multilingual																						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
, •	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO. CD-ROM and License.				x x x		X	X						X X	x x	x x	X					S26361-F2565-L592	445,00	
PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License. for Windows Server 2008 and 2003, from a				x x x			X								x x						S26361-F2565-L593 S26361-F2565-L594	885,00 445,00	
· ·	previous version of PRIMERGY MultiPath. CD-ROM and License.																							
Win Svr 2008 R2 SP1 Datactr 2CPU ROK	for Windows Server 2008 and 2003. CD-ROM and License. Only for Fujitsu Broadline Distributors. Win				x x x		X	X								x x						S26361-F2565-L595 S26361-F2567-L331	2.885,00	
	Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. ROK DVD. License.																							
Win Svr 2008 R2 SP1 Datactr 4CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Dtc (4 CPU) EN DE ES FR																х					S26361-F2567-L333	5.770,00	
Win Server 2008 RDS CAL (1 Device)	IT JA and worldwide language packs. ROK DVD. License. Remote Desktop Services Client Access,				x x x		x	X						x	x	X						S26361-F2567-L340	85,00	
Win Server 2008 RDS CAL (5 Device)	License für 1 device, License. Remote Desktop Services Client Access, License für 5 devices, License.				x x x			X							x	x						S26361-F2567-L341	390,00	
	Remote Desktop Services Client Access, License für 1 user, License. Remote Desktop Services Client Access,				x			X						x	x	X						S26361-F2567-L342 S26361-F2567-L343	·	
Win HPC Srv 2008 R2 Suite ROK	License für 5 users, License. Only for Fujitsu Distributors. Win HPC Srv 2008 R2 Suite (1-4 CPU) ROK EN, JA, XT.														x x							S26361-F2567-L360	· ·	
Win Srv 2008 R2 SP1 Enterpr w/10CAL ROK	ROK Recovery DVD Media Kit, COA, License Only for Fujitsu Broadline Distributors. Win				x	:								x	хх	x x	x					S26361-F2567-L321	1.840,00	
	Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. ROK DVD. License.																							
Win Srv 2008 R2 SP1 Standard w/5CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and woldwide language				X									X	x x	x x	X					S26361-F2567-L311	550,00	
Nin SBS Standard 2011 w/5CAL ROK EN	packs. ROK DVD. License. Windows Small Business Server Standard 2011 with 5 CAL, ROK, English, DVD Media													x	x x	x x						S26361-F2567-L350	640,00	
Win SBS Standard 2011 w/5CAL ROK DE	set, COA, License Windows Small Business Server Standard													x	хх	x x						S26361-F2567-L351	640,00	
Nin SBS Standard 2011 w/5CAL ROK IT	2011 with 5 CAL, ROK, German, DVD Media set, COA, License Windows Small Business Server Standard													x	хх	хх						S26361-F2567-L352	849,00	
	2011 with 5 CAL, ROK, Italian, DVD Media set, COA, License Windows Small Business Server Standard													Y	хх	хх						S26361-F2567-L353	640,00	
	2011 with 5 CAL, ROK, French, DVD Media set. COA, License Windows Small Business Server Standard														x x							S26361-F2567-L354	,	
	2011 with 5 CAL, ROK, Spanish, DVD Media set, COA, License																						ŕ	
	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Czech, DVD Media set, COA, License														хх							S26361-F2567-L355		
	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Portuguese, DVD Media set, COA, License													X	хх	X X						S26361-F2567-L356	640,00	
Win SBS Standard 2011 w/5CAL ROK NL	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Dutch, DVD Media													х	хх	хх						S26361-F2567-L357	640,00	
	set. COA. License					++++								1		хх			+++	-		S26361-F2567-L358	640,00	



Description	Details	FC-Switch Port Blade BRCD Serv FibreCAT NX40	FibreCAT NX40 S4 PRIMERGY BLADE BX300 PRIMERGY BLADE BX620 PRIMERGY BLADE BX620 S2 PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4 PRIMERGY BLADE BX620 S4 cBla	PRIMERGY BLADE BX620 S6 PRIMERGY BLADE BX630 8-way PRIMERGY BLADE BX630 Dual DF	PRIMERGY BLADE BX630 Dual MI PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dus PRIMERGY BLADE BX630 S2 Qus PRIMERGY BLADE BX660	PRIMERGY BLADE NX650 PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200 PRIMERGY BladeFrame BF400		PRIMERGY BX600 S2	PRIMERGY BX900 S1 PRIMERGY BX900 S1 PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S3 PRIMERGY BX922 S2 PRIMERGY BX922 S2	PRIMERGY BX924 S3	PRIMERGY Connection Blades PRIMERGY pBLADE BFa20 PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY SX05 S1	PRIMERGY SX30	PRIMERGY SX940 S1	Product Code	EUP (€)	
s & services matrix -Software (Continued)	Windows Small Business Server Standard										-   12   12			x x >	,		<b>L</b>   L		<u> </u>		S26361-F2567-L359	640,00	
	2011 with 5 CAL, ROK, Hungarian, DVD Media set, COA, License																						
	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, English, DVD Media set, COA, License												X	x x x	( X						S26361-F2567-L370	940,00	
	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, German, DVD Media set, COA, License												x	x x x	( X						S26361-F2567-L371	940,00	
Win SBS 2011 Prem Add-On w/5CAL ROK IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Italian,												х	x x x	X						S26361-F2567-L372	940,00	
Win SBS 2011 Prem Add-On w/5CAL ROK FR	DVD Media set, COA, License Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, French,												х	x x x	х						S26361-F2567-L373	940,00	
Win SBS 2011 Prem Add-On w/5CAL ROK ES	DVD Media set, COA, License Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Spanish,												Х	ххх	x x						S26361-F2567-L374	940,00	
Win SBS 2011 CAL Suite (1 Device)	DVD Media set, COA, License Microsoft Windows Small Business Server 2011 Client Access License Suite (1												x	x x x	x x						S26361-F2567-L380	47,00	
Win SBS 2011 CAL Suite (1 User)	Device); multi-language CAL; Microsoft Windows Small Business Server												x	x x x	x x						S26361-F2567-L381	47,00	
	2011 Client Access License Suite (1 User); multi-language CAL; Microsoft Windows Small Business Server												x	x x x	x x						S26361-F2567-L382	215,00	
	2011 Client Access License Suite (5 Devices); multi-language CAL: Microsoft Windows Small Business Server												x	x x x	c x						S26361-F2567-L383	215,00	
	2011 Client Access License Suite (5 Users); multi-language CAL; Microsoft Windows Small Business Server													x x >							S26361-F2567-L384	58,00	
,	2011 Premium Add-on Client Access License (1 Device); multi-language CAL;																						
, ,	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (1 User); multi-language CAL;												X	x x x	X						S26361-F2567-L385	58,00	
Win SBS 2011 Prem Add-on CAL (5 Device)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Devices); multi-language CAL;												X	x x >	X						S26361-F2567-L386	275,00	
Win SBS 2011 Prem Add-on CAL (5 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access												x	x x x	х						S26361-F2567-L387	275,00	
Win Svrs 2008 R2 SP1 Service Pack DVD	License (5 Users): multi-language CAL: Service Pack 1 Supplement DVD for Windows Servers 2008 R2.				х									x x x							S26361-F2567-L391	25,00	
	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.				X								X	x x x	( X )	C					S26361-F2567-L390	25,00	
PRIMERGY ServerView Suite subscription.	Subscription for 1 year with about 10 releases., The subscription is licensed only for PRIMERGY servers.		x	х	х х	хх	хх			x	x	x	x x	хх				x	х		U15000-C176	215,00	
ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager		х			хх	хх			х	x		хх					х	x		U15000-C289	25,00	
VMware Upgrade ESXi to STD w/o SP-3yr	VMware Upgrade ESXi to STD for 1 CPU - Mandatory 1 year Service Pack needed! VMware Upgrade ESXi to STD for 1 CPU -				x									x x x							S26361-F2341-S701 S26361-F2341-S702	895,00 895,00	
VMware Upgrade ESXi to ENT w/o SP-1yr	Mandatory 3 year Service Pack needed!  VMware Upgrade ESXi to ENT for 1 CPU - Mandatory 1 year Service Pack needed!				х								x	ххх	( X )	(					S26361-F2341-S703	2.585,00	
VMware Upgrade ESXi to ENT w/o SP-3yr	VMware Upgrade ESXi to ENT for 1 CPU - Mandatory 3 year Service Pack needed! VMware Upgrade ESXi to ENT-Plus for 1				x									x x x							S26361-F2341-S704 S26361-F2341-S705	2.585,00 3.145,00	
VMware Upgrade ESXi to ENT-PL w/o SP-3yr	CPU - Mandatory 1 year Service Pack VMware Upgrade ESXi to ENT-Plus for 1				x									x x x							S26361-F2341-S706	3.145,00	
VMware vSphere STD w/o SP-1yr	CPU - Mandatory 3 year Service Pack VMware vSphere Standard for 1 CPU - Mandatory 1 year Service Pack needed!				х			х		x				x x x							S26361-F2341-L707	950,00	
,	VMware vSphere Standard for 1 CPU - Mandatory 3 year Service Pack needed! VMware vSphere Enterprise for 1 CPU -				x			x						x x x							S26361-F2341-L708 S26361-F2341-L709	950,00 2.735,00	
VMware vSphere ENT w/o SP-3yr	Mandatory 1 year Service Pack needed!  VMware vSphere Enterprise for 1 CPU - Mandatory 3 year Service Pack needed!				x			x	x :	×			x	x x x	x x						S26361-F2341-L710	2.735,00	
VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 1 year Service Pack needed! VMware vSphere Enterprise-Plus for 1 CPU -				x			X						x x x							S26361-F2341-L711 S26361-F2341-L712	3.330,00	
VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	Mandatory 3 year Service Pack needed! VMware vSphere ENT Acceleration Kit for 6				x			×						x x x							S26361-F2341-L732	16.665,00	
VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	CPU inc VC-STD - Mandatory 1 year Service Pack needed! VMware vSphere ENT Acceleration Kit for 6				x			x	x 2	×			x	x x >	x x						S26361-F2341-L733	16.665,00	
	CPU inc VC-STD - Mandatory 3 year Service Pack needed! VMware vSphere ENT-PL Acceleration Kit for				x			x	x 2	x			X	x x x	c x						S26361-F2341-L734	20.900,00	
	6 CPU inc VC-STD - Mandatory 1 year Service Pack needed! VMware vSphere ENT-PL Acceleration Kit for				x			X	x :	×			Y	x x >	, x						S26361-F2341-L735	20,900,00	
	6 CPU inc VC-STD - Mandatory 3 year Service Pack needed!																					·	
,	VMware Essentials Plus for 6 CPU inc VC-FND-E - Mandatory 1 year Service Pack needed!				X			х	X	×			X	x x >	X						S26361-F2341-L740	3.285,00	
•	VMware Essentials Plus for 6 CPU inc VC-FND-E - Mandatory 3 year Service Pack needed!				x			X	X 2	x			X	x x x	( X						S26361-F2341-L741	3.285,00	
VMware Upgrade STD to ENT w/o SP-1yr	VMware Upgrade vSphere STD to ENT for 1 CPU - Mandatory 1 year Service Pack needed!				х								х	x x x	( X )	(					S26361-F2341-S716	1.855,00	
VMware Upgrade STD to ENT w/o SP-3yr	VMware Upgrade vSphere STD to ENT for 1 CPU - Mandatory 3 year Service Pack				x								х	x x x	( X )	(					S26361-F2341-S717	1.855,00	
VMware Upgrade STD to ENT-PL w/o SP-1yr	needed! VMware Upgrade vSphere STD to ENT-PL for 1 CPU - Mandatory 1 year Service Pack				x								x	x x >	( x >	(					S26361-F2341-S718	2.475,00	
VMware Upgrade STD to ENT-PL w/o SP-3yr	needed! VMware Upgrade vSphere STD to ENT-PL for 1 CPU - Mandatory 3 year Service Pack				x								x	x x >	( X )	(					S26361-F2341-S719	2.475,00	
VMware Upgrade ENT to ENT-PL w/o SP-1yr	needed!  VMware Upgrade vSphere ENT to ENT-PL for 1 CPU - Mandatory 1 year Service Pack				x								x	x x >	( X >	(					S26361-F2341-S720	614,00	
VMware Upgrade ENT to ENT-PL w/o SP-3yr	needed! VMware Upgrade vSphere ENT to ENT-PL				x								x	x x >	( X >	(					S26361-F2341-S721	614,00	
VMware Upgrade VCS FND to STD w/o SP-1yr	for 1 CPU - Mandatory 3 year Service Pack needed!  VMware Upgrade vCenter FND to STD for 1				x								x	x x >	( x >	(					S26361-F2341-S728	3.465,00	
	Instance of vCenter - Mandatory 1 year Service Pack needed! VMware Upgrade vCenter FND to STD for 1				X								X	x x >	( x >	(					S26361-F2341-S729	3.465,00	
	Instance of vCenter - Mandatory 3 year Service Pack needed! VMware vSphere 5 Media Kit OEM w/ ESX			v v	x x x	v v	v v	v	x	v				x x x							S26361-F2341-L300	80,00	
,	4,vCenter 5,vShield,Backup-Restore , VMware vSphere 4 Media Kit OEM w/ ESX			* * *		^ ^			^	^			* *		X X						320301-72341-2300	30,00	
	4,vCenter 4,vShield,Backup-Restore - No License VMware vSphere Embedded UFM Device			x	x								X	x x x	x x						S26361-F2341-D431	60,00	
·	Embedded UFM Storage Device , inc. ESXi Single SRV Lic. (w/o SP) VMware vSphere Standard for 1 CPU -				x			X	x :	x				x x >							S26361-F2341-D707	895,00	
VMware vSphere STD w/o SP-3yr	Mandatory 1 year Service Pack needed!  VMware vSphere Standard for 1 CPU -  Mandatory 3 year Service Pack needed!				x			X						x x >							S26361-F2341-D708	895,00	
VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU - Mandatory 1 year Service Pack needed!				X			X						x x x							S26361-F2341-D709	2.585,00	
VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise for 1 CPU - Mandatory 3 year Service Pack needed! VMware vSphere Enterprise-Plus for 1 CPU -				x			X	x 2					x x >							S26361-F2341-D710 S26361-F2341-D711	2.585,00 3.145,00	
VMware vSphere ENT-PL w/o SP-3yr	Mandatory 1 year Service Pack needed!  VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 3 year Service Pack needed!				X			X						x x x							S26361-F2341-D712	·	
VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service				х			x	X 2	x				x x x	x						S26361-F2341-D732	15.750,00	
VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	Pack needed!  VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service				x			х	X 2	x				x x x	x						S26361-F2341-D733	15.750,00	
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	Pack needed!				x			X	x 2	x				x x >	x x						S26361-F2341-D734	19.750,00	
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	Service Pack needed! VMware vSphere ENT-PL Acceleration Kit for				x			X	x 2	x				x x >	x x						S26361-F2341-D735	19.750,00	
VMware Essentials-PL w/o SP-1yr	6 CPU inc VC-STD - Mandatory 3 year Service Pack needed! VMware Essentials Plus for 6 CPU inc VC-				x			X	x 2	x				x x >	x x						S26361-F2341-D740	3.105,00	
	FND-E - Mandatory 1 year Service Pack needed! VMware Essentials Plus for 6 CPU inc VC-				x			X	x :	x				x x >	x x						S26361-F2341-D741	3.105,00	
•	FND-E - Mandatory 3 year Service Pack							`	'					"   "	1 [								



ry Description	Details	FC-Switch Port Blade BRCD Serv FibreCAT NX40	FibreCAT NX40 S4 PRIMERGY BLADE BX300 PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2 PRIMERGY BLADE BX620 S3 PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade PRIMERGY BLADE BX620 S5 PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way PRIMERGY BLADE BX630 Dual DP	Y BLADE BX630	PRIMERGY BLADE BX630 S2 Quad PRIMERGY BLADE BX660	PRIMERGY BLADE NX650 PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200 PRIMERGY BladeFrame BF400 PRIMERGY BladeFrame BF400 S2		PRIMERGY BX600 PRIMERGY BX600 S2	PRIMERGY BX600 S3 PRIMERGY BX900 S1 BPIMEDCY BX000 S3	PRIMERGY BX920 S1 PRIMERGY BX920 S2	PRIMERGY BX920 S3 PRIMERGY BX920 S3	PRIMERGY BX924 S2 PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY PBLADE BFa20 PRIMERGY PBLADE BFa40	PRIMERGY pBLADE BFi20 PRIMERGY pBLADE BFi40	PRIMERGY SX05 S1 PRIMERGY SX10	PRIMERGY SX30 PRIMERGY SX910 S1 PRIMERGY SX940 S1	PRIMERGY SX960 S1	Product Code	EUP (€)	Comments
ories & services matrix  RGY-Software (Continued)  VMware STD AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA,,,,-Mandatory 3				X				X	x x					x x	x x x	(					S26	3361-F2341-D761	6.295,00	
ication-SW CA Client Automation	vears Service Pack needed!  CA Client Automation - Licensing per managed System				*									x	x x x	( x x	x					U24	1552-C418	63,98	
CA Server Automation Base Configuration  CA AutomSuite for DataCenters BaseConfig  CA ServiceDeskManager Full LicenseConcur	CA Server Automation Base Configuration - Licensing: 100 Physical Socket Pack CA AutomSuite for DataCenters BaseConfig - Licensing: 100 Physical Socket Pack CA ServiceDeskManager Full LicenseConcur - Licensing: Minimum Licensing Requirements apply to New	3												x	x x x	(	x x					U24	4552-C424 4552-C428 4581-C150	52.686,90 ####### 4.516,02	
ARCserve r11.5 WIN Client Agent UNIX	Sales and Capacity: Minimum purchase of 15 Concurrent Users required for Full ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp,, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-ge/infodocs/basb115win/basb115win-	a I		x	x x			x		x x								x x	x x			U15	5355-C720	395,00	
ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-ge/infodocs/basb115win/basb115win-ge/infodocs/basb115win/basb115win-			x	x			X		x x								x x	x x			U15	5355-C723	250,00	
ManageNow® for NSM Base ManageNow® for NSM Remote Manager ManageNow® for NSM Portal ManageNow® for NSM AglessMoni HostResM	IB													X X X	x x x x x x x x x x x x x x x x x x x	(	X X X X X X					U24 U24 U24	4533-C405 4533-C406 4533-C407 4533-C425	20.600,00 12.875.00 9.270.00 9.270,00	
ManageNow® for NSM CA Agent Integration ManageNow® for NSM HP InsightMgr Integr. ManageNow® for NSM ETERNUS Storage Mon ManageNow® for NSM ETERNUS CS Monit.	nit													X X X	x x x x x x x x x x x x x x x x x x x	(	( X X X X X X X X X X X X X X X X X X X					U24 U24 U24	4533-C421 4533-C408 4533-C404 4533-C410	3.090,00 5.150,00 4.635,00 5.150,00	
ManageNow® for NSM NetApp Monitoring ManageNow® for NSM SAN Monit up to 64p ManageNow® for NSM SAN Monit.more as 64p														X X X	x x x x x x x x x x x x	(	( X X X X X X X X X X X X X X X X X X X					U24 U24 U24	1533-C411 1533-C409 1533-C412	4.635,00 3.090,00 6.438.00	
ManageNow® for NSM VMware ManageNow® for NSM UPS ManageNow® for NSM Microsoft Cluster ManageNow® for NSM BladeFrameMonit BF20														X X X	x x x x x x x x x x x x x x x x x x x	(	( X X X X X X X X X X X X X X X X X X X					U24 U24 U24	4533-C413 4533-C414 4533-C415 4533-C416	4.635.00 5.150,00 4.635,00 9.270,00	
ManageNow® for NSM BladeFrameMonit BF40 ManageNow® for NSM Connector CA eHealth ManageNow® for NSM Connector MS SCOM ManageNow® for NSM Connector HP OV NNM														X X	x x x x x x x	<pre></pre>	x x					U24 U24	1533-C424 1533-C417 1533-C418 1533-C419	20.600,00 5.150,00 5.150,00 5.150,00	
ManageNow® for NSM Connector Lotus Notes ManageNow® for NSM Con. 3rd PartyManager ManageNow® for NSM Connector QoS														X	x x x x x x x	X X X X X X X X X X X X X X X	x x					U24 U24 U24	4533-C420 4533-C422 4533-C433	5.150,00 5.150,00 5.150,00	
ManageNow® for NSM Connector EMC CC ManageNow® for NSM Connector NetApp OM ManageNow® for NSM Data Media ManageNow® for ITCM ManagedObjectsLicen													, , ,	X	x x x x x x x	(	X X					U24 U24 U24	4533-C434 4533-C435 4533-C423 4533-C400	5.150,00 5.150,00 41,00 2.060,00	
ManageNow® for ITCM Manager License ManageNow® for ITCM Win7 OS Install Lic. ManageNow® for ITCM Vista OS Install Lic														X	x x x x x x x		X X					U24 U24	4533-C400 4533-C401 4533-C402 4533-C426	5.150,00 3.090,00 3.090,00	
ManageNow® for ITCM WinXP Prof OSInstLic ManageNow® for ITCM Win2003Svr OSInstLic ManageNow® for ITCM Win2008Svr OSInstLic														X	x x x x x x x	(	X X					U24 U24	4533-C427 4533-C428 4533-C429	3.090,00 3.090,00 3.090,00	
ManageNow® for ITCM Win2008R2SvrOSInsL ManageNow® for ITCM SUSE10.1 OS Inst Lic ManageNow® for ITCM SLES9.0 OS Inst Lic ManageNow® for ITCM data medium	C													X	x x x x x x	<pre></pre>	X X					U24 U24	4533-C436 4533-C432 4533-C430 4533-C403	3.090.00 3.090.00 3.090.00 41,00	
wer supply  conversion kit standard to hot plug PSU  Power Supply Module 450W (hot plug)  Power Supply Module 800W (hot plug)	conversion standard into hot plug PSU for optional PS redundancy for optional PS redundancy	X X X																				S26	6113-F540-L1 6113-F540-L11 6113-F541-L10	260.00 170,00 270,00 Phased out	
Fan and PSU upgrade kit  RX100 S7 conversion kit to hot-plug PSU	conversion standard into hot plug PSU and conversion standard into redundant fans platinum PSU hp for redundancy																					S26	3113-F541-L11 3113-F547-L10	535,00 275,00	
Power Supply Module 800W gold hp Power Supply Module 800W HE (hot plug) Power Supply Module 850W (w/o power cord	2nd gold PS hp for redundancy 2nd gold PS hp for redundancy hot-plug Power Supply Module, 850W, 92%	X X X																				S26 S26	3113-F555-L10 3113-F556-L10 3113-F561-L20	288,00 Phased out 215,00 300,00	
Power Supply Module 2.000W  Modular PSU 800W platinum hp	efficiency (CSCI gold) hot-plug Power Supply Module, 2.000W, 92% efficiency (gold) 800W modular Power Supply Module , hot	X																					6113-F573-L10 6113-F574-L10	1.110,00 Phased out 260,00	
Modular PSU 800W platinum hp new rev	plug, platinum (94% efficiency) 800W modular Power Supply Module , hot plug, platinum (94% efficiency) new	X																					6113-F574-L10	260,00	
Modular PSU 450W platinum hp  Conversion kit standard to hot-pluq PSU	450W modular Power Supply Module , hot plug, platinum (94% efficiency) Conversion kit standard to hot plug PSU	x																				S26	6113-F575-L10 6113-F575-L141	225,00 315.00	
PY BX400 PSU (1600W)  Power Supply Module 2.000W	PY BX400 Power Supply (1600 W/1100 W) incl. power cable IEC320 C19 -> IEC320 hot-plug Power Supply Module, 2.000W,	x									X												6113-F607-L200 6113-F608-L10	530,00 890,00	
Modular PSU DC -48V 800W gold hp PY BX900 Rear Fan Unit	92% efficiency (gold) DC -48V gold modular PSU hp with redundancy option BX900 Rear Fan Unit with 4 Fans	x											X X										6113-F609-L10 6361-F3962-L100	345,00 285,00	
PY BX400 Fan Unit Redundant PSU for IB Switch Redundant PSU for FDR IB Switch	BX400 Fan Unit with 2 Fans for PSU redundancy in external IB Switch for PSU redundancy in external FDR IB	X X									х											S26 S26	3361-F4474-L100 3361-F4526-L10 3361-F4557-L10	155,00 860,00 1.360,00	
CX400 PSU 1400W Gold hp	Switch 2nd PSU hp gold for redundancy for useage in CX400																						3361-F4574-L140	290,00	
BX900 PSU 2.880W silver w/o power cord  BX900 PSU 2.880W platinum hp w/o power c	BX900 Power supply 100-240V AC, w/o power cable BX900 Power Supply 2.880W platinum hp suitable for D, A, B, F, NL, FIN, N, S, E, P,	x											x x								X	S26	3113-F606-L250 3113-F606-L300 3139-Y1740-L10	680,00 870,00 15,00	
Cable powercord (D,), 1.8m, grey  Cable powercord (USA), 1.8m, grey  Power cord 16A IEC320 C19->C20	RUS. TR suitable for USA, Cnd with connector IEC320 C19->C20										x	X	x x x							X		T26	139-Y1740-L10 139-Y1742-L10 3361-F3151-L300	15,00 30,00	
Power cord IEC320 C19 - IEC320 C14	with connector IEC320 C20 ->plug IEC320 C14 for connection to socket strips (connector 10A IEC320 C13)										X												3361-F3151-L350	15,00	
Cable powercord (UK, IR), 1.8m, grey Power Cord 16A IEC320 C19->C20 1 m	suitable for UK, IR Power cord 16A IEC320 C20 -> IEC320 C19 length 1 meter	)											X X	(							x	S26	139-Y1744-L10 3361-F3151-L10	15,00 30,00	
Cable powercord (I), 1.8m, grey Power cord 16A IEC320 C19->CEE 7/7	suitable for I with connector IEC320 C19-> CEE 7/7 (Schuko)										X		x x x								X	S26	139-Y1745-L10 3361-F3151-L100	15,00 30,00	
Power cord 16A IEC320 C19->16A CEE Blue Power cord IEC320 C19 -> US NEMA L6-20p	with connector IEC320 C19->16A CEE (IEC309) Length: 3,5m with connector IEC320 C20 -> US NEMA L6- 20p	-									x		x x x										3361-F3151-L200 3361-F3151-L500	30,00 60,00	
neous cable Serial port option PY BX600 4GB FC Switch Port Upgrade	Cable for 2nd RS-232-C 9 pin interface Port Upgrade Lizenz for Brocade Silkworm 4016 and SW4016-D4 from 12 to 16 Ports		x									Х	x										3361-F3120-L3 3361-F3144-L46	40,00 1.945,00 Phased out	
TPM Module add-on kit	Trusted Platform Module on motherboard, be aware of import restrictions!				х									х	xx	x x	(					S26	3361-F3552-L1	50,00	
Power Supply Unit DCX upgrade  PY BX900 Management Blade S1  PY CB Storage License VDX 2730 (Brocade)	DCX, UPGRADE POWER SUPPLY for later mounting, 2000W 230VAC, 1000W 115VAC Redundant Management Blade Upgrade license for the DCB SW 10GB 18/6 Base (Brocade VDX 2730 Base) Connection Blade for Fujitsu PRIMERGY Blade Servers, The upgrade license enables the Fibre-	3									X X		X 2	<b>C C C C C C C C C C</b>			)	K				S26	CSW-DCX-PSU-L 3361-F3962-L500 3361-F4554-L1	8.726,00 790.00 4.635,00	
	Channel ports and the support for direct attched FCoE storage., This upgrade license can only be used with the switches																								
PY CB VCS License VDX 2730 (Brocade)	Upgrade license for the DCB SW 10GB 18/6 Base (Brocade VDX 2730 Base) Connection Blade for Fujitsu PRIMERGY Blade Servers, The upgrade license is required for integration of the Connection Blade into a VCS cluster with more than 2 node., This	n   n									x		,	(				×				S26	3361-F4554-L2	2.965,00	
SFP multi-mode 4G module (MMF) FS8-18 Crypto, 16x8GB SFPs,Y1 4P Sup.	upgrade license can only be used with the switches \$26361-K1420-V400 and -V300 Short-Wavelength SFP Transceiver FS8-18BaseConf(16P FC,crypto,16-8GB	X										X	x										6361-F3024-L4 S818-1-SVS-4P-L	175,00 Phased out 87.097,00	
у,, так эт эт эт эт	SFPs , 1 year on site warranty incl right to use software updates, Encryption Blade 16Port 8GB/s FC, Requires DCFM Management, (base crypto: 48GB/s bandwidth), Brocade number: BR-FS818-0001-SVS-4P																						5 n %		



		ch Port Blade BRCD Serv .T NX40	GY BLADE BX620	GY BLADE BX620 S2 GY BLADE BX620 S3 GY BLADE BX620 S4	GY BLADE BX620 S4 cBlade GY BLADE BX620 S5 GY BLADE BX620 S6	Y BLADE BX630 Y BLADE BX630	GY BLADE BX630 Dual MP	GY BLADE BX630 GY BLADE BX630 GY BLADE BX660	GY BLADE NX650 GY BladeFrame BF Upgrade	GY BladeFrame GY BladeFrame GY BladeFrame	r BX300 r BX400 S1	GY BX600 GY BX600	(GY BX900 S1 (GY BX900 S2	/ BX920	(GY BX920 S3	GY BX924 S2 GY BX924 S3	SY Connecti	GY pBLADE BFa40 GY pBLADE BFi20	r pBLADE	r SX10	(GY SX940 S1 (GY SX940 S1 (GY SX960 S1			nts
Description	Details	FC-Swite FibreCA	PRIMER.	PRIMERO PRIMERO PRIMERO	PRIMER PRIMER	PRIMER PRIMER(	PRIMERG	PRIMERO PRIMERO	PRIMERC PRIMERC	PRIMERG PRIMERG PRIMERG	PRIMERG' PRIMERG'	PRIMERC PRIMERC	PRIMERG	PRIMERG) PRIMERG)	PRIMERG' PRIMERG'	PRIMERG) PRIMERG)	PRIMERO PRIMERO	PRIMERG PRIMERG	PRIMERG' PRIMERG'	PRIMERO	PRIMERO PRIMERO PRIMERO	Product	EUP (€)	Соттег
es & services matrix estructure (Continued) FX8-24 BI,22P,12x8G SWL,0x1GE SFP,Y1 4P	FX8-24 Blade,22P,12x8G SM+0x1GE	x																				D:FX824-1-SVS-4P-L		
	SFP,1Y M (field upgrade), FCIP Router 10G, 12Port 8GB/s FC, , 10x 1GBE Ports, , 2x 10GBE Ports; , 0 SFP, 1 years right to use																							
	software updates, , Brocade number: BR- FX824-0001-S\/S-4P																							
DAT72 cleaning cartridge no label LTO Cleaning Media,1pc.Random Label,Fuji	DAT72 cleaning cartridge without label Cleaning cartridge with random label from Fuji for LTO drives																			x		D:CL-DAT72-MX-01 D:CL-LTO-01L	6,00 36,00	
DAT72 data cartridge no label LTO-3 CR media,5pack random label,Fuji	DAT72 data cartridge without label 5 pieces LTO-3 data cartridge with random barcode label from Fuji400 GB native																		х	x		D:CR-DAT72-MX-01 D:CR-LTO3-05L	14,00 102,00	
LTO-4 CR media,5pack random label,Fuji	capacity. 5 pieces LTO-4 data cartridge with random																		x	х		D:CR-LTO4-05L	101,00	
LTO-5 CR media,5pack random label,Fuji	barcode label from Fuji 800 GB native capacity.  5 pieces LTO-5 data cartridge with random																		x	x		D:CR-LTO5-05L	141,00	
LTO-6 CR media,5pack random label,Fuji	barcode label from Fuji 1500 GB native capacity, 5 pieces LTO-6 data cartridge with random																		X	x		D:CR-LTO6-05L-BF	575,00	
Barcode Label oder, not standard Random	barcode label from Fuji 2500 GB native capacity.  Barcode label cassettes defined by the																		X	x		D:CR-LTO-LAB	5,00	
	customer., For LTO-3, LTO-4, LTO-5, LTO-6 and LTO Cleaning tape to use when no random barcode label is desired! For																							
RDX Cartridge 320/640GB	details of the Code please read the work																					C2C2C4 F20F7 L 220	455.00	
RDX Cartridge 320/640GB	RDX Cartridge 320GB uncompressed / 640GB compressed Package 10x RDX Cartridge 320GB																		x			S26361-F3857-L320 S26361-F3857-L329	155,00 1.475,00	
RDX Cartridge 500GB/1000GB	uncompressed / 640GB compressed RDX Cartridge 500GB uncompressed / 1000GB compressed																		х			S26361-F3857-L500	180,00	
RDX Cartridge 1TB	RDX Cartridge 1TB uncompressed / 2TB compressed																		х			S26361-F3857-L600	280,00	
SAS CBL EXT 2m 8088-8088 SAS CBL EXT 4m 8088-8088 FRONT Y-CABLE	SFF 8088-SFF 8088 , 2.0m SFF 8088-SFF 8088 , 4.0m PY BX900 S2 Y-Cable frontside													X	хх	x x x	x		X			S26361-F3246-L402 S26361-F4478-L2	110,00 145,00 60,00	
Cable powercord rack, 4m SAS Cable 6GB 1x SFF 8088-1x SFF 8088 2m	with Euro socket connector										X						x			X X		T26139-Y1968-L10 D:KBSAS6G-1S-1S-2M	15,00	
	MiniSAS, The cable has a bandwidth of 4 SAS Lines (4 serial connections), see order no, e. g.: D:KBSAS6G-1S (SFF8088) - 1S																							
FC-Cable OM3 LWL 5m LC LC	(SFF8088)-2M, , Pay attention to the Cfg Hints pleasel optical multimode- cable (OM3) having LC-	x																				D:FCKAB-OM3-C05L-L	41,00	
	LC-connector combination, length 5 m, optimized for multimode 8 GBit/s, Also suitable for 10 GBit /s and 16 GBit /s.																						,	
SAS CBL EXT 2m 8088-8470	SFF 8088-SFF 8470 with screw connection, 2.0m																		х			S26361-F3246-L203	105,00	
SFP+ active Twinax Cable Brocade 1m  FC-Cable OM3 LWL 10m LC LC	Brocade 10GB Ethernet copper cable (Twinax active), length 1m, SFP+ plugs at optical multimode- cable (OM3) having LC-	x									X		×				X					S26361-F3873-L501 D:FCKAB-OM3-C10L-L	125,00 47,00	
	LC-connector combination), length 10 m, optimized fot mutimode 8 GBit/s, Also suitable for 10 GBit/s and 16 GBit/s																							
SFP+ active Twinax Cable Brocade 3m FC-Cable OM3 LWL 20m LC LC	Brocade 10GB Ethernet copper cable (Twinax active), length 3m, SFP+ plugs at optical multimode- cable (OM3) having LC-	X									x		x				х					S26361-F3873-L503 D:FCKAB-OM3-C20L-L	165,00 55,00	
	LC-connector combination), length 20 m, optimized for multimode 8 GBit/s, Also suitable for 10 GBit /s and 16 GBit /s																						55,00	
SFP+ active Twinax Cable Brocade 5m	Brocade 10GB Ethernet copper cable (Twinax active), length 5m, SFP+ plugs at										x		x				х					S26361-F3873-L505	195,00	
FC-Cable OM3 LWL 50m LC LC	optical multimode- cable (OM3) having LC-LC-connector combination), length 50 m, optimized for multimode 8 GBit/s, Also	X																				D:FCKAB-OM3-C50L-L	92,00	
FC cable MMF, 5m, LC/SC	suitable for 10 GBit /s and 16 GBit /s optical multimode- cable (50um) having LC-SC-connector combination), length 5 m	x																				D:FCKAB-MM-B05L-L	48,00	
FC cable MMF, 10m, LC/SC SAS CBL EXT 4m 8088-8470	optical multimode- cable (50um) having LC- SC-connector combination), length 10 m SFF 8088-SFF 8470 with screw connection,	X																	x			D:FCKAB-MM-B10L-L S26361-F3246-L403	48,00 135,00	
SFP+ passive Twinax Cable Cisco 1m	4.0m Cisco 10GB Ethernet copper cable (Twinax passive), length 1m, SFP+ plugs at both										x		x				х					S26361-F4571-L101	190,00	
FC cable MMF, 20m, LC/SC	sides optical multimode- cable (50um) having LC- SC-connector combination), length 20 m	x																				D:FCKAB-MM-B20L-L	63,00	
SFP+ passive Twinax Cable Cisco 3m	Cisco 10GB Ethernet copper cable (Twinax passive), length 3m, SFP+ plugs at both										х		×				х					S26361-F4571-L103	230,00	
FC cable SMF, 10m, LC/LC	sides optical singlemode- cable (9um) having LC-LC-connector combination), length 10 m	X																				D:FCKAB-SM-C10L-L	95,00	
SFP+ passive Twinax Cable Cisco 5m	Cisco 10GB Ethernet copper cable (Twinax passive), length 5m, SFP+ plugs at both sides										X		×				X					S26361-F4571-L105	285,00	
FC cable SMF, 20m, LC/LC SFP+ active Twinax Cable Cisco 7m	optical singlemode- cable (9um) having LC- LC-connector combination), length 20 m Cisco 10GB Ethernet copper cable (Twinax	x									x		x				X					D:FCKAB-SM-C20L-L S26361-F4571-L107	105,00 785,00	
SFP+ active Twinax Cable Cisco 10m	active), length 7m, SFP+ plugs at both sides Cisco 10GB Ethernet copper cable (Twinax active), length 10m, SFP+ plugs at both										x		×				X					S26361-F4571-L110	945,00	
Software OPENFT-CR (Unix systems) V12.0	CD-ROM openFT-CR V12.0, Cryptographic module, for openFT V12.0, Attention export		хх	x x x	x x x	хх	x x :	x x x		x x x	x	хх		x x	хх	x x x	x					U10987-C599	15,00	
OPENFT-SW-CD (Unix systems) V12.0	restrictions  Medium for UNIX systems, CD-ROM openFT-SW V12.0		x x	x x x	x x x	x x	x x :	x x x		x x x	X	x x		x x	x x	x x >	x					U10987-C600	36,00	
OPENFT-1 (Unix systems) V12.0	License openFT (UNIX systems) V12.0; for using in automated, unattended mode;		x x	x x x	x x x	x x	x x	x x x		х	Х	хх		x x	х							U10987-C601	1.348,00	
OPENFT-2 (Unix systems) V12.0	system with 1 to 4 CPUs License openFT (UNIX systems) V12.0; for using in automated, unattended mode;		x x	x		x	хх	x		x x x	х	хх			x	x x x	x					U10987-C602	2.193,00	
OPENFT-3 (Unix systems) V12.0	system extendable up to 8 CPU License openFT (UNIX systems) V12.0; for using in automated, unattended mode;		x x	x		x	x x	x		X	X	x x										U10987-C603	4.387,00	
OPENFT-4 (Unix systems) V12.0	system extendable up to 24 CPU License openFT (UNIX systems) V12.0; for using in automated, unattended mode;		x x	x		x	x x	x		x	X	x x										U10987-C604	5.080,00	
OPENFT-5 (Unix systems) V12.0	system extendable up to 32 CPU License openFT (UNIX systems) V12.0; for using in automated, unattended mode;		x x	x		x	x x	x		x	X	хх										U10987-C605	6.580,00	
OPENFT-FTAM-1 (Unix systems) V12.0	system extendable up to 64 CPU License openFT-FTAM (UNIX systems)		x x	x x x	x x x	x x	x x :	x x x		x	X	x x		x x	x							U10987-C613	1.348,00	
OPENFT-FTAM-2 (Unix systems) V12.0	V12.0; for using in automated, unattended mode: system with 1 to 4 CPUs License openFT-FTAM (UNIX systems)		хх	x		x	x x	x		x x x	X	x x			x	x x >	x					U10987-C614	2.193,00	
OPENFT-FTAM-3 (Unix systems) V12.0	V12.0; for using in automated, unattended mode; system extendable up to 8 CPU License openFT-FTAM (UNIX systems)		x x	x		x	x x	x		x	х	x x										U10987-C615	4.387,00	
OPENFT-FTAM-4 (Unix systems) V12.0	V12.0; for using in automated, unattended mode; system extendable up to 24 CPU License openFT-FTAM (UNIX systems)		x x				x x	x		x		x x										U10987-C616	5.080,00	
OPENFT-FTAM-5 (Unix systems) V12.0	V12.0; for using in automated, unattended mode; system extendable up to 32 CPU License openFT-FTAM (UNIX systems)		x x				x x	x		x		x x										U10987-C617	6.580,00	
, , ,	V12.0; for using in automated, unattended mode; system extendable up to 64 CPU																							
OPENET FTP 9 (Unix systems) V12.0	License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system with 1 to 4 CPUs				x x x					X		x x		X X								U10987-C625	550,00	
OPENFT-FTP-2 (Unix systems) V12.0	License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 8 CPU		x x	X		x	x x	x		x x x	X	x x			X	x x x	x					U10987-C626	895,00	
OPENFT-FTP-3 (Unix systems) V12.0	License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode; system extendable up to 24 CPU		хх	х		X	хх	x		х	х	хх										U10987-C627	1.791,00	
OPENFT-FTP-4 (Unix systems) V12.0	License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode;		x x	х		x	хх	x		х	х	хх										U10987-C628	2.074,00	
OPENFT-FTP-5 (Unix systems) V12.0	system extendable up to 32 CPU License openFT-FTP (UNIX systems) V12.0; for using in automated, unattended mode;		x x	х		x	хх	x		X	х	хх										U10987-C629	2.686,00	
OPENFT-CR (WINDOWS) V8.0	system extendable up to 64 CPU openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto		x x	x		x	x x	x		X	X	хх										U11081-C157	15,00	
OPENFT-FTAM-2 (WINDOWS) V8.0	module": to openFT V8.0 and V8.1 openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1		x x	x		x	x x	x		x		x										U11081-C171	1.125,00	
OPENFT-FTAM-2-U (WINDOWS) V8.0	system with 1 to 4 CPUs openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1		x x	x		x	x x	x		x		x										U11081-C177	562,00	
OPENFT-SW-CD (WINDOWS) V8.1	usage in automated unattended mode, fur 1 system with 1 to 4 CPUs openFT - openFileTransfer; Datamedium		x x	<b>V</b>		X		X														U11081-C183		



					ö					용																
		ttch Port Blade BRCD Serv AT NX40 AT NX40 S4	RGY BLADE BX300 RGY BLADE BX620 RGY BLADE BX620	RGY BLADE BX620 S3	MERGY BLADE BX620 S4 cBlac MERGY BLADE BX620 S5	RGY BLADE BX620 S6 RGY BLADE BX630 8-way	RGY BLADE BX630 Dual DP RGY BLADE BX630 Dual MP	RGY BLADE BX630 Quad RGY BLADE BX630 S2 Dual	RGY BLADE BX630 S2 Quad RGY BLADE BX660 RGY BLADE NX650	RGY BladeFrame BF Upgrad RGY BladeFrame BF200	RGY BladeFrame BF400 S2	RGY BX300 RGY BX400 S1	KGY BX600 RGY BX600 S2	RGY BX600 S3 RGY BX900 S1 RGY BX900 S2	RGY BX920 S2 RGY BX920 S2	RGY BX920 S3 RGY BX922 S2 RGY BX924 S2	RGY BX924 S3	RGY BX960 S1 RGY Connection Blades RGY bBLADE BFa20	RGY pBLADE BFa40	RGY pBLADE BFi40	RGY SX05 S1 RGY SX10	ERGY SX30 ERGY SX910 S1 ERGY SX940 S1	ERGY SX960 S1	:t Code		ents
Description	Details	FC-Sw FibreC FibreC	PRIME PRIME	PRIME	PRIME	PRIME	PRIME	PRIME	PRIME PRIME	PRIME	PRIME PRIME	PRIME PRIME	PRIME PRIME	PRIME PRIME	PRIME	PRIME PRIME	PRIME	PRIME PRIME	PRIME	PRIME	PRIME	PRIME PRIME	PRIME	Produc	EUP (€)	Comm
s & services matrix Software (Continued)	Dotailo	, = , = , = ,				_,_,	_,_,									_,_,_					_ , _ , .			_		
OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1		x x x	(			х х	x	х	х	2	x x	x x										U11	081-C186	1.125,00	
OPENFT-2-U (WINDOWS) V8.1	system with 1 to 4 CPUs openFT - openFileTransfer; Update Right to		x x x	(			хх	X	x	x	2	x >	x x										U11	081-C192	451,00	
OPENFT-CR (WINDOWS) V10.0	Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 CD-ROM openFT-CR V10.0; Cryptographic		x x x	6			хх	x	X	X		x >	x x										U11	081-C199	15,00	
or Em Port (Mindono) viola	Module; to openFT V10.0; Attention export restrictions																							001 0100	10,00	
OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0		x x x	(			хх	х	х	х	2	x x	хх										U11	081-C201	30,00	
OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode;		x x x	C			хх	х	х	х	7	x x	хх										U11	081-C202	1.225,00	
OPENFT-2 (WINDOWS) V10.0	system with 1 to 4 CPUs; required: U11081- License openFT (WINDOWS) V10.0; for		x x x	(			x x	X	X	X		x x	x x										U11	081-C203	1.994,00	
o / _ (	using in automated, unattended mode; system extendable up to 8 CPUs; required:											,												00.0200	1.001,00	
OPENFT-3 (WINDOWS) V10.0	U11081-C201 License openFT (WINDOWS) V10.0; for		x x x	(			x x	X	X	X		x >	x x										U11	081-C204	3.988,00	
, ,	using in automated, unattended mode; system extendable up to 24 CPUs; required:																									
OPENFT-1-U (WINDOWS) V10.0	U11081-C201 Update license openFT (WINDOWS) V10.0;		x x x	(			x x	x	x	X		x x	x x										U11	081-C207	710,00	
	for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-																									
OPENFT-FTAM-1 (WINDOWS) V10.0	C201 License openFT-FTAM (WINDOWS) V10.0;		x x x	(			x x	x	x	X	:	x >	x x				++			+			U11	081-C212	1.225,00	
	for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-																									
OPENFT-FTAM-2 (WINDOWS) V10.0	C202 License openFT-FTAM (WINDOWS) V10.0;		x x x	(			x x	X	х	x		x >	x x										U11	081-C213	1.994,00	
	for using in automated, unattended mode; system extendable up to 8 CPUs; required:																									
OPENFT-FTAM-3 (WINDOWS) V10.0	U11081-C203 License openFT-FTAM (WINDOWS) V10.0;		x x x	(			x x	x	x	x		x x	x x										U11	081-C214	3.988,00	
	for using in automated, unattended mode; system extendable up to 24 CPUs; required:																									
OPENFT-FTAM-1-U (WINDOWS) V10.0	U11081-C204 Upd license openFT-FTAM(WINDOWS)		x x x	(			хх	X	x	x	2	x x	x x										U11	081-C217	710,00	
	V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required:																									
OPENFT-CR (WINDOWS) V12.0	U11081-C207 CD-ROM openFT-CR V12.0, Cryptographic		x x x	(	хх	хх	хх	хх	хх	x	x x :	x x	x x		x x	x x x	x :	x x	x x	<b>х</b> х			U11	081-C399	15,00	
OPENFT-SW-CD (WINDOWS) V12.0	module, Attention export restrictions  Medium for Windows systems, CD-ROM		x x x	( x x	хх	хх	хх	хх	x x	x	x x :	x x	x x		x x	x x x	x :	x x	хх	<b>х</b>			U11	081-C400	30,00	
OPENFT-1 (WINDOWS) V12.0	openFT-SW V12.0 License openFT (WINDOWS) V12.0; for		x x x	x x	хх	хх	хх	хх	хх	x	2	x x	хх		хх	х		х	хх	κ x			U11	081-C401	1.348,00	
ODENIET O (MINIDOMO) 140 O	using in automated, unattended mode; system with 1 to 4 CPUs																						1144	004 0400	0.400.00	
OPENFT-2 (WINDOWS) V12.0	License openFT (WINDOWS) V12.0; for using in automated, unattended mode;		x x x				x x	X	X	X	X X X	x >	x x			XX	<b>x</b> :	×					011	081-C402	2.193,00	
OPENFT-3 (WINDOWS) V12.0	system extendable up to 8 CPU License openFT (WINDOWS) V12.0; for using in automated, unattended mode;		x x x	(			хх	х	х	х	:	x x	хх										U11	081-C403	4.387,00	
OPENFT-FTAM-1 (WINDOWS) V12.0	system extendable up to 24 CPU License openFT-FTAM (WINDOWS) V12.0;		x x x	(	x x	x x	y y	X X	x x	X		x >	x x		x x	Y		×	x x	( X			U11	081-C411	1.348,00	
0.2(	for using in automated, unattended mode; system with 1 to 4 CPUs				X	^ / ^							^		, ,					`   ^					1.010,00	
OPENFT-FTAM-2 (WINDOWS) V12.0	License openFT-FTAM (WINDOWS) V12.0; for using in automated, unattended mode;		x x x	(			хх	х	х	х	x x :	x x	хх			хх	x :	х					U11	081-C412	2.193,00	
OPENFT-FTAM-3 (WINDOWS) V12.0	system extendable up to 8 CPU License openFT-FTAM (WINDOWS) V12.0;		x x x	(			x x	X	X	X		x >	x x										U11	081-C413	4.387,00	
	for using in automated, unattended mode; system extendable up to 24 CPU																								, , , , , ,	
OPENFT-FTP-1 (WINDOWS) V12.0	License openFT-FTP (WINDOWS) V12.0; for using in automated, unattended mode;		x x x	x x	хх	хх	хх	хх	хх	х	2	x x	хх		x x	х		x	х	( X			U11	081-C421	550,00	
OPENFT-FTP-2 (WINDOWS) V12.0	system with 1 to 4 CPUs License openFT-FTP (WINDOWS) V12.0; for		x x x	(			x x	x	x	X	x x :	x x	x x			x x	x :	x					U11	081-C422	895,00	
	using in automated, unattended mode; system extendable up to 8 CPU																									
OPENFT-FTP-3 (WINDOWS) V12.0	License openFT-FTP (WINDOWS) V12.0; for using in automated, unattended mode;		x x x	(			х х	x	х	х		x x	x x										U11	081-C423	1.791,00	
OPENFT-1 (WINDOWS) V11.0	system extendable up to 24 CPU License openFT (WINDOWS) V11.0; for		x x x	( x x	хх	хх	хх	хх	x x	x	;	x >	x x		x x	x		x	x x	( X			U11	081-C301	1.225,00	
	using in automated, unattended mode; system with 1 to 4 CPUs																									
OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode;		x x x	x x	x x	x x	x x	x x	x x	X		x x	x x		x x	X		X	x x	(   X			U11	081-C311	1.225,00	
OPENFT-2 (WINDOWS) V11.0	system with 1 to 4 CPUs License openFT (WINDOWS) V11.0; for		x x x	(			хх	x	х	х	x x	x x	хх			хх	x :	x					U11	081-C302	1.994,00	
ODENIET ETAMO (MINIDOMO) VAA O	using in automated, unattended mode; system extendable up to 8 CPU																						1114	201 0010	1,001,00	
OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode;		x x x				x x	X	X	X	x x	X	x x			X X	<b>x</b> :	X					U11	081-C312	1.994,00	
OPENFT-3 (WINDOWS) V11.0	system extendable up to 8 CPU License openFT (WINDOWS) V11.0; for		x x x	(			хх	X	х	х		x x	хх										U11	081-C303	3.988,00	
OPENFT-FTAM-3 (WINDOWS) V11.0	using in automated, unattended mode; system extendable up to 24 CPU License openFT-FTAM (WINDOWS) V11.0;		x x x				x x	Y	X	x		x >	x x										1144	081-C313	3.988,00	
OPENFI-FIANFS (WINDOWS) VII.U	for using in automated, unattended mode;		*   *   *				X X	X	*	*	'	*	x											061-0313	3.988,00	
OPENFT-SW-CD (WINDOWS) V11.0	system extendable up to 24 CPU Medium for Windows systems, CD-ROM openFT-SW V11.0		x x x	x x	хх	хх	х х	хх	хх	x	x x :	x x	x x		x x	x x x	x :	x x	x x	x x			U11	081-C300	30,00	
OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions		x x x	x x	хх	хх	хх	хх	хх	x	x x	x >	x x		x x	x x x	x :	х	x x	< x			U11	081-C299	15,00	
OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode;		x x x	x x	хх	хх	х х	хх	хх	х	:	x x	x x		хх	х							U10	987-C501	1.225,00	
OPENFT-FTAM-1 (UNIX systems) V11.0	system with 1 to 4 CPUs License openFT-FTAM (UNIX systems)		x x x	(	x x	x x	x x	x x	x x	X		x >	x x		x x	x	++			++			U10	987-C513	1.225,00	
. (2.13.0)0.000, (110	V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs		_   ^																							
OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode;		x x x	(			хх	х	х	x	x x :	x >	x x			хх	x :	х					U10	987-C502	1.994,00	Phased out
OPENFT-3 (UNIX systems) V11.0	system extendable up to 8 CPU License openFT (UNIX systems) V11.0; for		x x x	(			x x	x	X	X		x >	x x				++			+-			U10	987-C503	3.988.00	Phased out
	using in automated, unattended mode; system extendable up to 24 CPU																									
OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0		x x x	x x	хх	хх	хх	хх	хх	x	x x :	x x	хх		x x	x x x	x :	х					U10	987-C500	36,00	
OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export		x x x	x x	хх	хх	хх	хх	хх	х	x x	x x	хх		хх	x x x	x :	х					U10	987-C499	15,00	



#### **Blade Servers Options** S S S S S Comments roduct € EUP Category Description Details **LCD-Display** PY BX400 Front Panel BX400 Front Panel w/o LCD Display S26361-F4474-E400 55,00 PY BX400 LCD Unit Rack Bx400 LCD Unit Rack S26361-F4474-E200 185,00 PY BX400 Floorstand Kit PY BX400 Floorstand Kit S26361-F4474-E500 1.290.00 **Processor** Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB Intel Xeon processor E5-2603 (4C/4T, 1.80 S26361-F4543-E180 295,00 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB Intel Xeon processor E5-2609 (4C/4T, 2.40 S26361-F4543-E240 400,00 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB Intel Xeon processor E5-2620 (6C/12T, 2.00 S26361-F4544-E200 540,00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB Intel Xeon processor E5-2630 (6C/12T, 2.30 S26361-F4544-E230 775,00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s. Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB Intel Xeon processor E5-2640 (6C/12T, 2.50 S26361-F4544-E250 1.105,00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB S26361-F4545-E200 1.320,00 Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB S26361-F4545-E220 1.590,00 Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB S26361-F4545-E260 1.830,00 Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 115 W) incl. heat sink Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB Intel Xeon processor E5-2680 (8C/16T, 2.70 S26361-F4545-E270 2.055,00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB S26361-F4545-E290 2.420,00 Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 135 W) incl. heat sink Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB Intel Xeon processor E5-2667 (6C/12T, 2.90 S26361-F4546-E290 1.830,00 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB Intel Xeon processor E5-2637 (2C/4T, 3.00 S26361-F4546-E300 1.105,00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 80 W) incl. heat sink Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB Intel Xeon processor E5-2643 (4C/8T, 3.30 S26361-F4546-E330 1.105,00 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB S26361-F4547-E180 1.320,00 Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 70 W) incl. heat sink Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB Intel Xeon processor E5-2630L (6C/12T, 2.00 S26361-F4547-E200 845,00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB Intel Xeon processor E5-2603 (4C/4T, 1.80) S26361-F4548-E180 295,00 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB Intel Xeon processor E5-2609 (4C/4T, 2.40 S26361-F4548-E240 400,00 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB Intel Xeon processor E5-2620 (6C/12T, 2.00 S26361-F4549-E200 540,00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon processor E5-2630 (6C/12T, 2.30 Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB S26361-F4549-E230 775,00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB Intel Xeon processor E5-2640 (6C/12T, 2.50 S26361-F4549-E250 1.105,00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB Intel Xeon processor E5-2650 (8C/16T, 2.00 S26361-F4550-E200 1.320,00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB S26361-F4550-E220 1.590,00 Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s. Mem bus: 1600 MHz, 95 W) incl. heat sink Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB S26361-F4550-E260 1.830,00 Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 115 W) incl. heat sink Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB Intel Xeon processor E5-2680 (8C/16T, 2.70 S26361-F4550-E270 2.055,00 Х GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB Intel Xeon processor E5-2690 (8C/16T, 2.90 S26361-F4550-E290 2.420,00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 135 W) incl. heat sink S26361-F4551-E290 1.830,00 Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB S26361-F4551-E300 1.105,00 Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 80 W) incl. heat sink Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB Intel Xeon processor E5-2643 (4C/8T, 3.30 S26361-F4551-E330 1.105,00 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB Intel Xeon processor E5-2650L (8C/16T, 1.80 S26361-F4552-E180 1.320,00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 70 W) incl. heat sink Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB S26361-F4552-E200 Intel Xeon processor E5-2630L (6C/12T, 2.00 845,00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink Intel Xeon E5-2403 4C/4T 1.80 GHz 10 MB S26361-F4560-E180 260,00 Intel Xeon processor E5-2403 (4C/4T, 1.80 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink 2nd Xeon E5-2403 4C/4T 1.80 GHz 10 MB S26361-F4564-E180 260,00 Intel Xeon processor E5-2403 (4C/4T, 1.80

GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem

bus: 1066 MHz, 80 W) incl. heat sink



e Servers Options																	
				Τ	Serv		T	T				T					
		Blade			CD Se				Blades								
			ses	age age	~		01 0										
		Entcryption	FC-Switch FCoE Blades	FK4-18i Blade FX8-24 Blade	Blade	BX400 S1	BX900 S2	PRIMERGY BX920 S3	Connection	5 S1	SX910 S1	SX940 S1	80 S1	80 S2			
		Inter	-C-Switch FCoE	-K4-1	Port F		BX9	PRIMERGY BX920 PRIMERGY BX924		SX05	SX9	SX940	8X380	SX980	9		
		tch	tch	tch Tch	tch F	Ğ	Ş   3	کے کے ت	ğ g		₹GY				Product Code	_	ints
		-C-Switch	-Swi	FC-Switch	FC-Switch	PRIMERGY	PRIMERGY		PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	onpc	P (€)	Comments
y Description matrix	Details	[ [ [	ပ္က	5 E	ပို	8	£ 8	7 8		E.	R.	K K	<b>E</b>	<u>R</u>	Ĕ	EUP	8
sor (Continued) Intel Xeon E5-2407 4C/4T 2.20 GHz 10 MB	Intel Veen processor EE 2407 (4C/4T 2 20						Τ,	v							\$26264 E4560 E220	220.00	0
Intel Acon E5-2407 4C/41 2.20 GHZ 10 MB	Intel Xeon processor E5-2407 (4C/4T, 2.20 GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem						,	X							S26361-F4560-E220	320,00	
2nd Xeon E5-2407 4C/4T 2.20 GHz 10 MB	bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon processor E5-2407 (4C/4T, 2.20		+	+		+	١,	X	+	Н	-		+		S26361-F4564-E220	320,00	0
	GHz, TLC: 10 MB, Turbo: No, 6.4 GT/s, Mem						'	^							020001110012220	020,0	
Intel Xeon E5-2420 6C/12T 1.90 GHz 15 MB	bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon processor E5-2420 (6C/12T, 1.90	$\vdash$	+	+		$\vdash$	)	Х	+	Н			+		S26361-F4561-E190	490,00	0
	GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																
2nd Xeon E5-2420 6C/12T 1.90 GHz 15 MB	Intel Xeon processor E5-2420 (6C/12T, 1.90	$\Box$				$\Box$	,	х		П					S26361-F4565-E190	490,00	0
	GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																
Intel Xeon E5-2430 6C/12T 2.20 GHz 15 MB	Intel Xeon processor E5-2430 (6C/12T, 2.20						)	х							S26361-F4561-E220	660,00	0
	GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink									Ш							
2nd Xeon E5-2430 6C/12T 2.20 GHz 15 MB	Intel Xeon processor E5-2430 (6C/12T, 2.20 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s,						,	Х							S26361-F4565-E220	660,00	0
1 1 1 V	Mem bus: 1333 MHz, 95 W) incl. heat sink		_	_		Ш	_		_	Ш		_	-		200004 54500 5000	700.00	
Intel Xeon E5-2430L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2430L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s,						,	Х							S26361-F4563-E200	790,00	0
2nd Xeon E5-2430L 6C/12T 2.00GHz 15MB	Mem bus: 1333 MHz, 60 W) incl. heat sink Intel Xeon processor E5-2430L (6C/12T, 2.00		+	+		$\vdash$	-	X	+	Н	-	-	+		S26361-F4567-E200	790,00	0
	GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s,						'								222.1.30. 2200	. 55,00	
Intel Xeon E5-2440 6C/12T 2.40 GHz 15 MB	Mem bus: 1333 MHz, 60 W) incl. heat sink Intel Xeon processor E5-2440 (6C/12T, 2.40	$\vdash$	+	+		$\vdash$	,	х	+	Н					S26361-F4561-E240	1.000,00	0
	GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																
2nd Xeon E5-2440 6C/12T 2.40 GHz 15 MB	Intel Xeon processor E5-2440 (6C/12T, 2.40	$\Box$					,	х		П					S26361-F4565-E240	1.000,00	0
	GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																
Intel Xeon E5-2450 8C/16T 2.10 GHz 20 MB	Intel Xeon processor E5-2450 (8C/16T, 2.10 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s						,	х							S26361-F4562-E210	1.210,00	0
	Mem bus: 1600 MHz, 95 W) incl. heat sink									Ш							
2nd Xeon E5-2450 8C/16T 2.10 GHz 20 MB	Intel Xeon processor E5-2450 (8C/16T, 2.10 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s,						,	X							S26361-F4566-E210	1.210,00	0
Intel Xeon E5-2450L 8C/16T 1.80GHz 20MB	Mem bus: 1600 MHz, 95 W) incl. heat sink		_	_		_		<u></u>	_	Н	_		-		S26361-F4563-E180	1 270 0	
Intel Aeon E5-2450L 8C/161 1.80GHZ 20MB	Intel Xeon processor E5-2450L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s,						,	Х							520301-F4503-E160	1.270,00	0
2nd Xeon E5-2450L 8C/16T 1.80GHz 20MB	Mem bus: 1600 MHz, 70 W) incl. heat sink Intel Xeon processor E5-2450L (8C/16T, 1.80		+	+		$\vdash$		X	+	Н	-	+	+		S26361-F4567-E180	1.270,00	0
	GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s,															0,0	
Intel Xeon E5-2470 8C/16T 2.30 GHz 20 MB	Mem bus: 1600 MHz, 70 W) incl. heat sink Intel Xeon processor E5-2470 (8C/16T, 2.30		+			$\vdash$	,	х		Н	+		+		S26361-F4562-E230	1.655,00	0
	GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink																
2nd Xeon E5-2470 8C/16T 2.30 GHz 20 MB	Intel Xeon processor E5-2470 (8C/16T, 2.30	$\Box$	$\top$			$\Box$	,	х		П					S26361-F4566-E230	1.655,00	0
	GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink																
/ Modules Independent Mode Installation	No specific memory RAS features are defined							>	<						S26361-F3694-E10	5.00	0
Independent Mode Installation Performance Mode Installation	No specific memory RAS features are defined BIOS setup for performance mode,		-			$\Box$		X							S26361-F3695-E10 S26361-F3694-E2	5,00 5,00	0
Performance Mode Installation	preinstallation ex factory BIOS setup for performance mode,		_	_		-	٠.	x	-	Н		_	-		S26361-F3695-E2	5,00	
	preinstallation ex factory	Ш				Ш			$\perp$	Ш		_					
Rank Sparing Mode Installation	BIOS setup for rank sparing mode, preinstallation ex factory							>	<b>(</b>						S26361-F3694-E1	5,00	0
Rank Sparing Mode Installation	BIOS setup for rank sparing mode, preinstallation ex factory						,	х							S26361-F3695-E1	5,00	0
Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation							>	<	П					S26361-F3694-E3	5,00	0
Mirrored Channel Mode Installation	ex factory, BIOS setup for mirrored mode, preinstallation	$\vdash$	+	+		$\vdash$	,	х	+	Н					S26361-F3695-E3	5,00	0
2GB (1x2GB) 1Rx8 L DDR3-1600 U ECC	ex factory, 2 GB (1 module(s) 2 GB) DDR3 LV,	H	+	+		$\vdash$	١,	x x		Н	-	+	+		S26361-F3694-E613	45,00	0
200 (1)200) 1100 2 000 1000 0 200	unbuffered, ECC, 1333 MHz, PC3-10600,							^ /	`						02000110004 2010	40,00	
4GB (1x4GB) 2Rx8 L DDR3-1600 U ECC	DIMM 4 GB (1 module(s) 4 GB) DDR3 LV,	$\dashv$	+	+		$\dashv$	<b>-</b>	x x	(	H	$\dashv$	+	+		S26361-F3694-E614	75,00	0
	unbuffered, ECC, 1333 MHz, PC3-10600, DIMM															,	
4GB (1x4GB) 2Rx8 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV,	$\parallel$	+	+	$\vdash$	$\forall$	,	x x	(	H	$\dashv$	+	+	$\square$	S26361-F3695-E614	95,00	0
	registered, ECC, 1600 MHz, PC3-12800, DIMM																
4GB (1x4GB) 1Rx4 L DDR3-1333 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV,						,	x >	<	П					S26361-F3696-E614	85,00	0
	registered, ECC, 1333 MHz, PC3-10600, DIMM																
8GB (1x8GB) 2Rx4 L DDR3-1333 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600,						)	X X	(						S26361-F3696-E615	125,00	0
	DIMM	Ш				Ш	4		_	Ш		_	L				
4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800,						,	X X	(						S26361-F3697-E614	95,00	U
8GB (1x8GB) 2Rx4 L DDR3-1600 R ECC	DIMM  8 GB (1 module(s) 8 GB) DDR3, registered,	$\vdash$	+	+	$\vdash$	$\dashv$	1	v .	_	H	$\perp$	+	+		S26361-F3697-E615	145,00	n
<u> </u>	ECC, 1600 MHz, PC3-12800, DIMM	Ш	$\perp$		Ш	Ш	4	X X	4	Ш							
16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC	16 GB (1 module(s) 16 GB) DDR3, registered, ECC, 1600 MHz, PC3-12800,						,	X X	(						S26361-F3697-E616	260,00	0
16GB (1x16GB) 4Rx4 L DDR3-1333 LR ECC	16 GB (1 module(s) 16 GB) DDR3 LR LV,		$\top$				,	x x	(	П		$\top$			S26361-F3698-E616	400,00	0
	registered, ECC, 1333 MHz, PC3-10600, LRDIMM		$\perp$	$\perp$	Ш	Ш	$\perp$	$\perp$	$\perp$	Ш				Ш			
32GB (1x32GB) 4Rx4 L DDR3-1333 LR ECC	32 GB (1 module(s) 32 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600,						,	X X	(						S26361-F3698-E617	915,00	0
able Media Driver	LRDIMM																
able Media Drives DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-					х									S26361-F3269-E2	95,00	0
Blu-ray Triple Writer slimline SATA	RAM,slimline 0.5" fitting height, black Read: 6x BD-ROM, 8x DVD, 24x CD, Write:	$\vdash$	+	+	$\vdash$	х	+	+	+	H	$\dashv$	+	+	H	S26361-F3641-E2	165,00	0
,	6x BD, 8x DVD, 24x CD, BD DL and all															_5,00	
RDX 320 5.25'	CD/DVD formats, slimline 0,5" fitting height RDX Drive USB3.0 100MB/s 5.25" intern, ,	$\forall$	+	+	$\vdash$	$\dashv$	+	+	+	х	$\dashv$	+	+	H	S26361-F3750-E324	285,00	0
	USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel.,																
	TOOD GADIE, 1.0 IIIIIIIIIII HEIGHI, DIACK DEZEL.,	1 [			1	ı [			1	1				1 1			



					>												
		h Entcryption Blade	-C-Switch FCoE Blades -C-Switch FR4-18i Blade	FX8-24 Blade	h Port Blade BRCD Serv			BX924 S3	SY Connection Blades		SX940	096XS		200	Sode		\$
		FC-Switch	Switc	Switc	-C-Switch F	PRIMERGY	MER	MERC	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY		Product Code	P (€)	Comments
Description	Details	ပို	ပ် ပို	ပ်	ή <u>κ</u>	K K	PR	<u>R</u>	¥ 8	PR	E E	<u>R</u>	¥ 8		Pro	H H	Con
atrix le Media Drives (Continued)																	
	RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching								X					S26361-	F3750-E504	375,00	
	USB cable , 1.6" fitting height, black bezel., With 500GB Cartridge																
	RDX Drive USB3.0 100MB/s 5.25" intern, , USB Connector: USB 3.0 "B" with matching								х					S26361-l	F3750-E604	420,00	
	USB cable , 1.6" fitting height, black bezel., With 1000GB Cartridge																
RDX Drive USB3.0 5.25" internal	RDX Drive USB3.0 100MB/s 5.25" intern, ,					$^{+}$			х			+	$^{\dagger}$	S26361-l	F3750-E4	210,00	
	USB Connector: USB 3.0 "B" with matching USB cable , 1.6" fitting height, black bezel.										Ш						
·	USB 2.0 Connector: USB "B" with USB cable kit, 1.6" fitting height, black bezel, with								x					S26361-l	F3324-E4	505,00	
	description (G/US) and cleaning cartridge DDS Gen6 80GB 6MB/s 5.25" intern, USB		+	Н		+		H	×	H	H	+	+	S26361-l	F3325-E4	735,00	
	2.0 Connector: USB "B" with USB cable , 1.6"													0200011	1 0020 24	700,00	
	fitting height, black bezel, with cleaning cartridge	Ш				L					Ш		1				
·	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with								X	Х				S26361-I	F3561-E4	1.410,00	
	cleaning cartridge SAS 6GB Interface, mini-SAS connector, 1.6"	$\vdash$	_	$\dashv$	+	+		$\vdash$	Y	X	$\vdash$	_	+	S26361-	F3626-E2	1.825,00	
·	fitting height, , with SAS cable, with cleaning								^					2230014			
Tape Kit LTO5HH 1500GB 140MB/s SAS	cartridge SAS 6GB Interface, mini-SAS connector, 1.6"	H	+		+	+	+	$\forall$	х	х	H		+	S26361-	F3627-E1	2.220,00	
	fitting height, , with SAS cable, with cleaning cartridge																
IS HD SATA 1TB 5.4K 2.5" NO HOT PL ECO	HDD SATA, 320 GB, 5400 rpm, non hot plug,							х						S26361-l	F3798-E100	255,00	New product, Orderable from: 17/06/2013
	2.5-inch, economic BX924 S3 Drive mounting kit	$\vdash$	_	$\vdash$	+	+		x	+		$\vdash$		+		F4008-E3	85.00	<u>'</u>
disk mounting kit SAS Mezz card SSD SAS 6G 100GB MLC NO HP 2.5" EP PERF	BX924 S3 Drive mounting kit			H	+			X					$\mp$	S26361-l	F4008-E4 F4580-E100	85,00 1.060,00	
	plug, 2.5-inch, enterprise				+	-		X	+		$\square$		_		F4580-E200	1.880,00	
	plug, 2.5-inch, enterprise				_	_			_		Ш		1			·	
	plug, 2.5-inch, enterprise	Ш		Ш	$\perp$	$\perp$		Х			Ш				F4580-E400	3.610,00	
	plug, 2.5-inch, enterprise							х							F5124-E100	465,00	
SSD SATA 6G 200GB MLC NO HP 2.5" EP MAIN	SSD SATA, 6 GB/s, 200 GB, MLC, non hot plug, 2.5-inch, enterprise							х							F5124-E200	995,00	
SSD SATA 6G 400GB MLC NO HP 2.5" EP MAIN								х						S26361-l	F5124-E400	2.670,00	
HD SATA 6G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot- plug, 2.5-inch, business critical	$\sqcap$			$\uparrow$		х	$\sqcap$			П			S26361-l	F3708-E250	225,00	
HD SATA 6G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-			$\parallel$	$\dagger$		х		$\dagger$	$\top$	H			S26361-l	F3708-E500	255,00	
HD SATA 6G 1TB 7.2K HOT PL 2.5" BC	plug, 2.5-inch, business critical HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-	$\forall$		$\forall$	+	$\dagger$	х	$\forall$	+		H	+	+	S26361-l	F3708-E100	410,00	
SSD SATA 6G 100GB MLC HOT P 2.5" EP MAIN		H	+	$\forall$	+	+	х	$\forall$			х	х	+	S26361-l	F5225-E100	465,00	
SSD SATA 6G 200GB MLC HOT P 2.5" EP MAIN	2.5-inch, enterprise SSD SATA, 6 GB/s, 200 GB, MLC, hot-plug,	$\vdash$	+	$\dashv$	+	+	Х	$\vdash$	+		х	х	+	S26361-l	F5225-E200	995,00	
SSD SATA 6G 400GB MLC HOT P 2.5" EP MAIN	2.5-inch, enterprise SSD SATA, 6 GB/s, 400 GB, MLC, hot-plug,	$\vdash$	+	$\dashv$	+	+	Х	$\vdash$	+		х	х	+	S26361-l	F5225-E400	2.670,00	
	2.5-inch, enterprise HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-	$\vdash$	+	$\dashv$	+	+	X	$\vdash$	+		H	+	+		F5247-E130	255,00	
	plug, 2.5-inch, enterprise HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-	$\square$	_	$\vdash$	+	+	X	$\square$	+		$\square$	_	+		F5247-E145	370,00	
	plug, 2.5-inch, enterprise	$\square$	_	$\sqcup$	4	+		$\square$	+		$\square$	_	_				
	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot- plug, 2.5-inch, enterprise	Ц			_		Х	Ш			Ц		$\perp$		F5247-E160	475,00	
	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hotplug, 2.5-inch, enterprise						х								F5247-E190	680,00	
HD SAS 6G 500GB 7.2K HOT PL 2.5" BC	HDD SAS, 6 GB/s, 500 GB, 7200 rpm, hotplug, 2.5-inch, business critical						х								F5228-E500	270,00	
HD SAS 6G 1TB 7.2K HOT PL 2.5" BC	HDD SAS, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical					T	x					X	x 2	S26361-l	F5228-E100	450,00	
HD SATA 3G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot- plug, 2.5-inch, business critical										х	х		S26361-l	F3601-E250	225,00	
HD SATA 3G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-			$\parallel$	$\dagger$	$\dagger$	$\dagger$	H	$\dagger$	$\dagger$	х	х	$\dagger$	S26361-l	F3601-E500	255,00	
HD SATA 3G 1TB 7.2K HOT PL 2.5" BC	plug, 2.5-inch, business critical HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-	H	+	$\forall$	+	+		H	+		х	х	+	S26361-l	F3601-E100	410,00	
HD SAS 3G 300GB 10K HOT PL 2.5" EP	plug, 2.5-inch, business critical HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-	$\vdash$	+	$\dashv$	+	+		$\vdash$	+		х	х	+	S26361-l	F3292-E130	470,00	
	plug, 2.5-inch, enterprise HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-	$\vdash$	+	$\dashv$	+	+	$\vdash$	$\vdash$	+	$\vdash$	х	+	+	S26361-l	F3292-E145	630,00	
	plug, 2.5-inch, enterprise HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-	$\vdash$	_	H	+	+	+	$\vdash$	+	+	X	+	+		F3292-E160	735,00	
	plug, 2.5-inch, enterprise HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-	$\square$		$\square$	+	_		$\square$	_		X	v	_		F3292-E514	485,00	
	plug, 2.5-inch, enterprise		_		_	_			_				_				
	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot- plug, 2.5-inch, enterprise	Ц		Ш	$\perp$	$\perp$	Х	Ш							F4482-E130	255,00	
	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise						Х						_		F4482-E145	370,00	
	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hotplug, 2.5-inch, enterprise						x				х	X	x 2	S26361-l	F4482-E160	475,00	
HD SAS 6G 900GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot- plug, 2.5-inch, enterprise	П					х				х	X	X Z	S26361-l	F4482-E190	680,00	
HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot- plug, 2.5-inch, enterprise	$\sqcap$		$\parallel$	$\top$		х	$\sqcap$			х	X	x 2	S26361-l	F4482-E514	295,00	
HD SAS 6G 300GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-	H		$\forall$	$\dagger$	$\dagger$	х	H	+	$\top$	х	X	x 2	S26361-l	F4482-E530	535,00	
SSD SAS 6G 100GB SLC HOT P 2.5" EP PERF		$\vdash$	+	$\forall$	+	+	+	$\vdash$	+	+	$\vdash$		x 2	S26361-l	F4541-E100	1.795,00	Phased out
SSD SAS 6G 400GB SLC HOT P 2.5" EP PERF	2.5-inch, enterprise SSD SAS, 6 GB/s, 400 GB, SLC, hot-plug,	$\vdash$	-	H	+	+		H	+		H		x 2	x S26361-l	F4541-E400	6.180,00	
	2.5-inch, enterprise	$\vdash$	+	$\vdash$	+	+	Х	$\vdash$	+	-	х				F4581-E100	1.060,00	
	2.5-inch, enterprise	$\Box$			4	4		$\square$	_	$\perp$					F4581-E200	1.880,00	
SSD SAS 6G 200GB MLC HOT PL 2.5" EP PERF	SSD SVS & CB/c 300 CB MI C Fet -1						X					~	~	/ (	F/1687		



Blade Serv	vers Options																		
						Ser<				တ္က									
			Blade		1	3				Blades									
			ion B	aues Blade	Slade	de BR	<b>S</b> 2	S3			-   2	2	S	S 2	7				
			Switch Entcryption E	rC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	PRIMERGY BX400 S1	BX900	(920	(924	Connection SX05.S1	SX910 S1	SX940 S1	096XS	SX980					
			h Ent	- 4 - 7 - 7	h FX	7 B	3Y B)	PRIMERGY BX920				λ S Y				Code			δ.
			FC-Switch	Switc	Switc	PRIMERGY	PRIMERGY	MERC	MERC	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY		Product Code		EUP (€)	Comments
Category Desc	cription	Details	<u>υ</u>	ဉ် ပို	ပ်	<u>ا</u> ال	PR E	몺	PR		<u> </u>	F.	몺	PR B	Ž L	Pro		B	Ö
Options matrix Hard Disks (Cor																			
SCSI/RAID/SAS RAID	Contr BBU Upgrade for RAID 5/6 V16	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G	П	П						Т	Т	х	х	Т	S26	361-F3257-E1	116	165,00	
2.412		8Port ex 512MB LSI"	Ш	Ш															
		RAID-Ctrl, LSI MegaRAID SAS1064, PCle x4, 4 internal ports	Ш	Ш							Х	Х				361-F3257-E4		110,00	
	FBU Module SAS RAID HDD Module w/o cache	FBU Upgrade for LSI SAS2208 SAS RAID HDD Module based on LSI						X	$\dashv$	+	$\dagger$			+		361-F4531-E1 361-F4531-E1		125,00 435,00	
		MegaRAID SAS2208, PCIe 2.0 x8, SAS 2.0, without Cache		Ш															
PY R		SAS HDD backplane for BX920S3 to connect to SAS RAID HDD Module. Thereby RAID 0,1						X							S26	361-F4531-E5	50	30,00	
PY S	SAS RAID HDD Module	functionality can be realized on BX920S3.  SAS RAID HDD Module based on LSI	H	+		+		х	+	+	+	Н	-	+	S26	361-F4531-E5	512	655,00	
		MegaRAID SAS2208, PCIe 2.0 x8, SAS 2.0, 512MB Cache																·	
SAS	Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS,	$\prod$					х	х	$\top$				$\top$	S26	361-F3674-E1	ı	85,00	
DAID	O Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI	$\square$	$\perp$	$\Box$	+				+	_			_	800	361 E2554 F1		17F 00	
KAID	, ,	MegaRAID SAS2008, PCle 2.0 x8, 8 internal										X			526	361-F3554-E8	,	175,00	
RAID		SAS/SATA RAID Controller based on LSI		+		+				+	+	х	х	+	S26	361-F3554-E5	512	390,00	
		MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports																	
RAID	O Ctrl SAS 6G 1GB (D3116C)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 3.0 x8, 8 internal											х		S26	361-F3669-E3	3	435,00	
Connection Bla		ports								d				4					
		Brocade hot-pluggable SFP module, 4 GB/s Short-Wavelength Laser (SWL), Multi-Mode	П			Т				х	Т			Т	S26	361-F3873-E1	104	130,00	
EC S	SFP+ MMF 8GB LC (Brocade)	Fiber with LC connector  Brocade hot-pluggable SFP+ module, 8 GB/s		$\perp$						x	-				526	361-F3873-E1	100	165,00	
103	of F + Wilvill OGB EG (Blocade)	Short-Wavelength Laser (SWL), Multi-Mode Fiber with LC connector								^					520	301-1 3073-L	109	105,00	
FC S	SFP SMF 4GB LC 4km (Brocade)	Brocade hot-pluggable SFP module (4km), 4							$\forall$	х	$\dagger$			+	S26	361-F3873-E2	204	525,00	
		GB/s Long-Wavelength Laser (SWL), Single- Mode Fiber with LC connector																	
FC S	SFP+ SMF 8GB LC 10km (Brocade)	Brocade hot-pluggable SFP+ module, 8 GB/s Long-Wavelength Laser (LWL), Single-Mode								Х					S26	361-F3873-E2	208	1.575,00	
	BE Copper Brocade SFP (for IP)	Fiber with LC connector  1 GBe Copper SFP (RJ45) for IP switch								Х					S26	361-F3873-E4	101	285.00	
PY C	CB Eth Switch/IBP 1GB 36/12	LAN Connection Blade for Fujitsu PRIMERGYBX400 and BX900 Blade				x	Х								S26	361-K1304-V1	100	3.030,00	
		Servers., Usable as L2 LAN switch, Intelligent Blade Panel (IBP) or End Host Mode (EHM)																	
		module., , Interfaces:, internal: 36x 1GBit/s Eth (downlinks), external: 8x RJ45 1GBit/s																	
PY C		Eth, 4x SFP 1GBit/s Eth  LAN Connection Blade for Fujitsu		+		X	X			+				-	S26	361-K1304-V1	101	5.555,00	
		PRIMERGY BX400 and BX900 Blade Servers., Usable as L2 LAN switch, Intelligent				"	,											0.000,00	
		Blade Panel (IBP) or End Host Mode (EHM) module., , Interfaces:, internal: 36x 1GBit/s																	
		Eth (downlinks), external: 8x RJ45 1GBit/s																	
PY C	CB Eth Switch/IBP 10GB 18/8	Eth, 2x SFP+ 10GBit/s Eth  10GBit/s LAN Connection Blade for Fujitsu	$\vdash$	+	$\vdash$	х	х			+	+	$\forall$		+	S26	361-K1304-V2	200	8.335,00	
		PRIMERGY BX400 and BX900 Blade Servers., Usable as L2 LAN switch, Intelligent																	
		Blade Panel (IBP) or End Host Mode (EHM) module., , Interfaces:, internal: 18x 10GBit/s																	
		Eth (downlinks), external: 8x SFP+ 10GBit/s Eth																	
PY C	CB FC SW 8G 18/8 26 Enterpr (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu				X	x								S26	361-K1305-V1	126	15.350,00	
		PRIMERGY BX900 Blade Servers, embedded in the basic unit are:, - License for																	
		26 Ports with DPOD (Dynamic Ports on Demand), - Access Gateway, - License for																	
		Full Fabric, - License for Enhanced Group Management, - License for Fabric Watch, -																	
		License for Advanced Performance Monitor, -																	
		License for ISL Trunking, - License for Extended Fabric, - License for Adaptive																	
		Networking, - License for Server Application Optimization, - 4 x Brocade hot-pluggable																	
	DD 50 0 000 107 117	SFP+ module, 8 GBit/sec Short-Wavelength Laser (SWL). LC connector	Щ			_				_	_	Ш		_		004 14:55		7.0	
PY C	CB FC Switch 8GB 18/8 14 (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu				X	X								S26	361-K1305-V1	14	7.675,00	
		PRIMERGY BX900 Blade Servers, embedded in the basic unit are:, - License for																	
		14 Ports with DPOD (Dynamic Ports on Demand), Automatically enables ports on an																	
		embedded blade when the server is, powered on and does not require a																	
		predefined assignment of port;, determined by the total number of ports in use and the																	
		number of, purchased dynamic ports., -																	
		Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, -																	
		4 x Brocade hot-pluggable SFP+ module, 8 GBit/sec Short-Wavelength Laser (SWL). LC																	



<u> </u>			$\neg$	$\neg$					$\neg$		$\overline{}$							
		<u>a</u>			) Serv				Bladee	S D								
		ו Blade	Sa de	9 8	FC-Switch Port Blade BRCD				200									
		Entcryption	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	Slade	PRIMERGY BX400 S1	00 S2	20 83	PRIMERGY BX924 S3	18C110	SX910 S1	10 S1	SX960 S1	SX980 S1	30 S2			
		Entcr	7. T. P.	FX8-2	Port	BX4	BX9	PRIMERGY BX920 S3	PRIMERGY BX924 S3 PRIMERGY Copperti	PRIMERGY SX05 S1	SX9	SX940	SX96	SX3	086XS	Code		
		/itch	it ch	itch	/itch	ERGY	RGY	ERGY	ERGY	RGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	s S	€	nents
Description	Details	FC-Switch	אָּ כויייי בייייייייייייייייייייייייייייייי	8-5	S-S	RIME	RIME	RIME	K M	RIME	RIME	RIME	RIME	RIME	RIME	Product	EUP (6	Comments
atrix on Blades (Continued)	Details	<u> </u>		.   111			ш ,	ш ј						ш ,	ш.	ш		, 0
PY CB FC Switch 8GB 18/8 26 (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu		Т	Т		х	х	Т	Т	Т	П			П	S2	26361-K1305-V26	11.310	0,00
	PRIMERGY BX900 Blade Servers,																	
	embedded in the basic unit are:, - License for 26 Ports with DPOD (Dynamic Ports on																	
	Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group																	
	Management, - 4 x Brocade hot-pluggable SFP+ module, 8 GBit/sec Short-Wavelength																	
PY CB IB Switch 40GB 18/18	Laser (SWL), LC connector InfiniBand Connection Blade for Fujitsu		+	+		х	X	-	+	+		Н			S2	26361-K1336-V200	11.920	0.00
	PRIMERGY BX900 blade server., , Double wide, Single height, , Quad Data Rate (QDR																	
	x4), , Interfaces:, , intern: 18x (downlinks), ,																	
PY CB FC Pass Thru 8G 18/18	extern: 18x QSFP connectors (uplink) Fibre Channel Pass Thru Connection Blade	$\Box$				х	х		$^{+}$						S2	26361-K1363-V18	4.090	0,00
	for Fujitsu PRIMERGY BX900 Blade Servers, with 18 downlinks and 18 uplinks, all pathes																	
	are 100% independent from each other and support 4GB/8GB Fibre Channel speed with																	
PY CB Eth Pass Thru 1/10G 18/18	autonegotiation 1/10GBit/s Ethernet Pass Thru Connection	H	+	+		х	х	+	+	+	+		$\square$	-	S2	26361-K1365-V18	4.545	5,00
	Blade for Fujitsu PRIMERGY BX900 Blade Servers, with 18 downlinks and 18 uplinks, all																	
	pathes are 100% decoupled from other each other and support 1GB/10GB Ethernet speed																	
PY CB Eth Switch/IBP 1GB 18/6	1GB LAN Connection Blade for Fujitsu PRIMERGY BX400 and BX900 Blade					х	х					П			S2	26361-K1366-V100	2.070	0,00
	Servers., Usable as LAN switch or Intelligent																	
	Blade Panel (IBP)., , Interfaces:, internal: 18x 1GBit/s Eth (downlinks), external: 6x RJ45																	
PY CB SAS Switch 6GB 18/6	1GBit/s Eth 6GB SAS Connection Blade for Fujitsu		+	+		х	х	+	+	+	+			+	S2	26361-K1391-V300	1.730	0,00
	PRIMERGY BX400 /BX900 Blade Server., Will be used for connection between Server																	
	Blades and SX980 and/or between Server Blades and external storage devices., ,																	
	Interfaces:, internal: 18x 6GB SAS, external: 6x 6GB SAS																	
PY CB IB Switch 56GB 18/18	InfiniBand Connection Blade for Fujitsu PRIMERGY BX900 blade server., , Double						х			T					S2	26361-K1423-V200	13.940	0,00
	wide, Single height, , Fourteen Data Rate																	
	(FDR x4), , Interfaces:, intern: 18x (downlinks), extern: 18x QSFP connectors																	
PY CB DCB SW 10GB 18/6 Base (Brocade)	(uplink) Ethernet / DCB Switch 10GBit/s 18/6					х	х		$^{+}$	+					S2	26361-K1429-V100	11.455	5,00
	(Brocade VDX 2730 Base) Connection Blade for Fujitsu PRIMERGY Blade Servers,																	
	embedded in the basic unit are:, - License for 24 Ports Ethernet / DCB, - License for 2 node																	
	VCS, Fibre Cannel and FCoE requires additional licenses, contains NO SFP+																	
	modules, , external interfaces:, 6 Ports 10GBit/s Eth. Ports for SFP/SFP+ modules, 6																	
	Ports 8/4GBit/s FC Ports for SFP/SFP+ modules (not enabled)																	
PY CB DCB SW 10GB 18/6/6 Enterprise (Br)	Ethernet / DCB Switch 10GBit/s 18/6 (Brocade VDX 2730 Enterprise) Connection					х	х								S2	26361-K1429-V200	17.410	0,00
	Blade for Fujitsu PRIMERGY Blade Servers, embedded in the basic unit are:, - License for																	
	24 Ports Ethernet / DCB, - License for VCS																	
	with more than 2 nodes, - License for Fibre- Channel Ports, - Livense for FCoE, contains																	
	NO SFP+ modules, , external interfaces:, 6 Ports 10GBit/s Eth. Ports for SFP/SFP+																	
	modules, 6 Ports 8/4GBit/s FC Ports for SFP/SFP+ modules																	
PY CB Eth FEX B22F 10GB 16/8	10GBit/s LAN Connection Blade for Fujitsu PRIMERGY BX400 and BX900 Blade					Х	Х								S2	26361-K1440-V100	8.730	0,00
	Servers., The Cisco FEX B22F is designed for attachment to switches of the Cisco																	
	Nexus 5000 family., , Interfaces:, intern:16x 10GBit/s Eth (downlinks), extern: 8x SFP+																	
PY CB Eth FEX B22F with 16 FET 10GB 16/8	10GBit/s 10GBit/s LAN Connection Blade for Fujitsu		+	+		x	Y	+	+	+				_	S2	26361-K1440-V110	13.860	0.00
THOSE CATTER SEET WATTOTE THOSE TO/O	PRIMERGY BX400 and BX900 Blade Servers., The Cisco FEX B22F is designed														02	.000110140 7110	10.000	,,,,,
	for attachment to switches of the Cisco																	
	Nexus 5000 family. , The included 16 FET modules are only for Ultra Short Range																	
	connection between the FEX B22F and the parent switch., Interfaces:, intern:16x																	
SFP Module GBE RJ45	10GBit/s Eth (downlinks), extern: 8x SFP+ SFP module 1GB Ethernet with RJ45	H	+	+		H	+	+	)	x	-			-	S2	26361-F3986-E1	200	0,00
	connector (jack) for Fujitsu PRIMERGY BX900 GB LAN connection blades.																	
SFP Module Multi Mode Fiber GBE LC	SFP module 1GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu	$\prod$							)	x		П			S2	26361-F3986-E2	110	0,00
	PRIMERGY BX900 GB LAN connection blades																	
SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode	$\parallel$		$\dagger$		H	$\dashv$		)	x		П	$\exists$		S2	26361-F3986-E3	410	0,00
	Fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN																	
	connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the																	
	Fujitsu 10GBE Server Adapter D2755., For	1 L		1	1	ı I					1	. 1	- 1					



											Т						
		Entcr)	tch FR4-18i Blade	FX8-24 Blade	Port Bla	PRIMERGY BX400 S1	PRIMERGY BX920 S3		<b>3GY Connection Blades</b>	3GY SX05 S1	KGY SX940 S1		8X980	3 SX	t Code		nts
	D	-C-Switch	-C-Switch	FC-Switch	FC-Switch	PRIMERGY	RIME	RIME	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	Product	EUP (€)	Comments
ry Description matrix	Details	Œ i	ī lū	ĬĔ	ŭ į	<u> </u>		<u> </u>	<u>~</u>	<u> </u>		<u> </u>	<u>~</u>		<u>ā</u>	ш	Ŏ
SFP+ Module Single Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for single mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blade and LAN adapter D2755., For single-mode long-range fiber optic cables up to 10km.								x	Ī		Γ		5	S26361-F3986-E4	1.190,00	
Eth SFP+ MMF 10GB LC (Brocade)	Brocade hot-pluggable SFP+ module, 10 GB/s Short-Wavelength Laser (SWL), Short Range (SR), Multi-Mode Fiber with LC connector								х					5	S26361-F3873-E310	410,00	
SFP+ Module MMF Cisco 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Cisco products., For multi-mode short-range fiber optic cables up to 300m.								х					S	S26361-F4571-E201	1.715,00	
SFP+ Module SMF Cisco 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Cisco products., For single-mode long-range fiber optic cables up to 10km.								х					S	S26361-F4571-E202	3.860,00	
PY IB CX2 Mezz Card 40GB 2 Port	InfiniBand Mezzanine Card, 2-channel,						х	х						5	S26361-F3992-E2	1.230,00	
PY IB CX3 Mezz Card 56GB 2 Port	40GB/s, PCle x8 InfiniBand Mezzanine Card, 2 port , 56GB/s,	H	-	H	+	+	_	X		+	+	-	$\vdash$	5	S26361-F4534-E1	1.820,00	
PY Eth Mezz Card 1GB 4 Port	PCle x8 4 Channel GBE Mezzanine Card, 2 Intel	H	-	$\square$	+	+		X		+	+	-	H		S26361-F3331-E1	560,00	
	82575EB LAN Controller 2 Channel 10GBE Mezzanine Card, Intel	H	+	H	+	+	_	X	$\perp$	+	+	+	H		S26361-F3997-E1	595,00	
PY FC Mezz Card 8GB 2 Port (MC-FC82E)	82599EB LAN Controller Fibre Channel mezzanine module, MC-		+		_	+	4	X		+	+	-		_	S26361-F3874-E1	765,00	
PY CNA Mezz Card 2x10GB 2 channel	FC82E, 2 Channel, 8GB/s, PCle x8, The mezzanine module is functional wise compatible with the Emulex HBA LPe12002. CNA mezzanine module. MC-CNA112E, 2							X							S26361-F3592-E532	900,00	
FT CIVA Mezz Card 2x10GB 2 Channel	Channel, 8GB/s, PCle x8, The mezzanine module is functional wise compatible with the Emulex CNA OCe11102., The CNA cards has 2 10GB Ethernet interfaces to the backplane and support the Data-Center-Bringing (Data Center Ethernet) protocol. In addintion the Fibre Channel over Ethernet						X	X							320301-F3392-E332	900,00	
PY SAS HBA Mezz Card 6GB	(FCoE) protcol is fully handled in hardware SAS HBA Mezzanine Card based on LSI	$\vdash$	+				х	Х						5	S26361-F4480-E1	195,00	
PY SAS RAID Mezz Card 6GB	Chipset SAS2008, PCle 2.0 x8, SAS 2.0, SAS RAID Mezzanine Card based on LSI		+			+	+	х				+		5	S26361-F4481-E1	355,00	
SSD Connection Kit	MegaRAID SAS2108, PCIe 2.0 x8, SAS 2.0 SSD backplane for BX924S3 to connect to	$\vdash$	+			+	+	Х	$\dashv$			+		5	S26361-F4481-E30	75,00	
PY SAS Expander Mezzanine Card	SAS mezzanine cards SAS Expander Mezzanine Card						Х								S26361-F4531-E30	160,00	
PY Enhanced Mezz Bracket/Riser	Enhanced Mezzanine Bracket /Riser						X								S26361-F4531-E60	20,00	
Mounting in symmetrical Racks  Mounting BX server in asymmetrical racks	Rack server mounting in symmetrical racks without support bracket Rack server mounting in asymmetrical PRIMECENTER racks with 10U support					x >	x			X				_	S26361-F4530-E10 S26361-F4530-E14	5,00	
Mounting 1U in asymmetrical Racks	bracket Rack server mounting in asymmetrical rack		+			+	+	$\vdash$		х		+		5	S26361-F4530-E11	5,00	
Mounting 3U in asymmetrical racks	with 1U support bracket Rack server mounting in asymmetrical rack	$\vdash$	+		+	х	+	$\vdash$		+		+		5	S26361-F4530-E13	5,00	
Rack installation ex works, SX10, 1U Nod	with 2U support bracket Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.									х				\$	S26361-F1647-E302	65,00	
Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the					X >	×							5	SNP:SY-F1647E301-P	130,00	
Blade Installation in System Unit	cables installed.  Service for installation of a server blade into the system unit ex works Augsburg., With ordering this service, the system unit will be delivered completely premounted and tested						х	X		)	х х	X	х	x 8	S26361-F2749-E1	10,00	
Serverblade single package/delivery	ex works. Serverblade single package/delivery, incl. test, Service without integration ex works						×	x		,	x x	X	x	x S	S26361-F2749-E2	45,00	
region kit APAC/EMEA/India region-kit America	Region-kit APAC/EMEA/ India Region-kit America					x x				X X					S26361-F1452-E100 S26361-F1452-E130	10.00 10.00	
RGY-Software BWA-Identifier DIB-Entry/Enterpr, Upgrade Identifier	BWA V3.0 solution identifier DI Blocks Entry/Standard upgrade identifier. It identifies that all following order codes for					_	x x	X						E	BWA:IDENT-V003 S26361-DI009-E101	1,00 10,00	
DIB-Entry/Enterprise, RTU CPU-Capacity	upgrades belong to the DI Blocks.  DI Blocks Entry/Standard RTU CPU-Capacity - Right to Use (RTU) per Blade compute power;, separate Right to Use for each Blade in the DI Blocks							х						5	S26361-DI009-E200	2.260,00	
	DI-vCloud Entry/Enterprise upgrade identifier. It identifies that all following order codes for upgrades belong to the DI-vCloud block.					)	x	X							S26361-DI010-E101	10,00	
DIvC-Entry/Enterprise, RTU CPU-Capacity	DI-vCloud Entry/Enterprise RTU CPU- Capacity - Right to Use (RTU) per Blade compute power;, , separate Right to Use for each Blade in the DI-vCloud block							Х							S26361-DI010-E200	2.260,00	
PRIMERGY DuplexDataManager 5.01	for Windows Server 2008 and 2003. CD-ROM and License.						4	X							S26361-F2565-L596	2.770,00	
MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. OEM DVD, License.						X	X						5	S26361-F2567-E20	385,00	Phased out



y [	Description riv	Details	FC-Switch Entcryption Blade		FC-Switch FR4-18i Blade	Port Big	BX400 S1	BX900	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1	PRIMERGY SX910 S1		096XS	8X380	PRIMERGY SX980 S2	Product Code	EUP (€)	Comments
GY.	-Software (Continued) MS SysCtr Essntls 2010 OEM	MS System Center Essentials 2010. English.							х	х							S26	3361-F2567-E30	115	5,00 Phased out
L	WinSvr 2012 Datacenter 2CPU OEM	OEM DVD, License. WinSvr 2012 Datacenter 2CPU OEM. Multilingual. Requires Windows Server CAL 2012, not included. OEM DVD, COA License.								х								6361-F2567-E410	2.895	
٧	WinSvr 2012 Standard 2CPU/2VM OEM	End User License Terms. WinSvr 2012 Standard 2CPU&2VM OEM. Multilingual. Requires Windows Server CAL 2012, not included. OEM DVD, COA License. End User License Terms.							x	x							S26	6361-F2567-E420	570	0,00
	NinSvr 2012 Standard AddLic 2CPU/2VM OEM	WinSvr 2012 Standard Additional License 2CPU&2VM No Media/Key OEM. SACOA License. End User License Terms.							х	х								6361-F2567-E421		0,00
V	WinStorageSvr 2012 Std 2CPU/2VM OEM	Windows Storage Server 2012 Standard 2CPU&2VM OEM. Multilingual. OEM DVD, COA License. End User License Terms. No CALs required							X	X							S26	3361-F2567-E450	430	0,00
	NinStorageSvr 2012 Std AddLic 2CPU OEM	Windows Storage Server 2012 Standard Additional License 2CPU&2VM OEM. Step- up license to add 2 CPU sockets / 2 VMs. No media/key							х	х							S26	3361-F2567-E451	430	0,00
	NinSvr CAL 2012 50Device NinSvr CAL 2012 50User	Windows Server 2012 CAL 50 Device Windows Server 2012 CAL 50 User		-	+				_	X				-	7	+		6361-F2567-E460 6361-F2567-E461	1.045	
٧	WinSvr CAL 2012 300ser WinSvr CAL 2012 10Device WinSvr CAL 2012 10User	Windows Server 2012 CAL 10 Device Windows Server 2012 CAL 10 User		1	$\perp$	+			Х	X				#	7	#	S26	6361-F2567-E462 6361-F2567-E463	215	5.00 5.00
٧	NinSvr CAL 2012 5Device	Windows Server 2012 CAL 5 Device	H	#	#	#			Х	Х				#	#	#	S26	3361-F2567-E464	110	0.00
٧	NinSvr CAL 2012 5User NinSvr CAL 2012 1Device	Windows Server 2012 CAL 5 User Windows Server 2012 CAL 1 Device			$\perp$	$\downarrow$			Х	X					$\pm$		S26	3361-F2567-E465 3361-F2567-E466	25	0.00 5.00
	NinSvr CAL 2012 1User NinSvr RDS CAL 2012 5Device	Windows Server 2012 CAL 1 User Windows Server 2012 RDS CAL 5 Device	Н	+	+	+	+			X				+	+	+		6361-F2567-E467 6361-F2567-E470		9.00 5.00
٧	WinSvr RDS CAL 2012 5User	Windows Server 2012 RDS CAL 5 User.							Х	Х				-	7		S26	361-F2567-E471	480	0.00
٧	WinSvr RDS CAL 2012 1Device WinSvr RDS CAL 2012 1User	Windows Server 2012 RDS CAL 1 Device. Windows Server 2012 RDS CAL 1 User.							Х	X							S26	3361-F2567-E472 3361-F2567-E473	96	3.00 5.00
	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.							X	X							S26	3361-F2567-E480	35	5,00
С	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.							х	х							S26	6361-F2567-E481	35	5,00
С	DG/DE Kit WinSvr 2008 R2 SP1 Standard	DG/DE Kit WinSvr 2008 R2 SP1 Standard DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires original purchase of licensed software. EULA.							x	х							S26	6361-F2567-E482	35	5,00
C	DG/DE Kit WinSvr 2008 SP2 Datacenter	DG/DE Kit WinSvr 2008 SP2 Datacenter DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires							х	x							S26	6361-F2567-E483	35	5,00
С	DG/DE Kit WinSvr 2008 SP2 Enterprise	original purchase of licensed software. EULA. DG/DE Kit WinSvr 2008 SP2 Enterprise DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires							х	х							S26	6361-F2567-E484	35	5,00
	DG/DE Kit WinSvr 2008 SP2 Standard	original purchase of licensed software. EULA. DG/DE Kit WinSvr 2008 SP2 Standard DOWNGRADE AND DOWN-EDITION DVD Media and Product Key Card. Requires							х	х							S26	3361-F2567-E485	35	5,00
E	Egenera PAN Builder for BX900	original purchase of licensed software. EULA.  1) The PAN Builder software license authorizes the use of the base PAN Manager software platform as specified in the						x		X					+		S26	6361-F4583-S100	2.525	5,00
		applicable end user documentation and is required for every PAN pNode to be provisioned and managed by PAN Manager software. A PAN Builder license is valid for use only on certified/authorized Fujitsu BX900 System configured for PAN Manager. , 2) PAN Builder licenses are priced and licensed based on the number of processor sockets an authorized pNode for which the functionality is licensed may have, with license covering authorized pNodes with up to 2 processor sockets. A PAN Builder license is not issued for a specific authorized pNode unit, but rather authorizes the use of the licensed functionality on any one (1) authorized pNode that meets the applicable processor socket limitation at a time, 3) The PAN vmBuilder/vBlade license is included as part of the PAN Builder License and																		
		authorizes the use of vmBuilder software for																		
E	Egenera PAN Server Portability for BX900	1) The PAN Server Portability software license is an optional add-on product to the PAN Builder license. This license authorizes the use of PAN Manager software to automatically move a pServer from one pNode to another pNode within a single PAN environment and such other functionality as is described in the applicable end user documentation. A PAN environment is						X		X							S26	6361-F4583-S110	2.020	0,00
		defined by the number of pNodes supported by a particular redundant pair of PAN Controllers in a Fujitsu BX900 System configured for PAN Manager. A PAN Server Portability license is valid for use only on certified/authorized Fujitsu BX900 System configured for PAN Manager., 2) PAN Server Portability licenses are priced and licensed based on the number of processor sockets																		
		an authorized pNode for which the functionality is licensed may have, with license covering authorized pNodes with up																		



Blade	Servers Options																
						Serv				S							
			Blade			BRCD S				Blades							
				lade	ade	e BR	_	ر ا	, <sub>e</sub>		_		_ .	_   ~			
			Entcryption	FC-Switch FR4-18i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade	PRIMERGY BX400 S1		PRIMERGY BX924 S3	PRIMERGY Connection	10 S1	40 S1	60 S1	SX980 S1 SX980 S2			
			Inter	FR4-1	-X8-7	ort I	BX4	BX9	BX9	Con	SX910	SX940	096XS	SX980 SX980	9		
			itch I	FC-Switch I	tch	itch I	PRIMERGY BX400	PRIMERGY	RGY	RGY	PRIMERGY SX910 S	PRIMERGY	PRIMERGY	PRIMERGY : PRIMERGY :	:t Code		ents
			FC-Switch	NS-C	-Sw	-Sw	ME N		IME.	I ME		S ME	W S	ME ME	Product	EUP (€)	Comments
Category Options ma	<b>Description</b> trix	Details	E 5	, E	띮	Е	<u> </u>	t   <u>t</u>	<u> </u>	<u>.</u>		E	<u> </u>		<u> </u>	<u> </u>	ŏ
PRIMERGY	<b>7-Software (Continued)</b> Egenera PAN Portability for BX900	1) The PAN Portability software license is an						,	х						S26361-F4583-S120	3.030,00	
	Egonora 1744 1 onability for Excele	optional add-on product to the PAN Builder					′	`							0200011 4000 0120	0.000,00	
		license. This license authorizes the use of PAN Manager software to configure a backup															
		hardware environment and such other functionality as is described in the applicable															
		end user documentation. This capability															
		allows a PAN environment at one geographic location to act as a disaster recovery facility															
		for one or more PAN environment(s) at other															
		locations. A PAN environment is defined by the number of pNodes supported by a															
		particular redundant pair of PAN Controllers in a Fujitsu BX900 System configured for															
		PAN Manager. A PAN Portability license is															
		valid for use only on certified/authorized Fujitsu BX900 System configured for PAN															
		Manager. , 2) PAN Portability licenses are															
		priced and licensed based on the number of processor sockets an authorized pNode for															
		which the functionality is licensed may have, with license covering authorized pNodes with															
	Egenera PAN Manager Advanced for BX900	1) Egenera Software Licensing : General		+	+	$\vdash$	)	ĸ	X	+	+	+	+	+	S26361-F4583-S200	3.845,00	
		Each blade in a PAN environment requires					1	`							02000111000 0200	0.0.0,00	
		either a PAN Manager Advanced or a PAN Manager Enterprise license. PAN															
		Manager(Advanced/Enterprise) is licensed on a blade basis. There is no dependency or															
		limit on the number of processors, sockets or															
		memory for a blade. Each PAN Environment (a single instance of PAN Manager software															
		hosted on OPServers) enables up to four (4)															
		PAN Domains (BX900 Chassis) to be added to the PAN Environment., 2) The Pan															
		Manager Advanced license enables all PAN Manager functionality except disaster															
		recovery. PAN Advanced allows users to															
		discover resources, create server profiles, partition resources, monitor resources,															
		provision blades with server profiles,															
		configure high availability (automated failover) for blades, designate blades as															
		spares for failover. PAN Manager Advanced licenses are not tied to a specific blade in the															
		PAN environment. Rather, PAN Manager															
	Egenera PAN Manager Enterprise for BX900	1) Egenera Software Licensing : General Each blade in a PAN environment requires					>	K	x						S26361-F4583-S210	6.250,00	
		either a PAN Manager Advanced or a PAN															
		Manager Enterprise license. PAN Manager(Advanced/Enterprise) is licensed															
		on a blade basis. There is no dependency or limit on the number of processors, sockets or															
		memory for a blade. Each PAN Environment															
		(a single instance of PAN Manager software hosted on OPServers) enables up to four (4)															
		PAN Domains ( BX900 chassis ) to be added															
		to the PAN Environment., , 2) PAN Manager Enterprise The Pan Manager Enterprise															
		license enables all PAN Manager Advanced functionality PLUS disaster recovery															
		protection. PAN Manager Enterprise licenses															
		are not tied to a specific blade in the PAN environment. Rather, PAN Manager															
		Enterprise licenses create a pool of licenses to be used within a single PAN environment.															
		The maximum number of blades that can be															
		protected for disaster recovery is equal to the number of PAN Enterprise Licenses available															
	Egenera PAN Manager Upgr. to Enterprise	1) Egenera Software Licensing : General	+	+		$\vdash$	>	ĸ	х		+	+	$\dashv$	+	S26361-F4583-S220	2.405,00	
		Each blade in a PAN environment requires either a PAN Manager Advanced or a PAN															
		Manager Enterprise license. PAN															
		Manager(Advanced/Enterprise) is licensed on a blade basis. There is no dependency or															
		limit on the number of processors, sockets or memory for a blade. Each PAN Environment															
		(a single instance of PAN Manager software															
		hosted on OPServers) enables up to four (4) PAN Domains (BX900 chassis) to be added															
		to the PAN Environment., , , 2) This SKU is															
		required to upgrade PAN Advanced functionality to PAN Enterprise functionality.															
		The PAN Advanced License is replaced with a PAN Enterprise License., 3) PAN Manager															
		Enterprise The Pan Manager Enterprise															
		license enables all PAN Manager Advanced functionality PLUS disaster recovery															
		protection. PAN Manager Enterprise licenses are not tied to a specific blade in the PAN															
		environment. Rather, PAN Manager															
		Enterprise licenses create a pool of licenses															



					>														
		Blade			CD Serv					Blades									
		on Bi	Blades	lade	le BRCD	2	S2	22	23			2	2	2	Σ.	S2			
		E   I	OF BIE	FC-Switch FX8-24 Blade	FC-Switch Port Blade	400 S	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection	PRIMERGY SX05 S1	SX910 S1	SX940 S1	SX960 S1	PRIMERGY SX980 S1	SX380 S			
		ch Ent	ch FCot	Sh FX	ch Por	GY B)	GY B)	GY B	GY B)	GY Co	GY SX	GY SX	GY SX	GY SX	GY SX		Code		<b>\$</b>
		FC-Switch	FC-Switch	Swit	Swit	ZIMER	ZIMER	ZIMER	ZIMER	RIMER	RIMER	PRIMERGY:	PRIMERGY	PRIMERGY	RIMER	PRIMERGY	Product	EUP (€)	Comments
Description	Details	원 [	נן ב	2   2	E E	<u> </u>	- E	<u> </u>	<u>F</u>	<u></u>	<u>#</u>	<u></u>	#	<b>E</b>	<u></u>	<u> </u>	<u> </u>	面	8
Y-Software (Continued) Egenera PAN Domain Manager License	1) Egenera Software Licensing : General		Т			Т	х		х		Т				Т	5	S26361-F4583-S230	4.810,00	
	Each blade in a PAN environment requires either a PAN Manager Advanced or a PAN																		
	Manager Enterprise license. PAN Manager(Advanced/Enterprise) is licensed																		
	on a blade basis. There is no dependency or limit on the number of processors, sockets or																		
	memory for a blade. Each PAN Environment (a single instance of PAN Manager software																		
	hosted on OPServers) enables up to four (4)																		
	PAN Domains ( BX900 chassis ) to be added to the PAN Environment., , , 2) The PAN																		
	Domain Manager enables the expansion of PAN Environments to include more than																		
	four(4) PAN Domains. A PAN Environment is a single instance of PAN Manager hosted on																		
	two(2) physical servers or a single virtual machine and all blades are within the same																		
	ethernet VLAN Name Space in the																		
	datacenter infrastructure. The PAN Manager software instance installed on the OP																		
	Server(s) includes four(4) PAN Domain  Manager licenses at no charge allowing for																		
Citrix VIAB, 10 CCU, 1yr SWM	Citrix VIAB, 10 CCU, 1yr SWM;, VDI-in-a-Box,	$\Box$				$^{\dagger}$		х	х							5	S26361-F4583-S500	1.560,00	
	10 Concurrent Users;, 1 year Citrix Software Maintenance;, SW and Lizence key per																		
Citrix VIAB, 50 CCU, 1yr SWM	Download Citrix VIAB, 50 CCU, 1yr SWM;, VDI-in-a-Box,	H	+	+	+	+	+	х	Х	H	+				+	5	\$26361-F4583-S501	7.800,00	
	50 Concurrent Users;, 1 year Citrix Software Maintenance;, SW and Lizence key per																		
Citrix VIAB, 101 CCU, 1yr SWM	Download Citrix VIAB, 101 CCU, 1yr SWM;, VDI-in-a-	$\sqcup$	+	+	+	+	+	Y	X		-				_		S26361-F4583-S502	14.790,00	
Cital VIAB, 101 GGG, 191 GVVIII	Box, 101 Concurrent Users;, 1 year Citrix							^	^								20001-1 4000-0002	14.730,00	
	Software Maintenance;, SW and Lizence key per Download					L													
Citrix VIAB, 251 CCU, 1yr SWM	Citrix VIAB, 251 CCU, 1yr SWM;, VDI-in-a- Box, 251 Concurrent Users;, 1 year Citrix							Х	Х							5	S26361-F4583-S503	34.340,00	
	Software Maintenance;, SW and Lizence key per Download																		
Citrix VIAB, 10 CCU, 3yr SWM	Citrix VIAB, 10 CCU, 3yr SWM;, VDI-in-a-Box, 10 Concurrent Users;, 3 years Citrix Software							х	х							5	S26361-F4583-S510	2.120,00	0
	Maintenance;, SW and Lizence key per																		
Citrix VIAB, 50 CCU, 3yr SWM	Download Citrix VIAB, 50 CCU, 3yr SWM;, VDI-in-a-Box,					+		х	х							5	\$26361-F4583-S511	10.600,00	0
	50 Concurrent Users;, 3 years Citrix Software Maintenance;, SW and Lizence key per																		
Citrix VIAB, 101 CCU, 3yr SWM	Download Citrix VIAB, 101 CCU, 3yr SWM;, VDI-in-a-	$\vdash$	+	+		+		х	Х	H					+	5	S26361-F4583-S512	20.120,00	)
,	Box, 101 Concurrent Users;, 3 years Citrix Software Maintenance;, SW and Lizence key																	,,,,,,	
Citation All ADD COSTA C	per Download		_			-											200004 E4500 0540	40.700.00	
Citrix VIAB, 251 CCU, 3yr SWM	Citrix VIAB, 251 CCU, 3yr SWM;, VDI-in-a-Box, 251 Concurrent Users;, 3 years Citrix							X	Х								S26361-F4583-S513	46.790,00	5
	Software Maintenance;, SW and Lizence key per Download																		
Citrix VIAB, EDU, 10 CCU, 1yr SWM	Citrix VIAB, EDU, 10 CCU, 1yr SWM;, VDI-in-a-Box, 10 Concurrent Educational Users;, 1							х	х							5	\$26361-F4583-S520	1.030,00	
	year Citrix Software Maintenance;, SW and Lizence key per Download;																		
Citrix VIAB, EDU, 50 CCU, 1yr SWM	Citrix VIAB, EDU, 50 CCU, 1yr SWM;, VDI-in-		$^{\dagger}$		T	T	T	х	х							5	S26361-F4583-S521	5.160,00	0
	a-Box, 50 Concurrent Educational Users;, 1 year Citrix Software Maintenance;, SW and																		
Citrix VIAB, EDU, 101 CCU, 1yr SWM	Lizence key per Download  Citrix VIAB, EDU, 101 CCU, 1yr SWM;, VDI-in-		+	+	+	+	+	х	Х	H	$\vdash$				+	5	S26361-F4583-S522	9.700,00	
	a-Box, 101 Concurrent Educational Users;, 1 year Citrix Software Maintenance;, SW and																		
Citrix VIAB, EDU, 251 CCU, 1yr SWM	Lizence key per Download Citrix VIAB, EDU, 251 CCU, 1yr SWM;, VDI-in-		+	+	+	+	+		X		-				_		S26361-F4583-S523	22.290,00	
0.00 v. 6, 250, 251 000, 1,1 0000	a-Box, 251 Concurrent Educational Users;, 1																220011 4000 0020	22.200,00	
	year Citrix Software Maintenance;, SW and Lizence key per Download	Ш				L													
Citrix VIAB, EDU, 10 CCU, 3yr SWM	Citrix VIAB, EDU, 10 CCU, 3yr SWM;, VDI-in-a-Box, 10 Concurrent Educational Users;, 3							X	Х							٤	S26361-F4583-S530	1.560,00	
	years Citrix Software Maintenance;, SW and Lizence key per Download																		
Citrix VIAB, EDU, 50 CCU, 3yr SWM	Citrix VIAB, EDU, 50 CCU, 3yr SWM;, VDI-in-a-Box, 50 Concurrent Educational Users;, 3							х	х							5	S26361-F4583-S531	7.800,00	
	years Citrix Software Maintenance;, SW and Lizence key per Download																		
Citrix VIAB, EDU, 251 CCU, 3yr SWM	Citrix VIAB, EDU, 251 CCU, 3yr SWM;, VDI-in-		$^{+}$			$^{\dagger}$		х	х							5	S26361-F4583-S533	33.130,00	
	a-Box, 251 Concurrent Educational Users;, 3 years Citrix Software Maintenance;, SW and																		
VIOM License f. operation of one server,	Lizence key per Download  VIOM License for operation of one server,	$\dashv$	+	+	+	X	x	X	x	+	$\vdash$	H		H	+	ι	J15000-C311	320,00	0
VIOM License for operation of 8 servers,	Service Pack mandatory VIOM License for operation of 8 servers,	$\dashv$	+	+	+	_	X				-	H		H	+		J15000-C312	1.910,00	
VIOM License f. operation of 18 servers,	Service Pack mandatory  VIOM License for operation of 18 servers,	$\vdash$	_	+	+	<u> </u>			X		-			Щ	_		J15000-C312	3.835,00	
PRIMERGY MultiPath MPIO 5.01	Service Pack mandatory for Windows Server 2008 and 2003. CD-	4	+	+	-	+	<u> </u>	4	_		-			Щ	4	_	S26361-F2565-E593		
	ROM and License.		_	_	_	_	_		X		_			Щ	_			885,00	
PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	Щ	$\perp$		_	1		╙	Х			Щ		Ш	_	_	S26361-F2565-E595	885,00	
Win Svr 2008 R2 SP1 Datactr 2CPU OEM	Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs.							X	х							5	S26361-F2567-E331	2.885,00	0
HPC Cluster Suite Basic aca -16N 1Y	OEM DVD, License.  HPC Cluster Suite Basic aca -16N 1Y	$\dashv$	+	+	+	+	+	+	х	-	-	H		H	+	ç	S26361-F2349-S110	95.00	Orderable from: 30/05/2013
	subscription per node (head and compute node)																2.2 20		
	noger									1									The state of the s



le Servers Options																			
					Serv	> 0				,									
		Blade			ů.					Blades									
		n Bi	sec	ade	පු සි		_   _			⊆	:		_	_	_				
		yptic	: Blades		2   2	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	24 S3	Connectio	5 S1	SX910 S1	SX940 S1	SX960 S1	80 S1	80 S2			
		Entcr	FC-Switch FCoE	FR4-	FX8-24	BX4	BX9	BX9	PRIMERGY BX924	្ងី	SX05	SX9			SX980	SX980	ê ê		
		itch	/itch			RGY	RGY	RGY	RGY	RGY	PRIMERGY :	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	Product Code	<u>(3</u>	Comments
	- · ·	-C-Switch	C-Sw	C-Sw	FC-Switch	R S	RME	RIME	RIME	R	RIME	RIME	RIME	RIME	RIME	RIME	rodu	EUP (€)	E E E
ory Description s matrix	Details	ш	ŭ	ш	ŭ							□	□	₫	₫	₫	<u>ā</u>	Ш	Ŏ
RGY-Software (Continued) HPC Cluster Suite Basic aca -64N 1Y	HPC Cluster Suite Basic aca -64N 1Y				т		Т		х								S26361-F2349-S111	85,0	00 Orderable from: 30/05/2013
	subscription per node (head and compute node)																		
Win Srv 2008 R2 SP1 Standard w/5CAL OEM	Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL)							х	X								S26361-F2567-E311	570,0	00
	EN DE ES FR IT JA and woldwide language packs. OEM DVD, License.																		
HPC Cluster Suite Basic aca 65+N 1Y	HPC Cluster Suite Basic aca 65+N 1Y subscription per node (head and compute								Х								S26361-F2349-S112	75,0	00 Orderable from: 30/05/2013
Win SBS Standard 2011 w/5CAL OEM EN	node) Windows Small Business Server Standard	-		_	+	+	+	-	X	+	+	+	H				S26361-F2567-E350	640,0	00
WIT ODG Standard 2011 W/SCAL GLW LIV	2011 with 5 CAL, OEM, English, DVD Media							^	^								020301-1 2307-2330	040,	
Win SBS Standard 2011 w/5CAL OEM DE	set, COA, License Windows Small Business Server Standard				+		+	х	X								S26361-F2567-E351	640,0	00
	2011 with 5 CAL, OEM, German, DVD Media set, COA, License																		
Win SBS Standard 2011 w/5CAL OEM IT	Windows Small Business Server Standard				$\top$		T	х	X								S26361-F2567-E352	645,0	00
	2011 with 5 CAL, OEM, Italian, DVD Media set, COA, License																		
Win SBS Standard 2011 w/5CAL OEM FR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, French, DVD Media							X	X								S26361-F2567-E353	645,0	00
Win SBS Standard 2011 w/5CAL OEM ES	set, COA, License Windows Small Business Server Standard	-	Н	_	+	+	+	\ \ \ \ \ \	X	+	+	-	-				S26361-F2567-E354	645,0	00
TVIII SES Standard 2011 W/SCAL DEW ES	2011 with 5 CAL, OEM, Spanish, DVD Media							X	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \								J20001-1 2007-E304	040,0	
Win SBS Standard 2011 w/5CAL OEM CS	set, COA, License Windows Small Business Server Standard	$\vdash$	Н	$\dashv$	+	+	+	x	X	+	+	+					S26361-F2567-E355	645,0	00
	2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License																		
Win SBS Standard 2011 w/5CAL OEM PT	Windows Small Business Server Standard		П		$\dagger$	$\dagger$	+	х	X			1					S26361-F2567-E356	645,0	00
	2011 with 5 CAL, OEM, Portuguese, DVD Media set, COA, License																		
Win SBS Standard 2011 w/5CAL OEM NL	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media							х	X								S26361-F2567-E357	645,0	00
Win CDC Chandrad 2044 w/FCAL OFM TD	set, COA, License				_		+			_		_					000004 F0507 F050	0.40	20
Win SBS Standard 2011 w/5CAL OEM TR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media							X	X								S26361-F2567-E358	640,0	000
Win SBS Standard 2011 w/5CAL OEM HU	set, COA, License Windows Small Business Server Standard			+	+	+	+	X	X	+	+	+	$\vdash$				S26361-F2567-E359	640,0	00
	2011 with 5 CAL, OEM, Hungarian, DVD Media set, COA, License																		
Win SBS 2011 Prem Add-On w/5CAL OEM EN	Windows Small Business Server 2011				$\dagger$		$^{\dagger}$	х	X								S26361-F2567-E370	940,0	00
	Premium Add-on with 5 CAL, OEM, English, DVD Media set, COA, License																		
Win SBS 2011 Prem Add-On w/5CAL OEM DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German,							х	X								S26361-F2567-E371	940,0	00
Win SBS 2011 Prem Add-On w/5CAL OEM IT	DVD Media set, COA, License Windows Small Business Server 2011			_	+	+	+	Y	X	+	+	+	-				S26361-F2567-E372	950,0	00
VIII 050 2011 10111 / Ida 011 11/00/ E 02111 11	Premium Add-on with 5 CAL, OEM, Italian,																020001120012012	000,	
Win SBS 2011 Prem Add-On w/5CAL OEM FR	DVD Media set, COA, License Windows Small Business Server 2011				+	+	+	х	X	+	+	+					S26361-F2567-E373	950,0	00
	Premium Add-on with 5 CAL, OEM, French, DVD Media set, COA, License																		
Win SBS 2011 Prem Add-On w/5CAL OEM ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Spanish,							х	X								S26361-F2567-E374	950,0	00
	DVD Media set, COA, License																		
HPC Cluster Suite Basic aca -16N 3Y	HPC Cluster Suite Basic aca -16N 3Y subscription per node (head and compute								Х								S26361-F2349-S113	255,0	00 Orderable from: 30/05/2013
HPC Cluster Suite Basic aca -64N 3Y	node) HPC Cluster Suite Basic aca -64N 3Y				+	+	+	+	X			+					S26361-F2349-S114	225.0	00 Orderable from: 30/05/2013
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	subscription per node (head and compute								"									,	
HPC Cluster Suite Basic aca 65+N 3Y	node) HPC Cluster Suite Basic aca 65+N 3Y				$^{+}$	+	$^{+}$	+	х	+	+	+					S26361-F2349-S115	200,0	00 Orderable from: 30/05/2013
	subscription per node (head and compute node)																		
HPC Cluster Suite Basic aca -16N 5Y	HPC Cluster Suite Basic aca -16N 5Y subscription per node (head and compute								х								S26361-F2349-S116	370,0	00 Orderable from: 30/05/2013
LIDC Chiester Cuite Deale and Cath Til	node)		Ш		_	_	_			_			L				C06064 F0046 04:-	000	00 Ordorable from: 00/05/0010
HPC Cluster Suite Basic aca -64N 5Y	HPC Cluster Suite Basic aca -64N 5Y subscription per node (head and compute								Х								S26361-F2349-S117	330,0	00 Orderable from: 30/05/2013
HPC Cluster Suite Basic aca 65+N 5Y	node) HPC Cluster Suite Basic aca 65+N 5Y	+	H	-	+	+	+	+	X	+	+	+	+			$\vdash$	S26361-F2349-S118	295.0	00 Orderable from: 30/05/2013
	subscription per node (head and compute node)																	,	
Win Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for	$\dagger$	Н		+	$\dagger$	+	x	X		$\dagger$	+					S26361-F2567-E391	25,0	00
HPC Cluster Suite Basic com -16N 1Y	Windows Servers 2008 R2. HPC Cluster Suite Basic com -16N 1Y	+	H	$\dashv$	+	+	+	+	х	+	+	+					S26361-F2349-S120	165,0	00 Orderable from: 30/05/2013
	subscription per node (head and compute node)																		
Win Srvs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows							X	X								S26361-F2567-E390	25,0	00
LIDO OLIVIA OLIVIA DI LI	Servers 2008 R2 SP1.	_	Щ		1	_	1	_	_	_	1	_					000004 500 10 51		00 Onto the form 00 (07 (07)
HPC Cluster Suite Basic com -64N 1Y	HPC Cluster Suite Basic com -64N 1Y subscription per node (head and compute								Х								S26361-F2349-S121	150,0	00 Orderable from: 30/05/2013
HPC Cluster Suite Basic com 65+N 1Y	node) HPC Cluster Suite Basic com 65+N 1Y	+	H	-	+	+	+	+	X	+	+	+	+			$\vdash$	S26361-F2349-S122	130.0	00 Orderable from: 30/05/2013
	subscription per node (head and compute node)																		
HPC Cluster Suite Basic com -16N 3Y	HPC Cluster Suite Basic com -16N 3Y	+	Н	$\dashv$	+	+	+	$\dagger$	х		+	+					S26361-F2349-S123	455,0	00 Orderable from: 30/05/2013
	subscription per node (head and compute node)																		
HPC Cluster Suite Basic com -64N 3Y	HPC Cluster Suite Basic com -64N 3Y subscription per node (head and compute								х								S26361-F2349-S124	405,0	00 Orderable from: 30/05/2013
HPC Cluster Suite Basic com 65+N 3Y	node)  HPC Cluster Suite Basic com 65+N 3Y	-	Ц		_	+	+	-		+	-	-	L				S26361-F2349-S125	260	00 Orderable from: 30/05/2013
THE O CHARLET SHIRE DASIC COIT 00+1V 3Y	subscription per node (head and compute								X								02000171 2043-0120	300,0	OU DIGGIGUIG HOITI. 30/03/2013
HPC Cluster Suite Basic com -16N 5Y	node) HPC Cluster Suite Basic com -16N 5Y		H		+	+	+	+	х	+	+	-	+			$\vdash$	S26361-F2349-S126	665,0	00 Orderable from: 30/05/2013
	subscription per node (head and compute node)																		
HPC Cluster Suite Basic com -64N 5Y	HPC Cluster Suite Basic com -64N 5Y				$\top$		+		х								S26361-F2349-S127	590,0	00 Orderable from: 30/05/2013
	subscription per node (head and compute																		

node)



Description	Details	-C-Switch Entcryption Blade		FC-Switch FR4-18i Blade	FC-Switch Port Blade BRCD Serv	BX400 S1		PRIMERGY BX920 S3	PRIMERGY BX924 S3	PRIMERGY Connection Blades	PRIMERGY SX05 S1		PRIMERGY SX940 S1		SX980		Product Code	EUP (€)	Comments
atrix Y-Software (Continued)	Details											<u> </u>					_		0
HPC Cluster Suite Basic com 65+N 5Y	HPC Cluster Suite Basic com 65+N 5Y subscription per node (head and compute		Т	Т	Т	Т	Т		х		П	Т	T	Т	Т	S26361-F2	2349-S128	530,00	Orderable from: 30/05/2013
HPC Cluster Suite Advanced aca -16N 1Y	node)  HPC Cluster Suite Advanced aca -16N 1Y		4	_	+	+	-	-	v		4	_	_	+	-	C06064 F	2349-S210	275.00	Orderable from: 30/05/2013
HPC Cluster Suite Advanced aca -16N 11	subscription per node (head and compute								х							S20301-F2	2349-5210	275,00	Orderable from: 30/05/2013
HPC Cluster Suite Advanced aca -64N 1Y	node)  HPC Cluster Suite Advanced aca -64N 1Y subscription per node (head and compute	Н		$\top$					х		$\forall$			$^{\dagger}$		S26361-F2	2349-S211	245,00	Orderable from: 30/05/2013
HPC Cluster Suite Advanced aca 65+N 1Y	node)  HPC Cluster Suite Advanced aca 65+N 1Y		_	_	-	-	-		х		_	_	_	+	-	\$26361_E	2349-S212	220.00	Orderable from: 30/05/2013
TIP C Cluster Suite Advanced aca 05+11 11	subscription per node (head and compute node)								^							320301-12	2349-0212	220,00	Orderable Horn. 30/03/2013
HPC Cluster Suite Advanced aca -16N 3Y	HPC Cluster Suite Advanced aca -16N 3Y subscription per node (head and compute	П							х							S26361-F2	2349-S213	745,00	Orderable from: 30/05/2013
Win HPC Srv 2008 R2 Suite ACADEMIC USA	node) Win HPC Srv 2008 R2 Suite (1-4 CPU)	Н	4	+	+	+	$\vdash$	×	х		4	+	+	+	+	S26361-F2	2567-F366	30,00	
	ACADEMIC OEM for USA. Ships per Request for Special Release only. Only for Qualified Educational Users in the U.S., only for shipments to U.S.A. OEM Recovery DVD Media Kit, COA. License.							^	^							02000112	2007 2000	30,00	
HPC Cluster Suite Advanced aca -64N 3Y	HPC Cluster Suite Advanced aca -64N 3Y subscription per node (head and compute								х							S26361-F2	2349-S214	670,00	Orderable from: 30/05/2013
Win HPC Srv 2008 R2 Suite ACADEMIC PRC	node) Win HPC Srv 2008 R2 Suite (1-4 CPU)	H	+		+	+	+	Х	Х	$\dashv$		_	+	+		S26361-F2	2567-E368	30,00	
	ACADEMIC OEM for PRC. Ships per Request for Special Release only. Only for Qualified Educational Users in the PRC, only for shipments to PRC. OEM Recovery DVD Media Kit, COA, License.																		
HPC Cluster Suite Advanced aca 65+N 3Y	HPC Cluster Suite Advanced aca 65+N 3Y subscription per node (head and compute								х							S26361-F2	2349-S215	595,00	Orderable from: 30/05/2013
HPC Cluster Suite Advanced aca -16N 5Y	node)  HPC Cluster Suite Advanced aca -16N 5Y subscription per node (head and compute		+	$\dagger$	$\dagger$	+	t		х		+	+	+	+		S26361-F2	2349-S216	1.100,00	Orderable from: 30/05/2013
HPC Cluster Suite Advanced aca -65N 5Y	node)  HPC Cluster Suite Advanced aca -64N 5Y		+	_					х		_	_		+		S26361-F2	2349-S217	985,00	Orderable from: 30/05/2013
	subscription per node (head and compute node)																		
HPC Cluster Suite Advanced aca 65+N 5Y	HPC Cluster Suite Advanced aca 65+N 5Y subscription per node (head and compute								х							S26361-F2	2349-S218	875,00	Orderable from: 30/05/2013
HPC Cluster Suite Advanced com -16N 1Y	node) HPC Cluster Suite Advanced com -16N 1Y	Н	+	+					х					+		S26361-F2	2349-S220	415,00	Orderable from: 30/05/2013
LIDO OL CLOS O TO A LOCAL DATA ON AV	subscription per node (head and compute node)															000004 5	20.40.0004	050.00	Out 11- for 00/05/0040
HPC Cluster Suite Advanced com -64N 1Y	HPC Cluster Suite Advanced com -64N 1Y subscription per node (head and compute node)								Х							S26361-F2	2349-S221	350,00	Orderable from: 30/05/2013
HPC Cluster Suite Advanced com 65+N 1Y	HPC Cluster Suite Advanced com 65+N 1Y subscription per node (head and compute						T		х							S26361-F2	2349-S222	295,00	Orderable from: 30/05/2013
HPC Cluster Suite Advanced com -16N 3Y	node) HPC Cluster Suite Advanced com -16N 3Y		+	+	+	+	H	-	х		+	+	+	+	+	S26361-F2	2349-S223	1.135,00	Orderable from: 30/05/2013
LIDC Chipton Critto Advanced com. CAN 2V	subscription per node (head and compute node)  HPC Cluster Suite Advanced com -64N 3Y	Ш														S26264 F	2240 5224	055.00	Orderable from 20/05/2042
HPC Cluster Suite Advanced com -64N 3Y	subscription per node (head and compute node)								Х							S26361-F2	2349-3224	955,00	Orderable from: 30/05/2013
HPC Cluster Suite Advanced com 65+N 3Y	HPC Cluster Suite Advanced com 65+N 3Y subscription per node (head and compute	П					T		х							S26361-F2	2349-S225	805,00	Orderable from: 30/05/2013
HPC Cluster Suite Advanced com -16N 5Y	node) HPC Cluster Suite Advanced com -16N 5Y		+	+	+	+	+		х		+	+	+	+	+	S26361-F2	2349-S226	1.670,00	Orderable from: 30/05/2013
	subscription per node (head and compute node)																		
HPC Cluster Suite Advanced com -64N 5Y	HPC Cluster Suite Advanced com -64N 5Y subscription per node (head and compute								х							S26361-F2	2349-S227	1.410,00	Orderable from: 30/05/2013
HPC Cluster Suite Advanced com 65+N 5Y	node) HPC Cluster Suite Advanced com 65+N 5Y	H	$\dashv$	+	+	+	+	-	х	$\dashv$	+	+	+	+		S26361-F2	2349-S228	1.185,00	Orderable from: 30/05/2013
HPC Cluster Suite Open Edition Media	subscription per node (head and compute node)  HPC Cluster Suite Open Edition Media				_	-			X				_			S26264 F	2349-S300	2F 00	Orderable from: 30/05/2013
HPC Cluster Suite Open Edition	HPC Cluster Suite Open Eiditon per node (head and compute node)	П				T			X					T			2349-S310 2349-S310		Orderable from: 30/05/2013
Red Hat EL HPC 1-2SOC Self-Support 1Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-							Х	х				$\uparrow$			S26361-F2	2346-C851	57,00	
PCM Fujitsu Basic per node 1Y	Year Platform Cluster Manager Fujitsu Basic	H			+	-	-	X	х	$\square$			+		-	S26361-F2	2346-C951	157,00	
DOM Full Control Control	Edition per node (head and compute node) 5x9 level3 support 1 year.	Ш			_				Ш				_			00055	2040.25		
PCM Fujitsu Basic Services 1Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 1- Year.							X	X							S26361-F2	2040-0951	8,00	
PCM Fujitsu Enterprise per node 1y	Platform Cluster Manager Fujitsu Enterprise Edition pro Knoten (Kopf- und Arbeitsknoten)		$\top$		$\dagger$		$\dagger$	х	х				$\dagger$			S26361-F2	2346-C961	466,00	
PCM Fujitsu Enterprise Services 1y	5x9 level3 Support 1 Jahr.  Platform Cluster Maneger Fujitsu Enterprise	H	$\dashv$	+	+	+	+	X	х		_	+	+	+		S26361-F2	2346-S961	8,00	
Ped Hat El HBC 4 2800 8-K 0: 01/	Services entitlement per HPC configuration 1 year.	Ш			_	-							_			S26264 F	2346-C852	470.00	
Red Hat EL HPC 1-2SOC Self-Support 3Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1- Year							X	X							320301-F2	LU4U-UÖDZ	170,00	
PCM Fujitsu Basic per node 3Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node)				$\dagger$			X	х				$\dagger$			S26361-F2	2346-C952	470,00	
PCM Fujitsu Basic Services 3Y	5x9 level3 support 3 years.  Platform Cluster Manager Fujitsu Basic	H			+	+	+	х	Х	$\square$			+			S26361-F2	2346-S952	8,00	
DCM Fullbary Fints and a second of CV	Services entitlement per HPC configuration 3 years.				_	-				Щ			_			000001	240 0000	4.004 ==	
PCM Fujitsu Enterprise per node 3Y	Platform Cluster Manager Fujitsu Enterprise Edition per node (head and compute node)							X	X							526361-F2	2346-C962	1.394,00	
	5x9 level3 support 3 years. , Platform Cluster Maneger Fujitsu Enterprise						1							- 1	1	1			I



e Servers Options																		
				T	Serv													
		e			CD Se					Blades								
		Blade	S	<u>e</u> e	~													
		Entcryption	Blades	FC-Switch FR4-18i Blade FC-Switch FX8-24 Rlade	Blade	S	82	83	53	Connection	23	S	જ	ည	ડ	82		
		tcry	SE B	FR4-18i FX8-24	1 m	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924	ouue	SX05 S1	SX910 S1	SX940 S1	SX960 S1	SX380	SX 380		
		Ē	FC-Switch FCoE	אָן אָ		.∀ B)	∀B)	∀B)	.≺ B)	ŏ ≻	S ≻	(S ≻				Sode Sode		φ,
		witcl	witcl	witcl	N it c	ERG	ERG	ERG	ERG	ERG	ERG	ERG	ERG	ERG	ERG	uct C	€	men i
y Description	Details	-C-Switch	-S	FC-Switch	FC-Switch	N N	Ϋ́	ΣM	RIM	PRIMERGY (	Ϋ́	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY S) Product Code	EUP	Comments
matrix	Details	-					-	-	-						ш. ј.	ш ш		ŭ
GY-Software (Continued) Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM		П	т	т			х	Х				П			S26361-F2567-E360	760,00	0
	EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.																	
Win Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU)	Н		+	+	$\vdash$		х	Х							S26361-F2567-E361	380,00	0
	OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.																	
Win HPC Pack 2008 R2 Workstation MUL OEM	Win HPC Pack 2008 R2 Workstation OEM							х	х					$\exists$	T	S26361-F2567-E363	110,00	0
	EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.																	
FF RTU RX300 S6/7, BX620 S6, BX92x S2/3	FlexFrame ApplicationNode RTU for RX300 S5/S6, BX620 S5/S6 aund BX920 S1/S2.							Х	Х							U21348-C291	4.785,00	0
FF-AN back level support 1 year	1 year back level support (3rd level) for	$\Box$		$\top$	+			х	Х							U21348-C291-W1	1.357,00	0
	FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2																	
	Application Node Management Software.			_	_	-												
FF-AN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620							X	Х							U21348-C291-W3	3.876,00	J
	S5/S6, BX920 S1/S2 and BX924 S2																	
FF Acnt RX300S5/S6, BX620S5, BX920S1/S2	Application Node Management Software. FlexFrame Application Node Accounting RTU	H	+	+	+	+		х	х	H	H	$\forall$	_	$\dashv$	+	U21348-C293	2.393,00	0
	for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2.																	
FF-AN SAN back level support 1 year	1 year back level support (3rd level) for		$\dashv$	+	+	+		х	х	H	П			$\dashv$	+	U21348-C292-W1	678,00	
	FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2																	
FF Max DV00005/00 DV00005 DV0005	Application Node Management Software.	Ш	_	1	-	-				Ш	Щ	Ш		_	_	1104040 000	0.000	
FF Msg RX300S5/S6, BX620S5, BX920S1/S2	FF4SAP Application Node Messenger Expert Right to use for RX300 S5/S6, BX620 S5/S6							X	Х							U21348-C294	2.393,00	J
FF-AN SAN back level support 3 years	und BX920 S1/S2  3 year back level support (3rd level) for	$\square$	_	+	+	-		l u	х	$\square$	Щ	$\sqcup$	_	_	_	U21348-C292-W3	1.938,00	
FF-AN SAN back level support 3 years	FlexFrame for SAP RX300 S5/S6, BX620							X	X							U21346-C292-W3	1.936,00	J
	S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software –																	
	SAN option.	Ш		$\perp$	$\perp$													
FF VMware vSphere ESXi 5.0 Standard	FlexFrame VMware vSphere ESXi 5.0 Standard RTU. This license includes the two							Х	Х							U21348-C494	2.590,00	0
	necessary VMware vSphere ESXi 5.0																	
	Standard licenses., A corresponding FlexFrame SolutionContract component is																	
	mandatory. This includes the corresponding																	
FF-AN Acc back level support 1 year	VMware service package (SnS)  1 year back level support (3rd level) for			+	+			х	Х							U21348-C293-W1	678,00	0
	FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2																	
	Application Node Management Software –																	
FF VMware vSphere ESXi 5.0 Enterprise	Accounting option. FlexFrame VMware vSphere ESXi 5.0	Н	+	+	+	+		X	Х				+	+	+	U21348-C495	5.970,00	0
	Enterprise RTU. This license includes the																	
	two necesssary VMware vSphere ESXi 5.0 Enterprise licenses., A corresponding																	
	FlexFrame SolutionContract component is																	
	mandatory. This includes the corresponding VMware service package (SnS)	Ш																
FF-AN Acc back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620							Х	Х							U21348-C293-W3	1.938,00	0
	S5/S6, BX920 S1/S2 and BX924 S2																	
	Application Node Management Software – Accounting option.																	
FF VMware vSphere ESXi 5.0 ENT PL	FlexFrame VMware vSphere ESXi 5.0							х	Х							U21348-C496	7.090,00	0
	Enterprise Plus RTU. This license includes the two necessary VMware vSphere ESXi 5.0																	
	Enterprise Plus licenses., A corresponding FlexFrame SolutionContract component is																	
	mandatory. This includes the corresponding																	
FF-AN Mes back level support 1 year	VMware service package (SnS)  1 year back level support (3rd level) for		+	+	+	+	-	У	X	H	H	$\vdash$	-	$\dashv$	+	U21348-C294-W1	678,00	0
and the second s	FlexFrame for SAP RX300 S5/S6, BX620							^	^								3.0,00	
	S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software –																	
FF-VMware Option	Messenger Expert option. FlexFrame for SAP VMware option., This		4	+	+	-	-	· ·	U	$\square$	Ш	$\sqcup$	_	_	+	U21348-C490	800,00	
r-viviware Option	license is only orderable for customers							X	Х							U21348-U49U	800,00	5
	outside EMEA. The necessary Vmware vSphere licenses and support contracts have																	
	to be ordered via the local Vmware contacts.,																	
	These licenses can also be ordered, when the customer already has its own Vmware																	
EE AN Mag hook lavel average Commen	vSphere licenses and support		4	+	+	-	-		ļ.,	Ш	Ш	$\square$	_	4	4	1104040 0004 140	4.000.5	
FF-AN Mes back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620							X	Х							U21348-C294-W3	1.938,00	J
	S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software –																	
	Messenger Expert option.	Ш		$\perp$						Ш	Ш	Ш			_			
FF-AN VMware back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP VMware option for a							X	х							U21348-C490-W1	132,00	0
	RX300 S5/S6, BX620 S5/S6, BX920 S1/S2																	
SUSE Linux ES 1-2 SOCK Server 1Y	or BX924 S2 server. SUSE Linux ES 1-2SOC Server 1Y, 1-2 CPU	H	$\dashv$	+	+	$\vdash$	-	х	х	H	H	$\dashv$	_	$\dashv$	+	S26361-F2348-S101	290,00	0
	Sockets, one physical server, subscription for																	
SUSE Linux ES 1-2 SOCK Server 3Y	1 year SUSE Linux ES 1-2SOC Server 3Y, 1-2 CPU		$\dashv$	+	+	$\vdash$	$\vdash$	х	х	H	H	$\dashv$	$\dashv$	$\dashv$	+	S26361-F2348-S102	790,00	0
	Sockets, one physical server, subscription for 3 years																	
SUSE Linux ES 1-2 SOCK Server 5Y	SUSE Linux ES 1-2SOC Server 5Y, 1-2 CPU		+	+	+	+	+	х	х	H	H	$\forall$	$\dashv$	$\dashv$	+	S26361-F2348-S103	1.160,00	
	Sockets, one physical server, subscription for 5 years																	
SUSE Linux ES 1-2 SOCK Serv+Virt. 1Y	SUSE Linux ES 1-2SOC Serv+Virt. 1Y, 1-2		$\dashv$	+	$\dagger$	$\dagger$		х	х	H	П	$\Box$		$\dashv$	$\dashv$	S26361-F2348-S111	440,00	0
	CPU Sockets, unlimited virtualization, subscription for 1 year																	
	SUSE Linux ES 1-2SOC Serv+Virt 3Y, 1-2							v	х				$\dashv$	$\dashv$	$\top$	S26361-F2348-S112	1.180,00	
SUSE Linux ES 1-2 SOCK Serv+Virt 3Y	CPU Sockets, unlimited virtualization,							^	^									



					>	.												
		Entcryption Blade	SoE Blades	FR4-18i Blade	Port Blade BRCD Serv	.00 S1	1X900 S2	1X920 S3	S3	Connection Blades	SX05 S1	SX910 S1	SX940 S1	SX960 ST SX980 S4	SX980 S1			
				FC-Switch FF		PRIMERGY B	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924	PRIMERGY C	RIMERGY S			PKIMEKGY 3		Š	EUP (€)	Comments
Description trix	Details	띮	윤	표   t	2   E	<u> </u>	<u>#</u>	<u> </u>	<u>#</u>	<u></u>	<u>#</u>	<u>#</u>	<u> </u>	t   5	t   6	<u> </u>	_ <u>_</u> _	<u></u>
<b>'-Software (Continued)</b> SUSE Linux ES 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES 1-2SOC Serv+Virt 5Y, 1-2			Т				х	х						Т	S26361-F2348-S113	1.760	0,00
	CPU Sockets, unlimited virtualization, subscription for 5 years																	
SUSE Linux ES HAE 1-2 SOCK 1Y	SUSE Linux ES HAE 1-2SOC 1Y, 1-2 CPU Sockets, high availability extension, subscription for 1 year							х	х							S26361-F2348-S121	590	0,00
SUSE Linux ES HAE 1-2 SOCK 3Y	SUSE Linux ES HAE 1-2SOC 3Y, 1-2 CPU Sockets, high availability extension, subscription for 3 years							х	х							S26361-F2348-S122	1.570	0,00
SUSE Linux ES HAE 1-2 SOCK 5Y	SUSE Linux ES HAE 1-2SOC 5Y, 1-2 CPU Sockets, high availability extension, subscription for 5 years							х	х							S26361-F2348-S123	2.330	0,00
SUSE Linux ES4SAP 1-2 SOCK Server 1Y	SUSE Linux ES4SAP 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year							х	х							S26361-F2348-S401	1.280	0,00
SUSE Linux ES4SAP 1-2 SOCK Server 3Y	SUSE Linux ES4SAP 1-2SOC Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3 years							х	х							S26361-F2348-S402	3.450	0,00
SUSE Linux ES4SAP 1-2 SOCK Server 5Y	SUSE Linux ES4SAP 1-2SOC Server 5Y, 1-2 CPU Sockets, one physical server,	П						х	х					$\dagger$	+	S26361-F2348-S403	5.200	0,00
SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 1Y	subscription for 5 years  SUSE Linux ES4SAP 1-2SOC Serv+Virt 1Y, 1-2 CPU Sockets, unlimited virtualization,			+				х	х					$\dagger$	$\dagger$	S26361-F2348-S411	1.920	0,00
SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 3Y	subscription for 1 year  SUSE Linux ES4SAP 1-2SOC Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years	П						х	х					$\dagger$	+	S26361-F2348-S412	5.200	0,00
SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 5Y	subscription for 3 years SUSE Linux ES4SAP 1-2SOC Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization,			+				x	х		$\dashv$	$\dashv$		$\dagger$	$\dagger$	S26361-F2348-S413	7.700	0,00
FF-AN VMware back level support 3 years	subscription for 5 years  3 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX300 S5/S6, BX620 S5/S6, BX920 S1/S2							х	х				+			U21348-C490-W3	360	0,00
SUSE Linux ES BX400 Server+Virt 1J	or BX924 S2 server.  SUSE Linux ES BX400 1Y, SUSE Linux Enterp. Server for BX400 Blade Chassis,					х										S26361-F2348-S141	1.760	0,00
SUSE Linux ES BX400 Server+Virt 3J	unlimited virtualization, subscription for 1 year SUSE Linux ES BX400 3Y, SUSE Linux Enterp. Server for BX400 Blade Chassis, unlimited virtualization, subscription for 3					X										S26361-F2348-S142	4.720	0,00
SUSE Linux ES BX400 Server+Virt 5J	years SUSE Linux ES BX400 5Y, SUSE Linux Enterp. Server for BX400 Blade Chassis, unlimited virtualization, subscription for 5					x										S26361-F2348-S143	7.100	0,00
SUSE Linux ES BX900 Server+Virt 1J	years SUSE Linux ES BX900 1Y, SUSE Linux Enterp. Server for BX900 Blade Chassis,						х									S26361-F2348-S151	3.960	0,00
SUSE Linux ES BX900 Server+Virt 3J	unlimited virtualization, subscription for 1 year SUSE Linux ES BX900 3Y, SUSE Linux Enterp. Server for BX900 Blade Chassis, unlimited virtualization, subscription for 3						х									S26361-F2348-S152	10.700	0,00
SUSE Linux ES BX900 Server+Virt 5J	years SUSE Linux ES BX900 5Y, SUSE Linux Enterp. Server for BX900 Blade Chassis, unlimited virtualization, subscription for 5						х									S26361-F2348-S153	15.900	0,00
Red Hat ELS 1-2SOC 1G 5x9 l3 Support 1Y	years Red Hat Enterprise Linux Server (1-2		-	+	+			x	Y	-	-	-	+	+	+	S26361-F2346-S101	331	1,00
Red Hat ELS 1-2SOC 1G 5x9 I3 Support 3Y	sockets) (up to 1 quest) level3 Standard Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard							x								S26361-F2346-S102		9,00
Red Hat ELS 1-2SOC 4G 5x9 l3 Support 1Y	Support 3 years  Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard		+	+				х	х	+	+	+	+	+	+	S26361-F2346-S103	497	7,00
Red Hat ELS 1-2SOC 4G 5x9 l3 Support 3Y	Support 1 year Red Hat Enterprise Linux Server (1-2		+	+				х	х	+	+	+	+	+	+	S26361-F2346-S104	1.334	4,00
Red Hat ELS 1-2SOC uG 5x9 l3 Support 1Y	sockets) (up to 4 guests) level3 Standard Support 3 years Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard		_	+	+			x	х		+	+	-	+	+	S26361-F2346-S105	830	0,00
Red Hat ELS 1-2SOC uG 5x9 l3 Support 3Y	Support 1 year  Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard		+	+	+			х	х	+	-	-	-	+	+	S26361-F2346-S106	2.224	4,00
Red Hat ELS 1-2SOC 1G 7x24 l3 Support 1Y	Support 3 years  Red Hat Enterprise Linux Server (1-2				_	-	Ц	U	v		_	_		+	+	S26361-F2346-S111	FO	8.00
Red Hat ELS 1-2SOC 1G 7x24 l3 Support 1Y  Red Hat ELS 1-2SOC 1G 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 quest) level3 Premium  Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium			+	+				X		-			+	+	S26361-F2346-S111 S26361-F2346-S112	1.445	5,00
Red Hat ELS 1-2SOC 4G 7x24 l3 Support 1Y	Support 3 years  Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium		+	+	+			x	х	+		-	-	+	+	S26361-F2346-S113	808	8,00
Red Hat ELS 1-2SOC 4G 7x24 l3 Support 3Y	Support 1 year  Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium		+	+	+			х	х	+	-	-	-	+	+	S26361-F2346-S114	2.169	9,00
Red Hat ELS 1-2SOC uG 7x24 l3 Support 1Y	Support 3 years  Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium			+	+			х	x		+	+		+	+	S26361-F2346-S115	1.347	7,00
Red Hat ELS 1-2SOC uG 7x24 l3 Support 3Y	Support 1 year  Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium		+	+	+			х	х	+	-	+	-	+	+	S26361-F2346-S116	3.615	5,00
Red Hat EL HA 1-2SOC I3 Support 1Y	Support 3 years  Red Hat Enterprise Linux High Availability (1-	Ц	_	+	+	-	Щ	¥	х	_	4	4	4	+	+	S26361-F2346-S121	220	0,00
Red Hat EL HA 1-2SOC I3 Support 3Y	2 sockets) I3 Support 1 year  Red Hat Enterprise Linux High Availability (1-			_	+	-	Н	X		_				+	+	S26361-F2346-S122		7,00
Red Hat EL RS 1-2SOC I3 Support 3Y	2 sockets) I3 Support 3 years			_	_	-	Ц			_		_		+	+	S26361-F2346-S122 S26361-F2346-S131		
· ·	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 1 year	Щ	_		_		Щ		X	_	_	_			1			1,00
Red Hat EL RS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 3 years	Ш			$\perp$		Ш	Х	Ш						$\perp$	S26361-F2346-S132	1.215	
Red Hat EL SFS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year							X	Х			- [				S26361-F2346-S141	110	0,00



					2												
		Entcryption Blade	: Blades	FX8-24 Blade	Blade BRCD Serv	00 S1	00 S2 20 S3	24 S3	Connection Blades	5 S1	SX910 S1	SX940 S1 SX960 S1	80 S1	80 S2			
		-C-Switch Enter	FC-Switch FCoE Blades	FC-Switch FX8-2	FC-Switch Port	PRIMERGY BX400 S1	PRIMERGY BX900 S2 PRIMERGY BX920 S3	PRIMERGY BX924	PRIMERGY Con	ERGY SX05		PRIMERGY SX9		PRIMERGY SX980	Product Code	(€)	Comments
Description	Details	FC-S	FC-5	FC-5	FC-S	PRIM	PR R	PRIM	PRIM	PRI	PRI	7	PRIM	PRIM	Prod	EUP	Com
trix Y-Software (Continued)																	
Red Hat EL LB 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) 13 Support 1 year						X	X							S26361-F2346-S151	110	0,00
Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2	П					x	X	П	$\exists$					S26361-F2346-S152	303	3,00
Red Hat EL HPN 1-2SOC I3 Support 1Y	sockets) I3 Support 3 years Red Hat Enterprise Linux High Performance	$\Box$					x	X	Н	$\forall$	+	+	+		S26361-F2346-S161	110	0,00
Red Hat EL HPN 1-2SOC I3 Support 3Y	Network (1-2 sockets) I3 Support 1 year Red Hat Enterprise Linux High Performance	H		+			x	X	H	$\dashv$	+	+	+		S26361-F2346-S162	303	3,00
Red Hat EL EUS 1-2SOC I3 Support 1Y	Network (1-2 sockets) I3 Support 3 years Red Hat Enterprise Linux Extended Update	Н	_	+		_		X	Н	4	+	+	-		S26361-F2346-S171	138	
• •	Support (1-2 sockets) I3 Support 1 year	Ш	_	4		4		$\perp$		_	_	$\perp$					
Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years	Ш					×	X	Ш						S26361-F2346-S172	380	
Citrix XS AE, 3yr SA	Citrix XS AE, 3yr SA; XenServer V5.6+ Advanced Edition; License, 3 years Subscription Advantage, SW and Lizence key	,					X	X							S26361-F2341-S980	1.050	0,00
Citrix XS EE, 3yr SA	per Download Citrix XS EE, 3yr SA; XenServer V5.6+	H		+			×	X	Н	$\dashv$	+	+	+		S26361-F2341-S981	2.630	0,00
	Enterprise Edition; License, 3 years Subscription Advantage, SW and Lizence key per Download																
Citrix XS PE, 3yr SA	Citrix XS PE, 3yr SA; XenServer V5.6+ Platinum Edition; License, 3 years Subscription Advantage, SW and Lizence key	,					X	X							S26361-F2341-S982	5.290	0,00
Citrix XS AE-EE upgr, 3yr SA	per Download Citrix XS AE-EE upgr, 3yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 3			+			X	X			+	+			S26361-F2341-S983	2.000	0,00
	years Subscription Advantage; SW and Lizence key per Download																
Citrix XS AE-PE upgr, 3yr SA	Citrix XS AE-PE upgr, 3yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 3 years Subscription Advantage; SW and						X	X							S26361-F2341-S984	4.880	0,00
Citrix XS EE-PE upgr, 3yr SA	Lizence key per Download Citrix XS EE-PE upgr, 3yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 3 years Subscription Advantage; SW and						X	X							S26361-F2341-S985	3.540	0,00
Citrix XS AE, 1yr SA	Lizence key per Download Citrix XS AE, 1yr SA; XenServer V5.6+ Advanced Edition; License, 1 year Subscription Advantage, SW and Lizence key						x	X							S26361-F2341-S986	830	0,00
Citrix XS EE, 1yr SA	per Download Citrix XS EE, 1yr SA; XenServer V5.6+ Enterprise Edition; License, 1 year Subscription Advantage, SW and Lizence key						X	×							S26361-F2341-S987	2.080	0,00
Citrix XS PE, 1yr SA	per Download Citrix XS PE, 1yr SA; XenServer V5.6+ Platinum Edition; License, 1 year Subscription Advantage, SW and Lizence key						X	x							S26361-F2341-S988	4.170	0,00
Citrix XS AE-EE upgr, 1yr SA	per Download Citrix XS AE-EE upgr, 1yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 1 year Subscription Advantage; SW and						X	. x							S26361-F2341-S989	1.460	0,00
Citrix XS AE-PE upgr, 1yr SA	Lizence key per Download Citrix XS AE-PE upgr, 1yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 1 year Subscription Advantage; SW and						X	X							S26361-F2341-S990	3.750	0,00
Citrix XS EE-PE upgr, 1yr SA	Lizence key per Download Citrix XS EE-PE upgr, 1yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 1 year Subscription Advantage; SW and						X	X							S26361-F2341-S991	2.420	0,00
VMware vSphere Embedded UFM Device	Lizence key per Download  VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi						X	X							S26361-F2341-E431	60	0,00
VMware ESXi 5.0 Single SRV w/o SP-1yr	Single SRV Lic. (w/o SP)  VMware ESXi 5 Single Server for max 32GB  RAM - Mandatory 1 year Service Pack needed!						х	X							S26361-F2341-S700	10	0,00
VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4,vCenter 5,vShield,Backup-Restore , VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore - No						х	X							S26361-F2341-E300	80	0,00
VMware vSphere STD w/o SP-1yr	License VMware vSphere Standard for 1 CPU -	$\forall$	+	+		+	х	X	$\forall$	$\dashv$	+	+	+		S26361-F2341-E707	895	5,00
VMware vSphere STD w/o SP-3yr	Mandatory 1 year Service Pack needed!  VMware vSphere Standard for 1 CPU -	H	+	+	H	+	X	X	H	$\dashv$	+	+	+		S26361-F2341-E708	895	5,00
VMware vSphere ENT w/o SP-1yr	Mandatory 3 year Service Pack needed!  VMware vSphere Enterprise for 1 CPU -	$\vdash$	+	+	$\square$	+		x	$\vdash$	$\dashv$	+	+	-		S26361-F2341-E709	2.585	
VMware vSphere ENT w/o SP-3yr	Mandatory 1 year Service Pack needed!  VMware vSphere Enterprise for 1 CPU -	$\square$	_	+					$\square$	_	_	+	-				
·	Mandatory 3 year Service Pack needed!		_	_	Ш			X		_	_	_	_		S26361-F2341-E710	2.585	
VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 1 year Service Pack needed!							X							S26361-F2341-E711	3.145	
VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU - Mandatory 3 year Service Pack needed!						Х	X							S26361-F2341-E712	3.145	5,00
VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 1 year Service Pack needed!						х	X							S26361-F2341-E732	15.750	0,00
VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed!						X	X							S26361-F2341-E733	15.750	
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	6 CPU inc VC-STD - Mandatory 1 year Service Pack needed!							X			$\int$				S26361-F2341-E734	19.750	
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD - Mandatory 3 year Service Pack needed!							X							S26361-F2341-E735	19.750	
VMware STD AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 6 CPU inc VC-STD + VSA,,,-Mandatory 1 year Service Pack needed!							X							S26361-F2341-E760	6.295	
VMware STD AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 6	ΙĪ			ıΤ		Х	X	ıΤ				1		S26361-F2341-E761	6.295	5,00



					Serv					ý								
		Blade	တ္က ဒို	e e	SCD					n Blades								
		Entcryption	Blades	ısı Blad 24 Blad	Blade E	00 S1	' BX900 S2	20 S3	24 S3	nection		40 S1	SX960 S1	SX980 S1	80 S2			
			in FCoE	FC-Switch FX8-24 Blade	FC-Switch Port Blade	GY BX4	PRIMERGY BX900 S2	3Y BX9	PRIMERGY BX924 S3	PRIMERGY Connection	0 50 VC 15	GY SX940	GXS YE			Code		र्श 
		FC-Switch	FC-Switch	C-Swite	C-Swite	RIMER	RIMER	PRIMERGY	RIMER	RIMER	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	Product	EUP (€)	Comments
Description atrix Y-Software (Continued)	Details	ŭ li	Ĭ   Ĭ	ľ	Ĭ	<u> </u>	<u> </u>	颪	<u>.</u>	<u> </u>	<u> </u>	.   2			<u> </u>	<u> </u>	<u> </u>	Ŏ
VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD + VSA,,,- Mandatory 1 year Service Pack needed!		Τ			Π		x	x		Τ	Τ	Γ	Γ		S26361-F2341-E762	15.750,0	Deliverable from: 01/03/2013,Orderable from: 0
VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU inc VC-STD + VSA,,,-Mandatory 3 year ServicePack needed!							х	х							S26361-F2341-E763	15.750,0	Deliverable from: 01/03/2013,Orderable from: 0
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory 1							х	х		T			T		S26361-F2341-E764	19.750,0	Deliverable from: 01/03/2013,Orderable from: 0
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	year Service Pack needed!  VMware vSphere ENT-PL Acceleration Kit for 6 CPU inc VC-STD + VSA , , , - Mandatory 3							х	х							S26361-F2341-E765	19.750,0	Deliverable from: 01/03/2013,Orderable from: 0
VMware vCenter STD w/o SP-1yr	year Service Pack needed!  VMware vCenter Standard for 1 Instance of vCenter - Mandatory 1 year Service Pack							х	х	+						S26361-F2341-S736	4.495,0	00
VMware vCenter STD w/o SP-3yr	needed!  VMware vCenter Standard for 1 Instance of vCenter - Mandatory 3 year Service Pack							х	х	+	+					S26361-F2341-S737	4.495,0	00
VMware vCenter FND w/o SP-1yr	needed!  VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 1 year							х	х	+	+					S26361-F2341-S738	1.345,0	00
VMware vCenter FND w/o SP-3yr	Service Pack needed!  VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 3 year		+					х	х		+	+	+	+		S26361-F2341-S739	1.345,0	00
VMware Essentials-PL w/o SP-1yr	Service Pack needed!  VMware Essentials Plus for 6 CPU inc VC-							х	х		+					S26361-F2341-E740	3.105,0	00
VMware Essentials-PL w/o SP-3yr	FND-E - Mandatory 1 year Service Pack needed!  VMware Essentials Plus for 6 CPU inc VC-		-	+				х	х	+	+	-	+			S26361-F2341-E741	3.105,0	00
VMware vCloud Suite STD w/o SP-1yr	FND-E - Mandatory 3 year Service Pack needed!  Each vCloud Standard Suite contains Sphere							х	x	_	-			-		S26361-F2341-E766	4.495,0	00
	5 Enterprise Plus, vCloud Connector Advanced, vCloud Director and vCloud Networking and Security Standard																	
VMware vCloud Suite STD w/o SP-3 yr	Mandatory 1 year Support Pack needed! Each vCloud Standard Suite contains Sphere 5 Enterprise Plus, vCloud Connector		+					х	х		+	+	+	H		S26361-F2341-E767	4.495,0	00
	Advanced, vCloud Director and vCloud Networking and Security Standard																	
VMware vCloud Suite ADV w/o SP-1yr	Mandatory 3 years Support Pack needed!  Each vCloud Advanced Suite contains  Sphere 5 Enterprise Plus, vCloud Connector							х	х							S26361-F2341-E768	6.745,0	00
	Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite																	
VMware vCloud Suite ADV w/o SP-3 yr	Advanced Mandatory 1 year Support Pack Each vCloud Advanced Suite contains vSphere 5 Enterprise Plus, vCloud		+					х	х		+	+	+	+		S26361-F2341-E769	6.745,0	00
	Connector Advanced, vCloud Director, vCloud Networking and Security Advanced and vCenter Operations Management Suite																	
VMware vCloud Suite ENT w/o SP-1yr	Advanced., Mandatory 3 years Support Pack Each vCloud Enterprise Suite contains	$\vdash$	+					х	х		+	+	+	+		S26361-F2341-E770	10.350,0	00
	vSphere 5 Enterprise Plus, vCloud Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning,																	
	vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud Automation Center.																	
VMware vCloud Suite ENT w/o SP-3 yr	Mandatory 1 year Support Pack needed!  Each vCloud Enterprise Suite contains vSphere 5 Enterprise Plus, vCloud							х	х	+	+		+			S26361-F2341-E771	10.350,0	00
	Connector Advanced, vCloud Director, vCloud Networking and Security Advanced, vFabric Application Director for Provisioning,																	
	vCenter Operations Management Suite Enterprise, Site Recovery Manager Enterprise and vCloud Automation Center.																	
VMware Essentials w/1yr Sub,-no Support	Mandatory 3 years Support Pack needed!  VMware Essentials for 6 CPU inc VC-FND-E -	$\dashv$	+	+	+			х	х	+	+	+	+	+	+	S26361-F2341-S800	504,0	00
VMware Essentials w/3yr Sub,-no Support	Inc. 1 year VMware Sub no Support VMware Essentials for 6 CPU inc VC-FND-E - Inc. 3 year VMware Sub no Support	$  \uparrow  $	$\dagger$	$\dagger$	+			х	х	+	+	+				S26361-F2341-S801	600,0	00
VMware SRM STD 25 VM Pack w/7x24-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.							х	х	1	$\dagger$					S26361-F2341-S802	4.969,0	00
VMware SRM STD 25 VM Pack w/7x24-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24							х	х	$\dagger$	$\dagger$					S26361-F2341-S803	6.510,0	00
VMware SRM STD 25 VM Pack w/5x9-1yr	Service+Sub.  VMware SRM STD 25 VM Pack Protects 25  VM's - Inc. 1 year VMware 5x9 Service+Sub.		#					х	_	#	#					S26361-F2341-S804	4.810,0	
VMware UG vSp STD - <gt></gt> vClu Suite STD	VMware Upgrade vSphere Standard to vCloud Suite Standard for 1 CPU , - Mandatory 1 year Support Pack needed!							х	X							S26361-F2341-S772	3.955,0	
VMware UG vSp STD - <gt></gt> vClu Suite STD	VMware Upgrade vSphere Standard to vCloud Suite Standard for 1 CPU, - Mandatory 3 years Support Pack needed!							х	X							S26361-F2341-S773	3.955,0	000
VMware UG vSp STD - <gt></gt> vClu Suite ADV	VMware Upgrade vSphere Standard to vCloud Suite Advanced for 1 CPU , - Mandatory 1 year Support Pack needed!							х	х							S26361-F2341-S774	6.295,0	00
VMware UG vSp STD - <gt></gt> vClu Suite ADV	VMware Upgrade vSphere Standard to vCloud Suite Advanced for 1 CPU , -							х	х	1						S26361-F2341-S775	6.295,0	00
VMware UG vSp STD - <gt></gt> vClu Suite ENT	Mandatory 3 years Support Pack needed!  VMware Upgrade vSphere Standard to vCloud Suite Enterprise for 1 CPU, -							х	х	+	+					S26361-F2341-S776	9.895,0	00
VMware UG vSp STD - <gt></gt> vClu Suite ENT	Mandatory 1 year Support Pack needed!  VMware Upgrade vSphere Standard to vCloud Suite Enterprise for 1 CPU, -	+	+		+		Н	х	х	+	+	+	+	+	+	S26361-F2341-S777	9.895,0	00



Blade Servers Options				_	Τ.			_	-								
		Ф			Serv				es								
		Entcryption Blade		<u>e</u>	FC-Switch Port Blade BRCD				Blades								
		tion	Blades	FC-Switch FR4-18i Blade	ade B	S	82	83 83	Connection	2	S	ડ ડ	<u>ي</u> د	S2			
		tcryp	FCOE B	4-18i	rt Bla	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S	onne	SX05 S1	SX910 S1	SX940	SX980	SX980			
			بر ا	i F	h Po	GY B	GY B	אם אם אם	S S	GY S		GY S	3 Y S	GY S	Code		ā
		FC-Switch	FC-Switch	Switch	Switc	MER	MER	MER	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	Product	( <del>(</del> )	Comments
Category Description	Details	ᇆ	ပ်	ပ္ပြဲ	ည် ပြ	R	<u>R</u>	¥ 0		R	R	<u>R</u>	¥ 8	R	Pro	EUP	Ö
Options matrix PRIMERGY-Software (Continued)	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\														S26361-F2341-S778	2 005 00	
VMware UG vSp ENT - <gt></gt> vClu Suite STD	VMware Upgrade vSphere Enterprise to vCloud Suite Standard for 1 CPU , -							X )	`						526361-F2341-5776	2.095,00	
VMware UG vSp ENT - <gt></gt> vClu Suite STD	Mandatory 1 year Support Pack needed!  VMware Upgrade vSphere Enterprise to	$\Box$	+	+				x )	(						S26361-F2341-S779	2.095,00	
	vCloud Suite Standard for 1 CPU, - Mandatory 3 years Support Pack needed!																
VMware UG vSp ENT - <gt></gt> vClu Suite ADV	VMware Upgrade vSphere Enterprise to vCloud Suite Advandesd for 1 CPU , -							x >	(						S26361-F2341-S780	4.575,00	
VMware UG vSp ENT - <gt></gt> vClu Suite ADV	Mandatory 1 year Support Pack needed!	$\vdash$	4	_	-	Н	4	v ,		-	Н	4			S26361-F2341-S781	4.575,00	
vinware us vsp ENTgu> vciu suite ADV	VMware Upgrade vSphere Enterprise to vCloud Suite Advandesd for 1 CPU , -							x )	`						526361-F2341-5761	4.575,00	
VMware UG vSp ENT - <gt></gt> vClu Suite ENT	Mandatory 3 year Support Pack needed!  VMware Upgrade vSphere Enterprise to	$\Box$	+	+		Н		x >	(						S26361-F2341-S782	8.525,00	
	vCloud Suite Enterprise for 1 CPU , - Mandatory 1 year Support Pack needed!																
VMware UG vSp ENT - <gt></gt> vClu Suite ENT	VMware Upgrade vSphere Enterprise to vCloud Suite Enterprise for 1 CPU,							X X	(						S26361-F2341-S783	8.525,00	
VM-ware LIC you ENTD and a Chief to CTT	Mandatory 3 year Support Pack needed!		_	_	1	$\sqcup$	_	_	_	-	$\square$	4	+	-	C26264 F2244 0724	4.405.00	
VMware UG vSp ENTP - <gt></gt> vClu Suite STD	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Standard for 1 CPU, -							X )	`						S26361-F2341-S784	1.485,00	
VMware UG vSp ENTP - <gt></gt> vClu Suite STD	Mandatory 1 year Support Pack needed!  VMware Upgrade vSphere Enterprise Plus to		+	+	+	$\forall$		x >	(	+	$\forall$	+	+	-	S26361-F2341-S785	1.485,00	
	vCloud Suite Standard for 1 CPU , - Mandatory 3 year Support Pack needed!																
VMware UG vSp ENTP - <gt></gt> vClu Suite ADV	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Advanced for 1 CPU , -							x x	(						S26361-F2341-S786	3.955,00	
WALLES HOUSE ENTRY at A SCIENCE ARM	Mandatory 1 year Support Pack needed!	Ш	4			Ш					Ш		_		C00004 F0044 C707	2 055 00	
VMware UG vSp ENTP - <gt></gt> vClu Suite ADV	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Advanced for 1 CPU,							X )	`						S26361-F2341-S787	3.955,00	
VMware UG vSp ENTP - <gt></gt> vClu Suite ENT	Mandatory 3 year Support Pack needed!  VMware Upgrade vSphere Enterprise Plus to		+	+	+	$\forall$		x >	(	+	$\forall$	+	+	-	S26361-F2341-S788	7.915,00	
	vCloud Suite Enterprise for 1 CPU , - Mandatory 1 year Support Pack needed!																
VMware UG vSp ENTP - <gt></gt> vClu Suite ENT	VMware Upgrade vSphere Enterprise Plus to vCloud Suite Enterprise for 1 CPU,							X X	(						S26361-F2341-S789	7.915,00	
VAAUGE CDM CTD OF VAA Dook vu/5 o 2 us	Mandatory 1 year Support Pack needed!  VMware SRM STD 25 VM Pack Protects 25	Ш	_												C0C2C4 F0244 C00F	6 104 00	
VMware SRM STD 25 VM Pack w/5x9-3yr	VM's - Inc. 3 year VMware 5x9 Service+Sub.		_				_	X )	4						S26361-F2341-S805	6.104,00	
VMware SRM ENT 25 VM Pack w/7x24-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24							X )	(						S26361-F2341-S806	12.573,00	
VMware SRM ENT 25 VM Pack w/7x24-3yr	Service+Sub.  VMware SRM ENT 25 VM Pack Protects 25	$\vdash$	+	+	+	Н		x >	(	+	Н	+	+		S26361-F2341-S807	16.483,00	
,	VM's - Inc. 3 year VMware 7x24 Service+Sub.																
VMware SRM ENT 25 VM Pack w/5x9-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	П				П		x >	(		П				S26361-F2341-S808	12.169,00	
VMware SRM ENT 25 VM Pack w/5x9-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	П				П		x >	<		П				S26361-F2341-S809	15.454,00	
VMware View ENT Start 10 CLI w/o SP-1yr	VMware View ENT Start 10 Desktop VM's	$\Box$	$\top$					x >	<				$\dagger$		S26361-F2341-S742	1.220,00	
	Bundle w/ VDM, VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!					Ш					Ш						
VMware View ENT Start 10 CLI w/o SP-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL -							X )	(						S26361-F2341-S743	1.220,00	
VMware View ENT 100 CLI w/o SP-1yr	Mandatory 3 year Service Pack needed!  VMware View ENT 100 Desktop VM's Bundle		+	+	+	Н	+	x >	(	+	Н	+	+	$\vdash$	S26361-F2341-S744	12.195,00	
	w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!																
VMware View ENT 100 CLI w/o SP-3yr	VMware View ENT 100 Desktop VM's Bundle	,	$\top$			П		x >	<		П				S26361-F2341-S745	12.195,00	
	w/ VDM, VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!	Ш															
VMware View PRE Start 10 CLI w/o SP-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-							X )	<						S26361-F2341-S750	2.030,00	
	PL,COMP,TA - Mandatory 1 year Service Pack needed!																
VMware View PRE Start 10 CLI w/o SP-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-							x x	(						S26361-F2341-S751	2.030,00	
	PL,COMP,TA - Mandatory 3 year Service																
VMware View PRE 100 CLI w/o SP-1yr	Pack needed!  VMware View PRE 100 Desktop VM's Bundle		$\dashv$	+	+	H		x >	(	+	H	$\dagger$	$\dagger$	$\vdash$	S26361-F2341-S752	20.295,00	
	w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!	Ш			$\perp$	Ш					Ш						
VMware View PRE 100 CLI w/o SP-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA -							X )	(						S26361-F2341-S753	20.295,00	
VMware vCloud Dir. 25 VM Pack w/7x24-1yr	Mandatory 3 year Service Pack needed!  VMware vCloud Director 25 VM Pack	$\dashv$	+	+	+	$\vdash$		x >	(	+	$\vdash$	+	+	-	S26361-F2341-S810	3.992,00	
The second secon	Manage 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.														1.20.1.0010		
VMware vCloud Dir. 25 VM Pack w/7x24-3yr	VMware vCloud Director 25 VM Pack		+		$\dagger$	$\forall$		x x	(		$\forall$	$\dashv$	+		S26361-F2341-S811	5.299,00	
	Manage 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	Ш		$\perp$		Ш		$\perp$			Ш						
VMware Chargeback 25 VM Pack w/7x24-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 7x24							x >	(						S26361-F2341-S812	1.275,00	
VMware Chargeback 25 VM Pack w/7x24-3yr	Service+Sub.  VMware Chargeback 25 VM Pack Monitor 25		+		+	H		x )	(	-	H	_	+		S26361-F2341-S813	1.694,00	
<u> </u>	VM's - Inc. 3 year VMware 7x24 Service+Sub.															.,,,,,	
VMware vCloud Dir. 25 VM Pack w/5x9-1yr	VMware vCloud Director 25 VM Pack	$\parallel$	$\top$	+	$\dagger$	$\parallel$		x >	<	+	$\parallel$		$\dagger$		S26361-F2341-S814	3.865,00	
	Manage 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.		_					$\perp$			Ш	_			000000		
VMware vCloud Dir. 25 VM Pack w/5x9-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 5x9							X )	(						S26361-F2341-S815	4.963,00	
VMware Chargeback 25 VM Pack w/5x9-1yr	Service+Sub.  VMware Chargeback 25 VM Pack Monitor 25		+	+	+	H	-	x >	(	+	H	+	+	+	S26361-F2341-S816	1.234,00	
VMware Chargeback 25 VM Pack w/5x9-3yr	VM's - Inc. 1 year VMware 5x9 Service+Sub. VMware Chargeback 25 VM Pack Monitor 25	Ш	+	+	+	H	4	x >	4	+	H	+	+	-	S26361-F2341-S817	1.586,00	
PS/Power supply	VM's - Inc. 3 year VMware 5x9 Service+Sub.																
PY BX400 PSU (1600W/1100W) w/o powercord	PY BX400 Power Supply (1600 W/1100 W) without power cable					х									S26113-F607-E201	500,00	
PY BX900 Rear Fan Unit	BX900 Rear Fan Unit with 4 Fans		#	+	+		х	#	+	+	Ħ	#	+		S26361-F3962-E100	285,00	
PY BX400 Fan Unit	BX400 Fan Unit with 2 Fans		_			Х									S26361-F4474-E100	155.00	1



Servers Options			_				_	4						_			
		Entcryption Blade	FCOE Blades	FX8-24 Blade	Port Blade BRCD Serv	BX400	r BX900 S2	PRIMERGY BX920 S3	Y BX924 S3	SX05 S1	r SX910 S1	Y SX940 S1	7 SX960 S1		9		
/ Description	Details	-C-Switch	-C-Switch	FC-Switch	FC-Switch	PRIMERGY	PRIMERGY	RIMERG	PRIMERGY BX924 PRIMERGY Conne	PRIMERGY (	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	Product G	EUP (€)	Comments
natrix ver supply (Continued)	Details						<u> </u>	<u> </u>									
BX900 PSU 2.880W silver w/o power cord	BX900 Power supply 100-240V AC, w/o power cord		T				х	Т						Τ	S26113-F606-E250	680,00	
BX900 PSU 2.880W platinum hp w/o power c Power Cord 16A IEC320 C19->C20, 3.5m	BX900 Power Supply 2.880W platinum hp Power cord with connector IEC320 C20 - >plug IEC320 C20 for connection to UPS					x	X X								S26113-F606-E300 S26361-F3151-E301	870,00 30,00	
Power Cord 16A IEC320 C19->C20 1 m	(connector 16A IEC320 C19) Power cord 16A IEC320 C20 -> IEC320 C19		+	+	Н		х	+	+	+	Н		+	+	S26361-F3151-E10	30,00	
Power Cord IEC320 C19 -> IEC 320 C14	length 1 meter  Power coerd with connector IEC320 C19 - >plug IEC320 C14 for connection to UPS or					х									S26361-F3151-E351	10,00	
Cable powercord rack, 4m, grey	socket outlet (connector 16A IEC320 C19)  Powercord for rackmounting, IEC 320 C14 ->	H	+	-	Н	H	+	+	+	X	Н		+	+	T26139-Y1968-E100	10,00	
Cable powercord (USA), 1.8m, grev	C13 (10A plug), 4m suitable for USA, Cnd		+				+	+	+	X	Н		+	+	T26139-Y1742-E10	10,00	
Power cord IEC320 C19 -> IEC320 C14	Power coerd with connector IEC320 C19 - >plug IEC320 C14 for connection to UPS or socket outlet (connector 16A IEC320 C19)					х									S26361-F3151-E350	10,00	
No powercord as order option	For Countries without specific cable orderable like e.g. China					х	х			х					T26139-Y3850-E10	2,00	
Power cord 16A IEC320 C19->C20, 3.5m	with connector IEC320 C20 ->plug IEC320 C20 for connection to UPS (connector 16A IEC320 C19)					х									S26361-F3151-E300	30,00	
Power cord 16A IEC320 C19->CEE 7/7	with connector IEC320 C19->CEE 7/7 (Schuko)	$\Box$				х					П				S26361-F3151-E100	30,00	
Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C20 -> 16A CEE (IEC309, blue), length 3,5m		$\dagger$		П	х	х	$\dagger$			П	$\forall$			S26361-F3151-E200	30,00	
Power cord IEC320 C19 -> US NEMA L6-20p	with connector IEC320 C20 -> US NEMA L6- 20p					х									S26361-F3151-E500	60,00	
Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order					х	x	x	Τ	x			Τ	Τ	S26361-F1647-E410	25,00	
TPM Module	Trusted Platform Module on motherboard, be							x	х		Н				S26361-F3552-E1	50,00	
rastructure S/W, 10 Gigabit Ethernet 1Y Maintenance	aware of import restrictions!  S/W, 10 Gigabit Ethernet 1 year		Y	Y											B:BR-DCX10GE-01-M	16 543 00	
S/W, 10 Gigabit Ethernet 2Y Maintenance	Maintenance, Brocade number: BR-DCX10GE-01-M  S/W, 10 Gigabit Ethernet 2 years		x	X			_								B:BR-DCX10GE-02-M		
	Maintenance, Brocade number: BR-DCX10GE-01-M-2																
S/W, 10 Gigabit Ethernet 3Y Maintenance	S/W, 10 Gigabit Ethernet 3 years Maintenance, Brocade number: BR- DCX10GE-01-M-3		X	Х											B:BR-DCX10GE-03-M		
S/W, 10 Gigabit Ethernet 4Y Maintenance	S/W, 10 Gigabit Ethernet 4 years Maintenance, Brocade number: BR- DCX10GE-01-M-4		X	X											B:BR-DCX10GE-04-M	19.117,00	
S/W, 10 Gigabit Ethernet 5Y Maintenance	S/W, 10 Gigabit Ethernet 5Y Maintenance, Brocade number: BR-DCX10GE-01-M-5		x	х											B:BR-DCX10GE-05-M	20.002,00	
S/W,Advanced Extension 1Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 1 year SUP included, Brocade number BR-DCXAEX-01-M			X											B:BR-DCXAEX-01-M	7.316,00	
S/W,Advanced Extension 2Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 2 years SUP included, Brocade number BR-DCXAEX-01-M-2			X											B:BR-DCXAEX-02-M	8.441,00	
S/W,Advanced Extension 3Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 3 years SUP included, Brocade number BR-DCXAEX-01-M-3			х											B:BR-DCXAEX-03-M	9.504,00	
S/W,Advanced Extension 4Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 4 years SUP included, Brocade number BR-DCXAEX-01-M-4			X											B:BR-DCXAEX-04-M	10.651,00	
S/W,Advanced Extension 5Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 5 year SUP included,			х			$\dagger$						$\dagger$	$\dagger$	B:BR-DCXAEX-05-M	11.798,00	
S/W, Advanced Accelerator for FICON 1Y M	Brocade number: BR-DCXAEX-01-M-5 S/W, Advanced Accelerator for FICON 1 year Maintenance, Brocade Number: BR-DCXAFI-			X			$\dagger$						$\dagger$	$\dagger$	B:BR-DCXAFI-01-M	27.142,00	)
S/W, Advanced Accelerator for FICON 2Y M	01-M S/W, Advanced Accelerator for FICON 2 years Maintenance, Brocade Number: BR-		+	x			+	+					+	+	B:BR-DCXAFI-02-M	31.321,00	
S/W, Advanced Accelerator for FICON 3Y M	DCXAFI-01-M-2 S/W, Advanced Accelerator for FICON 3 years Maintenance, Brocade Number:BR-		+	x			+	+	+				+		B:BR-DCXAFI-03-M	35.267,00	
S/W, Advanced Accelerator for FICON 4Y M	DCXAFI-01-M-3  S/W, Advanced Accelerator for FICON 4 vears Maintenance, Brocade Number: BR-	H	+	х			+	+	-				+	+	B:BR-DCXAFI-04-M	39.522,00	
S/W, Advanced Accelerator for FICON 5Y M	DCXAFI-01-M-4 S/W, Advanced Accelerator for FICON 5		+	x				+					+		B:BR-DCXAFI-05-M	43.776,00	
Intervaled Device (ALL 10, 202	years Maintenance, Brocade number: BR- DCXAFI-01-M-5		1		Ц	Ш		_	_		Щ		_	_	D.DD DOVID CO.	04.000	
Integrated Routing (InklM), SUS 1 Year	Integrated Routing,1 year Mantenance., Brocadenumber: BR-DCXIR-01-M		4	(	Ш	$\square$	4	4	_	_	Ш		_	_	B:BR-DCXIR-01-M	21.920,00	
Integrated Routing (InklM), SUS 2years Integrated Routing (InklM), SUS 3years	Integrated Routing,2 years Mantenance., Brocadenumber: BR-DCXIR-02-M Integrated Routing,3 years Mantenance.,		4	ζ .	Щ	$\square$		+			Н		_	-	B:BR-DCXIR-02-M B:BR-DCXIR-03-M	22.950,00	
Integrated Routing (InklM), SUS 3years  Integrated Routing (InklM), SUS 4years	Brocadenumber: BR-DCXIR-03-M Integrated Routing, 4 year Mantenance.,		4	(		$\vdash \vdash$	+	+	_	+	H	$\Box$	+	+	B:BR-DCXIR-04-M	24.969,00	
Integrated Routing (InklM), SUS 5years	Brocadenumber: BR-DCXIR-04-M Integrated Routing 5 years Maintenance, ,		4	ί .	Н	$\vdash$		+	+	+	H			+	B:BR-DCXIR-05-M	26.018,00	
FS8-18 Upg(adv.crypto f.disk,1/DCX chas)	Brocade number: BR-DCXIR-01-M-5 FS8-18 Upgrade (adv.crypto f.disk,1x per DCX chassis), , Brocade number: BR-	х	+	+			+	+	+	-			+	+	B:BR-ENCPRF48-01	72.141,00	
Sup&4 hr advance HW replacem.parts only	ENCPRF48-01  Remote support & 4 hr advance HW replacement (parts only), Only the first order	х	x	х				+	-				+		B:MAINT-SVS-4P	########	
Maintenance Extention 1 year	possible!, Brocade SVS-4P  Maintenance renewal for one further year	X	<u> </u>		Ш	$\square$	_	+	_	-	Н		_	_	B:SVC-MAINT	204.00	Phased out
BR SFP, SWL (MMF), 4GB/s 150m, 1-Pack	(period 1 year). Only the first order possible!  1x SFP Multi Mode Fibre, 4 GB/s 150 m, (depending on used fibre cable type OM2 /	^	x	(				+					_		D:FCSFP-B-MM4G	100,00	
BR SFP SWL (SMF) 4 GB/s 4 km,1-Pack	OM3), (Brocade branded SFP)  1xSFP Single Mode Fibre, 4 GB/s, 4km,		)		Ц	$\square$	_	_	_	_	$\square$			-	D:FCSFP-B-SM4-04	460,00	
51. 51. 54VE (GIVII ) 4 55/5 4 KIII, I-PACK	(depending on used fibre cable type OM2 / OM3), (Brocade branded SFP)		,	`											D.1 001 F-D-3IVI4-U4	400,00	,



Blade	Servers Options																	
						Serv				S								
			Blade			CD S				Blades								
				des lade	Blade	R	_	~ ~						. _				
			Entcryption	FC-Switch FCoE Blades FC-Switch FR4-18i Blade	24 BI	Port Blade	BX400 S1	BX900 S2	PRIMERGY BX920 S3	Connection	5 S1	SX910 S1	5X940 S1	80 S1	80 S2			
			intcr	-C-Switch FCoE FC-Switch FR4-1	FX8-24	ort I		BX9	BX920 BX924	S	SX05	6XS			SX980	9 <del>9</del>		
			tch	t t	tch	tch F	PRIMERGY	PRIMERGY	PRIMERGY PRIMERGY	PRIMERGY	RGY		PRIMERGY	RGY	RGY	Product Code		ents
			FC-Switch	-Swi	FC-Switch	FC-Switch	IME			ME	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	onpo	іР (€)	Comments
Category Options ma	<b>Description</b>	Details	<u> </u>	5 5	윤	Б	<b>E</b>	£   B	¥   ¥	<b>E</b>	<u>R</u>	E		<u> </u>	<u> </u>	ğ	EUP	8
	astructure (Continued)	AUCED Single Mode Fibre 4 CD/s 40 km														D.FCCED B CM4 40	926.00	
	BR SFP, LWL (SMF), 4GB/s 10Km, 1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 10 km, (depending on used fibre cable type OM2 /		X												D:FCSFP-B-SM4-10	826,00	
	BR SFP SWL (SMF), 4 GB/s 30 km,1-Pack	OM3), (Brocade branded SFP)  1xSFP Single Mode Fibre, 4 GB/s, 30km,	$\vdash$	X	+		$\vdash$	+	+	+	Н	+	+	+	+	D:FCSFP-B-SM4-30	1.530,00	
	, ,,	(depending on used fibre cable type OM2 / OM3), (Brocade branded SFP)																
	1 GBE Copper SFP (for IP)	1 GBE Copper SFP		х												D:FCSFP-COP-1GBE	481.00	
	SFP Single Mode Fibre, 4 GB/s, 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km, , Not usable for 8 GB/s Switches!		Х												D:FCSFP-SM4G-30	1.859,00	Phased out
	PY BX900 Management Blade S1 BR SFP, SWL(MMF), 8GB/s 50m,100m, 1-Pack	Redundant Management Blade 1x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100	х	-	x	Х	Х	х	+	+	Н	+		+	+	S26361-F3962-E500 B:XBR-000163	790.00 93,00	
		m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000163 branded SFP)																
	BR SFP, SWL(MMF), 8GB/s 50m,100m, 8-Pack	8x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100				х		$\top$	+			$^{\dagger}$	$^{\dagger}$	$^{+}$	$^{\dagger}$	B:XBR-000164	667,00	
		m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000164 branded SFP)																
	BR SFP, LWL (SMF), 8GB/s 10Km, 1-Pack	1xSFP Single Mode Fibre, 8 GB/s, 10km,			х	х										B:XBR-000153	1.394,00	
		(depending on used fibre cable type OM2 / OM3), (Brocade XBR-000153 branded SFP)			Ш													
		8x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 10 km, (depending on used fibre cable type				х										B:XBR-000172	7.610,00	
		OM2 / OM3), (Brocade XBR-000172 branded	$\square$	+	$\sqcup$			_	_	-	$\square$	_	+	-	-	D.VDD 000474	4.070.00	
	BR SFP, LWL (SMF), 8GB/s 25Km, 1-Pack	1xSFP Single Mode Fibre, 8 GB/s, 25km, (depending on used fibre cable type OM2 /				X										B:XBR-000174	4.072,00	
	BR Mini-SFP,SWL(MMF)8GB/s50m,100m,1-Pack	OM3), (Brocade XBR-000174 branded SFP)  1x Mini-SFP+ Multi Mode Fibre, 8 GB/s, 50 /	H	+	H	х	$\dashv$	+	+	+	$\vdash$	+	+	+	+	B:XBR-000160	199,00	
	Six will Six , Six 2 (will ) SSS, SSSSII, 10011, 1 1 ask	100 m, (depending on used fibre cable type														2.7 <b>2</b> 10 000 100	100,00	
		OM2 / OM3), (Brocade XBR-000160 branded SFP)																
	BR SFP, SWL (MMF), 4GB/s 150m, 1-Pack	1x SFP Multi Mode Fibre, 4 GB/s 150 m, (depending on used fibre cable type OM2 /			х	х					$  \ \  $					B:XBR-000139	122,00	
		OM3), (Brocade XBR-000139 branded SFP)		_	Ш			_	_	-						D VDD cood to	040.00	
	BR SFP, LWL (SMF), 4GB/s 4Km, 1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 4km, (depending on used fibre cable type OM2 /				Х										B:XBR-000142	640,00	
	BR SFP, LWL (SMF), 4GB/s 10Km, 1-Pack	OM3), (Brocade XBR-000142 branded SFP)  1xSFP Single Mode Fibre, 4 GB/s, 10 km,	H	+	+	х		+	+	+	H	+	+	+	+	B:XBR-000144	1.169,00	
	Six Giri, Eviz (Gillir), 483/3 forum, 17 dok	(depending on used fibre cable type OM2 /														B., BR 600144	1.100,00	
	BR SFP, SWL (MMF), 4GB/s 150m, 8-Pack	OM3), (Brocade XBR-000144 branded SFP) 8x SFP Multi Mode Fibre, 4 GB/s 150 m,	$\vdash$		+	х	$\vdash$	+	+	+					+	B:XSM-000141	411,00	
		(depending on used fibre cable type OM2 / OM3), (Brocade XSM-000141 branded SFP)																
	BR SFP, LWL (SMF), 4GB/s 4Km, 8-Pack	8xSFP Single Mode Fibre, 4 GB/s, 4km,				х										B:XSM-000143	3.336,00	
		(depending on used fibre cable type OM2 / OM3), (Brocade XSM-000143 branded SFP)																
	Brocade FRU, SFP, LWL, 4G, 30km	1xSFP Single Mode Fibre, 4 GB/s, 30km, (depending on used fibre cable type OM2 /				х										B:XSM-000146	1.688,00	
		OM3), (Brocade XSM-000146 branded SFP)			Ш						Ш					- NO. 1 - 1 - 1 - 1		
		8x SFP+ Multi Mode Fibre, 4 GB/s, 50 / 10 km, (depending on used fibre cable type				Х										B:XSM-000157	6.077,00	
	Brocade SFP+, SR, 10GE, 1-PK, BR	OM2 / OM3), (Brocade XSM-000157 branded 1x SFP+ Multi Mode Fibre, SR, 10 GE, 50 /		x	X			+	+	+	H	+	+	+	+	B:XBR-000180	534,00	
		100 m, (depending on used fibre cable type															33.,33	
		OM2 / OM3), (Brocade XBR-000180 branded SFP)																
	Brocade SFP+, SR, 10GE, 8-PK, BR	SFP+, SR, 10GE, 8-PK, BR, , (Brocade XBR-000181 branded SFP)		х												B:XBR-000181	2.985,00	
		SFP+, LR, 10GE, 1-PK, BR, , (Brocade XBR-000182 branded SFP)		х	х						П					B:XBR-000182	1.438,00	
	Brocade SFP+, LR, 10GE, 8-PK, BR	SFP+, LR, 10GE, 8-PK, BR, , (Brocade XBR-	$\Box$	х				$\top$	$\top$	$^{\dagger}$						B:XBR-000183	10.494,00	
	Brocade SFP, 1GE COPPER, 1-PK, ROHS	000181 branded SFP)  1x SFP+ Multi Mode Fibre, 1 GE, 50 / 100 m,			х			+	+	+		+	+	+	+	B:XBR-000190	338,00	
	BR SFP+,SWL (MMF),16GB/s 50m,100m,1-Pack	, (Brocade XBR-000190 branded SFP)  1x SFP+,Sort Wave Lenghs,16GB/s,	$\vdash$	+	+	Х	H	+	+	+	Н	+	+	+	+	B:XBR-000192	461,00	
Cables		(Brocade XBR-000192 branded SFP)																
Capics		Brocade direct Attached cable SFP+, Copper, 1m, 1x, (Brocade XBR-TWX-0101		Х												B:XBR-TWX-0101	128,00	
		branded SFP) Brocade direct Attached cable SFP+,	H	х	$\forall$	H	$\dashv$	+	+	+	H	+	+	+	+	B:XBR-TWX-0301	159,00	
		Copper, 3m, 1x, (Brocade XBR-TWX-0301 branded SFP)																
		Brocade direct Attached cable SFP+,	$  \cdot  $	х	$\parallel$	П	$\parallel$	$\dagger$	$\dagger$				$\dagger$	+	$\dagger$	B:XBR-TWX-0501	208,00	
		Copper, 5m, 1x, (Brocade XBR-TWX-0501 branded SFP)																
SW Data (	Center Products Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop						,	хх							S26361-F2341-E913	1.040,00	
		VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and															-,	
		License key per download		_	Ш	Ш	Ш	$\perp$			Ш			_	L	000000 ================================	<b>-</b> - · ·	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/						,	х							S26361-F2341-E914	5.210,00	
		free XS, 3 years Subscription; SW and License key per download																
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop	$  \uparrow  $	$\dagger$	$\parallel$	П	$\parallel$	,	х х		П	$\dagger$	$\dagger$	+	$\top$	S26361-F2341-E915	10.420,00	
		VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and																
	Citrix XD EE, 10 U/D, 3yr SA	License key per download Citrix XD EE, 10 U/D, 3yr SA; XenDesktop		+	H	H	$\dashv$	٠,	хх		H	+	+	+	+	S26361-F2341-E923	2.460,00	
	, ,	Enterprise Edition, 10 U/D; XD w/ XenApp EE						'	^								150,00	
		and XS Essentials, 3 years Subscription; SW and License key per download																
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE	[					,	х							S26361-F2341-E924	12.290,00	
		and XS Essentials, 3 years Subscription; SW																
	Citrix XD EE, 100 U/D, 3yr SA	and License key per download Citrix XD EE, 100 U/D, 3yr SA; XenDesktop	$\forall$	+	$\forall$	H	$\dashv$	7	х х		H	+	+	+	+	S26361-F2341-E925	24.580,00	
		Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription;																
		SW and License key per download																



Carrera Ontiona																			
Servers Options																			
					Serv														
		<u>e</u>								Bladec	des								
		Blade	,	ا <u>ه</u>	RCD	١ :				<u>a</u>	ם								
		io	Blades	FC-Switch FR4-18i Blade	Port Blade Bf	- 1		3 8	8 6	3 5	PRIMERGY SYDE S4	_   5	<u>,                                    </u>		.   5	S2			
		Entcryption	ä	181	24 blad	PRIMERGY BX400 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S3	ן מ	inec	SX03 S1	57910 51 67040 64	SX960 S1	SX980 S1	80			
		intc	FC-Switch FCoE	유 2	Port Port	BX4	BX	BX BX	X X	<u>.</u>	3 8	200			S	SX980	e e		
		S E	유	는 H	5 5	.   S	5 6	5 6	5 6	5 2	ַלַ כַּ	5 2	ָּבָּ   אַ	5   S	[ გ	ğ	Š		nts
		-C-Switch	Swit	FC-Switch	FC-Switch	M H						PRIMERGI	T D D D D D D D D D D D D D D D D D D D	PRIMERGY	PRIMERGY	PRIMERGY	Product Code	(€)	Comments
Description	Details	ပ္ပိ	ပို	ပ္ပြဲ	نَّ كَ		- R		N N		F   G	צ   ם			R R	<b>R</b>	Pro	EUP	S
natrix																			
Center Products (Continued) Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop		П	Т	т	т	Т	x	( x	(	Т	Т		Т	т	т	S26361-F2341-E933	3.750,0	0
	Platinum Edition, 10 U/D; XD w/ XenApp PE																		
	and XS Essentials, 3 years Subscription; SW and License key per download																		
Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop							X	Х	(							S26361-F2341-E934	18.750,0	0
	Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW																		
	and License key per download	Ш																	
Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE							×	X	(							S26361-F2341-E935	37.500,0	0
	and XS Essentials, 3 years Subscription; SW																		
011 VB VB VB VB	and License key per download	Ш	4	_	+	+	+	_	+	+	_	4	_	_	+	-	200004 50044 5000	0.470.0	
Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/							×	X	(							S26361-F2341-E960	2.170,0	0
	XenApp EE and XS Essentials, 3 years																		
Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Subscription; License key per download Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD		$\dashv$	+	+	+	+		( X	,	+	+	+	+	+	-	S26361-F2341-E961	10.830,0	0
	VDI to Enterprise upgrade 50U/D; XD w/							^	^								22333112041-2301	. 5.550,0	
	XenApp EE and XS Essentials, 3 years																		
Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Subscription; License key per download Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD	H	+	+	+	+	+	X	( X	(	+	+	+	+	+		S26361-F2341-E962	21.670,0	0
1,50	VDI to Enterprise upgrade 100U/D; XD w/																		
	XenApp EE and XS Essentials, 3 years Subscription; License key per download																		
Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD	$\sqcap$	$\dashv$	$\top$	$\dagger$	$\dagger$	+	X	x	(	$\dagger$	$\dagger$		$\dagger$	+		S26361-F2341-E963	3.460,0	0
	VDI to Platinum upgrade 10U/D; XD w/																		
	XenApp PE and XS Essentials, 3 years Subscription; License key per download																		
Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD				T			Х	Х	(							S26361-F2341-E964	17.290,0	0
	VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years																		
	Subscription; License key per download	Ш						$\perp$		$\perp$				$\perp$		L			
Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/							×	X	(							S26361-F2341-E965	34.580,0	0
	XenApp PE and XS Essentials, 3 years																		
O'Irin VD FF DF 40 LVD 94	Subscription; License key per download		4	_	+	+	+			_	4	+	_	+	+		000004 50044 5000	0.040.0	
Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/							×	X	(							S26361-F2341-E966	2.210,0	0
	XenApp PE and XS Essentials, 3 years																		
Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Subscription; License key per download Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD	Н	-	_	+	+	+		( X	,	+	+	+	+	+	-	S26361-F2341-E967	11.040,0	0
Citix AD EE-PE upgi, 50 0/D, 3yi 3A	Enterprise to Platinum upgrade 50U/D; XD w/							^	`   ^	`							320301-F2341-E907	11.040,0	0
	XenApp PE and XS Essentials, 3 years																		
Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Subscription; License key per download Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD		$\dashv$	+	+	+	+	×	( X	(	+	+	+	+	+	+	S26361-F2341-E968	22.080,0	0
	Enterprise to Platinum upgrade 100U/D; XD							"											
	w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download																		
Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop		$\exists$			$\top$		х	X	(		$^{\dagger}$	T				S26361-F2341-S913	790,0	0
	VDI Edition, 10 U/D; XD w/o XenApp and w/																		
	free XS, 1 year Subscription; SW and License key per download																		
Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop							X	Х	(					Т		S26361-F2341-S914	3.960,0	0
	VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and																		
	License key per download	Ш																	
Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/							X	X	(							S26361-F2341-S915	7.920,0	0
	free XS, 1 year Subscription; SW and																		
011 VP 55 40 14/P 4 04	License key per download	Ш	_	_	+	+	+	_	+	+	_	4	_	_	+	-	200004 50044 2000	4 000 0	
Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE							X	X	(							S26361-F2341-S923	1.880,0	0
	and XS Essentials, 1 year Subscription; SW																		
Citrix XD EE, 50 U/D, 1yr SA	and License key per download Citrix XD EE, 50 U/D, 1yr SA; XenDesktop	$\square$	-	+	+	+	+	+.	x x	+	+	+	+	+	+	-	S26361-F2341-S924	9.380,0	0
CHILAD EE, OU O/D, TYI OA	Enterprise Edition, 50 U/D; XD w/ XenApp EE							X	`   X	`							020001-1 2041-0924	J.30U,U	
	and XS Essentials, 1 year Subscription; SW																		
Citrix XD EE, 100 U/D, 1yr SA	and License key per download Citrix XD EE, 100 U/D, 1yr SA; XenDesktop	H	+	+	+	+	+	X	x x		+	+	+	+	+	+	S26361-F2341-S925	18.750,0	0
, == -, -, -	Enterprise Edition, 100 U/D; XD w/ XenApp							^	^									355,0	
	EE and XS Essentials, 1 year Subscription; SW and License key per download																		
Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop	$\Box$		+	+	+	+	X	( X	(	+	+	+	$\dagger$	+		S26361-F2341-S933	2.920,0	0
	Platinum Edition, 10 U/D; XD w/ XenApp PE																		
	and XS Essentials, 1 year Subscription; SW and License key per download																		
Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop	$\Box$		$\top$				Х	Х	(		$\top$		$\dagger$			S26361-F2341-S934	14.580,0	0
	Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW																		
	and License key per download							$\perp$						$\perp$		L			
Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop							Х	X	(							S26361-F2341-S935	29.170,0	0
	Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW																		
0	and License key per download	Ш	_	_	1	1	1	_	1	1	_	1	_	1	_		000000		
Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/							X	X	(							S26361-F2341-S960	1.580,0	0
	XenApp EE and XS Essentials, 1 year																		
Citrix XD \/DLEE upor E0.11/D. 4vr.04	Subscription; License key per download	$\square$	4	_	+	+	+		,   .	+	+	+	+	+	+	-	\$26361_E2244_\$064	7 000 0	0
Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/							X	X	`							S26361-F2341-S961	7.920,0	9
	XenApp EE and XS Essentials, 1 year																		
Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Subscription; License key per download Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD	H	-	+	+	+	+	-	( X	-	+	+	+	+	+	+	S26361-F2341-S962	15.830,0	0
China voi EE apgi, 100 0/D, 191 3A	VDI to Enterprise upgrade 100U/D; XD w/							*	`   <b>^</b>								02000112041-0902	10.000,0	
	XenApp EE and XS Essentials, 1 year																		
Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Subscription; License key per download Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD	$\forall$	+	+	+	+	+	X	( X	(	+	+	+	+	+	$\vdash$	S26361-F2341-S963	2.630,0	0
	VDI to Platinum upgrade 10U/D; XD w/																		
	XenApp PE and XS Essentials, 1 year Subscription; License key per download																		



Blade	Servers Options																		
				Т		2				П		Τ	Τ	Π					
			<u>e</u>			D Serv					Blades								
			Blade	s s	9 g	BRCD													
			tion .	Switch FCoE Blades	FC-Switch FX8-24 Blade	de B	2	82	83	83	Connection	- \rac{7}{2}	<u>ه</u> ا	ડ	S	<b>S</b> 2			
			Entcryption		-74 E	FC-Switch Port Blade	BX400	BX900	BX920	BX924	Connecti	SX910	SX940	SX960 S1	SX980	SX980			
			Entc	ပ္က	<b>X</b> X	Port	Ä	Ä	Ä			δ X					Code		
			-Switch	t t	달	ţ	ζĠ	30	ZG Z	βĠ	36	֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	g g	Ğ	Ğ	₹Ğ			ants
			-Swi	ار مراق	-Swi	-Swi	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	Product	P (€)	Comments
	Description	Details	ပ်	ည္	5 E	ည	8	K   5	<b>E</b> 1	R	K 8	ב מ	£   %	8	R.	R.	P.	EUP	<u></u> 8
Options ma	enter Products (Continued)																		
	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/							х	Х							S26361-F2341-S964	13.130,00	
		XenApp PE and XS Essentials, 1 year																	
	O'tris VD VD PE are at 400 H/D 4 are 0.4	Subscription; License key per download	Ш	_	+			_		_	_	+	+				000004 50044 0005	00.050.00	
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/							Х	Х							S26361-F2341-S965	26.250,00	
		XenApp PE and XS Essentials, 1 year																	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Subscription; License key per download Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD	H	+	+	+	H	+	х	Х	+	+	+	+	+		S26361-F2341-S966	1.380,00	
		Enterprise to Platinum upgrade 10U/D; XD w/																	
		XenApp PE and XS Essentials, 1 year Subscription; License key per download																	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD	$\Box$	$\top$			$\Box$	+	х	х	$\top$	$\top$	$\dagger$				S26361-F2341-S967	6.880,00	
		Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year																	
		Subscription; License key per download																	
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD							х	Х							S26361-F2341-S968	13.750,00	
		w/ XenApp PE and XS Essentials, 1 year																	
	SVDCVEECO (MINI) MED CD	Subscription; License key per download		+	+	-	, , ,		+	4	_	+	+	-	-		U11420-C906	100.00	
	SVRCVEFCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows)					X	X									011420-0906	100,00	
	SVRCVEMCO (WIN) MED CD	ServerView Resource Coordinator VE I/O					х	х									U11420-C936	100,00	
	SVRORVEDEMO V3 (WIN/LIN) RTU	Virtualization (MAC) Option (Windows) ServerView Resource Orchestrator VE Demo			+		х	х	х	х	+	+	+				U11420-C954	0,01	
	SVRORCEDEMO V3 (WIN/LIN) RTU	License ( 1 Server) V3 ServerView Resource Orchestrator CE Demo	$\vdash$	_	+		v	х	v	,	_	+	+	-	H		U11420-C955	0,01	
	<u> </u>	License (1 Server) V3					^	^		^							011420-0933	0,01	
	SVRORDVD V31 (WIN/LIN/SOL) MED DVD	ServerView Resource Orchestrator Media Pack V3.1 for Windows&Linux&Solaris					x	X	х	Х							U11420-C957	50,00	
	SVRORNSODVD V31 (LINUX) MED DVD	ServerView Resource Orchestrator Network					х	х	$\pm$	х		$^{+}$	+	+			U11420-C958	50,00	
		Service (NS) Option Media Pack V3.1 for Linux																	
		ServerView Resource Orchestrator VE					х	х	х	х		+	+	+			U11420-C966	779,00	
	SVRORVESVR V3 (WIN/LIN) RTU 8SVR 4C	Server License (1 Server) 4CPU Class V3 ServerView Resource Orchestrator VE		-	+	-	v	х	v	v	_	+	+	-			U11420-C967	5.538,00	
	<u> </u>	Server License (8 Server) 4CPU Class V3					^	^	^	^							011420-0907	5.556,00	
	, , , , , , , , , , , , , , , , , , , ,	ServerView Resource Orchestrator VE Server License (18 Server) 4CPU Class V3					х	X	X	Х							U11420-C969	12.462,00	
	SVRORNSO V3 (LINUX) RTU 1VM	ServerView Resource Orchestrator Network		$\top$	+		х	х	$\forall$	х	$\top$	$\top$	$^{+}$				U11420-C990	2.308,00	
	SVRORCEDRO V3 (WIN/LIN) RTU 1SVR	Service (NS) Option License V3 for Linux ServerView Resource Orchestrator DR	$\vdash$	+	+		x	х	Х	X	+	+	+	-			U11420-C953	3.777,00	
	<u> </u>	Option License (1 Server) V3	Ш																
	SVRORCESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator CE Server License (1 Server) 4CPU Class V3					X	Х	X	Х							U11420-C960	1.530,00	
	SVRORCESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator CE	$\Box$				х	Х	х	х	$\top$	$\top$					U11420-C961	11.383,00	
	SVRORCESVR V3 (WIN/LIN) RTU 18SVR 4C	Server License (8 Server) 4CPU Class V3 ServerView Resource Orchestrator CE	$\vdash$	+	+		х	х	х	х	+	+	+	+			U11420-C963	25.659,00	
	, , ,	Server License (18 Server) 4CPU Class V3	Ш	_	_	_			4	4	_	+	+	-					
	` ,	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class Upgrade					X	X	X	Х							U11420-C978	751,00	
		from ROR VE V3	Ш	_	$\perp$			_	4	4	_	4	$\perp$						
	SVRORCESVR V3 (WIN/LIN) UGRTU 8CSVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class					X	X	х	Х							U11420-C979	5.845,00	
		Upgrade from ROR VE V3	Ш		$\perp$		Ш			$\perp$	$\perp$								
	SVRORCESVR V3 (WIN/LIN) UGRTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class Upgrade					x	Х	Х	Х							U11420-C981	13.198,00	
		from ROR VE V3																	
Services	FCIP Port Blade POH Support 1Y Extended	FCIP Port Blade POH Support 1 year		,	x												D:POH-BLFCIP-1-EXT	3.070,00	
		Extended	Ш	_	_				_	4	$\perp$	_	_					,	
	FCIP Port Blade POH Support 1Y Renewal	FCIP Port Blade POH Support 1 year Renewal		)	K												D:POH-BLFCIP-1-UPG	3.643,00	
Solution id				÷								÷.	÷.				000004 50000 50	005.00	
	HPC Compute Node Inst. ex works incl ICR	Please note confiugration hints				-			Х	Х			-				S26361-F3638-E2	205.00	