Fujitsu recommends Windows 11 Pro.

Data Sheet Fujitsu Notebook LIFEBOOK U7313

Ultra-Mobile Meets Ultra Secure

The Fujitsu LIFEBOOK U7313 with its slim and stylish ultra-mobile chassis, based on the 13th generation Intel® Core™ processor, is made for business professionals. With its 13.3-inch screen, light weight, Intel® Thunderbolt™ 4 ports, it provides excellent mobility and portability. Ergonomic viewing is guaranteed along with outstanding security.

Elegant design and mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

- Thanks to the complete magnesium housing, the weight of the remarkably slim 18.9 mm ultramobile notebook starts at 0.99 kg
- Enjoy the Intel[®] Iris[®] Xe Graphics with an outdoor-friendly anti-glare HD or FHD display

Excellent security for your business

Enhance your security with outstanding features to best protect your notebook and company data from unauthorized access

- Integrated PalmSecure[™] or fingerprint sensor
- Infrared Camera: Allows face recognition with Windows Hello
- ePrivacy Filter: Keep safe from prying eyes
- SmartCard reader

Premium connectivity

Stay flexible and productive within a modern workplace environment

- Compact and versatile Intel® Thunderbolt™ 4 USB Type-C connector to charge your laptop, transfer files at fast speeds, connect external monitors and other peripherals
- Full set of interfaces with full-size LAN connector and HDMI
- Embedded 5G/LTE

Convenient upgradeability

Direct access to key components reduces upgrade time and costs Battery, memory and internal storage can be changed easily

Family concept

Reduce your acquisition costs as well as the complexity of your IT equipment

- Family port replicator for the whole LIFEBOOK E5 and U7 Series ensures ultimate flexibility and shared workplace concepts
- Shared components such as the USB Type-C port replicator, USB Type-C AC Adapter, BIOS and Bit Image across the ultra-mobile LIFEBOOK U7 family





HOMI









Components

Base unit	LIFEBOOK U7313
Operating systems	
Operating system pre-installed	Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business.
	Windows 11 Home Windows 10 Pro Evijtsu recommands Windows 11 Pro far business
Microsoft OS support information	Windows 10 Pro. Fujitsu recommends Windows 11 Pro for business.
Microsoft OS support information	Windows 11 requires for first device setup: - Internet connectivity
	- Microsoft account for Home editions or organizational account (e.g. ADD) for Pro editions
	After product end of life, Fujitsu continues to test and support new Windows releases for max. 5 years, depending on
	extension of hardware services through warranty top ups.
	For more details please visit our Fujitsu Service Statement under https://support.ts.fujitsu.com/IndexProdSupport. asp?lng=com&OpenTab=
Operating system notes	The use of Windows Operating System is subject to acceptance of the End User License Agreement of Microsoft as
	applicable under the relevant Microsoft program.
Processor	Intel® Core™ i7-1370P processor (14 Cores, up to 5.2 GHz)
	Intel® Core™ i7-1355U processor (10 Cores, up to 5.0 GHz) *
	Intel® Core™ i5-1350P processor (12 Cores, up to 4.7 GHz) *
	Intel® Core™ i5-1345U processor (10 Cores, up to 4.7 GHz)
	Intel [®] Core [™] i5-1340P processor (12 Cores, up to 4.6 GHz) *
	Intel® Core™ i5-1335U processor (10 Cores, up to 4.6 GHz) *
	*Processor only for retail, SMB, education and government
Memory modules	8 GB (1 module(s) 8 GB) DDR4, 3,200 MT/s, SO DIMM
	16 GB (1 module(s) 16 GB) DDR4, 3,200 MT/s, SO DIMM
	32 GB (1 module(s) 32 GB) DDR4, 3,200 MT/s, SO DIMM
Hard disk drives (internal)	PCIe-SSD, 512 GB M.2 NVMe module, SED
	PCIe-SSD, 256 GB M.2 NVMe module, SED
	PCIe-SSD, 2 TB M.2 NVMe module, SED
	PCIe-SSD, 1 TB M.2 NVMe module, SED
Hard disk notes	Accessible capacity may vary, also depending on used software.
Interface add on cards/components (optional)	
4G/5G (optional)	Fibocom FM350-GL (5G Sub-6/ cat.19) (Downlink speed 5G - 3740 MB/s , 4G - 1600 MB/s, Uplink speed 5G - 835 MB/s, 4G - 211 MB/s)
Display	33.8 cm (13.3-inch), IPS, FHD, 1,920 x 1,080 pixel, Anti-glare multi-touch, 300 cd/m² (Touch), 800:1 (typ) (Touch)
	33.8 cm (13.3-inch), HD, 1,366 x 768 pixel, Anti-glare display, 250 cd/m² (HD), 500:1 (typ) (HD)
	33.8 cm (13.3-inch), FHD, 1,920 x 1,080 pixel, Anti-glare IPS display, 400 cd/m ² (FHD), 1500:1 (typ) (FHD)
	33.8 cm (13.3-inch), FHD, 1,920 x 1,080 pixel, Anti-glare IPS display, 300 cd/m² (FHD), 700:1 (typ) (FHD)
	33.8 cm (13.3-inch), FHD, 1,920 x 1,080 pixel, Anti-glare ePrivacyFilter, 400 cd/m ² (ePF), 1000:1 (typ) (ePF)
Multimedia	
Camera	Built-in Infrared webcam (HD) with Status LED Built-in webcam (HD) with Status LED
Camera notes	720p, 1 megapixels, 1280 x 720, with Privacy Camera Shutter
Microphone	dual digital array microphone

Base unit

General system information Chipset Integrated Supported capacity RAM (max) 8 G8 Supported capacity RAM (max) 64 GB Memory slots 2 S0 DIMM (DDR4, 3200 MHz) Memory notes Dual channel support LAN 10/10/01/00 MBHz/s Intel* 1219LM Integrated WLAN Intel WFI 66 AX211 - WLAN, BT, SRD cat. 2 BIOS revision UEF Specification 2.8 BIOS features InsydetD20 BIOS Audio tope On board Audio codec Realtek ALC257 Audio foarce Realtek ALC257 Audio features 2 Xb Uilt*In speakers (2 W each). Stereo audio Color Warn Silver Material Magnesium Graphics Sea unit ULFEDOCK U7313 Graphics (with Single channel memory), Intel* Iris* Xe Graphics (with Dual channel memory) Graphics brand name Intel* UHD Graphics (with Single channel memory), Intel* Iris* Xe Graphics (with Dual channel memory) Graphics Interdoct 1 Usits array microphones (optional) US 8 3 2 (Gigli array microphones (optional) US 8 3 2 Gen 1G Solp 5 total 2 X Type-A (1 with Anytime USb Charge functionality) <td< th=""><th>laco unit</th><th></th><th></th><th></th></td<>	laco unit			
Chipset Integrated Supported capacity RAM (min.) 8 GB Supported capacity RAM (max.) 64 GB Memory slots 2 SO DIMM (DDR4, 3200 MHz) Memory notes Dual channel support LAN 10/100/1,000 ABBit/s Intel [®] 1219LM Integrated WLAN IntelWFI 6E AX211 • WLAN, BT, SRD cat. 2 BIOS features InsydeH20 MBIt/s Intel [®] 1219LM Audio type On board Audio tope On board Audio codec Realtek ALC257 Audio tope On board Golor Warm Silver Material Magnesium Graphics		LIFEBOOK U7313		
Supported capacity RAM (min.) 8 GB Supported capacity RAM (max.) 64 GB Memory slots 2 SD DIMM (DDR4, 3200 MH2) Memory notes Dual channel support LAN 10/100/1,000 MB/K5 Intel* 1219LM Integrated WLAN Intel/WFI6 & AX211 - WLAN, BT, SRD cat. 2 BIOS version UEFT Specification 2.8 BIOS features InsydeH20 BIOS Audio type On board Audio features 2 x built-in speakers (2 W each), Stereo audio Color Wagnesium Material Magnesium Graphics ILFEBOOK U7313 Graphics Interf UHD Graphics (with Single channel memory), Intel* Iris* Xe Graphics (with Dual channel memory) Graphics Interfaces X digital aray microphones (optional) USS 3.2 Gen 1 (S Gbps) total 2 x Type-A (1 with Arytime USB charge functionality) USS 3.2 Gen 1 (S Gbps) total 2 x Type-A (1 with Maytime USB charge functionality) USS 3.2 Gen 1 (S Gbps) total 2 x Type-A (1 with Maytime USB charge functionality) USS 3.2 Gen 1 (S Gbps) total 2 x Type-A (1 with Maytime USB charge functionality) USS 3.2 Gen 1 (S Gbps) total 2 x Type-A (1 with Maytime USB charge functi				
Supported capacity RAM (max) 64 GB Memory slots 2 SO DIMM (DDR4, 3200 MHz) Memory notes Dual channel support LAN 10/10001,000 MBI/s Intel* 1219LM Integrated WLAN Intel WIFi 6E AX211 - WLAN, BT, SRD cat. 2 BIOS eversion UEFI Specification 2.8 BIOS features Insyeder20 BIOS Audio type On board Audio codec Realtek ALC257 Audio features 2 xb built-in speakers (2 W each), Stereo audio Color Warm Silver Material Magnesium Graphics Built LIFEBOOK U7313 Graphics Shard memory depending on main memory size and operating system Interfaces Audio total LIFEBOOK U7313 Graphics Shard memory depending on main memory size and operating system Interfaces Audio 2 X bigital array microphones (optional) USB 3.2 Gen1 (S Gbps) total 2 XType-A (1 with Anytime USB charge functionality) Thunderbolt* 4 total 2 xType-C with USB4 (40 Gbps, Power Delivery (15W), DP 1.4 out) HDMI 1 - Supports 4ke60Hz as specified in HDMI 2.0b Ethernet (RI-45) 1 Memory card slots 1 (instron SD 3.0 Strandard microSD C ard: 22GB microSDXC card: 22GB m	•	-		
Memory slots 2 SO DIMM (DDR4, 3200 MHz) Memory notes Dual channel support LAN 10/100/1,000 MBit/s intel*1219LM Intergrated WLAN Intel WFI GE AX211 - WLAN, BT, SRD cat. 2 BIOS forsion UEFI Specification 2.8 BIOS features InsydeH20 BIOS Audio type On board Audio features 2x built-in speakers (2 W each), Stereo audio Color Warm Silver Material Magnesium Graphics Stareo audio Bios features Shared memory depending on main memory, Intel* Iris* Xe Graphics (with Dual channel memory) Graphics Shared memory depending on main memory size and operating system Interfaces				
Memory notes Dual channel support LAN 10/1007,000 MBI/s intel* I219LM Integrated WLAN Intel WIF i6 E AX211 - WLAN, BT, SRD cat. 2 BIOS version UEF Specification 2.8 BIOS destroes InsydeH2O BIOS Audio type On board Audio type On board Audio codec Reattek ALC257 Audio codec Warm Silver Material Magnesium Graphics Searce Base unit UEFBOOK U7313 Graphics brand name Intel* UHD Graphics (with Single channel memory), Intel* iris* Xe Graphics (with Dual channel memory) Graphics notes Shared memory depending on main memory size and operating system Interfaces Intel* UHD Graphics (with Single channel memory), Intel* iris* Xe Graphics (with Dual channel memory) Graphics notes 2x digital array microphones (optional) USB 3.2 Gen1 (5 Gbps) total Sx Type-A (1 with Anytime USB charge functionality) Thunderobit** 4 total 2x Type-A (1 with Anytime USB charge functionality) Sta 2 Gen1 (5 Gbps) total 2x Type-A (1 with Anytime USB charge functionality) USB 3.2 Gen1 (5 Gbps) total Stroes 2 Adigital array microphones (optiona				
LAN 10/10/1,000 MBit/s Intel*1219LM Integrated WLAN Intel WFF 6E AX211 · WLAN, BT, SRD cat. 2 BIOS restrices Insignation 2.8 BIOS features Insignation 2.8 Audio type On board Audio type On board Audio codee Realtek ALCS7 Audio features 2x built-in speakers (2 W each), Stereo audio Color Warm Silver Material Magnesium Graphics Stand mame Base unit LIFEBOOK U7313 Graphics brand name Intel* UHD Graphics (with Single channel memory), Intel* Ir/s* Xe Graphics (with Dual channel memory) Graphics otes Shared memory depending on main memory size and operating system Interfaces	•			
Integrated WLAN Intel WIF16E AX211 - WLAN, BT, SRD cat. 2 BIOS version UEFI Specification 2.8 BIOS features InsydeH20 BIOS Audio type On board Audio type On board Audio code Realtek ALC257 Audio features 2 xbuilt-in speakers (2 W each). Stereo audio Color Warm Silver Material Magnesium Graphics Base unit LIFEBOOK U7313 Graphics Notes Shared memory depending on main memory size and operating system Interfaces Audio tal Paphics (with Single channel memory). Intel® Iris* Xe Graphics (with Dual channel memory) Graphics notes Shared memory depending on main memory size and operating system Interfaces Audio 11 Internal microphones 2x digital array microphones (optional) USB 3.2 Gen 1 (S Gbps) total 2x Type-A (1 with Anytime USB charge functionality) Thunderbolt** 4 total 2x Type-X (1 with Anytime USB charge functionality) Sthermet (RU-45) 1 Imerror SU 2 Card: 32GB microSDXC card: 37B Speed Class: up to UHS-I (104MB/s) SmartCard slot 1 (Nano-SIM, only for models with configuration WWAN ready or with SG LTE modules) eSIM card slot 1 - Renomendation: Kensington's Micro Security Saver Port Replicator interfaces (optional) USB Type-C PR Thunderbolt** 4 PR Mechanical PR Modet: NPR50	•			
BIOS version UEFI Specification 2.8 BIOS features InsydeH20 BIOS Audio totatores On board Audio codec Realtek ALC257 Audio features 2x built-in speakers (2 W each), Stereo audio Color Warm Silver Material Magnesium Graphics IFEBOOK U7313 Base unit LIFEBOOK U7313 Graphics brand name Intel® UHD Graphics (with Single channel memory), Intel® Iris® Xe Graphics (with Dual channel memory) Graphics notes Shared memory depending on main memory size and operating system Interfaces Interfaces Audio: 1 Straper (Sotops) Thunderbolt® 4 total 2x Type-A. (1 with Anytime US8 charge functionality) Thunderbolt® 4 total 2x Type-C with US84 (40 Gbps, Power Delivery (15W), DP 1.4 out) HDMI 1 - Supports 4k@e0Hz as specified in HDMI 2.0b Ethernet (RJ-4S) 1 Memory card slots 1 MinorSDX Card: 2GB microSD Card: 2GB microSDX Card: 2GB microSDX Card: 2GB microSDX Card: 2TB Speed Class: up to UHS-1 (104MB/s) SmartCard slot 1 (Ano-SIM, only for models with configuration WWAN ready or with SG LTE				
BIOS features InsydeH20 BIOS Audio type On board Audio codec Reattek ALC257 Audio features 2x built-in speakers (2 W each), Stereo audio Color Warm Silver Material Magresium Graphics Image Silver Base unit LIFEBOOK U7313 Graphics brand name Intel® UHD Graphics (with Single channel memory), Intel® Iris® Xe Graphics (with Dual channel memory) Graphics otes Shared memory depending on main memory size and operating system Interfaces Audio: line-in / line-out Audio: line-in / line-out 1 Internal microphones 2x digital array microphones (optional) USB 3.2 Gen1 (5 Gbps) total 2x Type-A (1 with Anytime USB charge functionality) Thunderbolt™ 4 total 2x Type-C MIth USM (40 Gbps, Power Delivery (15W), DP 1.4 out) HDMI 1 supports 4\@60Hz as specified in HDMI 2.0b Ethernet (N-45) 1 Memory card slots 1 microSD 3.0 Standard microSDHC card: 32GB microSDHC c			at. 2	
Audio type On board Audio codec Realtek ALC257 Audio features 2x built-in speakers (2 W each), Stereo audio Color Warm Silver Material Magnesium Graphics I Base unit LIFEBOOK U7313 Graphics brand name Intel® UHD Graphics (with Single channel memory), Intel® Iris® Xe Graphics (with Dual channel memory) Graphics notes Shared memory depending on main memory size and operating system Interfaces I Audio: line-in / line-out 1 Internal microphones 2x digital array microphones (optional) USB 3.2 Gen1 (5 Gbps) total 2x Type-A (1 with Anytime USB charge functionality) Thunderbolt® 4 total 2x Type-C with USB (40 Gbps, Power Delivery (15W), DP 1.4 out) HDMI 1 - Supports 4k@60Hz as specified in HDMI 2.0b Ethernet (RJ-45) 1 Memory card slots 1 microSD 2.0 Standard microSDXC card: 2GB microSDXC card: 2	IOS version			
Audio codec Realtek ALC257 Audio features 2x built-in speakers (2 W each), Stereo audio Color Warm Silver Material Magnesium Graphics				
Audio features2x built-in speakers (2 W each), Stereo audioColorWarm SilverMaterialMagnesiumGraphicsStereo audioBase unitLIFEBOOK U7313Graphics brand nameIntel® UHD Graphics (with Single channel memory), Intel® Iris® Xe Graphics (with Dual channel memory)Graphics notesShared memory depending on main memory size and operating systemInterfacesAudio: line-in / line-out1Internal microphones2x digital array microphones (optional)USB 3.2 Cen 1 (5 Gbps) total2x Type-A (1 with Anytime USB charge functionality)Thunderbolt™ 4 total2x Type-C with USB4 (40 Gbps, Power Delivery (15W), DP 1.4 out)HDMI1 - Supports 4k@60Hz as specified in HDMI 2.0bEthernet (RJ-45)1Memory card slots1 microSD 3.0 Standard microSDMC card: 32GB microSDMC card: 2GB microSDMC card				
ColorWarm SilverMaterialMagnesiumGraphicsBase unitLIFEBOOK U7313Graphics brand nameIntel® UHD Graphics (with Single channel memory), Intel® Iris® Xe Graphics (with Dual channel memory)Graphics notesShared memory depending on main memory size and operating systemInterfacesAudio: line-in / line-out1Internal microphones2x digital array microphones (optional)USB 3.2 Gen 1 (5 Gbps) total2x Type-A (1 with Anytime USB charge functionality)Thunderbolt® 4 total2x Type-C with USB4 (40 Gbps, Power Delivery (15W), DP 1.4 out)HDMI1 - Supports 4k@60Hz as specified in HDMI 2.0bEthernet (RJ-45)1Memory card slots1 microSD 3.0 Standard microSDLC card: 32GB microSDMC card: 32GB microSDMC card: 32GB microSDMC card: 32GB microSDMC card: 21GSmartCard slot1 (optional)SIM card slot1 (Nano-SIM, only for models with configuration WWAN ready or with SG LTE modules)eSIM integrated in 5G LTE modulesDocking connector for Port Replicator1 - PR Model: NPR50Kensington Lock support1 - PR Model: NPR50Port Replicator interfaces (optional)				
MaterialMagnesiumGraphicsBase unitLIFEBOOK U7313Graphics brand nameIntel* UHD Graphics (with Single channel memory), Intel* Iris* Xe Graphics (with Dual channel memory)Graphics notesShared memory depending on main memory size and operating systemInterfacesAudio: line-in / line-out1Internal microphones2x digital array microphones (optional)USB 3.2 Gen1 (5 Gbps) total2x Type-A (1 with Anytime USB charge functionality)Thunderbolt** 4 total2x Type-C with USB4 (40 Gbps, Power Delivery (15W), DP 1.4 out)HDMI1 - Supports 4k@60Hz as specified in HDMI 2.0bEthernet (RJ-45)1Memory card slots1 microSD 3.0 Standard microSDHC card: 32GB microSDHC card: 21B Speed Class: up to UHS-I (104MB/s)SmartCard slot1 (optional)SIM card slot1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules)eSIM card slot1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules)eSIM card slot1 - PR Model: NPR50Port Replicator interfaces (optional)USB Type-C PRThunderbolt** 4 PRMechanical PR Model: NPR50	udio features	2x built-in speakers (2 W each), Stereo	audio	
Graphics Base unit LIFEBOOK U7313 Graphics brand name Intel® UHD Graphics (with Single channel memory), Intel® Iris® Xe Graphics (with Dual channel memory) Graphics notes Shared memory depending on main memory size and operating system Interfaces Interfaces Audio: line-in / line-out 1 Internal microphones 2x digital array microphones (optional) USB 3.2 Gen1 (5 Gbps) total 2x Type-A (1 with Anytime USB charge functionality) Thunderbolt™ 4 total 2x Type-C with USB4 (40 Gbps, Power Delivery (15W), DP 1.4 out) HDMI 1 - Supports 4k@60Hz as specified in HDMI 2.0b Ethernet (RJ-45) 1 Memory card slots 1 microSD 3.0 Standard microSDC card: 27B Speed Class: up to UHS-I (104MB/s) SmartCard slot 1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules) eSIM card slot 1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules) eSIM card slot 1 - Recommentation: Kensington's Micro Security Saver Port Replicator Interfaces (optional) LyBB Type-C PR Thunderbolt™ 4 PR Mechanical PR Model: NPR50	olor	Warm Silver		
Base unitLIFEBOOK U7313Graphics brand nameIntel® UHD Graphics (with Single channel memory), Intel® Iris® Xe Graphics (with Dual channel memory)Graphics notesShared memory depending on main memory size and operating systemInterfacesAudio: line-in / line-out1Internal microphones2x digital array microphones (optional)USB 3.2 Gen1 (5 Gbps) total2x Type-A (1 with Anytime USB charge functionality)Thunderbolt™ 4 total2x Type-C with USB4 (40 Gbps, Power Delivery (15W), DP 1.4 out)HDMI1 - Supports 4k@60Hz as specified in HDMI 2.0bEthernet (RJ-45)1Memory card slots1 microSD 3.0 Standard microSD Card: 2GB microSDCC card: 2GB microSDCC card: 27B Speed Class: up to UHS-1 (104MB/s)SiM card slot1 (optional)SIM card slot1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules)eSIM cardeSIM integrated in 5G LTE modulesDocking connector for Port Replicator1 - PR Model: NPR50Kensington Lock support1 - Recommendation: Kensington's Micro Security SaverPort Replicator interfaces (optional)USB Type-C PRThunderbolt™ 4 PRMechanical PR Model: NPR50	laterial	Magnesium		
Graphics brand nameIntel® UHD Graphics (with Single channel memory), Intel® Iris® Xe Graphics (with Dual channel memory)Graphics notesShared memory depending on main memory size and operating systemInterfacesAudio: line-in / line-out1Internal microphones2x digital array microphones (optional)USB 3.2 Gen 1 (5 Gbps) total2x Type-A (1 with Anytime USB charge functionality)Thunderbolt™ 4 total2x Type-C with USB4 (40 Gbps, Power Delivery (15W), DP 1.4 out)HDMI1 - Supports 4k@60Hz as specified in HDMI 2.0bEthernet (RJ-45)1Memory card slots1 microSD 3.0 Standard microSD Card: 2GB microSDHC card: 32GB microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s)SMartCard slot1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules)SIM card slot1 - Recommendation: Kensington's Micro Security SaverPort Replicator interfaces (optional)USB Type-C PRUSB Type-C PRThunderbolt™ 4 PRMechanical PR Model: NPR50	iraphics			
Graphics notes Shared memory depending on main memory size and operating system Interfaces Audio: line-in / line-out 1 Internal microphones 2x digital array microphones (optional) USB 3.2 Gen1 (5 Gbps) total 2x Type-A (1 with Anytime USB charge functionality) Thunderbolt™ 4 total 2x Type-C with USB4 (40 Gbps, Power Delivery (15W), DP 1.4 out) HDMI 1 - Supports 4k@60Hz as specified in HDMI 2.0b Ethernet (RJ-45) 1 Memory card slots 1 microSD 3.0 Standard microSD 2 card: 32GB microSDHC	ase unit	LIFEBOOK U7313		
Interfaces Audio: line-in / line-out 1 Internal microphones 2x digital array microphones (optional) USB 3.2 Gen1 (5 Gbps) total 2x Type-A (1 with Anytime USB charge functionality) Thunderbolt™ 4 total 2x Type-C with USB4 (40 Gbps, Power Delivery (15W), DP 1.4 out) HDMI 1 - Supports 4k@60Hz as specified in HDMI 2.0b Ethernet (RJ-45) 1 Memory card slots 1 microSD 3.0 Standard microSD card: 2GB microSDHC card: 32GB microSDHC card: 2TB Speed Class: up to UHS-I (104MB/s) SmartCard slot 1 (optional) SIM card slot 1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules) eSIM card eSIM integrated in 5G LTE modules Docking connector for Port Replicator 1 - PR Model: NPR50 Kensington Lock support 1 - Recommendation: Kensington's Micro Security Saver Port Replicator interfaces (optional) USB Type-C PR Thunderbolt™ 4 PR Mechanical PR Model: NPR50	iraphics brand name	Intel [®] UHD Graphics (with Single chan	nnel memory), Intel® Iris® Xe Graphics ((with Dual channel memory)
Audio: line-in / line-out 1 Internal microphones 2x digital array microphones (optional) USB 3.2 Gen1 (5 Gbps) total 2x Type-A (1 with Anytime USB charge functionality) Thunderbolt [™] 4 total 2x Type-C with USB4 (40 Gbps, Power Delivery (15W), DP 1.4 out) HDMI 1 - Supports 4k@60Hz as specified in HDMI 2.0b Ethernet (RJ-45) 1 Memory card slots 1 microSD 3.0 Standard microSD card: 2GB microSDHC card: 32GB microSDHC card: 32GB microSDKC card: 2TB Speed Class: up to UHS-I (104MB/s) SIM card slot 1 (optional) SIM card slot 1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules) eSIM card eSIM integrated in 5G LTE modules Docking connector for Port Replicator 1 - PR Model: NPR50 Kensington Lock support 1 - Recommendation: Kensington's Micro Security Saver Port Replicator interfaces (optional) USB Type-C PR Thunderbolt [™] 4 PR Mechanical PR Model: NPR50	iraphics notes	Shared memory depending on main r	memory size and operating system	
Internal microphones2x digital array microphones (optional)USB 3.2 Gen1 (5 Gbps) total2x Type-A(1 with Anytime USB charge functionality)Thunderbolt™ 4 total2x Type-C with USB4 (40 Gbps, Power Delivery (15W), DP 1.4 out)HDMI1 - Supports 4k@60Hz as specified in HDMI 2.0bEthernet (RJ-45)1Memory card slots1 microSD 3.0 Standard microSD card: 2GB microSDHC card: 2GB microSDHC card: 2TB Speed Class: up to UHS-1 (104MB/s)SmartCard slot1 (optional)SIM card slot1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules)eSIM card92IM integrated in 5G LTE modulesDocking connector for Port Replicator1 - PR Model: NPR50Kensington Lock support1 - Recommendation: Kensington's Micro Security SaverPort Replicator interfaces (optional)USB Type-C PRUSB Type-C PRThunderbolt™ 4 PRMechanical PR Model: NPR50	nterfaces			
USB 3.2 Gen1 (5 Gbps) total 2x Type-A (1 with Anytime USB charge functionality) Thunderbolt™ 4 total 2x Type-C with USB4 (40 Gbps, Power Delivery (15W), DP 1.4 out) HDMI 1 - Supports 4k@60Hz as specified in HDMI 2.0b Ethernet (RJ-45) 1 Memory card slots 1 microSD 3.0 Standard microSD Card: 2GB microSDHC card: 32GB microSDHC card: 32GB microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s) SmartCard slot 1 (optional) SIM card slot 1 (optional) SIM card slot 1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules) eSIM card slot 1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules) eSIM card slot 1 - PR Model: NPR50 Kensington Lock support 1 - PR Model: NPR50 Kensington Lock support 1 - Recommendation: Kensington's Micro Security Saver Port Replicator interfaces (optional) USB Type-C PR Thunderbolt™ 4 PR Mechanical PR Model: NPR50	udio: line-in / line-out	1		
Thunderbolt™ 4 total 2x Type-C with USB4 (40 Gbps, Power Delivery (15W), DP 1.4 out) HDMI 1 - Supports 4k@60Hz as specified in HDMI 2.0b Ethernet (RJ-45) 1 Memory card slots 1 microSD 3.0 Standard microSD card: 2GB microSDHC card: 32GB microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s) SmartCard slot 1 (optional) SIM card slot 1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules) eSIM card slot 1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules) eSIM card slot 1 - PR Model: NPR50 Kensington Lock support 1 - Recommendation: Kensington's Micro Security Saver Port Replicator interfaces (optional) USB Type-C PR Thunderbolt™ 4 PR Mechanical PR Model: NPR50	nternal microphones	2x digital array microphones (optiona	l)	
HDMI 1 - Supports 4k@60Hz as specified in HDMI 2.0b Ethernet (RJ-45) 1 Memory card slots 1 microSD 3.0 Standard microSD card: 2GB microSDHC card: 32GB microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s) SmartCard slot 1 (optional) SIM card slot 1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules) eSIM card slot 1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules) eSIM card slot 1 - PR Model: NPR50 Kensington Lock support 1 - PR Model: NPR50 Kensington Lock support 1 - Recommendation: Kensington's Micro Security Saver Port Replicator interfaces (optional) USB Type-C PR Thunderbolt [™] 4 PR Mechanical PR Model: NPR50	JSB 3.2 Gen1 (5 Gbps) total	2x Type-A (1 with Anytime USB char	ge functionality)	
Ethernet (RJ-45)1Memory card slots1 microSD 3.0 Standard microSD card: 2GB microSDHC card: 32GB microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s)SmartCard slot1 (optional)SIM card slot1 (nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules)eSIM cardeSIM integrated in 5G LTE modulesDocking connector for Port Replicator1 - PR Model: NPR50Kensington Lock support1 - Recommendation: Kensington's Micro Security SaverPort Replicator interfaces (optional)USB Type-C PRThunderbolt™ 4 PRMechanical PR Model: NPR50	hunderbolt™ 4 total	2x Type-C with USB4 (40 Gbps, Power	Delivery (15W), DP 1.4 out)	
Memory card slots1 microSD 3.0 Standard microSD card: 2GB microSDHC card: 32GB microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s)SmartCard slot1 (optional)SIM card slot1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules)eSIM cardeSIM integrated in 5G LTE modulesDocking connector for Port Replicator1 - PR Model: NPR50Kensington Lock support1 - Recommendation: Kensington's Micro Security SaverPort Replicator interfaces (optional)USB Type-C PRThunderbolt™ 4 PRMechanical PR Model: NPR50	IDMI	1 - Supports 4k@60Hz as specified in	HDMI 2.0b	
microSD card: 2GB microSDHC card: 32GB microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s)SmartCard slot1 (optional)SIM card slot1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules)eSIM cardeSIM integrated in 5G LTE modulesDocking connector for Port Replicator1 - PR Model: NPR50Kensington Lock support1 - Recommendation: Kensington's Micro Security SaverPort Replicator interfaces (optional)USB Type-C PRUSB Type-C PRThunderbolt™ 4 PRMechanical PR Model: NPR50	thernet (RJ-45)	1		
microSDHC card: 32GB microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s)SmartCard slot1 (optional)SIM card slot1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules)eSIM cardeSIM integrated in 5G LTE modulesDocking connector for Port Replicator1 - PR Model: NPR50Kensington Lock support1 - Recommendation: Kensington's Micro Security SaverPort Replicator interfaces (optional)USB Type-C PRThunderbolt™ 4 PRMechanical PR Model: NPR50	Nemory card slots	1 microSD 3.0 Standard		
microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s)SmartCard slot1 (optional)SIM card slot1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules)eSIM cardeSIM integrated in 5G LTE modulesDocking connector for Port Replicator1 - PR Model: NPR50Kensington Lock support1 - Recommendation: Kensington's Micro Security SaverPort Replicator interfaces (optional)USB Type-C PRUSB Type-C PRThunderbolt™ 4 PRMechanical PR Model: NPR50				
Speed Class: up to UHS-I (104MB/s)SmartCard slot1 (optional)SIM card slot1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules)eSIM cardeSIM integrated in 5G LTE modulesDocking connector for Port Replicator1 - PR Model: NPR50Kensington Lock support1 - Recommendation: Kensington's Micro Security SaverPort Replicator interfaces (optional)USB Type-C PRUSB Type-C PRThunderbolt™ 4 PRMechanical PR Model: NPR50				
SmartCard slot1 (optional)SIM card slot1 (Nano-SIM, only for models with configuration WWAN ready or with 5G LTE modules)eSIM cardeSIM integrated in 5G LTE modulesDocking connector for Port Replicator1 - PR Model: NPR50Kensington Lock support1 - Recommendation: Kensington's Micro Security SaverPort Replicator interfaces (optional)USB Type-C PRThunderbolt™ 4 PRMechanical PR Model: NPR50				
eSIM card eSIM integrated in 5G LTE modules Docking connector for Port Replicator 1 - PR Model: NPR50 Kensington Lock support 1 - Recommendation: Kensington's Micro Security Saver Port Replicator interfaces (optional) USB Type-C PR Thunderbolt™ 4 PR Mechanical PR Model: NPR50	martCard slot			
eSIM card eSIM integrated in 5G LTE modules Docking connector for Port Replicator 1 - PR Model: NPR50 Kensington Lock support 1 - Recommendation: Kensington's Micro Security Saver Port Replicator interfaces (optional) USB Type-C PR Thunderbolt™ 4 PR Mechanical PR Model: NPR50	IM card slot	1 (Nano-SIM, only for models with cor	nfiguration WWAN ready or with 5G LT	E modules)
Kensington Lock support 1 - Recommendation: Kensington's Micro Security Saver Port Replicator interfaces (optional) USB Type-C PR USB Type-C PR Thunderbolt™ 4 PR Mechanical PR Model: NPR50	SIM card		· · · ·	
Kensington Lock support 1 - Recommendation: Kensington's Micro Security Saver Port Replicator interfaces (optional) USB Type-C PR USB Type-C PR Thunderbolt™ 4 PR Mechanical PR Model: NPR50	Oocking connector for Port Replicator			
USB Type-C PR Thunderbolt [™] 4 PR Mechanical PR Model: NPR50		1 - Recommendation: Kensington's M	icro Security Saver	
USB Type-C PR Thunderbolt [™] 4 PR Mechanical PR Model: NPR50	ort Replicator interfaces (optional)			
DC-in 1 (19V/90W required) 1 (20V/170W required) 1 (10V/00W required)		USB Type-C PR	Thunderbolt [™] 4 PR	
)C-in	1 (19V/90W required)	1 (20V/170W required)	1 (19V/90W required)
Power on switch 1 1 1	ower on switch	1	1	1
Audio: line-in / line-out 1	udio: line-in / line-out			1
Audio: comments 1 Combo jack for headset usage 1 Combo jack for headset usage Combo-Port	udio: comments	1 Combo jack for headset usage	1 Combo jack for headset usage	Combo-Port
USB 3.2 Gen1 (5 Gbps) total 4x Type-A	ISB 3.2 Gen1 (5 Gbps) total			
2x Type-C				
DisplayPort 1x V1.2 2x V1.4++ 2 (up to 2x 3840x2160 60Hz)		1x V1.2	2x V1.4++	•
VGA 1 1 (up to 1920x1200 6Hz)				•
HDMI text 1 V 2.0b 1 (up to 4096x2160 60Hz)	iDMI text	1	V 2.0b	1 (up to 4096x2160 60Hz)

Port Replicator interfaces (optional)			
Interface Notes	3x Type-A - 5V/0.9A, 4.5W 1x Type-C - 15W 1x Type-C - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input	2x Type-A - 5V/0.9A, 4.5W 1x Type-A - 5V/2.4A, 12W 2x Type-C - 5V, 1.5A/4.5W charging port 1x Type-C - TBT4 up to 60 W (PD v2.0- 1.1), 5-20V/3.0A upstream (PC), Intel AMT support (vPRO) 1x Type-C - TBT4 up to 15 W (PD v2.0-1.1), 5V/3.0A downstream, power output to client	The shown up to resolutions are maximum values each port and will be different depending on Multi- Display combinations.
Kensington Lock support	no	1	1 (lock Portrep only)
Ethernet (RJ-45)	1	1 (10/100/1000 Mbit/s, 2,5 Gbps)	1
Notes	Number of simultaneous used display frequencies depend on mobile syster Please consult always also the manua	n and display interface type.	1 RJ45 (10/100/1000)
Keyboard and pointing devices			
	Spill-resistant keyboard, Available wit	h standard keyboard or backlit keyboard	d
		ard pitch: 19 mm, Keyboard stroke: 1.7 m	
	Multi gesture touchpad with two mo		
Wireless technologies			
Antennas	2 Dual band WLAN antennas, 2+2 LTE	antennas optional	
Bluetooth	v5.1 (OS limitation) - hardware is v5.2		
Integrated WLAN	Intel WiFi 6E AX211 - WLAN, BT, SRD c	•	
WLAN encryption	WPA/WPA2/WPA3 (Wi-Fi Protected Access)		
WLAN notes	WiFi 6E is supported by Windows 11 OS only - Windows 10 OS supports WiFi 6 only.		
WEAN HOLES	Import and usage according to country-specific regulations.		
LTE/UMTS/GPS notes	Optional		
Integrated WWAN	(5G) LTE Fibocom FM350-GL (Sub-6/cat.19) - eSIM integrated - UMTS,LTE,5G		
NFC	No		
GPS	Embedded in 5G module if configured with WWAN		
Power supply			
AC Adapter	20 V / 65 W (3.25 A), 100 V - 240 V, 50 I	Hz - 60 Hz. 3-pin (arounded) Type-C AC-	Adapter slim&light
AC Adapter	20 V / 65 W (3.25 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Type-C AC-Adapter slim&light 20 V / 65 W (3.25 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Type-C AC-Adapter standard		
1st battery options	Li-lon battery 4-cell, 3,915 mAh, 60 Wh		
1st battery	Lithium polymer battery 4-cell, 60 Wh, 3915 mAh		
Battery features	Quick Charge: 80% in 1h		
Runtime 1st battery	12h 30min (up to)		
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to www.bapco com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.		
Noise emission			
Noise emission	Please refer to the Eco Declaration		
Dimensions / Weight / Environmental			
Dimensions (W x D x H)	308 x 199.5 x 18.9 mm		
,	12.13 x 7.85 x 0.74 inch		
Weight	0.99 kg (starting from)		
Weight (lbs)			
Weight notes	starting from 2.18 lbs		
Operating ambient temperature	Weight may vary depending on actual configuration 5 - 35 °C (41 - 95 °F)		
Operating relative humidity	20 - 80 %		

Compliance		
Product	LIFEBOOK U7313	
Model	7U13A3	
Germany	GS in progress	
Europe	CE	
	СВ	
USA/Canada	FCC (depending on configuration)	
Global	ENERGY STAR® 8.0 TCO Certification in progress EPEAT® Gold (dedicated regions) in progress MIL-STD-810H tested	
China	CCC in progress	
Compliance link	https://sp.ts.fujitsu.com/sites/certificates	
Additional Software		
Additional software (preinstalled)	Microsoft Office (1 month trial for new Microsoft® Office 365 customers. Buy Microsoft Office.) McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre- installed) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Function Manager Fujitsu Battery Utility Fujitsu DeskUpdate (driver and utility tool)	
Additional software (optional)	Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows® Nero Essentials XL Microsoft® Office Professional 2021 Microsoft® Office Home and Business 2021 (Need to buy license to activate the pre-installed Microsoft Office. Purchase and activation only in the region in which it was acquired.)	
Additional software (notes)	Use of accompanying and/or additional Software is subject to proactive acceptance of the respective License Agreements /EULAs/ Subscription and support terms of the Software manufacturer as applicable for the relevant Software whether preinstalled or optional. The software may only be available bundled with a software support subscription which – depending on the Software - may be subject to separate remuneration.	
Manageability		
Manageability technology	Intel® vPro™ technology/iAMT (depending on processor) PXE Boot code Wake-on-LAN	
Manageability software	DeskView Client DeskView Instant BIOS Management	
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)	
Manageability link	https://www.fujitsu.com/global/products/computing/pc/manageability/	
Physical Security	Kensington Lock support	
System and BIOS Security	User and supervisor BIOS password EraseDisk	
User Security	Embedded fingerprint sensor (optional) Embedded PalmSecure® sensor (optional) Smartcard reader (optional) TPM 2.0 Hard disk password	

Security Notes

The properties of the product provide a baseline for product security and therefore end-customer IT security. However, these properties are not sufficient on their own to protect the product from all existing threats, such as intrusion attempts, data exfiltration and other forms of cyberattacks. To customize security settings, please use the configuration options as available for the respective product. During operation, the IT security of this product is within the responsibility of the respective administrator/end-user of the product. Please note, that Fujitsu as a manufacturer does not make any policy prescriptions or advocacy statements regarding IT security best practices and/or general product operation.

Warranty	
Warranty period	3 years)
Warranty type	Next Business Day Onsite Service (Metro areas only)
Warranty Terms & Conditions	http://www.fujitsu.com/warranty
Digital bug fixes	Subject to availability and following their generic release for the product, bug fixes and function-preserving patche for product-related software (firmware) can be downloaded from the technical support at: https://support.ts.fujitsu com/ free of charge by entering the respective product serial number. For application software supplied together with the product, please directly refer to the support websites of the respective software manufacturer.
Product Support - the perfect extension	
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	at least 5 years after shipment, for details see https://support.ts.fujitsu.com/
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/

Recommended Accessories

Thunderbolt [™] 4 Port Replicator	First Thunderbolt [™] Port Replicator on the market providing enhanced Order Code: security and full support of Intel® AMT (vPro®). FPCPR401BP The universal port can easily connect almost everything with a single cable and high speed-data transfer. This smart workspace solution keeps your desk clean and tidy.
Port Replicator for LIFEBOOK U7x13, U7x12, E5x13, E5x12, U7411 and U7511	Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu's docking options. FPCPR402BP
USB Type-C Port Replicator 2	Connect to your peripherals. Adapt to the task on demand. The universal USB Type-C interface supports you to get your peripheral devices connected easily. Multiply your USB ports to connect your peripherals as well as your external display via HDMI, DisplayPort or VGA. You also can charge your external USB devices without the need of any additional charger.

More information

Fujitsu products, solutions & services

In addition to Fujitsu Notebook LIFEBOOK U7313, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/ computing/

Software www.fujitsu.com/software/

More information

Learn more about Fujitsu Notebook LIFEBOOK U7313, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/emeia/products/ computing/pc/notebooks/index.html

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at http://www. fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/ navigation/terms-of-use.html Copyright 2023 Fujitsu Technology Solutions GmbH

Disclaimer

Please note that the data sheet reflects the technical specification with the maximum selection of components for the named system and not the detailed scope of delivery. The scope of delivery is defined by the selection of components at the time of ordering.

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

The overall product has been designed and manufactured for general office use, regular personal use and ordinary industrial use.

CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2023-04-25 EM-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/ navigation/terms-of-use.html

Copyright 2023 Fujitsu Technology Solutions GmbH