Datasheet Fujitsu Business Notebook LIFEBOOK U7312

Fujitsu recommends Windows 11 Pro



Secure Mobile Office Companion

The Fujitsu LIFEBOOK U7312 with its new slim and stylish ultra-mobile chassis, based on the 12th generation Intel® Core[™] processor, is made for business professionals. With its 13.3-inch screen, light weight of 1.05kg, Intel® Thunderbolt[™] 4 ports, it provides excellent mobility and portability. Ergonomic viewing is guaranteed along with outstanding security.

Elegant design and great mobility

Maximize your productivity with ultimate convenience

- Thanks to the complete magnesium alloy chassis, the weight is remarkably lightweight starting at 1.05kg and Military tested to be durable and reliable
- Built on Intel vPro[®] platform featuring performance, security manageability and stability
- Power performance with 12th Gen Intel[®] CoreTM processors, up to 12 cores and 16 threads
- Automate driver, BIOS, software updates with Fujitsu DeskUpdate

Excellent security

Enhance your security to best protect your notebook and data

- Peace of mind security protection from BIOS to application level with SSO solution, help protect from unauthorized threat
- Keep safe from prying eyes by activating ePrivacy filter at a touch of a button
- Leading edge biometric security from Fujitsu PalmSecureTM which authenticates based on vein pattern, fingerprint sensor and face recognition
- Protect malicious surveillance with physical Privacy Camera Shutter

Premium connectivity

Stay flexible and productive within a modern workplace

- Compact and versatile Intel® Thunderbolt[™] 4 with USB4® Type-C[™] (40Gbps) connector to charge your notebook, transfer files at faster speeds, and connect to external monitors and other peripherals
- Wi-Fi 6E allows more bandwidth which provides faster and low latency connections
- Full set of interfaces with full-size LAN connector and HDMI

Convenient upgradeability

Direct access to key components reduces upgrade time and costs

• Battery, memory, and internal storage can be changed easily

Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

- Family port replicator for the whole LIFEBOOK U7 Series ensures ultimate flexibility and shared workplace concepts
- Shared components such as the USB Type-C[™] port replicator, USB Type-C[™] AC Adapter, BIOS, and Image across the ultra-mobile LIFEBOOK U7 family











Specification

Processor	Intel® Core TM i7-1270P processor (12 Cores, up to 4.8 GHz), vPro Enterprise supported Intel® Core TM i5-1250P processor (12 Cores, up to 4.4 GHz), vPro Enterprise supported Intel® Core TM i5-1240P processor (12 Cores, up to 4.4 GHz), vPro Essentials supported Intel® Core TM i7-1255U processor (10 Cores, up to 4.7 GHz), vPro Essentials supported Intel® Core TM i5-1245U processor (10 Cores, up to 4.4 GHz), vPro Enterprise supported Intel® Core TM i5-1235U processor (10 Cores, up to 4.4 GHz), vPro Essentials supported Intel® Core TM i3-1215U processor (6 Cores, up to 4.4 GHz)
Chipset	Integrated in CPU
Operating systems ¹	Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business. Windows 11 Home Windows 10 Pro through Windows 11 Pro downgrade rights
Memory	Minimum: 4GB DDR4-3200; Maximum 64GB DDR4-3200
Memory Slots	2 DIMM, Dual Channel support
Internal Storage ²	2TB, Gen4 PCIe-SSD M.2 2280 NVMe module, SED 1TB, Gen3 or Gen4 PCIe-SSD M.2 2280 NVMe module, SED 512GB, Gen3 or Gen4 PCIe-SSD M.2 2280 NVMe module, SED 256GB, Gen3 or Gen4 PCIe-SSD M.2 2280 NVMe module, SED
Display	13.3 inch (33.8 cm), HD, 1,366 x 768 pixel, Anti-glare display, Non-touch, 250 cd/m², 500:1 13.3 inch (33.8 cm), FHD, 1,920 x 1080 pixel, Anti-glare display, touch, 300 cd/m², 800:1 13.3 inch (33.8 cm), FHD, 1,920 x 1080 pixel, Anti-glare display, Non-touch, 300 cd/m², 700:1 13.3 inch (33.8 cm), FHD, 1,920 x 1080 pixel, Anti-glare display, Non-touch, ePrivacyFilter, 400 cd/m², 1000:1
Graphics ³	Intel® Iris® X° Graphics (with Dual Channel memory) Intel® UHD Graphics (with Single Channel memory)
LAN	Intel® Ethernet Connection l219-LM
WLAN (Optional)	Intel® Wi-Fi 6E AX211 802.11ax 2x2+ Bluetooth 5.2 (depends on OS support) (Wi-Fi 6E frequency only available in dedicated regions)
Camera (Optional)	HD camera with status LED and privacy shutter IR HD camera with status LED and privacy shutter (Windows Hello Supported)
Audio	Realtek® ALC257 HD Audio, Stereo Speakers
Internal Microphone (Optional)	Dual digital array microphone
Interfaces ⁴	1x Audio Combo (Headphone/Microphone) 2x USB 3.2 (Gen1) Type-A (1 with Anytime USB charge functionality) 2x USB4® (Gen3) Type-C (Intel® Thunderbolt TM 4with DisplayPort and Power delivery function) 1x HDMI 2.0 1x Ethernet RJ-45
Expansion Slots	1x microSD 3.0 card slot (supports microSD, microSDHC, microSDXC)
Keyboard and Pointing Device	US Backlit Keyboard (Spill Resistant) US/JP Non-Backlit Keyboard (Spill Resistant) Number of keys (US-layout): 84, Keyboard pitch: 19mm, Keyboard stroke: 1.7mm Precision multi-touch touchpad with two mouse buttons
Security	Integrated Fingerprint sensor (Optional) Integrated PalmSecure [™] palm vein sensor (Optional) Integrated Smartcard reader (Optional)

Trusted Platform Module (TPM 2.0) (Integrated on Mainboard) (Optional) Fujitsu EraseDisk Fujitsu AuthConductor TM Client Basic Fujitsu BIOS/Hard Disk password protection Kensington lock slot (lock to be purchased separately) BIOS auto recovery (When BIOS is corrupted or attacked) Microsoft Secured-core PC compliant Intel® AMT (depending on processor and configuration), WOL, WOM, PXE, WFM 2.0 Compliant DMI Deskview Client JEFI Specification 2.8 InsydeH20 BIOS Fujitsu USB Type-C TM charge and feeding power utility
Fujitsu AuthConductor TM Client Basic Fujitsu BIOS/Hard Disk password protection Kensington lock slot (lock to be purchased separately) BIOS auto recovery (When BIOS is corrupted or attacked) Microsoft Secured-core PC compliant Intel® AMT (depending on processor and configuration), WOL, WOM, PXE, WFM 2.0 Compliant DMI Deskview Client UEFI Specification 2.8 InsydeH20 BIOS Fujitsu USB Type-C TM charge and feeding power utility
Fujitsu BIOS/Hard Disk password protection Kensington lock slot (lock to be purchased separately) BIOS auto recovery (When BIOS is corrupted or attacked) Microsoft Secured-core PC compliant Intel® AMT (depending on processor and configuration), WOL, WOM, PXE, WFM 2.0 Compliant DMI Deskview Client JEFI Specification 2.8 InsydeH20 BIOS Fujitsu USB Type-C TM charge and feeding power utility
BIOS auto recovery (When BIOS is corrupted or attacked) Microsoft Secured-core PC compliant Intel® AMT (depending on processor and configuration), WOL, WOM, PXE, WFM 2.0 Compliant DMI Deskview Client UEFI Specification 2.8 InsydeH20 BIOS Fujitsu USB Type-C TM charge and feeding power utility
Microsoft Secured-core PC compliant Intel® AMT (depending on processor and configuration), WOL, WOM, PXE, WFM 2.0 Compliant DMI Deskview Client JEFI Specification 2.8 InsydeH20 BIOS Fujitsu USB Type-C TM charge and feeding power utility
ntel® AMT (depending on processor and configuration), WOL, WOM, PXE, WFM 2.0 Compliant DMI Deskview Client JEFI Specification 2.8 nsydeH20 BIOS Fujitsu USB Type-C TM charge and feeding power utility
Deskview Client JEFI Specification 2.8 nsydeH20 BIOS Fujitsu USB Type-C™ charge and feeding power utility
JEFI Specification 2.8 nsydeH20 BIOS Fujitsu USB Type-C [™] charge and feeding power utility
nsydeH20 BIOS Fujitsu USB Type-C™ charge and feeding power utility
- Fujitsu USB Type-C™ charge and feeding power utility
Fujitsu Battery Utility
Fujitsu Function Manager
Fujitsu DeskUpdate (driver and utility tool)
Microsoft Office (free 30-day trial)
Fujitsu LIFEBOOK Application Panel
Fujitsu Mic Mute Utility
Vaves MaxxAudio
Hardware Diagnostic Tool (Embedded in BIOS)
Fujitsu Pointing Device Utility
20V/65W (3.25A), 100V – 240V, 50Hz – 60Hz, 3-pin (grounded) Type-C AC-Adapter
ithium polymer battery 4-cell, 60Wh, up to 10hr 39mins
Quick Charge: Up to 80% charging in 1 hour
308 x 199.5 x 18.9 mm / 12.13 x 7.85 x 0.74 inch
Starting at 1.05kg / Starting at 2.32lbs
Weight may vary depending on actual configuration)
Please visit: https://www.fujitsu.com/hk/microsite/warranty/
Accidental damage is not covered under standard limited warranty
,
Product: LIFEBOOK U7312; Model: 7U13A3
CE CE
CB
RoHS
ENERGY STAR® 8.0
TCO 9
EPEAT® Silver (dedicated regions only)
MIL-STD-810H compliant*
MIL-STD-810H test results are not a guarantee of future performance under identified test conditions.
Fujitsu USB Type-C™ Port Replicator
Fujitsu Thunderbolt™ 4 Port Replicator
Fujitsu NPR50 Mechanical Port Replicator
Fujitsu 65W USB Type-C TM AC-Adapter

More information

Moving forward for a sustainable world - Fujitsu Uvance



The word "Uvance" embodies a concept of "Making all (Universal) things move forward (Advance) in a sustainable direction.

Fujitsu Uvance will leverage Fujitsu's technological capabilities and problem-solving expertise across seven key focus areas, including Sustainable Manufacturing, Consumer Experience, Healthy Living, Trusted Society, Digital Shifts, Business Applications, and Hybrid IT, to offer unprecedented value to customers, while contributing to the achievement of its

ultimate purpose —"to make the world more sustainable by building trust in society through innovation."

Through Fujitsu Uvance, we are committed to transforming the world into a place where people can live their lives, enjoying prosperity and peace of mind. Empowering each other to make the world more sustainable.

For more information of Fujitsu Uvance, please visit https://www2.fujitsu.com/global/uvance

Driving customer success with Fujitsu's complete portfolio of service offering

To grow in an uncertain world, it is imperative to stay resilient and agile to respond complex and unforeseen challenges.

Under the global business brand – Uvance, Fujitsu provides a full range of reliable and best-in-class product, service, and solution offerings with digital innovation, from sustainable manufacturing to smart city ecosystem, to create a more sustainable world and resolve social issues. This empowers customers to strengthen resilience through Fujitsu's trusted solutions using cutting-edge technologies, while increasing their business agility and improving the reliability of their IT operations.

For more information, please visit https://www.fujitsu.com/global

Contact Us

HONG KONG

Fujitsu Business Technologies Asia Pacific Ltd.

Tel: (852) 3910-8228 Email: fbta.hksales@fujitsu.com hk.fujitsu.com/pc

INDONESIA

PT Fujitsu Indonesia

Tel: (62) 21-570-9330 Email: marketing.fid@fujitsu.com id.fujitsu.com/pc

TAIWAN

Fujitsu Taiwan Ltd.

Tel: (886) 2-2311-2255 Email: ftl.lifebook@fujitsu.com tw.fujitsu.com/pc

SINGAPORE

Fujitsu Asia Pte Ltd.

Tel: (65) 6512-7555 Email: fapl.info@fujitsu.com sq.fujitsu.com/pc

PHILIPPINES

Fujitsu Philippines, Inc.

Tel: (63) 2-8841-8488 Email: fpi-dl-fpp.pre-sales@fujitsu.com ph.fujitsu.com/pc

ΤΗΔΙΙ ΔΝΓ

Fujitsu (Thailand) Co., Ltd.

Tel: (66) 0-2302-1500 Email: info.th@fujitsu.com th.fujitsu.com/pc

CHINA

Fujitsu (China) Holdings Co., Ltd. – PC China Division

Tel: 86 (21) 58871000-8721 Email: fpcacn.support@cn.fujitsu.com cn.fujitsu.com/pc

MALAYSIA

Fujitsu (Malaysia) Sdn. Bhd

Tel: (60) 3-8230-4188 Email: askfujitsu.my@fujitsu.com my.fujitsu.com/pc

VIETNAM

Fujitsu Vietnam Limited

Tel: (84-24) 2220-3113 Email: sales-vn@fujitsu.com vn.fujitsu.com/pc

Note: For countries not listed above, please contact Hong Kong office

Specification disclaimers

Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 11 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. ²GB = 1 brillion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery. ³ Shared memory depending on main memory size and operating system. ⁴Interfaces depend on the configuration selected by customers. ⁵ Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime. For more detail, please contact Fujitsu sales specialist. ⁶The stated thickness does not include rubber feet.

Fujitsu shall not be liable for technical or editorial errors or omissions contained herein. Ultrabook, Celeron, Celeron Inside, Intel, Intel,

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/co/lobal/about/resources/terms/.

© 2023 Fujitsu Business Technologies Asia Pacific Limited

Last Update: February 7, 2023