

Datasheet

Fujitsu

Business Notebook

LIFEBOOK U9313X



Fujitsu recommends Windows 11 Pro

Ultra-Lightweight Convertible with A Pen

Fujitsu LIFEBOOK U9313X is a stunning slim & ultra-lightweight 360-degree convertible with full-sized pen support. Thanks to its 360° foldability, it can be immediately transformed from a Notebook to a Tablet and increase your productivity with the best use of full-sized pen and rear camera. All-day battery runtime and excellent performance ensure highest productivity at all time. Security features such as PalmSecure™ / Fingerprint and Erasedisk protecting your data when you focus on your work.

Unprecedented Powerful Performance

Maximize productivity on-the-go

- Latest 13th Gen Intel® Core™ P-series and U-series processors with up to 14 cores, running at 5.2 GHz
- Intel vPro® Enterprise technology for better manageability, security, and stability (depending on processor)
- Support up to 32GB LPDDR5 memory
- Equipped with PCIe Gen4 SSD for swift access to your work
- Embedded with WACOM AES Technology which supports 4,096 pressure sensitivity
- Anytime USB Charge functionality to charge other devices even when the system is turned off
- Keep you productive full day with long battery life

Ultra-mobile and lightweight Convertible

Thanks to its 360° foldability, it can be turned immediately from a Notebook to a Tablet – and back

- 13.3-inch FHD anti-glare touch display with pen input
- Full-sized pen to provide natural writing experience
- Rear camera to facilitate the tablet-mode using experience
- Pen garage for storing pen
- Lighter than 1kg with a robust magnesium alloy housing
- Military standard MIL-STD-810H tested to demonstrate its unsurpassed stiffness

Go green with packaging innovation

Enhance sustainability for environmental protection

- Save 30% plastic with new packaging material for notebook cover and LCD

Security at its best

No compromises in security and data protection

- Integrated PalmSecure™ or Fingerprint sensor to avoid unauthorized access to your device
- FHD Infrared Camera allows face recognition with Windows Hello
- Fujitsu BIOS/Hard Disk password protection
- EraseDisk ensures secure data deletion to avoid leaving sensitive data on the device when it is scrapped
- Privacy camera shutter to prevent others from illegally peeking through the lens

Excellent connectivity and Usability

Stay flexible and productive in a hyper-connected world

- Versatile Intel® Thunderbolt™ 4 connector offers laptop charging, fast data transfer and external monitors connection
- Full-sized HDMI and LAN connector without the needs of using adapters
- Support WLAN, Bluetooth, 5G



Specification

Processor	Intel® Core™ i7-1370P processor (14 Cores, up to 5.2 GHz), vPro Enterprise supported Intel® Core™ i5-1350P processor (12 Cores, up to 4.7 GHz), vPro Enterprise supported Intel® Core™ i5-1335U processor (10 Cores, up to 4.6 GHz)
Operating systems¹	Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business. Windows 11 Home Windows 10 Pro through Windows 11 Pro downgrade rights
Memory	Minimum: 16GB LPDDR5-6400 MHz (onboard); Maximum 32GB LPDDR5-6000 MHz (onboard)
Internal Storage²	2TB, Gen4 Performance PCIe-SSD M.2 2280 NVMe module, SED 1TB, Gen4 Performance PCIe-SSD M.2 2280 NVMe module, SED 512GB, Gen4 Performance PCIe-SSD M.2 2280 NVMe module, SED 1TB, Gen4 Value PCIe-SSD M.2 2280 NVMe module, SED 512GB, Gen4 Value PCIe-SSD M.2 2280 NVMe module, SED 256GB, Gen4 Value PCIe-SSD M.2 2280 NVMe module, SED
Display	13.3-inch (33.8 cm), 16:9, FHD 1,920 x 1,080 pixel, Anti-glare, Touch, 340 cd/m ²
Pressure levels for pen input	4,096
Graphics³	Intel® Iris® X ^e Graphics
LAN	Intel® Ethernet Connection I219-LM
WLAN (Optional)	Intel® Wi-Fi 6E AX211 - Bluetooth 5.2 (depends on OS support), SRD cat.2 (6E frequency only in dedicated regions)
WWAN (Optional)⁴	Fibocom FM350-GL (Sub-6/Cat.19) – 5G (regional offering)
Camera	Built-in FHD IR Webcam with webcam shutter. Windows Hello supported.
Audio	Realtek® ALC257 HD Audio, Stereo Speakers
Interfaces⁵	1x Audio Combo 2x USB 3.2 (Gen1) Type-A 2x USB4® (Gen3) Type-C or Intel® Thunderbolt™ 4 (with DisplayPort and Power delivery function) 1x HDMI 2.0 1x Ethernet RJ-45
Expansion Slots	1x microSD 4.0 card slot 1x Nano SIM card slot (available when WWAN module is configured)
Keyboard and Pointing Device	US/ Taiwan/ Thai Keyboard w/backlit Number of keys: 84, Keyboard pitch: 19mm, Keyboard stroke: 1.5mm Multi gesture touchpad with two mouse buttons
Security	Integrated Fingerprint sensor (Optional) Integrated PalmSecure™ palm vein sensor (Optional) Integrated Smartcard reader (Optional) Trusted Platform Module (TPM 2.0) (Optional) Fujitsu EraseDisk Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/Hard Disk password protection Kensington lock slot (lock to be purchased separately)

Datasheet Fujitsu LIFEBOOK U9313X

Fujitsu recommends Windows 11 Pro

Manageability	WOL, WOM, PXE, WFM 2.0 Compliant DMI
Additional Software	Fujitsu USB Type-C® charge and feeding power utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool) Microsoft Office (free 30-day trial) WWAN Control Utility Fujitsu LIFEBOOK Application Panel Fujitsu Mic Mute Utility Waves MaxxAudio Fujitsu Pointing Device Utility
AC Adapter	20V/65W (3.25A), 100V – 240V, 3-pin (grounded) Type-C AC-Adapter
Battery⁶	Lithium polymer battery 4-cell, 64Wh, up to 14 hours (MobileMark2018) ⁶ Quick Charge: Up to 80% charging in 1 hour
Dimension (WxDxH)⁷	308.6 x 209 x 16.9 mm
Weight	Starting at 988g (Weight may vary depending on actual configuration)
Warranty	Please visit: https://www.fujitsu.com/hk/ap/warranty *Accidental damage is not covered under standard limited warranty
Compliance	Product: LIFEBOOK U9313X; Model: 9X13A4
Certifications	CE CB BSMI IMDA RoHS ENERGY STAR MIL-STD-810H compliant* *MIL-STD-810H test results are not a guarantee of future performance under identified test conditions.
Accessories (Optional)	USB Type-C Port replicator2 TBT4 Port Replicator TBT4 Port Replicator for Taiwan AC Adapter (3pin) 19V/90W Type-C AC Adapter (3pin) 65W w/o AC Cable AC Adapter (3pin) 20V/170W w/o AC Cable USB Type-C cable Thunderbolt4 Cable 70cm Thunderbolt4 Active Cable 2.0m Kensington Lock Cable (thin type) Large Pen(AES2.0, Li-ion Battery) Replacement Stylus Tips (POM/3 Pcs) for Large Pen Pen-tether WWAN Upgrade Kit (Fibocom FM350-GL (5G) module and screw)

More information

Moving forward for a sustainable world – Fujitsu Uvance



The word "Uvance" embodies a concept of "Making all (Universal) things move forward (Advance) in a sustainable direction.

Fujitsu Uvance will leverage Fujitsu's technological capabilities and problem-solving expertise across seven key focus areas, including Sustainable Manufacturing, Consumer Experience, Healthy Living, Trusted Society, Digital Shifts, Business Applications, and Hybrid IT, to offer unprecedented value to customers, while contributing to the achievement of its ultimate purpose — "to make the

world more sustainable by building trust in society through innovation."

Through Fujitsu Uvance, we are committed to transforming the world into a place where people can live their lives, enjoying prosperity and peace of mind. Empowering each other to make the world more sustainable.

For more information of Fujitsu Uvance, please visit <https://www2.fujitsu.com/global/uvance>

Driving customer success with Fujitsu's complete portfolio of service offering

To grow in an uncertain world, it is imperative to stay resilient and agile to respond complex and unforeseen challenges.

Under the global business brand – Uvance, Fujitsu provides a full range of reliable and best-in-class product, service, and solution offerings with digital innovation, from sustainable manufacturing to smart city ecosystem, to create a more sustainable world and resolve social issues. This empowers customers to strengthen resilience through Fujitsu's trusted solutions using cutting-edge technologies, while increasing their business agility and improving the reliability of their IT operations.

For more information, please visit <https://www.fujitsu.com/global>

Contact Us

HONG KONG

Fujitsu Business Technologies Asia Pacific Ltd.

Tel: (852) 3910-8228

Email: fpca.hksales@hk.fujitsu.com

hk.fujitsu.com/pc

SINGAPORE

Fujitsu Asia Pte Ltd.

Tel: (65) 6512-7555

Email: faapl.info@fujitsu.com

sg.fujitsu.com/pc

CHINA

Fujitsu (China) Holdings Co., Ltd. –
PC China Division

Tel: 86 (21) 58871000-8721

Email: fpcacn.support@cn.fujitsu.com

cn.fujitsu.com/pc

INDONESIA

PT Fujitsu Indonesia

Tel: (62) 21-570-9330

Email: marketing@id.fujitsu.com

id.fujitsu.com/pc

PHILIPPINES

Fujitsu Philippines, Inc.

Tel: (63) 2-8841-8488

Email: fpi-dl-fpp.pre-sales@fujitsu.com

ph.fujitsu.com/pc

MALAYSIA

Fujitsu (Malaysia) Sdn. Bhd

Tel: (60) 3-8230-4188

Email: askfujitsu.my@fujitsu.com

my.fujitsu.com/pc

TAIWAN

Fujitsu Taiwan Ltd.

Tel: (886) 2-2311-2255

Email: ftl.lifebook@fujitsu.com

tw.fujitsu.com/pc

THAILAND

Fujitsu (Thailand) Co., Ltd.

Tel: (66) 0-2302-1500

Email: info.th@fujitsu.com

th.fujitsu.com/pc

VIETNAM

Fujitsu Vietnam Limited

Tel: (84-24) 2220-3113

Email: sales-vn@fujitsu.com

vn.fujitsu.com/pc

Note: For countries not listed above, please contact Hong Kong office.

Specification disclaimers

¹ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 11 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. ² GB = 1 billion bytes. TB = 1 trillion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery. ³ Shared memory depending on main memory size and operating system. ⁴ WWAN module is optional and available in specific countries only. It requires separately purchased service contract. Check with service provider for coverage and availability in your area. Connection speeds will vary due to location, environment, network conditions, and other factors. Please contact our Fujitsu sales specialist for more information. ⁵ Interfaces depend on the configuration selected by customers. ⁶ Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime. For more detail, please contact Fujitsu sales specialist. ⁷ The stated thickness does not include rubber feet.

Fujitsu shall not be liable for technical or editorial errors or omissions contained herein. Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Inside Logo, Intel vPro, Intel Evo, Itanium, Itanium Inside, Pentium, Pentium Inside, vPro Inside, Xeon, Xeon Phi, Xeon Inside, Intel Agilix, Arria, Cyclone, Movidius, eASIC, Enpirion, Iris, MAX, Intel RealSense, Stratix, and Intel Optane are trademarks of Intel Corporation or its subsidiaries. USB Type-C® and USB-C® are trademarks of USB Implementers Forum. All other trademarks are the property of their respective owners.

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/global/about/resources/terms/.

© 2023 Fujitsu Business Technologies Asia Pacific Limited

Last Update: April 21, 2023