# **FUJITSU**

## Datasheet FUJITSU Notebook LIFEBOOK E5411/A



#### Your Powerful and Modern Business Device

The FUJITSU Notebook LIFEBOOK E5411/A is exclusively designed for office workers needing a powerful, fully-equipped notebook. Thanks to the latest 11<sup>th</sup> generation Intel® Core™ processor, you can work efficiently wherever you are. With advanced security features like PalmSecure™ palm vein sensor, you can protect your business data against unauthorized access.

#### Modern and robust design

Reliable mobility, ease of use and modern good looks for everyday business demands

- Slim 23.9 mm entry notebook starting at 1.79 kg with a solid design
- Enjoy an ergonomic viewing experience with a 14" anti-glare HD or FHD display, with optional FHD touch display

#### Reliable and secure performance

Protect your business data from unauthorized access at all times

- Optional integrated PalmSecure<sup>™</sup> palm vein sensor or Fingerprint sensor
- Optional Infrared camera: Allows face recognition with Windows Hello
- Built-in Privacy Camera Shutter: Protecting your privacy
- Optional Smartcard reader and TPM 2.0
- Microsoft Secured-core PC compliant

#### Best-in-class connectivity

Be flexible and stay productive anywhere, anytime

- Full set of ports with a full-sized HDMI, VGA and LAN connector and Thunderbolt™ 4
- Based on the latest Quad Core Intel® processor with Intel® Iris® Xe Graphics and optional PCIe 4.0 NVMe M.2 SSD, enabling data to be processed faster

#### Convenient serviceability and upgradeability

Easy access to key components reduces upgrade time and costs

 Battery, memory, internal storage and connectivity components (LTE & WLAN) can be changed with ease







## Specification

Processor Family	Intel® Core™ i7-1185G7 Processor (Quad Cores, 12M Cache, 1.2 GHz, up to 4.80 GHz, Intel® vPro®)
Operating System <sup>1</sup>	Intel® Core™ i7-1165G7 Processor (Quad Cores, 12M Cache, 1.2 GHz, up to 4.70 GHz)
	Intel® Core™ i5-1145G7 Processor (Quad Cores, 8M Cache, 1.1 GHz, up to 4.40 GHz, Intel® vPro®)
	Intel® Core™ i5-1135G7 Processor (Quad Cores, 8M Cache, 0.9 GHz, up to 4.20 GHz)
	Intel® Core™ i3-1115G4 Processor (Dual Cores, 6M Cache, 1.7 GHz, up to 4.10 GHz)
	Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business.
operating system	Windows 11 Home
	Windows 10 Pro through Windows 11 Pro downgrade rights
RAM Capacity	Minimum: 4 GB DDR4-3200; Maximum: 64 GB DDR4-3200
Memory Slots	2 SODIMM (DDR4)
,	,
Internal Storage <sup>2</sup>	256 GB / 512 GB Value PCIe 3.0 NVMe M.2 2280 SSD, non-SED
Display	128 GB / 256 GB / 512 GB / 1 TB Value PCIe 3.0 NVMe M.2 2280 SSD, SED/ OPAL2
	512 GB / 1 TB PCIe 3.0 NVMe M.2 2280 SSD, SED/ OPAL2
	256 GB / 512 GB PCIe 4.0 NVMe M.2 2280 SSD, SED/ OPAL2
	35.6 cm (14"), LED backlight, FHD, Anti-glare display, Touch, WVA, 1,920 x 1,080 pixel, 700:1, 220 cd/m²
	35.6 cm (14"), LED backlight, FHD, Anti-glare display, WVA, 1,920 x 1,080 pixel, 700:1, 220 cd/m²
	35.6 cm (14"), LED backlight, HD, Anti-glare display, 1,366 x 768 pixel, 350:1, 200 cd/m²
Graphics <sup>3</sup>	Intel® Iris® Xe Graphics / Intel® UHD Graphics (Depending on processor)
LAN	Intel® Ethernet Connection I219LM
WLAN (Optional)	Intel® Wi-Fi 6 AX201 802.11ax (2x2) and Bluetooth® 5.1
WWAN (Optional) <sup>4</sup>	4G/LTE Sierra Wireless® EM7421 (Cat.7)
Camera (Optional)	HD camera with Privacy Camera Shutter
• •	HD IR camera with Privacy Camera Shutter (Supporting Windows Hello)
Audio	Realtek® ALC255 HD Audio, Stereo Speakers
Internal Microphone (Optional)	Dual digital array microphone
Interfaces	1 DC-in
	1 Audio Combo
	1 Thunderbolt™ 4 (with DisplayPort and power delivery function)
	2 USB 3.2 Gen 1 (1 with Anytime USB charge function)
	1 HDMI
	1 VGA
	1 Ethernet RJ-45 (with status LED)
	1 Port Replicator connector (port replicator to be purchased separately)
Expansion Slots	1 SD card slot (supports SD, SDHC, SDXC)
Keyboard and Pointing Devices	1 SIM card slot (available when WWAN module is configured)
	US/ Taiwan/ Thai Keyboard w/backlit (Optional)
	US Keyboard w/anti-bacterial, spill resistant (Optional)
	IP Keyboard (Optional)
	Number of keyboard keys: 84, Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7mm
	Precision touchpad
Cocycity	Integrated Fingerprint sensor (Optional)
Security	Integrated PalmSecure™ palm vein sensor (Optional)
	Integrated Paintsectie paint vein sensor (optional) Integrated Smartcard reader (Optional)
	Trusted Platform Module (TPM 2.0) (Optional)
	Fujitan Franco Disk
	Fujitsu EraseDisk
	Fujitsu AuthConductor™ Client Basic
	Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/ Hard Disk password protection
	Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately)
Manageability	Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately) Intel® AMT (depending on processer), WOL, WOM, PXE, WFM 2.0 Compliant DMI
Manageability Additional Software	Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately) Intel® AMT (depending on processer), WOL, WOM, PXE, WFM 2.0 Compliant DMI Fujitsu Battery Utility
	Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately) Intel® AMT (depending on processer), WOL, WOM, PXE, WFM 2.0 Compliant DMI Fujitsu Battery Utility Fujitsu Function Key Lock Utility
	Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately) Intel® AMT (depending on processer), WOL, WOM, PXE, WFM 2.0 Compliant DMI Fujitsu Battery Utility Fujitsu Function Key Lock Utility Fujitsu Function Manager
	Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately) Intel® AMT (depending on processer), WOL, WOM, PXE, WFM 2.0 Compliant DMI Fujitsu Battery Utility Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu LIFEBOOK Application Panel
	Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately) Intel® AMT (depending on processer), WOL, WOM, PXE, WFM 2.0 Compliant DMI Fujitsu Battery Utility Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu LIFEBOOK Application Panel Fujitsu Mic Mute Utility
	Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately) Intel® AMT (depending on processer), WOL, WOM, PXE, WFM 2.0 Compliant DMI Fujitsu Battery Utility Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu LIFEBOOK Application Panel Fujitsu Mic Mute Utility Fujitsu Pointing Device Utility
	Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately)  Intel® AMT (depending on processer), WOL, WOM, PXE, WFM 2.0 Compliant DMI  Fujitsu Battery Utility Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu LIFEBOOK Application Panel Fujitsu Mic Mute Utility Fujitsu Pointing Device Utility Fujitsu System Extension Utility
	Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately)  Intel® AMT (depending on processer), WOL, WOM, PXE, WFM 2.0 Compliant DMI  Fujitsu Battery Utility Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu LIFEBOOK Application Panel Fujitsu Mic Mute Utility Fujitsu Pointing Device Utility Fujitsu System Extension Utility Sierra Wireless Skylight (only available on devices with preconfigured WWAN)
Additional Software	Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately)  Intel® AMT (depending on processer), WOL, WOM, PXE, WFM 2.0 Compliant DMI  Fujitsu Battery Utility Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu Function Manager Fujitsu LIFEBOOK Application Panel Fujitsu Mic Mute Utility Fujitsu Pointing Device Utility Fujitsu System Extension Utility Sierra Wireless Skylight (only available on devices with preconfigured WWAN) Wave MaxxAudio (Audio Enhancer)
Additional Software  AC Adapter	Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately)  Intel® AMT (depending on processer), WOL, WOM, PXE, WFM 2.0 Compliant DMI  Fujitsu Battery Utility Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu LIFEBOOK Application Panel Fujitsu Mic Mute Utility Fujitsu Pointing Device Utility Fujitsu System Extension Utility Sierra Wireless Skylight (only available on devices with preconfigured WWAN) Wave MaxxAudio (Audio Enhancer)  19 V/ 65 W (3.42 A), 100 V − 240 V, 50 Hz − 60 Hz, 3-pin (grounded) standard type
Additional Software	Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately)  Intel® AMT (depending on processer), WOL, WOM, PXE, WFM 2.0 Compliant DMI  Fujitsu Battery Utility Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu LIFEBOOK Application Panel Fujitsu Mic Mute Utility Fujitsu Pointing Device Utility Fujitsu Pointing Device Utility Fujitsu System Extension Utility Sierra Wireless Skylight (only available on devices with preconfigured WWAN) Wave MaxxAudio (Audio Enhancer)  19 V/ 65 W (3.42 A), 100 V − 240 V, 50 Hz − 60 Hz, 3-pin (grounded) standard type  4-cell, 50Wh; Up to 9 hrs 20 mins
Additional Software  AC Adapter	Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately)  Intel® AMT (depending on processer), WOL, WOM, PXE, WFM 2.0 Compliant DMI  Fujitsu Battery Utility Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu LIFEBOOK Application Panel Fujitsu Mic Mute Utility Fujitsu Pointing Device Utility Fujitsu System Extension Utility Sierra Wireless Skylight (only available on devices with preconfigured WWAN) Wave MaxxAudio (Audio Enhancer)  19 V/ 65 W (3.42 A), 100 V − 240 V, 50 Hz − 60 Hz, 3-pin (grounded) standard type
Additional Software  AC Adapter	Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately)  Intel® AMT (depending on processer), WOL, WOM, PXE, WFM 2.0 Compliant DMI  Fujitsu Battery Utility Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu LIFEBOOK Application Panel Fujitsu Mic Mute Utility Fujitsu Pointing Device Utility Fujitsu Pointing Device Utility Fujitsu System Extension Utility Sierra Wireless Skylight (only available on devices with preconfigured WWAN) Wave MaxxAudio (Audio Enhancer)  19 V/ 65 W (3.42 A), 100 V − 240 V, 50 Hz − 60 Hz, 3-pin (grounded) standard type  4-cell, 50Wh; Up to 9 hrs 20 mins
Additional Software  AC Adapter  Battery <sup>5</sup>	Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately)  Intel® AMT (depending on processer), WOL, WOM, PXE, WFM 2.0 Compliant DMI  Fujitsu Battery Utility Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu LIFEBOOK Application Panel Fujitsu Mic Mute Utility Fujitsu Pointing Device Utility Fujitsu Pointing Device Utility Fujitsu System Extension Utility Sierra Wireless Skylight (only available on devices with preconfigured WWAN) Wave MaxxAudio (Audio Enhancer)  19 V/ 65 W (3.42 A), 100 V − 240 V, 50 Hz − 60 Hz, 3-pin (grounded) standard type  4-cell, 50Wh; Up to 9 hrs 20 mins Quick Charge: Up to 80% charging in 1 hour
AC Adapter Battery <sup>5</sup> Dimension (W x D x H) <sup>6</sup>	Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately)  Intel® AMT (depending on processer), WOL, WOM, PXE, WFM 2.0 Compliant DMI  Fujitsu Battery Utility Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu LIFEBOOK Application Panel Fujitsu Mic Mute Utility Fujitsu Pointing Device Utility Fujitsu Pointing Device Utility Fujitsu System Extension Utility Sierra Wireless Skylight (only available on devices with preconfigured WWAN) Wave MaxxAudio (Audio Enhancer)  19 V/ 65 W (3.42 A), 100 V − 240 V, 50 Hz − 60 Hz, 3-pin (grounded) standard type  4-cell, 50Wh; Up to 9 hrs 20 mins Quick Charge: Up to 80% charging in 1 hour  333.6 x 234 x 23.9 mm
AC Adapter Battery <sup>5</sup> Dimension (W x D x H) <sup>6</sup> Weight	Fujitsu AuthConductor™ Client Basic Fujitsu BIOS/ Hard Disk password protection Kensington lock slot (lock to be purchased separately)  Intel® AMT (depending on processer), WOL, WOM, PXE, WFM 2.0 Compliant DMI  Fujitsu Battery Utility Fujitsu Function Key Lock Utility Fujitsu Function Manager Fujitsu LIFEBOOK Application Panel Fujitsu Mic Mute Utility Fujitsu Pointing Device Utility Fujitsu System Extension Utility Sierra Wireless Skylight (only available on devices with preconfigured WWAN) Wave MaxxAudio (Audio Enhancer)  19 V/ 65 W (3.42 A), 100 V − 240 V, 50 Hz − 60 Hz, 3-pin (grounded) standard type  4-cell, 50Wh; Up to 9 hrs 20 mins Quick Charge: Up to 80% charging in 1 hour  333.6 x 234 x 23.9 mm  Starting at 1.79 kg; (Weight may vary depending on actual configuration)



## Recommended Accessories

#### Classic Port Replicator



Flexibility, expandability, desktop replacement and investment protection are just a few benefits of Fujitsu docking options. It takes just a second to attach your notebook to the Port Replicator and get connected to your external display, keyboard and mouse. Your workplace is simple and tidy while you are instantly ready to work with your notebook.

#### USB Type-C<sup>™</sup> Port Replicator



Flexibility, expandability, desktop replacement, investment protection 3x USB 3.2 Gen 1, DisplayPort, VGA, HDMI, RJ-45

#### AC Adapter LIFEBOOK



Power your notebook at work, at home or on the road with a second power source. You can easily recharge your notebook everywhere. Depending on your notebook you can choose from various AC Adapters ranging from a stick type adapter to standard adapters, or even the innovative ECO AC Adapter.

#### Privacy Filter 14.0"



The 14.0" privacy filter is using advanced optical technology that delivers visual privacy and screen protection. It protects against visual hackers, physical screen damage and screen glare.

#### Fujitsu Clean Desk Solution



The Fujitsu Clean Desk is a customizable digital office with tidy, one-cable connectivity. Combining best-of-breed components from Fujitsu and its partners, the solution delivers greater well-being for users – particularly those who work all day at a display – by creating an ergonomic environment with a greater sense of space.

# **FUJITSU**

### More information

#### Fujitsu OPTIMIZATION solutions

In addition to Fujitsu Notebook LIFEBOOK E5411/A, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fuiitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

#### **Computing Products**

www.fujitsu.com/global/products/computing/

#### Software

www.fujitsu.com/software/

#### More information

To learn more about Fujitsu Notebook LIFEBOOK E5411/A, please contact your Fujitsu sales representative, Fujitsu Business partner, or visit our website.

#### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at http://www.fujitsu.com/global/about/environment/



#### Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

© 2020 Fujitsu Business Technologies Asia Pacific Limited

#### Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

#### Contact Us

HONG KONG Fujitsu Business Technologies Asia Pacific Ltd. Tel: (852) 3910-8228 Email: fbta.hksales@fujitsu.com hk.fujitsu.com/pc

#### INDONESIA

PT Fujitsu Indonesia Tel: (62) 21-570-9330 Email: marketing.fid@fujitsu.com id.fujitsu.com/pc

#### **TAIWAN**

Fujitsu Taiwan Ltd. Tel: (886) 2-2311-2255 Email: ftl.lifebook@fujitsu.com tw.fujitsu.com/pc

#### SINGAPORE Fujitsu Asia Pte Ltd. Tel: (65) 6512-7555

Email: fapl.info@fujitsu.com sg.fujitsu.com/pc

#### PHILIPPINES

Fujitsu Philippines, Inc. Tel: (63) 2-8841-8488 Email: info@fujitsu.com ph.fujitsu.com/pc

#### THAILAND

Fujitsu (Thailand) Co., Ltd. Tel: (66) 0-2302-1500 Email: info.th@fujitsu.com th.fujitsu.com/pc

#### CHINA

Fujitsu (China) Holdings Co., Ltd. – PC China Division Tel: 86 (21) 58871000-8721 Email: fpcacn.support@cn.fujitsu.com cn.fujitsu.com/pc

#### MALAYSIA

Fujitsu (Malaysia) Sdn. Bhd Tel: (60) 3-8230-4188 Email: askfujitsu.my@fujitsu.com my.fujitsu.com/pc

#### VIETNAM

Fujitsu Vietnam Limited Tel: (84-24) 2220-3113 Email: sales-vn@fujitsu.com vn.fujitsu.com/pc

Note: For countries not listed above, please contact our Hong Kong office.

#### Specification disclaimers

Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. \*CB = 1 trillion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery. \*Integrated graphics to the processor. Sharemeny size and operating systems. \*WINAN module is optional and available in specific countries? regions only. It requires separately purchased service contract. Check with service provider for coverage and availability in your area. Connection speeds will vary due to location, environment, network conditions, and other factors. \*Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific batter runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime. \*The stated thickness does not include rubber feet.

FUJITSU shall not be liable for technical or editorial errors or omissions contained herein. Ultrabook, Celeron, Celeron Inside, Core Inside, Intel Logo, Intel Atom, Intel Atom, Intel Atom, Intel Core, Intel Inside, Intel Inside Logo, Intel VPro, Intel Evo, Itanium, Inside, Pentium, Pentium Inside, VPro Inside, Xeon, Xeon Phi, Xeon Inside, Intel Agilex, Arria, Cyclone, Movidius, eASIC, Enpirion, Iris, MAX, Intel RealSense, Stratix, and Intel Optane are trademarks of Intel Corporation or its subsidiaries. USB Type-C<sup>IM</sup> and USB-C<sup>IM</sup> are trademarks of USB Implementers Forum. All other trademarks are the property of their respective owners.

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <a href="https://www.fujitsu.com/terms">www.fujitsu.com/terms</a>.

© 2022 Fujitsu Business Technologies Asia Pacific Limited